

## University of Groningen

### Correction

on behalf of the Traumaplatform 3D Consortium; Bleeker, Nils Jan; Doornberg, Job N.; ten Duis, Kaj; El Moumni, Mostafa; Reininga, Inge H.F.; Jaarsma, Ruurd L.; IJpma, Frank F.A.

*Published in:*  
European Journal of Trauma and Emergency Surgery

*DOI:*  
[10.1007/s00068-022-02098-4](https://doi.org/10.1007/s00068-022-02098-4)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2022

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

on behalf of the Traumaplatform 3D Consortium, Bleeker, N. J., Doornberg, J. N., ten Duis, K., El Moumni, M., Reininga, I. H. F., Jaarsma, R. L., & IJpma, F. F. A. (2022). Correction: Intraoperative fluoroscopic protocol to avoid rotational malalignment after nailing of tibia shaft fractures: introduction of the 'C-Arm Rotational View (CARV)' (European Journal of Trauma and Emergency Surgery, (2022), 10.1007/s00068-022-02038-2). *European Journal of Trauma and Emergency Surgery*. <https://doi.org/10.1007/s00068-022-02098-4>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*



# Correction: Intraoperative fluoroscopic protocol to avoid rotational malalignment after nailing of tibia shaft fractures: introduction of the 'C-Arm Rotational View (CARV)'

Nils Jan Bleeker<sup>1</sup> · Job N. Doornberg<sup>1</sup> · Kaj ten Duis<sup>1</sup> · Mostafa El Moumni<sup>1</sup> · Inge H. F. Reininga<sup>1</sup> · Ruurd L. Jaarsma<sup>2</sup> · Frank F. A. IJpma<sup>1</sup> · On behalf of the Traumaplattform 3D Consortium

© The Author(s) 2022

**Correction:**  
**European Journal of Trauma and Emergency Surgery**  
<https://doi.org/10.1007/s00068-022-02038-2>

In the Acknowledgements section the following part was missing: On behalf of the Traumaplattform 3D Consortium: L. M. Goedhart, B. de Cort, L. A. M. Hendrickx, M. ter Horst, J. Gorter, R. J. van Luit, P. Nieboer, W. Füssenich, T. Zwerver, R. Koster, J. J. Valk, L. Reinke, J. G. Bleeker, M. Cain, F. J. P. Beeres, G. M. M. J. Kerkhoffs.

The original article has been corrected.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

---

The original article can be found online at <https://doi.org/10.1007/s00068-022-02038-2>.

---

✉ Nils Jan Bleeker  
[n.j.bleeker@umcg.nl](mailto:n.j.bleeker@umcg.nl)

<sup>1</sup> Department of Orthopaedic Trauma Surgery, University Medical Center Groningen, University of Groningen, Groningen, The Netherlands

<sup>2</sup> Department of Orthopaedic Trauma Surgery, Flinders Medical Center and Flinders University, Adelaide, Australia