

University of Groningen

Genetics of arrhenotokous and thelytokous reproduction in *Venturia canescens* (Hymenoptera)

Mateo Leach, Irene Victoria

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2009

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Mateo Leach, I. V. (2009). *Genetics of arrhenotokous and thelytokous reproduction in Venturia canescens (Hymenoptera)*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

A

- Adachi-Hagimori, T., Miura, K. and Stouthamer, R. (2008) A new cytogenetic mechanism for bacterial endosymbiont-induced parthenogenesis in Hymenoptera. *Proc R Soc Lond B* **275**: 2667–2673.
- Agoze, M., Drezen, J.M., Renault and S., Periquet, G. (1994) Analysis of the reproductive potential of diploid males in the wasp *Diadromus pulchellus* (Hymenoptera: Ichneumonidae). *Bull Ent Res* **84**: 213–218.
- Ahmad, T. (1936) The influence of ecological factors on the Mediterranean flour moth, *Ephestia kuehnulla* and its parasite, *Nemeritis canescens*. *J Anim Ecol* **5**: 67–93.
- Amat, I. (2004) Coexistence de la reproduction sexuée et asexuée chez l'hyménoptère parasitoïde *Venturia canescens*: aspects comportementaux et écologiques. Ph.D. thesis, University Claude Bernard, France.
- Amat, I., Bernstein, C. and van Alphen, J.J.M. (2003) Does a deletion in a virus-like particle protein have pleiotropic effects on the reproductive biology of a parasitoid wasp? *J Insect Physiol* **49**: 1183–1188.
- Amat, I., Castelo, M., Desouhant, E. and Bernstein, C. (2006) The influence of temperature and host availability on the host exploitation strategies of sexual and asexual parasitic wasps of the same species. *Oecologia* **148**: 153–161.
- Amat, I., Desouhant, E. and Bernstein, C. (2009) Differential use of conspecific-derived information by sexual and asexual parasitic wasps exploiting partially depleted host patches. *Behav Ecol Sociobiol* **63**: 563–572.
- Antolin, M.F., Bosio, C.F., Cotton, J., Sweeney, W., Strand, M.R. and Black, W.C. (1996) Intensive linkage mapping in a wasp (*Bracon hebetor*) and a mosquito (*Aedes aegypti*) with single-strand conformation polymorphism analysis of random amplified polymorphic DNA markers. *Genetics* **143**: 1727–1738.
- Arakaki, N., Noda, H. and Yamagishi K. (2000) *Wolbachia*-induced parthenogenesis in the egg parasitoid *Telenomus nawai*. *Entomol Exp Appl* **96**:177–184.
- Arakaki, N., Miyosi, T. and Noda, H. (2001) *Wolbachia*-mediated parthenogenesis in the predatory thrips *Frankliniella vespiformis* (Tysanoptera: Insecta). *Proc R Soc Lond B* **268**: 1011–1016.
- Arthur, P.A. (1971) Associative learning by *Nemeritis canescens* (Hymenoptera: Ichneumonidae). *Can Entomol* **103**: 1137–1141.

B

- Bachem, C.W.B., van der Hoeven, R.S., de Bruijn, S.M., Vreugdenhil, D., Zabeau, M. and Visser, R.G. (1996) Visualization of differential gene expression using a novel method of RNA fingerprinting based on AFLP: analysis of gene expression during potato tuber development. *Plant J* **9**: 745–753.
- Barton, N.H. and Charlesworth, B. (1999) Why sex and recombination? *Science* **281**: 1986–1990.
- Baudry, E., Kryger, P., Allsopp, M., Koeniger, N., Vautrin, D., Mougél, F., Cornuet, J.M. and Solignac, M. (2004) Whole-genome scan in thelytokous-laying workers of the Cape honeybee (*Apis mellifera capensis*): central fusion, reduced recombination rates and centromere mapping using half-tetrad analysis. *Genetics* **167**: 243–252.
- Begon, M., Sait, S.M., and Thomson, D.J. (1995) Persistence of a parasitoid-host system: Refuges and generation cycles? *Proc R Soc Lond B Biol. Sci.* **260**: 131–137.
- Beling, I. (1932) Zur Biologie von *Nemeritis canescens* Grav (Hymen Ophion). *Z Angew Entomol* **19**: 223–249.
- Bell, G. (1982) The Masterpiece of Nature: the Evolution and Genetics of Sexuality. University of California Press, Berkeley.
- Belshaw, R., Quicke, D.L.J., Volkl, W. and Godfray, H.C.J. (1999) Molecular markers indicate rare sex in a predominantly asexual parasitoid wasp. *Evolution* **53**: 1189–1199.

- Benson, G. (1999) Tandem repeats finder: a program to analyze DNA sequences. *Nucleic Acids Res* **27**: 573–580.
- Beukeboom, L.W. (1995) Sex determination in Hymenoptera: a need for genetic and molecular studies. *BioEssays* **17**: 813–817.
- Beukeboom, L.W. (2001) Single-locus complementary sex determination in *Venturia canescens* (Hymenoptera: Ichneumonidae). *Neth J Zool* **51**: 1–15.
- Beukeboom, L.W., Driessen, G., Luckerhoff, L., Bernstein, C., Lapchin, L. and van Alphen, J.J.M. (1999) Distribution and relatedness of sexual and asexual *Venturia canescens* (Hymenoptera). *Proc Exp Appl Entomol Neth NEV Amsterdam* **10**: 23–28.
- Beukeboom, L.W. and Pijnacker, L.P. (2000) Automictic parthenogenesis in the parasitoid *Venturia canescens* (Hymenoptera: Ichneumonidae) revisited. *Genome* **43**: 939–944.
- Beukeboom, L.W. and Zwaan, B.J. (2005) Genetics. In: Jervis, M.A. (ed) *Insect natural enemies*. Springer, Dordrecht, pp 167–218.
- Beye, M. (2004) The dice of fate: the *csd* gene and how its allelic composition regulates sexual development in the honey bee, *Apis mellifera*. *BioEssays* **26**: 1131–1139.
- Beye, M. and Moritz, R.F.A. (1996) Mapping the sex locus of the honeybee (*Apis mellifera*). *Naturwissenschaften* **83**: 424–426.
- Beye, M.M., Hasselmann, M., Fondrk, M.K., Page, R.E. and Omholt, S.W. (2003) The gene *csd* is the primary signal for sexual development in the honeybee and encodes an SR-type protein. *Cell* **114**: 419–429.
- Bourne, H.R., Sanders, D.A. and McCormick, F. (1991) The GTPase superfamily: conserved structure and molecular mechanisms. *Nature* **349**: 117–127.
- Braig, H.R., Turner, B.D., Normark, B.B. and Stouthamer, R. (2002) Microorganism-induced parthenogenesis. In: Hughes, R.N. (ed) *Reproductive biology of invertebrates*. Vol XI. *Progress in Asexual Reproduction*. Wiley and Sons, Chichester, pp 1–62.
- Breed, M.D., Guzmán-Novoa, E. and Hunt, G.J. (2004) Defensive behavior of honey bees: organization, genetics, and comparisons with other bees. *Annu Rev Entomol* **49**: 271–98.
- Butcher, R.D.J., Hubbard, S.F. and Whitfield, W.G.F. (2000) Microsatellite frequency and size variation in the parthenogenetic parasitic wasp *Venturia canescens* (Gravenhorst) (Hymenoptera: Ichneumonidae). *Insect Mol Biol* **9**: 375–384.
- C**
- Carson, H.L., Cahng, L.S. and Lyttle, T.W. (1982) Decay of female sexual behavior under parthenogenesis. *Science* **281**: 68–70.
- Chakravarti, A., Lasher, L.K. and Reefer, J.E. (1991). A maximum likelihood method for estimating genome length using genetic linkage data. *Genetics* **128**: 175–182.
- Clement, M., Posada, D. and Crandall, K.A. (2000) TCS: a computer program to estimate gene genealogies. *Mol Ecol* **9**: 1657–1660.
- Comrie, L.C. (1938) Biological and cytological observations on *Tenthredinid parthenogenesis*. *Nature* **142**: 877–878.
- Connel, J.P., Pammi, S., Iqbal, M.J., Huizinga, T. and Reddy, A.S. (1998) A high-through-put procedure for capturing microsatellites from complex plant genomes. *Plant Mol Biol Rep* **16**: 341–349.
- Cook, J.M. (1993) Sex determination in the Hymenoptera: a review of models and evidence. *Heredity* **71**: 421–435.
- Cook, J.M. and Crozier, R.H. (1995) Sex determination and population biology in the Hymenoptera. *Trends Ecol Evol* **10**: 281–286.
- Corbet, S.A., and Rotheram, S. (1965) The life history of the ichneumonid *Nemeritis* (*Devorgilla*) *canescens* (Gravenhorst) as a parasite of the Mediterranean flour moth, *Ephestia* (*Anagasta*) *kuehniella* Zeller, under laboratory conditions. *Proc R Entomol Soc Lond Ser. A* **40**: 67–72.
- Corley, J.C. (1999) Host density signal in relation to aggregation in the parasitoid *Venturia canescens*. *Neth J Zool* **49**: 97–109.

- Cortés, T., Tagu, D., Simon, J.C., Moya, A. and Martínez-Torres, D. (2008) Sex versus parthenogenesis: A transcriptomic approach of photoperiod response in the model aphid *Acyrtosiphon pisum* (Hemiptera: Aphididae). *Gene* **408**: 146–156.
- Crozier, R.H. (1971) Heterozygosity and sex determination in haplo-diploidy. *Am Nat* **105**: 399–412.
- Crozier, R.H. (1977) Evolutionary genetics of Hymenoptera. *Ann Rev Entomol* **22**: 263–288.
- Crozier, R.H. (1985) Adaptive consequences of male haploidy. In: S.M. Helle, W. (ed) *Spider Mites, Their biology, natural enemies, and control*. Elsevier, Amsterdam, pp 201–222.
- D**
- Daly, M. (1978) The cost of mating. *Am Nat* **112**: 771–774.
- De Boer, J.G., Ode, P.J., Vet, L.E.M., Whitfield, J. and Heimpel, G.E. (2007) Complementary sex determination in the parasitoid wasp *Cotesia vestalis* (C. plutellae). *J Evolution Biol* **20**: 340–348.
- Desouhant, E., Driessen, G., Amat, I. and Bernstein, C. (2005) Host and food searching in a parasitic wasp *Venturia canescens*: a trade-off between current and future reproduction? *Anim behav* **70**: 145–152.
- Dodds, K.S. (1939) Oogenesis in *Neuroterus baccharum* L. *Genetica* **21**: 177–190.
- Doncaster, L. (1916) Gametogenesis and sex determination of the gall fly *Neuroterus lenticularis* (*Spathogaster baccharum*) III. *Proc R Soc Lond B* **89**: 183–200.
- Driessen, G., Bernstein, C., van Alphen, J.J.M., and Kacelnik, A. (1995) A count down mechanism for host search in the parasitoid *Venturia canescens*. *J Anim Ecol* **64**: 117–125.
- Driessen, G. and Bernstein, C. (1999) Patch departure mechanisms and optimal host exploitation in an insect parasitoid. *J Anim Ecol* **68**: 445–459.
- E**
- Ellers, J., Sevenster, J.G. and Driessen, G. (2000) Egg load evolution in parasitoids. *Am Nat* **156**: 650–665.
- Estoup, A., Solignac, M., Harry, M. and Cornuet, J.M. (1993) Characterisation of (GT)_n and (CT)_n microsatellites in two insect species: *Apis mellifera* and *Bombus terrestris*. *Nucleic Acids Res* **21**: 1427–1431.
- F**
- Feddersen, I., Sander, K. and Schmidt, O. (1986) Virus-like particles with host protein-like antigenic determinants protect an insect parasitoid from encapsulation. *Experientia* **42**: 1278–1281.
- Felsenstein, J. (2004) PHYLIP (phylogeny inference package) Version 3.6. Distributed by the author, Department of Genome Sciences, University of Washington, Seattle.
- Ferree, P.M., McDonald, K., Fasulo, B. and Sullivan, W. (2006) The origin of centrosomes in parthenogenetic Hymenopteran insects. *Curr Biol* **16**: 801–807.
- Fisher, R. A. (1930) *The Genetical Theory of Natural Selection*. The Clarendon Press, Oxford.
- Fishman, L., Kelly, A.J., Morgan, E. and Willis, J.H. (2001). A genetic map in the *Mimulus guttatus* species complex reveals transmission ratio distortion due to heterospecific interactions. *Genetics* **159**: 1701–1716.
- Fong, D.W., Kane, T.C. and Culver, D.C. (1995) Vestigialization and loss of nonfunctional characters. *Annu Rev Ecol Syst* **26**: 249–268.
- Fournier, D., Estoup, A., Orivel, J., Foucaud, J., Jourdan, H., Le Breton, J. and Keller, L. (2005) Clonal reproduction by males and females in the little fire ant. *Nature* **435**: 1230–1234.
- G**
- Gadau, J., Page, R.E. and Werren, J.H. (1999). Mapping of hybrid incompatibility loci in *Nasonia*. *Genetics* **153**: 1731–1741.
- Gadau, J., Gerloff, C.U., Kruger, N., Chan, H., Schmid-Hempel, P., Wille, A. and Page, Jr., R.E. (2001). A linkage analysis of sex determination in *Bombus terrestris* (L.) (Hymenoptera: Apidae). *Heredity* **87**: 234–242.

- Gadau, J., Page, R. E. and Werren, J. H. (2002) The genetic basis of the interspecific differences in wing size in *Nasonia* (Hymenoptera; Pteromalidae): major quantitative trait loci and epistasis. *Genetics* **161**: 673–684.
- Gadau, J., Niehuis, O., Peire, A., Werren, J.H., Baudry, E. and Beukeboom, L.W. (2008) Jewel wasp, *Nasonia* spp. In: Genome mapping and genomics in animals. Hunter, W. and Kole, C. (eds.), Springer Verlag, Berlin Heidelberg, pp. 27–41.
- Garcia Tavares, M., Oliveira Campos, L.A., Gonçalves de Barros, E. and Vilela de Azeredo Oliveira, M.T. (2002) RAPD linkage map of *Melipona quadrifasciata anthidioides* Lepeletier (Hymenoptera: Apidae: Meliponini). *J Hymenoptera Res* **11**: 350–357.
- Ghiselin, M.T. (1974) The economy of nature and the evolution of sex. University of California Press.
- Giorgini, M., Monti, M.M., Caprio, E., Stouthamer, R. and Hunter, M.S. (2009) Feminization and the collapse of haplodiploidy in an asexual parasitoid wasp harboring the bacterial symbiont *Cardinium*. *Heredity* **102**, 365–371.
- Godfray, H.C.J. (1994) Parasitoids: behavioral and evolutionary ecology. Princeton University Press, Princeton N.J.
- Görg, A., Obermaier, C., Boguth, G., Harder, A., Scheibe, B., Wildgruber, R. and Weiss, W. (2000) The current state of two-dimensional electrophoresis with immobilized pH gradients. *Electrophoresis* **21**: 1037–1053.
- Gottlieb, Y. and Zchori-Fein, E. (2001) Irreversible thelytokous reproduction in *Muscidifurax uniraptor*. *Entomol Exp Appl* **100**: 271–278.
- Gottlieb, Y., Zchori-Fein, E., Werren, J.H. and Karr, T.L. (2002) Diploidy restoration in *Wolbachia*-infected *Muscidifurax uniraptor* (Hymenoptera: Pteromalidae). *J Invertebr Pathol* **81**: 166–174.
- Goudet, J. (2001) FSTAT, a program to estimate and test gene diversities and fixation indices (version 2.9.3). Available from <http://www.unil.ch/izea/software/fstat.html>.
- Groot, T.V.M. and Breeuwer, J.A.J. (2006) *Cardinium* symbionts induce haploid thelytoky in most clones of three closely related *Brevipalpus* species. *Exp Appl Acarol* **39**: 257–271.
- Gundersen, G.G. and Bretscher, A. (2003) Microtubule asymmetry. *Science* **300**: 2040–2041.
- ## H
- Haccou, P. and Schneider, M.V. (2004) Modes of reproduction and the accumulation of deleterious mutations with multiplicative fitness effects. *Genetics* **166**: 1093–1104.
- Hagimori, T., Abe, Y., Date, S. and Miura, K. (2006) The first finding of a Rickettsia bacterium associated with parthenogenesis induction among insects. *Curr Microbiol* **52**: 97–101.
- Hall, T.A. (1999) BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucl Acids Symp Ser* **41**: 95–98.
- Harvey, J.A., Harvey, I.F., and Thompson, D.J. (1993) The effect of superparasitism on development of the solitary parasitoid wasp, *Venturia canescens* (Hymenoptera: Ichneumonidae). *Ecol Entomol* **18**: 203–208.
- Heimpel, G.E. and De Boer, J.G. (2008) Sex Determination in the Hymenopterain. *Annu Rev Entomol* **53**: 209–230.
- Hellers, M., Beck, M., Theopold, U., Kamei, M. and Schmidt, O. (1996) Multiple alleles encoding a virus-like particle protein in the ichneumonid endoparasitoid *Venturia canescens*. *Insect Mol Biol* **5**: 239–249.
- Holloway, A.K., Strand, M.R., Black, W.C. and Antolin, M.F. (2000) Linkage analysis of sex determination in *Bracon* sp near hebetor (Hymenoptera: Braconidae). *Genetics* **154**: 205–212.
- Honeycutt, R.L. and Wilkinson, P. (1989) Electrophoretic variation in the parthenogenetic grasshopper *Warramaba virgo* and its sexual relatives. *Evolution* **43**: 1027–1044.
- Huigens, M.E. and Stouthamer, R. (2003) Parthenogenesis associated with *Wolbachia*. In: Insect symbiosis. Bourtzis, K., Miller, T.A. (eds.), CRC Press Boca Raton, Florida, pp 247–266.

- Hunt, G.J. and Page, R.E. (1995) Linkage map of the honey bee, *Apis mellifera*, based on RAPD markers. *Genetics* **139**: 1371–1382.
- Hunt, G.J., Page, Jr., R.E., Fondrk, M.K. and Dullum, C.J. (1995) Major quantitative trait loci affecting honey bee foraging behavior. *Genetics* **141**: 1537–1545.
- Hunt, G.J., Guzmán-Novoa, E., Fondrk, M.K. and Page, Jr., R.E. (1998) Quantitative trait loci for honey bee stinging behavior and body size. *Genetics* **148**: 1203–1213.
- Hunt, G.J., Collins, A.M., Rivera, R., Page, Jr., R.E. and Guzmán-Novoa, E. (1999) Quantitative trait loci influencing Honeybee alarm pheromone levels. *J Hered* **90**: 585–589.
- Hurst, L.D. (1991) The incidences and evolution of cytoplasmic male killers. *Proc R Soc B* **244**: 91–99.

I

- International Chicken Genome Sequencing Consortium (2004) Sequence and comparative analysis of the chicken genome provide unique perspectives on vertebrate evolution. *Nature* **432**: 695–716.

K

- Kazmer, D.J., Hopper, K.R., Coutinot, D.R. and Heckel, D.G. (1995) Suitability of random amplified polymorphic DNA for genetic markers in the aphid parasitoid *Aphelinus asychis* Walker. *Biol control* **5**: 503–512.
- Kellen, W.R., Chapman, H.C., Clark, T.B. and Lindegren, J.E. (1965) Host-parasite relationships of some *Thelohania* from mosquitoes (Nosematidae: Microsporidia). *J Invertebr Pathol* **7**: 161–166.
- Kondrashov, A.S. (1982) Selection against harmful mutations in large sexual and asexual populations. *Genet Res* **40**: 325–332.
- Kondrashov, A.S. (1988) Deleterious mutations and the evolution of sexual reproduction. *Nature* **336**: 435–441.
- Kosambi, D.D. (1944). The estimation of map distances from recombination values. *Ann Eugen* **12**: 172–175.

L

- Lamb, R.Y. and Willey, R.B. (1987) Cytological mechanisms of thelytokous parthenogenesis in insects. *Genome* **29**: 367–369.
- Lane, D.J. (1991) 16S/23S rRNA sequencing. *Nucleic Acid Techniques in Bacterial Systematics*. John Wiley and Sons, Chichester, UK, pp 115–175.
- Hubbard, S.F. and Cook, R.M. (1978) Optimal foraging by parasitoid wasps. *J Anim Ecol* **47**: 593–604.
- Lapidge, K.I., Oldroyd, B.P., Spivak, M. (2002) Seven suggestive quantitative trait loci influence hygienic behavior of honey bees. *Naturwissenschaften* **89**: 565–568.
- Lattorff, H.M.G., Moritz, R.F.A. and Fuchs, S. (2005) A single locus determines thelytokous parthenogenesis of the laying honeybee workers (*Apis mellifera capensis*). *Heredity* **94**: 533–237.
- Lattorff, H.M.G., Moritz, R.F.A., Crewe, R.M. and Solignac, M. (2007) Control of reproductive dominance by the thelytoky gene in honeybees. *Biol Lett* **3**: 292–295.
- Laurent, V., Wajnberg, E., Mangin, B., Schiex, T., Gaspin, C. and Vanlerberghe-Masutti, F. (1998). A composite genetic map of the parasitoid wasp *Trichogramma brassicae* based on RAPD markers. *Genetics* **150**: 275–282.
- Ledoux, A. (1954) Recherches sur le cycle chromosomique de la fourmi fileuse *Oecophylla longinoda* Latr. *Insect Soc* **1**: 149–175.
- Legner, E.F. (1985) Effects of scheduled high temperature on male production in thelytokous *Muscidifurax uniraptor* (Hymenoptera: Pteromalidae). *The Can Entomol* **117**: 383–389.
- Luchetta, P., Desouhant, E., Wajnberg, E. and Bernstein, C. (2007). Small but smart: the interaction between environmental cues and internal state modulates host-patch exploitation in a parasitic wasp. *Behav Ecol Sociobiol* **61**: 1409–1418.

M

- Malmberg, T., Beukeboom, L.W., Driessen, G. and van Alphen, J.J.M. (2000) Distribution of a VLP-protein polymorphism in sexual and asexual *Venturia canescens* populations (Hymenoptera). *Proc Exp Appl Entomol Neth NEV Amsterdam* **11**: 89–93.
- Marris, G. and Casperd, J. (1996) The relationship between conspecific superparasitism and the outcome of in vitro contests staged between different larval instars of the solitary endoparasitoid *Venturia canescens*. *Behav Ecol Sociobiol* **39**: 61–69.
- Marris, G.C., Hubbard, S.F., and Scrimgeour, C. (1996) The perception of genetic similarity by the solitary parthenogenetic parasitoid *Venturia canescens* and its effect on the occurrence of superparasitism. *Entomol Exp Appl* **78**: 167–174.
- Maynard Smith, J. (1971) What use is sex? *J Theor Biol* **30**: 319–355.
- Maynard Smith, J. (1978) *The evolution of sex*. Cambridge University Press, Cambridge.
- Mester, D.I., Ronin, Y.I., Minkov, D., Nevo, E. and Korol, A.B. (2003a) Constructing large-scale genetic maps using an evolutionary strategy algorithm. *Genetics* **165**: 2269–2282.
- Mester, D.I., Ronin, Y.I., Hu, Y., Peng, J., Nevo, E. and Korol, A.B. (2003b) Efficient multipoint mapping: making use of dominant repulsion phase markers. *Theor Appl Genet* **107**: 1102–1112.
- Mester, D.I., Ronin, Y.I., Nevo, E. and Korol, A.B. (2004) Fast and high precision algorithms for optimization in large-scale genomic problems. *Comput Biol Chem* **28**: 281–290.
- Metzger, M., Bernstein, C. and Desouhant, E. (2008) Does constrained oviposition influence offspring sex ratio in the solitary parasitoid wasp *Venturia canescens*? *Ecol Entomol* **33**: 167–174.
- Morito, Y., Terada, Y., Nakamura, S., Morita, J., Yoshimoto, T., Murakami, T., Yaegashi, N. and Okamura, K. (2005) Dynamics of microtubules and positioning of female pronucleus during bovine parthenogenesis. *Biol Reprod* **73**: 935–941.
- Muller, H. J. (1932) Some genetic aspects of sex. *Am Nat* **66**: 118–138.
- Muller, H. J. (1964) The relation of recombination to mutational advance. *Mutat Res* **1**: 2–9.

N

- Narumiya, S. and Yasuda, S. (2006) Rho GTPases in animal cell mitosis. *Curr Opin Cell Biol* **18**: 199–205.
- Nei, M. (1987) *Molecular Evolutionary Genetics*. Columbia University Press: New York.
- Niehuis, O., Judson, A.K. and Gadau, J. (2008) Cytonuclear genic incompatibilities cause increased mortality in male F₂ hybrids of *Nasonia giraulti* and *N. vitripennis*. *Genetics* **178**: 413–426.
- Niehuis, O., Gibson, J.D., Rosenberg, M.S., Pannebakker, B.A., Koevoets, T., Judson, A.K., Desjardins, C., Kennedy, K., Duggan, D., Werren, J.H., Beukeboom, L.W. and Gadau, J. (2009) Recombination and its impact on the genome of the haplodiploid parasitoid wasp *Nasonia*. *PLoS ONE* (in press).
- Nishimori, Y., Lee, J.M., Sumitani, M., Hatakeyama, M. and Oishi, K. (2000) A linkage map of the turnip sawfly *Athalia rosae* (Hymenoptera: Symphyta) based on random amplified polymorphic DNAs. *Genes Genet Syst* **75**: 159–166.

O

- Olsen, M.W. and Poole, H.K. (1962) Further evidence of a relationship between live fowl pox virus and parthenogenesis in turkey eggs. *Proc Soc Exptl Biol Med* **109**: 944–946.
- O'Neill, S.L., Hoffmann, A.A. and Werren, J.H. (1997) *Influential passengers: microbes and invertebrate reproduction*. Oxford University Press, Oxford.

P

- Pannebakker, B.A., Pijnacker, L.P., Zwaan, B.J. and Beukeboom, L.W. (2004) Cytology of *Wolbachia*-induced parthenogenesis in *Leptopilina clavipes* (Hymenoptera: Figitidae). *Genome* **47**: 299–303.

- Pannebakker, B.A., Schidlo, N.S., Boskamp, G.J., Dekker, L., van Dooren, T.J., Beukeboom, L.W., Zwaan, B.J., Brakefield, P.M. and van Alphen J.J.M. (2005) Sexual functionality of *Leptopilina clavipes* (Hymenoptera: Figitidae) after reversing *Wolbachia*-induced parthenogenesis. *J Evolution Biol* **18**: 1019–1028.
- Peacock, A.D. and Sanderson, A.R. (1939) The cytology of the thelytokous sawfly *Thrinax maculata*. *T Roy Soc Edin* **59**: 647.
- Pearcy, M., Aron, S., Doums, C. and Keller, L. (2004) Conditional use of sex and parthenogenesis for worker and queen production in ants. *Science* **306**: 1780–1783.
- Peire, A. (2007) The role of male courtship behaviour in prezygotic isolation in *Nasonia*. Ph.D. Thesis, Rijksuniversiteit Groningen, The Netherlands.
- Pelosse, P., Bernstein, C. and Desouant, E. (2007). Differential energy allocation as an adaptation to different habitats in the parasitic wasp *Venturia canescens*. *Evol Ecol* **21**: 669–685.
- Perlman, S.J., Hunter, M.S. and Zchori-Fein, E. (2006) The emerging diversity of *Rickettsia*. *Proc R Soc Lond B* **273**: 2097–2106.
- Pietsch, C. (2005) The genetics of species differences within the genus *Nasonia* Ashmead 1904 (Hymenoptera: Pteromalidae). Ph.D. Thesis, University of Würzburg, Germany.
- Pijls, J.W.A.M., van Steenberg, H.J. and Alphen J.J.M. (1996) Asexuality cured: the relations and differences between sexual and asexual *Apoanagyrus diversicornis*. *Heredity* **76**: 506–513.
- Plantard, O., Rasplus, J.-Y., Mondor, G., Le Clainche, I. and Solignac, M. (1998) *Wolbachia*-induced thelytoky in the rose gall wasp *Diplolepis spinosissima* (Giraud) (Hymenoptera: Cynipidae), and its consequences on the genetic structure of its host. *Proc R Soc Lond B* **265**: 1075–1080.
- R**
- Rabilloud, T., Valette, C. and Laurence, J.J. (1994) Sample application by in-gel rehydration improves the resolution of two-dimensional electrophoresis with immobilized pH-gradients in the first dimension. *Electrophoresis* **15**: 1552–1558.
- Raymond, M. and Rousset, F. (1995) GENEPOP version 1.2: population genetics software for exact tests and ecumenicism. *J Hered* **86**: 248–249.
- Reineke, A., Asgari, S., Ma, G., Beck, M. and Schmidt, O. (2002) Sequence analysis and expression of a virus-like particle protein, VLP2, from the parasitic wasp *Venturia canescens*. *Insect Mol Biol* **11**: 233–239.
- Reineke, A. and Asgari, S. (2005) Presence of a novel small RNA-containing virus in a laboratory culture of the endoparasitic wasp *Venturia canescens* (Hymenoptera: Ichneumonidae). *J Insect Physiol* **51**: 127–35.
- Reineke, A., Asgari, S. and Schmidt, O. (2006) Evolutionary origin of *Venturia canescens* virus-like particles. *Arch Insect Biochem* **61**: 123–133.
- Riparbelli, M.G., Stouthamer, R., Dallai, R. and Callaini G. (1998) Microtubule organization during the early development of the parthenogenetic egg of hymenopteran *Muscidifurax uniraptor*. *Dev Biol* **195**: 89–99.
- Rogers, D.J. (1972) The ichneumon wasp *Venturia canescens*: Oviposition and avoidance of superparasitism. *Entomol Exp Appl* **15**: 190–194.
- Rössler, Y. and DeBach, P. (1973) Genetic variability in a thelytokous form of *Aphytis mytilaspidis* (Le Baron) (Hymenoptera: Aphelinidae). *Hilgardia* **42**: 149–175.
- Rozas, J., Sanchez-del Barrio, J.C., Messeguer, X. and Rozas, R. (2003) DnaSP, DNA polymorphism analyses by the coalescent and other methods. *Bioinformatics* **19**: 2496–2497.
- Rozen, S. and Skaletsky, H.J. (2000) Primer 3 on the WWW for general users and for biologist programmers. In: *Bioinformatics Methods and Protocols: Methods in Molecular Biology*. Krawtz S, Misener S (eds.), Human Press, Totowa, New Jersey, pp 365–386.
- Rueppell, O., Pankiw, T., Nielsen, D.L., Fondrk, M.K., Beye, M. and Page, R.E. (2004) The genetic architecture of the behavioral ontogeny of foraging in honeybee workers. *Genetics* **167**: 1767–1779.

- Rütten, K.A., Pietsch, C., Olek, K., Neusser, M., Beukeboom, L.W. and Gadau, J. (2004) Chromosomal anchoring of linkage groups and identification of wing size QTL using markers and FISH probes derived from microdissected chromosomes in *Nasonia* (Pteromalidae: Hymenoptera). *Cytogenet Genome Res* **105**: 126–133.
- Ruttner, F. (1988) Taxonomy and biogeography of honeybees. Springer, Berlin.
- S**
- Salt, S. (1976) The host of *Nemeritis canescens*: a problem in the host specificity of insect parasitoids. *Ecol Entomol* **1**: 63–67.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989) Molecular cloning: a laboratory manual. Cold Spring Harbor Laboratory Press, New York
- Saul, G.B. (1993) Gene map of the parasitic wasps *Nasonia vitripennis* (= *Mormoniella vitripennis*) (2N=10). In: O'Brien, S.J. (ed), Genetic maps. Locus maps of complex genomes. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY. pp. 3198–3201.
- Scheiner, R., Page, R.E., Erber, J. (2004) Sucrose responsiveness and behavioral plasticity in honey bees (*Apis mellifera*). *Apidologie* **35**: 133–142.
- Schilder, K., Heinze, J., Gross, R. and Hölldobler, B. (1999) Microsatellites reveal clonal structure of populations of the thelytokous ant *Platythyrea punctata* (F. Smith) (Hymenoptera; Formicidae). *Mol Ecol* **8**: 1497–1507.
- Schlötterer, C. (2000) Evolutionary dynamics of microsatellite DNA. *Chromosoma* **109**: 365–371.
- Schneider, M.V. (2003) Modes of reproduction in the solitary parasitoid wasp *Venturia canescens*. Ph.D. thesis, University of Leiden, The Netherlands.
- Schneider, M.V., Gimenez, B., Driessen, G. and van Alphen, J.J.M. (2000) Longevity in sexual and parthenogenetic *Venturia canescens* (Hymenoptera). *Proc Exp App Entomol Neth NEV Amsterdam* **12**: 37–39.
- Schneider, M.V., Beukeboom, L.W., Driessen, G., Lapchin, L., Bernstein, C. and van Alphen, J.J.M. (2002) Geographical distribution and genetic relatedness of sympatrical thelytokous and arrhenotokous populations of the parasitoid *Venturia canescens* (Hymenoptera). *J Evol Biol* **15**: 191–200.
- Schneider, M.V., Driessen, G., Beukeboom, L.W., Boll, R., van Eunen, K., Selzner, A., Talsma, J. and Lapchin, L. (2003) Gene flow between arrhenotokous and thelytokous populations of *Venturia canescens* (Hymenoptera). *Heredity* **90**: 260–267.
- Simmonds, F.J. (1943) The occurrence of superparasitism in *Nemeritis canescens* Grav. *Rev Can Biol* **2**: 15–58.
- Sirviö, A., Gadau, J., Rueppell, O., Lamatsch, D., Boomsma, J.J., Pamilo, P. and Page, Jr., R.E. (2006) High recombination frequency creates genotypic diversity in colonies of the leaf-cutting ant *Acromyrmex echinator*. *J Evol Biol* **19**: 1475–1485.
- Slobodchikoff, C.N. and Daly, H.V. (1971) Systematic and evolutionary implications of parthenogenesis in the hymenoptera. *Am Zool* **11**: 273–282.
- Smith, S.G. (1941) A new form of the spruce sawfly identified by means of its cytology and parthenogenesis. *Sci Agr* **21**: 245–305.
- Solignac, M., Vautrin, D., Baudry, E., Mougél, F., Loiseau, A. and Cornuet, J.M. (2004) A microsatellite-based linkage map of the honeybee, *Apis mellifera* L. *Genetics* **167**: 253–262.
- Solignac, M., Mougél, F., Vautrin, D., Monnerot, M. and Cornuet, J.M. (2007) A third-generation microsatellite-based linkage map of the honey bee, *Apis mellifera*, and its comparison with the sequence-based physical map. *Genome Biol* **8**: R66.
- Speicher, B.R. (1937) Oogenesis in a thelytokous wasp *Nemeritis canescens* (Grav). *J Morphol* **61**: 453–471.
- Speicher, B.R., Speicher, K.G. and Roberts, F.L. (1965) Genetic segregation in the unisexual wasp *Devorgilla*. *Genetics* **52**: 1035–1041.
- Stille, B. and Dävring, L. (1980) Meiosis and reproductive strategy in the parthenogenetic gall wasp *Diplolepis rosae*. *Genetica* **67**: 145–151.

- Stouthamer, R. (1997) *Wolbachia*-induced parthenogenesis. In: Influential passengers: inherited microorganisms and arthropod reproduction. O'Neill, S.L., Hoffman, A.A. and Werren, J.H. (eds.), Oxford University Press, Oxford, pp 102-124.
- Stouthamer, R., Luck, R. and Hamilton, W.D. (1990a) Antibiotics cause parthenogenetic *Trichogramma* (Hymenoptera/Trichogrammatidae) to revert to sex. *Proc Natl Acad Sci USA* **87**: 2424-2427.
- Stouthamer, R., Pinto, J.D., Platner, G.R. and Luck, R. (1990b) Taxonomic status of the thelytokous forms of *Trichogramma* (Hymenoptera, Trichogrammatidae). *Ann Entomol Soc Am* **83**: 475-481.
- Stouthamer, R. and Kazmer, D.J. (1994) Cytogenetics of microbe-associated parthenogenesis and its consequences for gene flow in *Trichogramma* wasps. *Heredity* **73**: 317-327.
- Stouthamer, R., Breeuwer, J.A.J. and Hurst, G.D.D. (1999) *Wolbachia pipientis*: microbial manipulator of arthropod reproduction. *Annu Rev Microbiol* **53**: 71-102.
- Suomalainen, E., Saura, A. and Lokki, J. (1987) Cytology and evolution in parthenogenesis. CRC Press Boca Raton, Inc. Florida
- T**
- The honeybee genome sequencing consortium (2006) Insights into social insects from the genome of the honeybee *Apis mellifera*. *Nature* **443**: 931-949.
- The *Nasonia* genome sequencing consortium (in press) Insights from the genomes of *Nasonia*: an insect natural enemy and emerging genetic model. *Science*
- Thiel, A., Driessen, G. and Hoffmeister, T.S. (2006) Different habitats, different habits? Response to foraging information in the parasitic wasp *Venturia canescens*. *Behav Ecol Sociobiol* **59**: 614-623.
- Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmougin, F. and Higgins, D.G. (1997) The ClustalX windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Res* **25**: 4876-4882.
- Tram, U. and Sullivan, W. (2000) Reciprocal inheritance of centrosomes in the parthenogenetic Hymenopteran *Nasonia vitripennis*. *Curr Biol* **10**: 1413-1419.
- Tucker, K.W. (1958) Automictic parthenogenesis in the honey bee. *Genetics* **43**: 299-316.
- V**
- Van Valen, L. (1973) A new evolutionary law. *Evol Theor* **1**: 1-30.
- Van Wilgenburg, E., Driessen, G. and Beukeboom, L.W. (2006) Single locus Complementary Sex Determination in Hymenoptera: an "unintelligent" design? *Frontiers Zool* **3**: 1.
- Varaldi, J., Fouillet, P., Ravallec, M., Lopez-Ferber, M., Boulétreau, M. and Fleury, F. (2003) Infectious behaviour in a parasitoid, *Science* **302**: 1930.
- Vavre, F., de Jong, J.H. and Stouthamer, R. (2004) Cytogenetic mechanism and genetic consequences of thelytoky in the wasp *Trichogramma cacoeciae*. *Heredity* **93**: 592-596.
- Velthuis, B.J., Yang, W., van Opijnen, T. and Werren, J.H. (2003) Genetics of female mate discrimination of heterospecific males in *Nasonia* (Hymenoptera, Pteromalidae). *Animal behaviour* **69**: 1107-1120.
- Verma, S. and Ruttner, F. (1983) Cytological analysis of the thelytokous parthenogenesis in the Cape honeybee (*Apis mellifera capensis* Escholtz). *Apidologie* **14**: 41-57.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., van de Lee, T., Hornes, M., Friters, A., Pot, J., Paleman, J., Kuiper, M. and Zabeau, M. (1995) AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Res* **23**: 4407-4414.
- Vrijenhoek, R.C. (1998) Animal clones and diversity. *Bioscience* **48**: 617-628.
- Vuylsteke, M., Peleman, J.D. and van Eijk, M.J.T. (2007) AFLP-based transcript profiling (cDNA-AFLP) for genome-wide expression analysis. *Nat Protoc* **2**: 1399-1413.
- W**
- Waage, J.K. (1979) Foraging for patchily-distributed hosts by the parasitoid, *Nemeritis canescens*. *J Anim Ecol* **48**: 353-371.

- Weber JL (1990) Informativeness of human (cC-dA)n (dG-dT)n polymorphisms. *Genomics* **7**: 524–530.
- Weeks, A.R. and Breeuwer, J.A. (2001) *Wolbachia*-induced parthenogenesis in a genus of phytophagous mites. *Proc R Soc Lond B* **268**: 2245–2251.
- Weeks, A.R., Marec, F. and Breeuwer, J.A.J. (2001) A mite species that consists entirely of haploid females. *Science* **292**: 2479–2482.
- Weeks, A.R., Reynolds, K.T. and Hoffmann, A.A. (2002) *Wolbachia* dynamics and host effects: what has (and has not) been demonstrated? *Trends Ecol Evol* **17**: 257–262.
- Weeks, A.R., Velten, R. and Stouthamer, R. (2003) Incidence of a new sex-ratio-distorting bacterium among arthropods. *Proc Biol Sci* **7**: 1857–1865.
- Wenseleers, T. and Billen, J. (2000) No evidence for *Wolbachia*-induced parthenogenesis in the social Hymenoptera. *J Evol Biol* **13**: 277–280.
- Werren, J.H. (1997) Biology of *Wolbachia*. *Annu Rev Entomol* **42**: 587–609.
- Werren, J.H., Zhang, W. and Guo, L.R. (1995) Evolution and phylogeny of *Wolbachia*: reproductive parasites of arthropods. *Proc R Soc Lond B* **261**: 55–63.
- West, S.A., Lively, C.M. and Read, A.F. (1999) A pluralistic approach to sex and recombination. *J Evol Biol* **12**: 1003–1012.
- White, M.J.D. (1980) The genetic system of the parthenogenetic grasshopper *Warramaba virgo*. *Insect Cytogenetics. Symp Roy Entomol Soc Lond* **10**: 119–131.
- White, J.A., Kelly, S.E., Perlman, S.J. and Hunter, M.S. (2009) Cytoplasmic incompatibility in the parasitic wasp *Encarsia inaron*: disentangling the roles of *Cardinium* and *Wolbachia* symbionts. *Heredity* **102**: 483–489.
- Whiting, P.W. (1943) Multiple alleles in complementary sex determination in *Habrobracon*. *Genetics* **28**: 365–382.
- Wilfert, L., Gadau, J. and Schmid-Hempel, P. (2006) A core linkage map of the bumblebee *Bombus terrestris*. *Genome* **49**: 1215–1226.
- Wilfert, L., Gadau, J. and Schmid-Hempel, P. (2007a) Variation in genomic recombination rates among animal taxa and the case of social insects. *Heredity* **98**: 189–197.
- Wilfert, L., Gadau, J., Baer, B. and Schmid-Hempel, P. (2007b) Natural variation in the genetic architecture of a host–parasite interaction in the bumblebee *Bombus terrestris*. *Mol Ecol* **16**: 1327–1339.
- Wilfert, L., Gadau, J. and Schmid-Hempel, P. (2007c) The genetic architecture of immune defence and reproduction in male *Bombus terrestris* bumblebees. *Evolution* **61**: 804–815.
- Williams, G.C. (1975) Sex and evolution. Monographs in population biology. Princeton University Press, Princeton, Massachusetts.
- Z**
- Zchori-Fein, E., Gottlieb, Y., Kelly, S.E., Brown, J.K., Wilson, J.M., Karr, T.L. and Hunter, M.S. (2001) A newly discovered bacterium associated with parthenogenesis and a change in host selection behaviour in parasitoid wasps. *Proc Natl Acad Sci USA* **98**: 12555–12560.
- Zchori-Fein, E. and Perlman, S.J. (2004) Distribution of the bacterial symbiont *Cardinium* in Arthropods. *Mol Ecol* **13**: 2009–2016.
- Zchori-Fein, E., Perlman, J., Kelly, S.E., Katzir, N. and Hunter, M.S. (2004) Characterization of a ‘Bacteroidetes’ symbiont in *Encarsia* wasps (Hymenoptera: Aphelinidae): proposal of ‘*Candidatus Cardinium hertegii*’. *Int J Syst Evol Micr* **54**: 961–968.
- Zhou, W., Rousset, F. and O’Neil, S. (1998) Phylogeny and PCR-based classification of *Wolbachia* strains using *wsp* gene sequences. *Proc R Soc B* **265**: 509–515.

