

University of Groningen

Pyrolysis oil upgrading to transportation fuels by catalytic hydrotreatment

Wildschut, Jelle

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2009

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Wildschut, J. (2009). *Pyrolysis oil upgrading to transportation fuels by catalytic hydrotreatment*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Nomenclature*Abbreviations*

DCM	dichloromethane
HDO	hydrodeoxygenation
HDN	hydrodenitriification
HDS	hydrodesulphurization
HHV	higher heating value (MJ/kg)
HMF	hydroxymethylfurfural
HMM	high molecular mass
HPTT	high pressure temperature treatment
LA	levulinic acid
LMM	low molecular mass
LHSV	liquid hourly space velocity (vol. oil/vol. cat.h)
SEM	scanning electron microscopy
TEM	transmission electron microscopy
n.a.	not available

Nomenclature

D	dispersion (%)
V_m	mono layer coverage (cm^3/g)
S	stoichiometric factor
X_m	weight fraction of metal
γ	yield (%)
η	efficiency (%)

