

University of Groningen

Multichannel EEG Visualization

Caat, Michael ten

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Caat, M. T. (2008). *Multichannel EEG Visualization*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- Achard, S., Salvador, R., Whitcher, B., Suckling, J. and Bullmore, E. (2006), 'A resilient, low-frequency, small-world human brain functional network with highly connected association cortical hubs', *J Neurosci* **26**(1), 63–72.
- Adeli, H., Zhou, Z. and Dadmehr, N. (2003), 'Analysis of EEG records in an epileptic patient using wavelet transform', *J Neurosci Meth* **123**, 69–87.
- Aminoff, M. J. and Eisen, A. A. (1998), 'AAEM minimonograph 19: somatosensory evoked potentials.', *Muscle Nerve* **21**(3), 277–90.
- Archambault, D., Munzner, T. and Auber, D. (2006), 'Smashing peacocks further: Drawing quasi-trees from biconnected components', *IEEE T Vis Comput Gr (Proc. Vis/InfoVis 2006)* **12**(5), 813–820.
- Artero, A. O., de Oliveira, M. C. F. and Levkowitz, H. (2004), Uncovering clusters in crowded parallel coordinates visualizations, in 'Proc. IEEE Symposium on Information Visualization', pp. 81–88.
- Asimov, D. (1985), 'The grand tour: a tool for viewing multidimensional data', *SIAM Journal on scientific and statistical computing* **6**, 128–143.
- Bartnik, E. A., Blinowska, K. J. and Durka, P. J. (1992), 'Single evoked potential reconstruction by means of wavelet transform', *Biol Cybern* **67**, 175–181.
- Bear, M. F., Connors, B. W. and Paradiso, M. A. (1996), *Neuroscience: Exploring the Brain*, Williams & Wilkins.
- Beatty, J. (1995), *Principles of Behavioral Neuroscience*, Brown & Benchmark, Madison.
- Beucher, S. and Meyer, F. (1993), The morphological approach to segmentation: the watershed transformation, in E. Doherty, ed., 'Mathematical Morphology in Image Processing', Marcel Dekker, New York, chapter 12, pp. 433–481.
- Bosboom, J. L. W., Stoffers, D., Stam, C. J., van Dijk, B. W., Verbunt, J., Berendse, H. W. and Wolters, E. C. (2006), 'Resting state oscillatory brain dynamics in Parkinson's disease: An MEG study', *Clin Neurophysiol* **117**(11), 2521–2531.

- Bostantjopoulou, S., Katsarou, Z., Zafiriou, D., Gerasimou, G., Alevriadou, A., Georgiadis, G., Kiosseoglou, G. and Kazis, A. (2000), 'Abnormality of N30 somatosensory evoked potentials in Parkinson's disease: a multidisciplinary approach.', *Neurophysiol Clin* **30**(6), 368–76.
- Bron, C. and Kerbosch, J. (1973), 'Algorithm 457: finding all cliques of an undirected graph', *Commun ACM* **16**(9), 575–577.
- Chen, Y., Ding, M. and Kelso, J. (2003), 'Task-related power and coherence changes in neuro-magnetic activity during visuomotor coordination', *Exp Brain Res* **148**, 105–116.
- Chiricota, Y., Jourdan, F. and Melancon, G. (2003), Software components capture using graph clustering, in 'Proc. EEE International Workshop on Program Comprehension', p. 217.
- Cohen, D. (1968), 'Magnetoencephalography: Evidence of magnetic fields produced by alpha-rhythm currents', *Science* **161**, 784–786.
- Comerchero, M. D. and Polich, J. (1999), 'P3a and P3b from typical auditory and visual stimuli', *Clin Neurophysiol* **110**(1), 24–30.
- Cordes, D., Haughton, V., Carew, J. D., Arfanakis, K. and Maravilla, K. (2002), 'Hierarchical clustering to measure connectivity in fMRI resting-state data', *Magn Reson Imaging* **20**(4), 305–17.
- De Vico Fallani, F., Astolfi, L., Cincotti, F., Mattia, D., Tocci, A., Grazia Marciani, M., Colosimo, A., Salinari, S., Gao, S., Cichocki, A. and Babiloni, F. (2007), 'Extracting information from cortical connectivity patterns estimated from high resolution EEG recordings: A theoretical graph approach.', *Brain Topogr* **19**(3), 125–136.
- Delorme, A. and Makeig, S. (2004), 'EEGLAB: an open source toolbox for analysis of single-trial EEG dynamics including independent component analysis', *J Neurosci Meth* **134**, 9–21.
- Delorme, A., Makeig, S., Fabre-Thorpe, M. and Sejnowski, T. (2002), 'From single-trial EEG to brain area dynamics', *Neurocomputing* **44–46**, 1057–1064.
- Eisen, M. B., Spellman, P. T., Brown, P. O. and Botstein, D. (1998), 'Cluster analysis and display of genome wide expression patterns', *Proc. Natl. Acad. Sci. USA* **95**, 14863–14868.
- Fonaryova Key, A. P., Dove, G. O. and Maguire, M. J. (2005), 'Linking brainwaves to the brain: an ERP primer.', *Dev Neuropsychol* **27**(2), 183–215.
- Franaszczuk, P. J., Bergey, G. K. and Kamiński, M. J. (1994), 'Analysis of mesial temporal seizure onset and propagation using the directed transfer function method.', *Electroen Clin Neuro* **91**(6), 413–27.
- Friendly, M. (2002), 'A brief history of the mosaic display', *J Comput Graph Stat.*

- Fruchterman, T. M. J. and Reingold, E. M. (1991), 'Graph drawing by force-directed placement', *Software - Practice and Experience* **21**(11), 1129–1164.
- Fua, Y.-H., Ward, M. O. and Rundensteiner, E. A. (1999), Hierarchical parallel coordinates for exploration of large datasets, in 'Proc. IEEE Visualization', San Francisco, California, USA, pp. 43–50.
- Gladwin, T. E., Lindsen, J. P. and de Jong, R. (2006), 'Pre-stimulus EEG effects related to response speed, task switching and upcoming response hand.', *Biol Psychol* **72**(1), 15–34.
- Glassman, E. L. (2005), 'A wavelet-like filter based on neuron action potentials for analysis of human scalp electroencephalographs', *IEEE T Bio-Med Eng* **52**(11), 1851–1862.
- Graimann, B., Huggins, J. E., Levine, S. P. and Pfurtscheller, G. (2002), 'Visualization of significant ERD/ERS patterns in multichannel EEG and ECoG data', *Clin Neurophysiol* **113**, 43–47.
- Grimaud, M. (1992), A new measure of contrast: dynamics, in 'Proc. SPIE Image Algebra and Morphological Processing III', Vol. 1769, pp. 292–305.
- Halliday, D. M., Rosenberg, J. R., Amjad, A. M., Breeze, P., Conway, B. A. and Farmer, S. F. (1995), 'A framework for the analysis of mixed time series/point process data - theory and application to the study of physiological tremor, single motor unit discharges and electromyograms', *Prog Biophys Mol Bio* **64**(2/3), 237–278.
- Hämäläinen, M., Hari, R., Ilmoniemi, R. J., Knuutila, J. and Lounasmaa, O. V. (1993), 'Magnetoencephalography-theory, instrumentation, and applications to noninvasive studies of the working human brain', *Rev Mod Phys* **65**, 413–497.
- Hauser, H., Ledermann, F. and Doleisch, H. (2002), Angular brushing of extended parallel coordinates, in 'Proc. IEEE Symposium on Information Visualization', p. 127.
- Healey, C. G. (1996), Choosing effective colours for data visualization, in 'Proc. IEEE Visualization', pp. 263–270.
- Herman, I., Marshall, M. S. and Melancon, G. (2000), Density functions for visual attributes and effective partitioning in graph visualization, in 'Proc. IEEE Symposium on Information Visualization', IEEE Computer Society, Washington, DC, USA, p. 49.
- Horwitz, B. (2003), 'The elusive concept of brain connectivity.', *Neuroimage* **19**(2 Pt 1), 466–70.
- Huber, P. J. (1985), 'Projection pursuit', *Ann Stat* **13**(2), 435–475.
- Inselberg, A. (1985), 'The plane with parallel coordinates', **1**(4), 69–91.
- Jerger, K. K., Netoff, T. I., Francis, J. T., Sauer, T., Pecora, L., Weinstein, S. L. and Schiff, S. J. (2001), 'Early seizure detection.', *J Clin Neurophysiol* **18**(3), 259–68.

- Johansson, J., Ljung, P. and Cooper, M. (2007), Depth cues and density in temporal parallel coordinates, in K. Museth, T. Möller and A. Ynnerman, eds, 'Proc. Eurographics/IEEE VGTC Symposium on Visualization (EuroVis)', Eurographics, pp. 35–42.
- Jung, P., Baumgärtner, U., Bauermann, T., Magerl, W., Gawehn, J., Stoeter, P. and Treede, R.-D. (2003), 'Asymmetry in the human primary somatosensory cortex and handedness.', *Neuroimage* **19**(3), 913–23.
- Jung, T.-P., Makeig, S., Westerfield, M., Townsend, J., Courchesne, E. and Sejnowski, T. (2001), 'Analysis and visualization of single-trial Event-Related Potentials', *Hum Brain Mapp* **14**, 166–185.
- Kamiński, M., Blinowska, K. and Szelenberger, W. (1997), 'Topographic analysis of coherence and propagation of EEG activity during sleep and wakefulness', *Electroen Clin Neuro* **102**, 216–227.
- Keim, D. (2000), 'Designing pixel-oriented visualization techniques: Theory and applications', *IEEE T Vis Comput Gr* **6**(1), 59–78.
- Knyazeva, M. G., Fornari, E., Meuli, R. and Maeder, P. (2006), 'Interhemispheric integration at different spatial scales: the evidence from EEG coherence and fMRI.', *J. Neurophysiol.* **96**(1), 259–75.
- Lachaux, J. P., Rodriguez, E., Martinerie, J. and Varela, F. J. (1999), 'Measuring phase synchrony in brain signals.', *Hum Brain Mapp* **8**(4), 194–208.
- Latora, V. and Marchiori, M. (2003), 'Economic small-world behavior in weighted networks', *Eur Phys J B* **32**, 249–263.
- Logothetis, N. K., Pauls, J., Augath, M., Trinath, T. and Oeltermann, A. (2001), 'Neurophysiological investigation of the basis of the fMRI signal', *Nature* **412**, 150–157.
- Lorist, M. M., Klein, M., Nieuwenhuis, S., de Jong, R., Mulder, G. and Meijman, T. F. (2000), 'Mental fatigue and task control: Planning and preparation', *Psychophysiology* **37**, 614–625.
- Makeig, S., Delorme, A., Westerfield, M., Jung, T.-P., Townsend, J., Courchesne, E. and Sejnowski, T. J. (2004), 'Electroencephalographic brain dynamics following manually responded visual targets.', *PLoS Biol* **2**(6), 747–62.
- Maurits, N. M., Scheeringa, R., van der Hoeven, J. H. and de Jong, R. (2006), 'EEG coherence obtained from an auditory oddball task increases with age.', *J Clin Neurophysiol* **23**(5), 395–403.
- McCamy, C. S. (2003), 'Colors of some small figures on colored grounds', *Color Res App* **28**(4), 242–250.

- Miller, J. J. and Wegman, E. J. (1991), *Construction of line densities for parallel coordinate plots*, Springer-Verlag New York, Inc., New York, NY, USA, pp. 107–123.
- Miwa, H. and Mizuno, Y. (2002), ‘Enlargements of somatosensory-evoked potentials in progressive supranuclear palsy.’, *Acta Neurol Scand* **106**(4), 209–12.
- Monza, D., Ciano, C., Scaioli, V., Soliveri, P., Carella, F., Avanzini, G. and Girotti, F. (2003), ‘Neurophysiological features in relation to clinical signs in clinically diagnosed corticobasal degeneration.’, *Neurol Sci* **24**(1), 16–23.
- Morgenstern, C. A. and Shapiro, H. D. (1991), ‘Heuristics for rapidly four-coloring large planar graphs’., *Algorithmica* **6**, 869–891.
- Müller, W. and Schumann, H. (2003), Visualization methods for time-dependent data - An overview, in ‘Proc. Winter Simulation Conference’.
- Niedermeyer, E. and Lopes da Silva, F. (1987), *Electroencephalography: Basic Principles, Clinical Applications and Related Fields*, second edn, Urban & Schwarzenberg, Baltimore, Maryland, USA.
- Nolte, G., Bai, O., Wheaton, L., Mari, Z., Vorbach, S. and Hallett, M. (2004), ‘Identifying true brain interaction from EEG data using the imaginary part of coherency.’, *Clin Neurophysiol* **115**(10), 2292–307.
- Nunez, P. L. and Silberstein, R. B. (2000), ‘On the relationship of synaptic activity to macroscopic measurements: Does co-registration of EEG with fMRI make sense?’, *Brain Topogr.*
- Nunez, P. L., Srinivasan, R., Westdorp, A. F., Wijesinghe, R. S., Tucker, D. M., Silberstein, R. B. and Cadusch, P. J. (1997), ‘EEG coherency. I: Statistics, reference electrode, volume conduction, Laplacians, cortical imaging, and interpretation at multiple scales.’, *Electroen Clin Neuro* **103**(5), 499–515.
- Ogawa, S., Lee, T. M., Kay, A. R. and Tank, D. W. (1990), ‘Brain magnetic resonance imaging with contrast dependent on blood oxygenation’, *P Natl Acad Sci USA* **87**, 9868–9872.
- Pakkenberg, B., Pelvig, D., Marnier, L., Bundgaard, M. J., Gundersen, H. J. G., Nyengaard, J. R. and Regeur, L. (2003), ‘Aging and the human neocortex.’, *Exp Gerontol* **38**(1-2), 95–9.
- Pereda, E., Quiroga, R. Q. and Bhattacharya, J. (2005), ‘Nonlinear multivariate analysis of neurophysiological signals.’, *Prog Neurobiol* **77**(1-2), 1–37.
- Rao, R. and Card, S. K. (1994), The table lens: merging graphical and symbolic representations in an interactive focus+context visualization for tabular information, in ‘Conf. Human Factors in Software (CHI)’, pp. 318–322.
- Rappaport, M., Leonard, J. and Portillo, S. R. (1993), ‘Somatosensory evoked potential peak latencies and amplitudes in contralateral and ipsilateral hemispheres in normal and severely traumatized brain-injured subjects’, *Brain Inj* **7**(1), 3–13.

- Rappelsberger, P. and Petsche, H. (1988), 'Probability mapping: power and coherence analyses of cognitive processes.', *Brain Topogr* **1**(1), 46–54.
- Robertson, N., Sanders, D. P., Seymour, P. and Thomas, R. (1996), 'A new proof of the four-color theorem', *Electron Res Announc* **2**(1), 17–25.
- Roerdink, J. B. T. M. and Meijster, A. (2000), 'The watershed transform: definitions, algorithms, and parallelization strategies', *Fundamenta Informaticae* **41**, 187–228.
- Rorden, C. and Brett, M. (2000), 'Stereotaxic display of brain lesions.', *Behav Neurol* **12**(4), 191–200.
- Rübel, O., Weber, G., Keränen, S., Fowlkes, C., Hendriks, C. L., Simirenko, L., Shah, N., Eisen, M., Biggin, M., Hagen, H., Sudar, J., Malik, J., Knowles, D. and Hamann, B. (2006), Point-CloudXplore: a visualization tool for 3D gene expression data, in 'Proc. Eurographics/IEEE VGTC Symposium on Visualization (EuroVis)', pp. 203–210.
- Rubin, J. (1994), *Handbook of Usability Testing: How to Plan, Design, and Conduct Effective Tests*, John Wiley & Sons, Inc., New York, NY, USA.
- Ruchkin, D. S., Johnson Jr., R., Grafman, J., Canoune, H. L. and Ritter, W. (1997), 'Multiple visuospatial working memory buffers: Evidence from spatio-temporal patterns of brain activity', *Neuropsychologia* **35**(2), 195–209.
- Salvador, R., Suckling, J., Coleman, M. R., Pickard, John, D., Menon, D. and Bullmore, E. (2005a), 'Neurophysiological architecture of functional magnetic resonance images of human brain', *Cereb Cortex* **15**, 1332–1342.
- Salvador, R., Suckling, J., Schwarzbauer, C. and Bullmore, E. (2005b), 'Undirected graphs of frequency-dependent functional connectivity in whole brain networks', *Phil T R Soc B* **360**, 937–946.
- Sarnthein, J., Petsche, H., Rappelsberger, P., Shaw, G. L. and von Stein, A. (1998), 'Synchronization between prefrontal and posterior association cortex during human working memory.', *P Natl Acad Sci USA* **95**(12), 7092–6.
- Schack, B., Chen, A. C., Mescha, S. and Witte, H. (1999), 'Instantaneous EEG coherence analysis during the Stroop task.', *Clin Neurophysiol* **110**(8), 1410–26.
- Schroeder, W. J. and Martin, K. M. (2004), Overview of visualization, in C. D. Hansen and C. Johnson, eds, 'Visualization Handbook', Academic Press.
- Schultz, T., Theisel, H. and Seidel, H.-P. (2007), Segmentation of DT-MRI anisotropy isosurfaces, in K. Museth, T. Möller and A. Ynnerman, eds, 'Proc. Eurographics/IEEE VGTC Symposium on Visualization (EuroVis)', Eurographics, pp. 187–194.

- Siegel, J. H., Farrell, E. J., Goldwyn, R. M. and Friedman, H. P. (1972), 'The surgical implications of physiologic patterns in myocardial infarction shock.', *Surgery* **72**(1), 126–41.
- Smith, V. C., Jin, P. Q. and Pokorny, J. (2001), 'The role of spatial frequency in color induction.', *Vision Res* **41**(8), 1007–21.
- Spehlmann, R. and Fisch, B. R. (1991), *Spehlmann's EEG primer*, second edn, Elsevier, Amsterdam.
- Sporns, O. (2002), Graph theory methods for the analysis of neural connectivity patterns, in R. Kötter, ed., 'Neuroscience Databases. A Practical Guide', Kluwer, chapter 12, pp. 169–83.
- Srinivasan, R. (1999), 'Methods to improve the spatial resolution of EEG', *Int J of Bioelectromagnetism*.
- Srinivasan, R., Russell, D. P., Edelman, G. M. and Tononi, G. (1999), 'Increased synchronization of neuromagnetic responses during conscious perception', *J Neurosci* **19**(13), 5435–48.
- Stein, A. v., Rappelsberger, P., Sarnthein, J. and Petsche, H. (1999), 'Synchronization between temporal and parietal cortex during multimodal object processing in man', *Cereb Cortex* **9**, 137–150.
- Stump, G. M., Yukish, M., Simpson, T. W. and Harris, E. N. (2003), Design space visualization and its application to a design by shopping paradigm, in 'Proc. ASME Design Engineering Technical Conferences - Design Automation Conference'.
- Sun, F. T., Miller, L. M. and D'Esposito, M. (2004), 'Measuring interregional functional connectivity using coherence and partial coherence analyses of fMRI data', *NeuroImage* **21**, 647–658.
- ten Caat, M., Lorist, M. M., Bezdan, E., Roerdink, J. B. T. M. and Maurits, N. M. (2007a), 'High-density EEG coherence analysis using functional units applied to a mental fatigue study', *J Neurosci Meth.* Submitted.
- ten Caat, M., Maurits, N. M. and Roerdink, J. B. T. M. (2005), Tiled parallel coordinates for the visualization of time-varying multichannel EEG data, in 'Proc. Eurographics/IEEE VGTC Symposium on Data Visualization (EuroVis)', pp. 61–68.
- ten Caat, M., Maurits, N. M. and Roerdink, J. B. T. M. (2007b), 'Data-driven visualization and group analysis of multichannel EEG coherence with functional units', *IEEE T Vis Comput Gr.* To appear.
- ten Caat, M., Maurits, N. M. and Roerdink, J. B. T. M. (2007c), 'Design and evaluation of tiled parallel coordinate visualization of multichannel EEG data', *IEEE T Vis Comput Gr* **13**(1), 70–79.

- ten Caat, M., Maurits, N. M. and Roerdink, J. B. T. M. (2007d), Functional unit maps for data-driven visualization of high-density EEG coherence, in 'Proc. Eurographics/IEEE VGTC Symposium on Visualization (EuroVis)', pp. 259–266.
- ten Caat, M., Maurits, N. M. and Roerdink, J. B. T. M. (2007e), Watershed-based visualization of high-density EEG coherence, in G. J. F. Banon, J. Barrera and U. de Mendoca Braga-Neto, eds, 'Proc. 8th International Symposium on Mathematical Morphology', pp. 289–300.
- Tomberg, C. and Desmedt, J. E. (1999), 'The challenge of non-invasive cognitive physiology of the human brain: how to negotiate the irrelevant background noise without spoiling the recorded data through electronic averaging.', *Philos T Roy Soc B* **354**(1387), 1295–305.
- Tomita, E., Tanaka, A. and Takahashi, H. (2006), 'The worst-case time complexity for generating all maximal cliques and computational experiments', *Theor Comput Sci* **363**(1), 28–42.
- Tononi, G. and Edelman, G. M. (1998), 'Consciousness and complexity.', *Science* **282**(5395), 1846–51.
- Tufte, E. R. (1983), *The visual display of quantitative information*, Cheshire, Conn.: Graphics Press.
- Tufte, E. R. (1990), *Envisioning Information*, Cheshire, Conn.: Graphics Press.
- Tufte, E. R. (1997), *Visual Explanations*, Cheshire, Conn.: Graphics Press.
- van de Ven, V. G., Formisano, E., Prvulovic, D., Roeder, C. H. and Linden, D. E. J. (2004), 'Functional connectivity as revealed by spatial independent component analysis of fMRI measurements during rest.', *Hum Brain Mapp* **22**(3), 165–78.
- van Dongen, S. (2000), Graph Clustering by Flow Simulation, PhD thesis, Center for Mathematics and Computer Science (CWI), Amsterdam.
- Varela, F., Lachaux, J. P., Rodriguez, E. and Martinerie, J. (2001), 'The brainweb: phase synchronization and large-scale integration.', *Nat Rev Neurosci* **2**(4), 229–39.
- von Stein, A. and Sarnthein, J. (2000), 'Different frequencies for different scales of cortical integration: from local gamma to long range alpha/theta synchronization', *Int J Psychophysiol* **38**, 301–313.
- Voronoi, G. (1908), 'Nouvelles applications des paramètres continus à la théorie des formes quadratiques, deuxième memoire, recherche sur les parallèlèdres primitifs', *Journal für die Reine und Angewandte Mathematik* **134**, 198–287.
- Ward, M. O. (2002), 'A taxonomy of glyph placement strategies for multidimensional data visualization', *Information Visualization* **1**(3/4), 194–210.
- Ware, C. (2001), 'Designing with a 2½D attitude', *Information Design Journal* **10**, 258–265.

- Ware, C. (2004), *Information Visualization: Perception for Design*, 2nd edn, Morgan Kaufmann, Academic Press, San Francisco, CA.
- Watts, D. J. and Strogatz, S. H. (1998), 'Collective dynamics of 'small-world' networks.', *Nature* **393**(6684), 440–2.
- Wegenkittl, R., Löffelmann, H. and Gröller, E. (1997), Visualizing the behavior of higher dimensional dynamical systems, in 'Proc. IEEE Visualization', pp. 119–ff.
- Wilson, S. B. and Emerson, R. (2002), 'Spike detection: a review and comparison of algorithms.', *Clin Neurophysiol* **113**(12), 1873–81.
- Wong, N., Carpendale, S. and Greenberg, S. (2003), EdgeLens: An interactive method for managing edge congestion in graphs, in 'Proc. IEEE Symposium on Information Visualization', pp. 51–58.
- Wood, D. R. (1997), 'An algorithm for finding a maximum clique in a graph', *Oper Res Lett* **21**(5), 211–217.
- Worsley, K. J., Chen, J.-I., Lerch, J. and Evans, A. C. (2005), 'Comparing functional connectivity via thresholding correlations and singular value decomposition.', *Philos T Roy Soc B* **360**(1457), 913–20.
- Yang, J., Ward, M. O., Rundensteiner, E. A. and Huang, S. (2003), Visual hierarchical dimension reduction for exploration of high dimensional datasets, in 'Proc. VisSym: Eurographics/IEEE TCVG Symposium on Visualization', pp. 19–28.
- Zar, J. H. (1999), *Biostatistical Analysis*, 4th edn, Prentice Hall.
- Zhan, Y., Halliday, D., Jiang, P., Liu, X. and Feng, J. (2006), 'Detecting time-dependent coherence between non-stationary electrophysiological signals—a combined statistical and time-frequency approach.', *J Neurosci Meth* **156**(1-2), 322–32.

