

University of Groningen

Multichannel EEG Visualization

Caat, Michael ten

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Caat, M. T. (2008). *Multichannel EEG Visualization*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Index

- action potential, 3
- adjacency matrix, 15, 49
- alpha, *see* rhythm, alpha
- analysis, 9–11
 - frequency domain, 9–11
 - frequency resolution, 9
 - maximum frequency, 9
 - minimum frequency, 9
 - time domain, 9
 - time-frequency domain, 9–11
- anatomical references, 4–5
- animation, 11
- anterior, 4, 5
- auto-spectrum, 10

- B&K (Bron & Kerbosch), 46, 49
- basin, *see* watershed transform, basin
- beta, *see* rhythm, beta
- burst firing, 3, 4
- butterfly plot, 7, 8, 20, 20, 30

- caudal, *see* posterior
- CBD, *see* corticobasal degeneration
- centroparietal, 5
- cerebral hemisphere, *see* hemisphere
- characteristic path length, 70
- circular coordinates, 14–15, 24
- clique, 40
- cluster index, 70
- cognitive response, *see* higher-level response
- coherence, 10, 41
 - electroencephalography, 40, 42, 43–44, 70
 - functional magnetic resonance imaging, 42, 44–45
 - graph, 42, 46, 70, 73
 - group analysis, 55, 74
 - histogram, 42
 - magnetoencephalography, 42–44
 - significance threshold, 41, 73
 - visualization, 42–45
- component, 7, 19, 19
- conduction, *see* volume conduction
- conductive gel, 5
- contingency table, 12, 44
- contralateral, 4, 26
- conventional electroencephalogram, *see* time series
- correlation, 10
- cortex, *see* neocortex
- corticobasal degeneration, 30
- cross-correlation, 9
- cross-spectrum, 10

- delta, *see* rhythm, delta
- dendrogram, 45
- dense pixel, *see* pixel-oriented
- density map, 25, 26
- dipole source localization, 44
- dorsal, *see* superior

- edge, 15
- EEG, *see* electroencephalography
- efficiency
 - global, 70
 - local, 70
- Eisen plot, 12
- elastic cap, 5
- electrode, 4, 5
 - label, 5, 42, 71
 - position, 42, 71
- electroencephalography, 1, 3–11
 - background, 7

- multichannel, 2, 6, 17, 40, 73
 - recording, 5–6
- ensemble-averaging, 7
- EP, *see* evoked potential
- ERP, *see* event-related potential
- even-related potential, 41
- event-related potential, 7–9, 13, 73
 - P300, 45
- event-related potential image, *see* evoked potential, image
- evoked potential, 7–9
 - image, 12, 13, 21, 23
 - somatosensory, 7, 8, 14, 19, 19
- excitatory, 3
- extruded parallel coordinates, 14–15, 24

- filter
 - high-pass, 6, 73
 - low-pass, 6
 - notch, 6, 73
- fissure, 4, 5
 - central, 5
 - interhemispheric, 4
 - lateral, 5
 - parieto-occipital, 5
- fMRI, *see* functional magnetic resonance imaging
- force-directed layout, 43
- frontal lobe, *see* lobe, frontal
- frontocentral, 5
- frontotemporal, 5
- FU, *see* functional unit
- functional brain connectivity, 40, 42, 69
- functional magnetic resonance imaging, 1, 40
- functional unit, 40, 73
 - detection
 - improved watershed based, 41, 51–53, 54
 - maximal clique based, 41, 49, 46–50
 - watershed based, 41, 50–51, 54
 - map, 52, 53–55, 73, 75, 76
 - coloring, 52, 53
 - comparison, 57
 - connections, 53–55
 - improved watershed based, 57, 61, 62
 - maximal clique based, 57, 59, 60
 - watershed based, 57
- functional unit map, 41

- gamma, *see* rhythm, gamma
- GFP, *see* global field power
- global field power, 26, 27
- glyph, 13
- grand tour, 12
- graph, 2, 2, 15–16, 40, 42, 70
- graph clustering, 16
- group FU size map, 55, 64, 74
- group mean coherence map, 55, 63, 74
- gyrus, 4

- hemisphere, 4
- hierarchical cluster analysis, 44
- high-density EEG, *see* electroencephalography, multichannel
- high-resolution EEG, *see* electroencephalography, multichannel
- higher-level response, 7
- homologous, 4

- ICA, *see* independent component analysis
- icon, *see* glyph
- independent component analysis, 44
- inferior, 4, 5
- information visualization, 11
- inhibitory, 3
- inter-FU coherence, 53, 74
- ion, 3
- ipsilateral, 4
- IWB, *see* functional unit, detection, improved watershed based

- Kempe chain, 53

- label, *see* electrode, label
- lateral, 4, 4
- lobe, 5
 - frontal, 5, 5
 - occipital, 5, 5

- parietal, 5, 5
- temporal, 5, 5
- local coherence, 44
- longitudinal fissure, *see* fissure, interhemispheric
- low-level response, 7
- magnetoencephalography, 1, 40
- marker, *see* watershed transform, marker
- matrix layout, *see* tabular layout
- maximal clique, 40
 - detection, 46–47
- MCB, *see* functional unit, detection, maximal clique based
- medial, 4, 4
- MEG, *see* magnetoencephalography
- membrane, 3
- mental fatigue, 71
- metric multidimensional scaling, 44
- midline, 4
- minmax plot, 25, 24–25, 26
- montage, 20
- mosaic display, 13
- moving window, 10
- multichannel EEG, *see* electroencephalography, multichannel
- multivariate visualization, 11–15
- N20, 7, 30
- N30, 30
- neocortex, 3, 4
- nerve cell, *see* neuron
- network, *see* graph
- neuroimaging, 1
 - functional, 1
 - non-invasive, 40
 - structural, 1
- neuron, 3
 - multipolar, 3
 - pyramidal, 3
- node, *see* vertex
- Nyquist-Shannon sampling theorem, 9
- objective evaluation, 32–35
- occipital, 5
- occipital lobe, *see* lobe, occipital
- oddball paradigm, *see* paradigm, oddball
- over-segmentation, 50, 51, 57
- P25, 30
- P3, 8
- P300, 7–9
- P3a, 8, 62, 68
- P3b, 8, 62, 68
- P40, 30
- paradigm
 - oddball, 7
 - task switching, 71
- parallel coordinates, 15, 14–15, 22, 24, 26
 - 2.5D, 15
 - axis design, 23
 - density plot, 25
 - frequency plot, 25
 - three-dimensional, 15
- parietal, 5
- parietal lobe, *see* lobe, parietal
- parieto-occipital, 5
- peripheral nervous system, 7
- pixel, 12
- pixel-oriented, 12
- planar projection, 43
- polyline, 15, 15, 23, 24
- post- (prefix), 5
- posterior, 4, 5
- postsynaptic, 3
- postsynaptic potential, 3, 4
- potential, 3–4
- pre- (prefix), 5
- presynaptic, 3
- progressive supranuclear palsy, 30
- projection pursuit, 12
- PSP, *see* progressive supranuclear palsy
- pyramidal cell, *see* neuron, pyramidal
- qualitative evaluation, 28
- quantitative evaluation, 28
- reference
 - average, 6, 73

- common, 6
- reference voxel, *see* seed voxel
- region of interest, 40
- relational data, *see* graph
- repetition trial, 72
- resting potential, 3
- rhythm, 7
 - alpha, 7, 73
 - beta, 7, 73
 - delta, 7, 73
 - gamma, 7, 73
 - theta, 7, 73
- ROI, *see* region of interest
- Rolandic fissure, *see* fissure, central
- rostral, *see* anterior

- sampling interval, 9
- sampling rate, 9
- sampling theorem, *see* Nyquist-Shannon sampling theorem
- scatter plot, 12, 14
- scatter plot matrix, 12, 14
- scientific visualization, 11
- screen-filling, *see* pixel-oriented
- seed voxel, 44
- segment length, 9
- SEP, *see* evoked potential, somatosensory
- short-time Fourier transform, 10
- Silvian fissure, *see* fissure, lateral
- spectral analysis, 9
- SQUID, *see* superconducting quantum interference device
- standard method, 30
- star glyph, *see* star plot
- star plot, 13, 14, 24
- stimulus presentation, 7
- subjective evaluation, 32
- sulcus, 4
- superconducting quantum interference device, 40, 42
- superior, 4, 5
- switch task
 - stimulus presentation, 72
 - switch trial, 72
- synapse, 3
- synchronization, *see* synchrony
- synchrony, 40
 - global, 69
 - local, 69
 - measures, 41

- table lens, 13
- tabular layout, 12–13
- tabular visualization, 14
- temporal lobe, *see* lobe, temporal
- temporoparietal, 5
- theta, *see* rhythm, theta
- three-dimensional parallel coordinates, 15
- tile, 13
- tiled parallel coordinates, 27, 26–28
 - tile design, 24
- time complexity
 - improved watershed based, 53
 - maximal clique based, 47
 - watershed based, 51
- time on task, 71
- time series, 1, 2, 8, 11, 13, 19, 19–20, 30
- time-varying visualization, 11–15
- topographic layout, 20–21
 - topographic array, 21, 22
 - topographic map, 21, 20–21, 30
 - topographic submap, 44
- total strength, 49
- TPC, *see* tiled parallel coordinates

- user evaluation, 29–35

- ventral, *see* inferior
- vertex, 15
- visual analytics, 11
- visualization, 1, 11–16
- volume conduction, 4, 40
- Voronoi
 - cell, 46, 71
 - center, 46
 - diagram, 42, 46, 71
 - neighbor, 46

-
- polygon, 46
 - Voronoi-connected, 46, 49

 - watershed transform, 50
 - basin, 50
 - marker, 50
 - ordered queues, 50
 - watersheds, *see* watershed transform
 - wavelet transform, 10
 - WB, *see* functional unit, detection, watershed
 - based
 - whisker, 13, 14
 - window, 10

