

University of Groningen

## Hybrid organic spin valves

Popinciuc, Mihaita

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2007

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Popinciuc, M. (2007). *Hybrid organic spin valves: interfaces and transport*. s.n.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*


# Hybrid Organic Spin Valves

## Interfaces and Transport

Mihăiță Popinciuc



University of Groningen  
**Zernike Institute  
for Advanced Materials**



Zernike Institute PhD thesis series 2007-14

ISSN 1570-1530

ISBN 978-90-367-3161-4

ISBN 978-90-367-3162-1

The work described in this thesis was performed in the research groups Physics of Nanodevices and Molecular Electronics of the Zernike Institute for Advanced Materials (formerly Materials Science Centre) at the University of Groningen, the Netherlands. This work is part of the research programme of the 'Stichting voor Fundamenteel Onderzoek der Materie (FOM)', which is financially supported by the 'Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO)'

Printed by: Drukkerij van Denderen B.V., Groningen, the Netherlands

RIJKSUNIVERSITEIT GRONINGEN

Hybrid Organic Spin Valves  
Interfaces and Transport

**Proefschrift**

ter verkrijging van het doctoraat in de  
Wiskunde en Natuurwetenschappen  
aan de Rijksuniversiteit Groningen  
op gezag van de  
Rector Magnificus, dr. F. Zwarts,  
in het openbaar te verdedigen op  
vrijdag 12 oktober 2007  
om 16:15 uur

door

Mihăiță Popinciuc

geboren op 4 september 1975  
te Galați, Roemenië

Promotor: Prof. dr. ir. B. J. van Wees  
Copromotor: Dr. H. T. Jonkman

Beoordelingscommissie: Prof. dr. G. A. Sawatzky  
Prof. dr. T. T. M Palstra  
Prof. dr. B. Koopmans

*Familiei mele,  
pentru iubirea și suportul necondiționat*



---

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Spintronics, a short introduction . . . . .	1
1.2	Why pentacene, Co and AlOx? . . . . .	4
1.3	This thesis . . . . .	5
	References . . . . .	7
<b>2</b>	<b>Theoretical aspects</b>	<b>11</b>
2.1	Theory of spin valve devices . . . . .	12
2.1.1	Basic concepts of spintronics . . . . .	12
2.1.2	Spin valves. Conductivity mismatch . . . . .	16
2.2	Photoelectron spectroscopy (PES) principles . . . . .	22
2.2.1	The photoelectric effect . . . . .	22
2.2.2	PES measurement scheme . . . . .	25
2.2.3	Work function determination by PES . . . . .	26
2.2.4	Energy level alignment by PES . . . . .	26
2.3	Concluding remarks . . . . .	29
	References . . . . .	31
<b>3</b>	<b>Experimental details</b>	<b>33</b>
3.1	Fabrication techniques and devices . . . . .	34
3.1.1	Lithography . . . . .	34
3.1.2	Field effect devices . . . . .	37
3.1.3	Spin valve electrical characterization setup . . . . .	39
3.2	Magnetization direction manipulation . . . . .	40
3.2.1	Coercive fields in lateral devices . . . . .	41



3.2.2	Coercive fields in vertical devices . . . . .	43
3.3	Photoemission experiments . . . . .	44
3.3.1	Ultra high vacuum setup . . . . .	44
3.3.2	Co/AlOx interface, natural AlOx thickness . . . . .	46
3.4	Pentacene growth details . . . . .	47
	References . . . . .	51
<b>4</b>	<b>Energy level alignment symmetry at Co/pentacene/Co inter-</b>	<b>53</b>
	<b>faces</b>	
4.1	Introduction . . . . .	54
4.2	Co/pentacene interface . . . . .	55
4.2.1	The low coverage regime: the interfacial energy level align-	
	ment . . . . .	57
4.2.2	The high coverage regime: the bulk pentacene energy level	
	alignment . . . . .	59
4.3	Pentacene/Co interface . . . . .	61
4.4	Conclusions . . . . .	65
	References . . . . .	67
<b>5</b>	<b>Energy level alignment at Co/AlOx/pentacene interfaces</b>	<b>69</b>
5.1	Introduction . . . . .	70
5.2	Al oxidation monitored by XPS and UPS . . . . .	70
5.3	Energetics of Co/AlOx/pentacene vs. Co/pentacene interfaces . . . . .	75
5.4	Energy level alignment at Co/AlOx/Pentacene interfaces . . . . .	77
5.5	Conclusions . . . . .	79
	References . . . . .	81
<b>6</b>	<b>Electrical characterization of spin valve devices</b>	<b>83</b>
6.1	Introduction . . . . .	84
6.2	Pentacene spin valves with clean contacts . . . . .	84
6.2.1	Room temperature current-voltage characteristics . . . . .	84
6.2.2	Low temperatures current-voltage characteristics . . . . .	89
6.2.3	Room temperature magnetoresistance . . . . .	90
6.3	Pentacene field effect spin valves with Co/AlOx electrodes . . . . .	93
6.3.1	Field effect devices (FETs) with naturally oxidized Al . . . . .	93
6.3.2	The contact resistance in FETs . . . . .	96
6.3.3	Room temperature magnetoresistance in FET . . . . .	98
6.4	Summary and future recommendations . . . . .	101
	References . . . . .	103

<b>A Electrical characteristics</b>	<b>105</b>
A.1 Low temperature charging current correction . . . . .	105
A.2 Current drift correction . . . . .	106
<b>Summary</b>	<b>109</b>
<b>Samenvatting</b>	<b>113</b>
<b>List of Publications</b>	<b>117</b>

