

University of Groningen

## Device physics of polymer:fullerene bulk heterojunction solar cells

Bartesaghi, Davide

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2016

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Bartesaghi, D. (2016). *Device physics of polymer:fullerene bulk heterojunction solar cells*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

# Stellingen

behorende bij het proefschrift

## **Device physics of polymer:fullerene bulk heterojunction solar cells**

door Davide Bartesaghi

1. The performance of PDPP5T:[70]PCBM solar cells with sub-optimal acceptor concentration is limited by the low, field-dependent electron mobility (Chapters 2 and 3).
2. Most of the current of PDPP5T:[70]PCBM solar cells with large phase separation stems from the region at the interface between acceptor clusters and the polymer-rich matrix (Chapter 3).
3. The formation of large acceptor domains is detrimental to the efficiency of bulk heterojunctions because it reduces the exciton quenching efficiency and deprives the surrounding mixed phase of acceptor molecules (Chapter 4).
4. Light intensity, active layer thickness, energy levels, charge mobilities and recombination strength determine the ratio of bimolecular recombination and extraction rates, and hence the fill factor (Chapter 5).
5. PTB7 is not intrinsically unstable when exposed to UV light; fast degradation occurs only in the presence of [70]PCBM (Chapter 6).
6. Besides an extensive use of renewable energy sources, the effort of researchers, governments and industry have to be aimed at a strong reduction of energy consumption.
7. The different meanings of the word “organic” in scientific and common language is a good example of how far apart these languages sometimes are.
8. Planning an experiment is like planning a chess move: experienced researchers, as well as experienced players, always think a few steps ahead.
9. It would be wise to start formulating these propositions before writing the first paper.