

University of Groningen

The treatment of apraxia of speech

Hurkmans, Josephus Johannes Stephanus

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2016

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Hurkmans, J. J. S. (2016). *The treatment of apraxia of speech: speech and music therapy, an innovative joint effort*. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

- Abrams, D.A., Bhatara, A., Ryali, S., Balaban, E., Levitin, D.J., & Menon, V. (2011). Decoding temporal structure in music and speech relies on shared brain resources but elicit different fine-scale spatial patterns. *Cerebral Cortex*, *21*, 1507-1518.
- Ackermann, H., Hertrich, I., & Hehr, T. (1995). Oral diadochokinesis in neurological dysarthrias. *Folia Phoniatrica et Logopaedica*, *47*, 15-23.
- Ackermann, H., & Riecker, A. (2010). The contribution(s) of the insula to speech production: A review of the clinical and functional imaging literature. *Brain Structure Function*, *214*, 419-433.
- Aichert, I., Büchner, M., & Ziegler, W. (2011). Why is ['ju:do] easier than [ju've:l]? Perceptual and acoustic analyses of word stress in patients with apraxia of speech. *Stem-, Spraak- en Taalpathologie*, *17*, 15.
- Aichert, I., & Ziegler, W. (2004). Syllable frequency and syllable structure in apraxia of speech. *Brain and Language*, *88*, 148-159.
- Aichert, I., & Ziegler, W. (2013). Word position effects in apraxia of speech: Group data and individual variation. *Journal of Medical Speech-Language Pathology*, *20*, 7-11.
- Albert, M.L., Sparks, R.W., & Helm, N.A. (1973). Melodic Intonation Therapy for aphasia. *Archives of Neurology*, *29*, 130-131.
- ASHA. (2001) Scope of practice in speech-language pathology [Scope of Practice]. Available from www.asha.org/policy.
- Baker, F.A., (2000). Modifying the Melodic Intonation Therapy program for adults with severe non-fluent aphasia. *Music Therapy Perspectives*, *18*, 110-114.
- Baker, F.A., & Uhlig, S. (2011). *Voicework in Musical Therapy, Research and Practice*. London: Jessica Kingsley Publishers.
- Baldo, J.V., Wilkins, D.P., Ogar, J., Willock, S., & Dronkers, N.F. (2011). Role of the precentral gyrus of the insula in complex articulation. *Cortex*, *47*, 800-807.
- Ballard, K.J., Granier, J.P., & Robin, D.A. (2000). Understanding the nature of apraxia of speech: Theory, analysis and treatment. *Aphasiology*, *14*, 969-995.
- Ballard, K.J., Robin, D.A., & Folkins, J. (2003). An integrative model of speech motor control: A response to Ziegler. *Aphasiology*, *17*, 37-48.
- Ballard, K.J., Maas, E., & Robin, D.A. (2007). Treating control of voicing in apraxia of speech with variable practice. *Aphasiology*, *21*, 1195-1217.

- Ballard, K.J., Wambaugh, J.L., Duffy, J.R., Layfield, C., Maas, E., Mauszycki, S., & McNeil, M.R. (2013). Updated treatment guidelines for acquired apraxia of speech: A systematic review of intervention research between 2004 and 2012. *American Speech-Language-Hearing Association Convention*, Chicago, IL.
- Basso, A. (1992). Prognostic factors in aphasia. *Aphasiology*, 6, 337-348.
- Basso, A. (1993). Amusia. In: Boller, F. & Grafman, J. (eds), *Handbook of Neuropsychology*. Oxford: University Press.
- Bastiaanse, R. (2010). *Afasie*. Houten: Bohn Stafleu van Loghum.
- Bastiaanse, R., Bosje, M., & Visch-Brink, E.G. (1995). *PALPA: De Nederlandse Versie (PALPA the Dutch version)*. Hove, UK: Lawrence Erlbaum Associates Ltd.
- Bastiaanse, R., Hurkmans, J., & Links, P. (2006). The training of verb production in Broca's aphasia: A multiple-baseline across-behaviours study. *Aphasiology*, 20, 298-311.
- Belin, P., Eeckhout, van, Ph., Zilbovicius, M., Remy, Ph., François, C., Guillaume, S., Chain, F., Rancurel, G., & Samson, Y. (1996). Recovery from non-fluent aphasia after Melodic Intonation Therapy: A PET study. *Neurology*, 47, 1504-1511.
- Bendor, D., & Wang, X. (2010). The neuronal representation of pitch in primate auditory cortex. *Nature*, 436, 1161-1165.
- Benke, T., Bodner, T., & Ziegler, W. (2011). Apraxia of Speech from a right frontal lesion. *Journal of Neurolinguistics*, 24, 268-275.
- Bhogal, S.K., Teasell, R.W., & Speechley, M.R. (2003). Intensity of aphasia therapy, impact on recovery. *Stroke*, 34, 987-993.
- Bierwisch, M. & Schreuder, R. (1992). From concepts to lexical items. *Cognition*, 42, 23-60.
- Blomert, L., Kean, M.L., Koster, Ch., & Schokker, J. (1994). Amsterdam-Nijmegen Everyday Language Test: Construction, reliability and validity. *Aphasiology*, 8, 381-407.
- Blomert, L., Koster, Ch., & Kean, M. (1995). *Amsterdam-Nijmegen Everyday Language Test*. Lisse: Swets & Zeitlinger.
- Bonilha, L., Moser, D., Rorden, C., Baylis, G.C., & Fridriksson, J. (2006). Speech apraxia without oral apraxia: Can normal brain function explain the physiopathology? *Neuroreport*, 17, 1027-1031.

- Bouillard, J.B. (1825). Recherches clinique propres a démontres que la perte de la parole correspond à la lésion de lobules antérieurs du cerveau, et à confirmer l'opinion de M. Galle sur le siege de l'organe du langage articulé. *Archives of General Medicine*, 8, 25-45.
- Brendel, B., & Ziegler, W., & Deger, K. (2000). The synchronisation paradigm in the treatment of Apraxia of Speech. *Journal of Neurolinguistics*, 13, 241-327.
- Brendel, B., & Ziegler, W. (2008). Effectiveness of metrical pacing in the treatment of apraxia of speech. *Aphasiology*, 22, 77-102.
- Brendel, B., Erb, M., Riecker, A., Grodd, W., Ackermann, A., & Ziegler, W. (2011). Do we have a "mental syllabary" in the brain? A fMRI study. *Motor Control*, 15, 34-51.
- Brendel, B., & Aichert, I. (2014). German language contributions to the understanding of acquired motor speech disorders. In: Miller, N., & Lowit, A. (eds), *Motor Speech Disorders, a Cross-Language Perspective*. Bristol: Multilingual Matters.
- Broca, P. (1861). Remarques sur le siege de la faculte du langage articule, suivre d'une observation d'aphemie (perte de la parole). *Bulletin de la Societe Anatomique*, 6, 330-336.
- Brown, S., Martinez, M.J., Hodges, D.A., Fox, P.T., & Parsons, L.M. (2004). The song system of the human brain. *Cognitive Brain Research*, 20, 363-375.
- Brown, S., Martinez, M.J. & Parsons, L.M. (2006). Music and language side by side in the brain: A PET study of the generation of melodies and sentences. *European Journal of Neurosciences*, 23, 2791-2803.
- Buttet, J., & Aubert, C. (1980). Melodic Intonation Therapy, contribution of neuropsychological reflex activity to clinical medicine. *Revue Medicale Suisse Romande*, 100, 195-199.
- Chen, J.L., Penhune, V.B., & Zatorre, R.J. (2008). Listening to musical rhythms recruits motor regions of the brain. *Cerebral Cortex*, 18, 2844-2854.
- Cherney, L.R., & Robey, R.R. (2008). Aphasia treatment: Recovery, prognosis, and clinical effectiveness. In: Chapey, R (eds) *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Wolters Kluwer.
- Cholin, J., Levelt, W.J.M., & Schiller, N.O. (2006). Effects of syllable frequency in speech production, *Cognition*. 99, 205-235.
- Clark, H.M., & Robin, D.A. (1998). Generalised motor programme and parameterisation accuracy in apraxia of speech and conduction aphasia. *Aphasiology*, 12, 699-713.

Code, C. (1998). Models, theories and heuristics in apraxia of speech. *Clinical linguistics and phonetics*, 12, 47-65.

Code, C., Torney, A., Gildea-Howardine, E., & Willmes, K. (2010). Outcome of a one-month therapy intensive for chronic aphasia: Variable individual responses. *Seminars in Speech and Language*, 31, 21-33.

Cohen, N.S. (1992). The effect of singing instruction on the speech production of neurologically impaired persons. *Journal of Music Therapy*, 30, 81-99.

Cohen, N.S., & Masse, R.E. (1993). The application of singing and rhythmic instruction as a therapeutic intervention for persons with neurogenic communication disorders. *Journal of Music Therapy*, 30, 81-99.

Cohen, N.S., & Ford, J. (1995). The effect of musical cues on the nonpurposive speech of persons with aphasia. *Journal of Music Therapy*, 32, 81-99.

Croot, K. (2002). Diagnosis of AoS: Definition and criteria. *Seminars in Speech and Language*, 23, 267-279.

Croot, K., Ballard, K.J., Leyton, C.E., & Hodges, J.R. (2012). Apraxia of Speech and phonological errors in the diagnosis of nonfluent/agrammatic and logopenic variants of primary progressive aphasia. *Journal of Speech, Language, and Hearing Research*, 55, S1562-S1572.

Dabul, B. (2000). *Apraxia Battery for Adults*, Second Edition (ABA2). Austin, TX: PRO-ED.

Darley, F.L. (1968). *Apraxia of Speech: 107 years of Terminological Confusion*. American Speech & Hearing Association Convention, Denver, CO.

Darley, F.L., Aronson, A.E., & Brown, J.R. (1975). *Motor Speech Disorders*. Philadelphia: W.B. Saunders.

De Bruijn, M., Zielman, T., & Hurkmans, J. (2005). *Speech-Music Therapy for Aphasia, SMTA*. Beetsterzwaag: Revalidatie Friesland (ISBN nummer: 90-809044-2-2).

De Bruijn, M., Hurkmans, J., & Zielman, T. (2011). Speech-Music Therapy for Aphasia (SMTA), a combinatory treatment of speech-language therapy and music therapy for clients with aphasia and/or apraxia of speech. In: Baker, F. & Uhlig, S. (eds), *Voicework in Musical Therapy; Research and Practice*. London: Jessica Kingsley Publishers.

Deger, K., Ziegler, W., & Wessel, K. (1999). Airflow tracking in patients with ataxic disorders. *Clinical Linguistics and Phonetics*, 13, 433-447.

Deger, K., & Ziegler, W. (2002). Speech motor programming in apraxia of speech. *Journal of Phonetics*, 30, 321-335.

- Deike, S., Gaschler-Markefski, B., Brechmann, A., & Scheih, H. (2004). Auditory stream segregation relying on timbre involves left auditory cortex. *Neuroreport*, *15*, 1511-1514.
- Déjérine, J. (1914). *Sémiologie des Affections du système nerveux*. Paris: Masson et C.
- De Riestahl, M., & Wertz, R.T. (2004). Prognosis for aphasia: Relationship between selected biographical and behavioral variables and outcome and improvement. *Aphasiology*, *18*, 899-915.
- De Witte, L., Verhoeven, J., Engelborghs, S., De Deyn, P.P., & Mariën, P. (2008). Crossed Aphasia and visuo-spatial neglect following a right thalamic stroke: A case study and review of the literature. *Behavioural Neurology*, *19*, 177-194.
- Domahs, U., Wiese, R., Bornkessel-Schlesewsky, I., & Schlesewsky, M. (2008). The processing of German word stress: Evidence for the prosodic hierarchy. *Phonology*, *25*, 1-36.
- Dronkers, N.F. (1996). A new brain region for coordinating speech articulation. *Nature*, *384*, 159-161.
- Dronkers, N.F., & Ogar, J. (2004). Brain areas involved in speech production. *Brain*, *127*, 1461-1462.
- Duffy, J.R. (1995). *Motor Speech Disorders: Substrates, Differential Diagnosis and Management*. St. Louis: Mosby.
- Duffy, J.R. (2005). *Motor Speech Disorders: Substrates, Differential Diagnosis, and Management (2nd ed.)*. St. Louis, MO: Elsevier Mosby.
- Duffy, J. R.(2007). Motor Speech Disorders: History, current practice, future trends and goals. In: Weismer, G. (eds), *Motor Speech Disorders: Essays for Ray Kent*. San Diego: Plural Publishing.
- Dworkin, J.P., Abkarian, G.G., & Johns, D.F. (1988). Treatment of phoanation in a patient with apraxia and dysarthria secondary to severe closed head injury. *Journal of Speech and Hearing Disorders*, *53*, 280-294.
- Falret (1867). Aphasie. *Dictionnaire Encyclopédique des Sciences Médicales*, *5*, 620.
- Feiken, J., & Jonkers, R. (2012). *Diagnostic Instrument for Apraxia of Speech*. Houten: Bohn, Stafleu en Van Loghum.
- Fitch, W. (2006). The biology and evolution of music: A comparative perspective. *Cognition*, *100*, 173-215.
- Fucetola, R., Tucker, F., Blank, K., & Corbetta, M. (2005). A process for translating evidence based aphasia treatment into clinical practice. *Aphasiology*, *19*, 411-422.

Gadesmann, M., & Miller, N. (2008). Reliability of speech diadochokinetic test measurement. *International Journal of Language and Communication Disorders*, 43, 41-54.

Gamer, R.L. (1892). The human voice-Human bag pipe-Human piccolo, flute and fife-The voice as a whistle-Music and noise-Dr. Bell and his visible speech. *The Speech of Monkeys*. New York: Charles L. Webster & Company.

Garrett, M.F. (1975). The analysis of sentence production. In: Bower, G. (eds), *The Psychology of Learning and Motivation*. New York: Academic Press.

Gerstman, H.L. (1964). A case of aphasia. *Journal of Speech and Hearing Disorders*, 29, 89-91.

Gibson, E. (1998). Linguistic complexity: Locality of syntactic dependencies. *Cognition*, 68, 1-76.

Gilbers, D. (1992). *Phonological Networks: A Theory of Segment Representation*. PhD dissertation, Rijksuniversiteit Groningen.

Goldenberg, G. (2003). Apraxia and beyond: Life and work of Hugo Liepmann. *Cortex*, 39, 509-524.

Goldfarb, R., & Bader, E. (1979). Espousing Melodic Intonation Therapy in aphasia rehabilitation: A case study. *International Journal of Rehabilitation Research*, 2, 333-342.

Goodglass, H., & Kaplan, E. (1972). *Boston Diagnostic Aphasia Examination*. Philadelphia: Lea and Febiger.

Goozée, J.V., Murdoch, B.E., & Theodoros, D.G. (2001). Physiological assessment of tongue function in dysarthria following traumatic brain injury. *Logopedics and Vocology*, 26, 51-65.

Gordon, R.L., Schön, D., Magne, C., Astésano, C., & Besson, M. (2010). Words and melody are intertwined in perception of sung words: EEG and behavioral evidence. *PLoS ONE*, 5, 1-12.

Graetz, P., De Bleser, R., & Willmes, K. (1992). *Akense Afasie Test*. Amsterdam: Hogrefe.

Guenther, F.H., Ghosh, S.S., & Tourville, J.A. (2006). Neural modelling and imaging of the cortical interactions underlying syllable production. *Brain and Language*, 96, 280-301.

Haley, K.L., Jack, A., de Riesthal, M., Abou-Khalil, R., & Roth, H.L. (2012). Towards a quantitative basis for assessment and diagnosis of apraxia of speech. *Journal of Speech, Language, and Hearing Research*, 55, S1502-S1517.

- Haley, K.L., Jacks, A., & Cunningham, K.T. (2013). Error variability and the differentiation between apraxia of speech and aphasia with phonemic paraphasia. *Journal of Speech, Language, and Hearing Research*, *56*, 891-905.
- Hartsuiker, R.J., Bastiaanse, R., Postma, A., & Wijnen, F. (2005). Phonological encoding and monitoring in normal and pathological speech. In: Hartstuiker et al. (eds), *Phonological Encoding and Monitoring in Normal and Pathological Speech*. Hove and New York: Psychology Press.
- Hébert, S., Racette, A., Gagnon, L., & Peretz, I. (2003). Revisiting the dissociation between singing and speaking in expressive aphasia. *Brain*, *126*, 1838–1850.
- Helm-Estabrooks, N., Nicholas, M., & Morgan, A. (1989). *Melodic Intonation Therapy*. Austin: Pro-Ed.
- Helm-Estabrooks, N., & Albert, M.L. (2004). *Melodic Intonation Therapy: Manual of Aphasia and Aphasia Therapy*. Austin: Pro-Ed.
- Hickok, G., Rogalsky, C., Chen, R., Herskovits, E.H., Townsley, S., & Hillis, A.E. (2014). Partially overlapping sensorimotor networks underlie speech praxis and verbal short-term memory: Evidence from Apraxia of Speech following stroke, *Frontiers in Human Neuroscience*, *8*, 1-8.
- Hillecke, T., Nickel, A., & Bolay, H.V. (2005). Scientific perspectives on music therapy. *Annals New York Academy of Sciences*, *1060*, 271-282.
- Hillis, A.E., Work, M., Barker, P.B., Jacobs, M.A., Breese, E.L., & Maurer, K. (2004). Re-examining the brain regions crucial for orchestrating speech articulation. *Brain*, *127*, 1479-1487.
- Howard, D. (2003). Single cases, group studies and case series in aphasia therapy. In: Papathanasiou, I., & De Bleser, R. (eds.), *The Sciences of Aphasia: From Therapy to Theory*. Amsterdam: Pergamon, 245-258.
- Huber, W., Poeck, K., & Williams, K. (1984). The Aachen Aphasia Test. In: Rose, F. (eds) *Progress in Aphasiology*. New York: Raven Press.
- Hurkmans, J., De Bruijn, M., Boonstra, A.M., Jonkers, R., Bastiaanse, Y.R.M., Arendzen, H., & Reinders-Messelink, H.A. (2012). Music in the treatment of neurological language- and speech disorders, a systematic review. *Aphasiology*, *26*, 1-19.
- Hurkmans, J., Jonkers, R., Boonstra, A.M., Stewart, R.E., & Reinders-Messelink, H.A. (2012). Assessing treatment effects in apraxia of speech: Introduction and evaluation of the Modified Diadochokinesis Test. *International Journal of Language and Communication Disorders*, *47*, 427-436.

- Hurkmans, J., Jonkers, R., Bruijn, M. de, Boonstra, A.M., Hartman, P.P., Arendzen, H., & Reinders-Messelink, H.A. (2015). The effectiveness of Speech-Music Therapy for Aphasia (SMTA) in five speakers with Apraxia of Speech and aphasia. *Aphasiology*, 29, 939-964.
- Jeffries, K.J., Fritz, J.B., & Braun, A.R. (2003). Words in melody: An H(2)15O PET study of brain activation during singing and speaking. *Neuroreport*, 14, 749-754.
- Johns, D.F., & Darley, F.L. (1970). Phonemic variability in apraxia of speech, *Journal of Speech and Hearing Research*, 13, 556-583.
- Jonkers, R., Terband, H., & Maassen, B. (2014). Diagnosis and therapy in adult acquired dysarthria and apraxia of speech in Dutch. In: Miller, N., & Lowit, A. (eds), *Motor Speech Disorders: A Cross-Language Perspective*. Bristol: Multilingual Matters.
- Jungblut, M., & Aldridge, D. (2004). The music therapy intervention SIPARI (registered trademark) with chronic aphasics-research findings. *Neurological Rehabilitation*, 10, 69-78.
- Jungblut, M., Gerhard, H., & Aldridge, D. (2006). Recovery from chronic global aphasia by a specific therapy treatment – report of a case. *Neurological Rehabilitation*, 12, 339-347.
- Kalf, H., & Swart, de, B. (2007). *Radboud Oraal Onderzoek (ROO)*. Nijmegen: UMC St. Radboud, URL www.umcn.nl/logopedie.
- Keith, R.L., & Aronson, A. E. (1975). Singing as therapy for apraxia of speech and aphasia: Report of a case. *Brain and Language*, 2, 483-488.
- Kent, R.D., & Rosenbek, J.C. (1983). Acoustic patterns of apraxia of speech. *Journal of Speech and Hearing Research*, 26, 231-249.
- Kim, M., & Tomaino, C.M. (2008). Protocol evaluation for effective Music therapy for persons with nonfluent aphasia. *Top Stroke Rehabilitation*, 15, 555-569.
- Klapp, S.T. (1995). Motor response programming during simple and choice reaction time: The role of practice. *Journal of Experimental Psychology: Human Perception and Performance*, 21, 1015-1027.
- Klapp, S.T. (2003). Reaction Time analysis of two types of motor preparation for speech articulation: Action as a consequence of chunks. *Journal of Motor Behaviour*, 35, 135-150.
- Knollman-Porter, K. (2008). Acquired Apraxia of Speech: A review. *Topics in Stroke Rehabilitation*, 15, 484-493.
- Knuijt, S., & de Swart, B. (2007). *Radboud Dysartrieonderzoek*. Nijmegen: UMC St. Radboud, URL www.umcn.nl/logopedie.

- Koelsch, S. (2011). Towards a neural basis of music perception, a review and updated model. *Frontiers in Psychology*, 2, 1-20.
- Laganaro, M. (2012). Patterns of impairments in AOs and mechanisms of interactions between phonological and phonetic encoding. *Journal of Speech, Language, and Hearing Research*, 15, S1535-S1543.
- Leroux, P.D., Berger, M.S., Haglund, M.M., Pilcher, W.H., & Ojemann, G.A. (1991). Resection of intrinsic tumors from nondominant face motor cortex using stimulation mapping: Report of two cases. *Surgical Neurology*, 36, 44-48.
- Lerdahl, F. (2001). *Tonal Pitch Space*. Oxford: University Press.
- Lerdahl, F., & Jackendoff, R. (1983). *A Generative Theory of Tonal Music*. Cambridge, MA/London UK: MIT Press.
- Levelt, W.J.M. (1989). *Speaking: From Intention to Articulation*. Cambridge: MIT press.
- Levelt, W.J.M., & Wheeldon, L. (1994). Do speakers have access to a mental syllabary? *Cognition*, 50, 239-269.
- Levelt, W.J.M., Roelofs, A., & Meyer, A.S. (1999). A theory of lexical access in speech production. *Behavioral and Brain Sciences*, 22, 1-38.
- Liberman, M. (1975). *The Intonational System of English*. New York/London: Garland Publishing Inc.
- Liepmann, H. (1900). Das krankheitsbild der apraxie (motorischen Asymblen) auf Grund eines Falles von einseitiger Apraxie. *Monatschrift für Psychiatrie und Neurologie*, 8, 15-40.
- Liepmann, H. (1913). Motorische aphasie und apraxie. *Monatschrift für Psychiatrie und Neurologie*, 34, 485-494.
- Links, P., Hurkmans, J., & Bastiaanse, R. (2010). Training verb en sentence production in agrammatic Broca's aphasia. *Aphasiology*, 24, 1303-1325.
- Lowit, A., Miller, N., & Poedjianto, N. (2003). Characteristics of performance change in dysarthria: Clinical perspectives. *Journal of Clinical Speech and Language Studies*, 12/13, 87-107.
- Lowit, A., Miller, N., & Kuschmann, A. (2014). Motor Speech Disorders: What are they? In: Miller, N., & Lowit, A. (eds), *Motor Speech Disorders: A Cross-Language Perspective*. Bristol: Multilingual Matters.

Maas, E., Robin, D.A., Austermann Hula, S.N., Freedman, S.E., Wulf, G., Ballard, K.J., & Schmidt, R.A. (2008). Principles of motor learning in treatment of motor speech disorders. *American Journal of Speech-Language Pathology*, 17, 277-298.

Maas, E., Robin, D.A., Wright, D.L., & Ballard, K.J. (2008). Motor programming in apraxia of speech. *Brain and Language*, 106, 107-118.

Maas, E., Gutiérrez, K., Ballard, K.J. (2014). Phonological encoding in apraxia of speech and aphasia. *Aphasiology*, 28, 25-48

Mailand, M.-L., & Maas, E. (2013). Speech motor programming in Apraxia of Speech: Evidence from a delayed picture-word interference task. *American Journal of Speech-Language Pathology*, 22, 380-396.

Mauszycki, S.C., Wambaugh, J.L., & Cameron, R.M. (2010). Variability in apraxia of speech: Perceptual analysis of monosyllabic word productions across repeated sampling time. *Aphasiology*, 24, 838-855.

Mauszycki, S.C., & Whambaugh, J.L. (2011). Acquired Apraxia of Speech: A treatment overview. *The ASHA leader*, <http://www.asha.org>.

Mchenry, M.A., Minton, J.T., Wilson, R.L., Post, Y.V. (1994). Intelligibility and orofacial strength and force control following traumatic brain injury. *Journal of Speech and Hearing Research*, 37, 1271-1283.

McNeill, M.R., Robin, D.A., & Schmidt, R.A. (2009). Apraxia of Speech: Definition, an differential diagnosis. In: McNeil, M.R. (eds), *Clinical Management of Sensorimotor Speech Disorders (2nd ed)*. New York/Stuttgart: Thieme.

Meinzer, M., Flaisch, T., Breitenstein, C., Wienbruch, C., Elbert, T., & Rockstroh, B. (2008). Functional recruitment of dysfunctional brain areas predicts language recovery in chronic aphasia. *Neuroimage*, 28, 175-184.

Miller, N. (1992). Variability in speech dyspraxia. *Clinical Linguistics and Phonetics*, 6, 77-85.

Miller, N. (2000). Changing ideas in Apraxia of Speech. In: Paphanasiou, I. (eds), *Acquired Neurogenic Communication Disorders*. London and Philadelphia: Whurr Publishers.

Miller, N. (2002). Neurological basis of AoS. *Seminars in Speech and Language*, 23, 223-230.

Miller, N., & Docherty, G. (1995). Acquired neurogenic speech disorders. In: Grundy, K. (eds) *Linguistics in Clinical Practice*. London: Whurr Publishers.

Morton, J. (1969). Interaction of information in word recognition. *Psychological Review*, 76, 165-178.

Moss, A., & Nicholas, M. (2006). Language rehabilitation in chronic aphasia and time postonset: a review of single subject data. *Stroke*, *37*, 3043-3051.

Mumby, K., Bowen, A., & Hesketh, A. (2007). Apraxia of Speech: How reliable are speech and language therapists' diagnoses? *Clinical Rehabilitation*, *21*, 760-767.

Naeser, M.A., & Helm-Estabrooks, N. (1985). CT scan lesion localisation and response to melodic intonation therapy with nonfluent aphasia cases. *Cortex*, *21*, 203-223.

Norton, A., Zipse, L., Marchina, S., & Schlaug, G. (2009). Melodic intonation therapy: Shared insights on how it is done and why it might help. *Annals of the New York Academy of Sciences*, *1169*, 431-436

Ogar, J., Slama, H., Dronkers, N., Amici, S., & Gorno-Tempini, M.L. (2005). Apraxia of Speech: An overview. *Neurocase*, *11*, 427-432.

Ogar, J., Willock, S., Baldo, J., Wilkins, D., Ludy, C., & Dronkers, N. (2006). Clinical and anatomical correlates of Apraxia of Speech. *Brain and Language*, *97*, 343-350.

Oldfield, R. (1971). The assessment and analyses of handedness: The Edinburgh inventory. *Neuropsychologia*, *9*, 97-113.

Özdemir, E., Norton, A., Schlaug, G. (2006). Shared and distinct neural correlates of singing and speaking. *Neuroimage*, *33*, 628-635.

Passynkova, N., Sander, K., & Scheih, H. (2005). Left auditory cortex specialisation for vertical harmonic structure of chords. *Annals New York Academy of Science*, *1060*, 454-465.

Patel, A.D., Peretz, I., Tramo, M., & Labreque, R. (1998). Processing prosodic and musical patterns: A neuropsychological investigation. *Brain and Language*, *61*, 123-144.

Patel, A.D. (2003). Language, music, syntax and the brain. *Nature Neuroscience*, *6*, 674-681

Patel, A.D., Iversen, J.R., Wassenaar, M., & Hagoort, P. (2008). Musical syntactic processing in agrammatic Broca's aphasia. *Aphasiology*, *22*, 776-789.

Peach, R.K. & Tonkovich, J.D. (2003). Phonemic characteristics of apraxia of speech resulting from subcortical haemorrhage. *Journal of Communication Disorders*, *37*, 77-90.

Pederson, P.M., Jorgensen, H.S., Nakayama, H., Raaschou, H.O., & Olsen T.S. (1995). Aphasia in acute stroke: Incidence, determinants, and recovery. *Annals of Neurology*, *38*, 659-666.

- Peretz, I., & Zatorre, R.J. (2003). *The cognitive Neurosciences of Music*. Oxford: Oxford Universal Press.
- Peretz, I., Gagnon, L., Hébert, S., & Macoir, J. (2004). Singing in the brain: Insights from cognitive neuropsychology. *Music Perception, 21*, 373-390.
- Popovici, M. (1995). Melodic Intonation Therapy in the verbal decoding of aphasics. *Romanian Journal of Neurology and Psychiatry, 33*, 57-97.
- Prathanee, B. (1998). Oral diadochokinetic rate in adults. *Journal of the Medical Association of Thailand, 81*, 784-788.
- Racette, A., Bard, C., & Peretz, I. (2006). Making non-fluent aphasics speak: Sing along! *Brain, 129*, 2571-2584.
- Randel, D. (1986). *The New Harvard Dictionary of Music*. Cambridge: The Belknap Press of Harvard University Press.
- Robey, R.R. (1998). A meta-analysis of clinical outcomes in the treatment of aphasia. *Journal of Speech, Language, and Hearing Research, 41*, 172-187.
- Robin, D.A., Jacks, A., Hageman, C., Clark, H.M., & Woodworth, G. (2008). Visuomotor track abilities of speakers with Apraxia of Speech or conduction aphasia. *Brain and Language, 106*, 98-106.
- Roelofs, A. (1992). A spreading-activation theory of lemma retrieval in speaking. *Cognition, 42*, 107-142.
- Rogalsky, C., Rong, F., Saberi, K., & Hickok, G. (2011). Functional anatomy of language and music perception: Temporal and structural factors investigated using functional magnetic resonance imaging. *The Journal of Neuroscience, 31*, 3843-3852.
- Rosenbek, J.C., Lemme, M.L., Ahern, M.B., Harris, E.H., & Wertz, R.T. (1973). A treatment for Apraxia of Speech in adults. *Journal of Speech and Hearing Disorders, 38*, 462-472.
- Rosenbek, J.C. (1985). Treating Apraxia of Speech. In: Johns, D. (eds) *Clinical Management of Neurogenic Communicative Disorders*. Boston: Little, Brown & Co.
- Sage, K., Snell, C., & Lambon Ralph, M.A. (2011). How intensive does anomia therapy for people with aphasia need to be? *Neuropsychological Rehabilitation, 21*, 26-41.
- Saur, D., Lange, R., Baumgaertner, A., Schraknepper, V., Willmes, K., Rijntjes, M., & Weiller, C. (2006). Dynamics of language reorganization after stroke. *Brain, 129*, 1371-1384.
- Schiller, N.O., Meyer, A., Baayen, R., Leevelt, W.J.M. (1996). A comparison of lexeme and speech syllables in Dutch. *Journal of Quantitative Linguistics, 3*, 8-28.

- Schlaug, G., Marchina, S., & Norton, A. (2008). From singing to speaking: Why singing may lead to recovery of expressive language functioning in patients with Broca's aphasia. *Music Perception*, 25, 315-323.
- Schlaug, G., Norton, A., & Marchina, S. (2008). The role of the right hemisphere in post-stroke language recovery. *Stroke*, 39, 542-543.
- Schmidt, R.A. (1975). A schema theory of discrete motor skill learning. *Journal of Motor Behaviour*, 4, 79-88.
- Schmidt, R.A. (2003). Motor schema theory after 27 years: Reflections and implications for a new theory. *Research Quarterly for Exercise and Sport*, 74, 366-375.
- Schmidt, R.A., & Lee, T.D. (2005). *Motor Control and Learning: A Behavioural Emphasis*. Champaign: Human Kinetics.
- Schön, D., Gordon, R.L., & Besson, M. (2005). Musical and linguistic processing in song perception. *Annals of the New York Academy of Sciences*, 1060, 71-81.
- Schreuder, M. (2006). *Prosodic Processes in Language and Music*. PhD dissertation, Rijksuniversiteit Groningen.
- Seddoh, S.A., Robin, D.A., Sim, H.S., Hageman, C., Moon, J.B. & Folkins, J.W. (1996). Speech timing in Apraxia of Speech versus conduction aphasia. *Journal of Speech and Hearing Research*, 39, 590-603.
- Seniów, J., Litwin, M., & Leśniak, M. (2009). The relationship between non-linguistic cognitive deficits and language recovery in patients with aphasia. *Journal of the Neurological Sciences*, 283, 91-94.
- Sidtis, D., Canterucci, G., & Katsnelson, D. (2009). Effects of neurological damage on production of neurological damage on production of formulaic language. *Clinical Linguistics and Phonetics*, 23, 270-284.
- Sijbinga, R. (2009). *Verbale Apraxie, Ontwikkeling van een Diagnostisch Instrument*. MA thesis, University of Groningen.
- Sloboda, J., & Juslin, P. (2001). Psychological perspectives on music and emotion. In: Juslin, P., & Sloboda, J. (eds), *Music and Emotion: Theory and Research*. Oxford: Oxford University Press.
- Southwood, H. (1987). The use of prolonged speech in the treatment of apraxia of speech. *Clinical Aphasiology*, 15, 277-287.
- Sparks, R., Helm, N., & Albert, M. (1974). Aphasia rehabilitation resulting from Melodic Intonation Therapy. *Cortex*, 10, 303-316.

- Sparks, R.W. (2008). Melodic Intonation Therapy. In: Chapey, R. (eds), *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. New York: Lippincott Williams & Wilkins.
- Stahl, B., Kotz, S.A., Henseler, I., Turner, R., & Geyer, S. (2011). Rhythm in disguise: Why singing may not hold the key to recovery from aphasia. *Brain*, *134*, 3083-3093.
- Stahl, B., Henseler, I., Turner, R., Geyer, S., & Kotz, S.A. (2013). How to engage the right brain hemisphere in aphasics without even singing: Evidence for two paths of speech recovery. *Frontiers in Human Neuroscience*, *7*, 1-12.
- Staiger, A. & Ziegler, W. (2008). Syllable frequency and syllable structure in the spontaneous speech production of patients with apraxia of speech. *Aphasiology*, *22*, 1201-1215.
- Staiger, A., Finger-Berg, W., Aichert, I., Ziegler, W. (2012). Error variability in Apraxia of Speech: A matter of controversy. *Journal of Speech, Language, and Hearing Research*, *55*, S1544-S1561.
- Steinthal, H. (1881). *Abriss der Sprachwissenschaft*. Berlin: Ferd. Dümmlers Verlagsbuchhandlung Harrwitz und Grossmann.
- Straube, T., Schulz, A., Geipel, K., Mentzel, H.-J., & Miltner, W.H. (2008). Dissociation between singing and speaking in expressive aphasia: The role of song familiarity. *Neuropsychologia*, *46*, 1505-1512.
- Square-Storer, P.A. (1989). Traditional therapies for apraxia of speech-reviewed and rationalized. In: Square-Storer, P. (eds), *Acquired Apraxia of Speech in Aphasic Adults*. London: Taylor & Francis.
- Square, P.A., Roy, A., & Martin, R.E. (1997). Apraxia of Speech: Another form of praxis disruption, In: Rothi, L. & Heilman, K. (eds), *Apraxia, the Neuropsychology of Action*. East Sussex: Psychology Press.
- Square, P.A., Martin, R.E., & Bose, A. (2001). Nature and treatment of neuromotor speech disorders in aphasia, In: Chapey, R. (eds), *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Philadelphia: Lippincott Williams & Williams.
- Tagliaferri, F., Compagnone, C., Korsic, M., Servadei, F., & Kraus, J. (2006). A systematic review of brain injury epidemiology in Europe. *Acta Neurochirurgica*, *148*, 255-268.
- Tamplin, J. (2008). A pilot study into the effect of vocal exercises and singing on dysarthric speech. *Neurorehabilitation*, *23*, 207-216.
- Tervaniemi, M., Medvedev, S.V., Alho, K., Pakhomov, S.V., Roudas, M.S., van Zuijen, T.L., & Näätänen, R. (2000). Lateralized automatic auditory processing of phonetic versus musical information: A PET study, *Human Brain Mapping*, *10*, 74-79.

- Tesak, J. & Code, C. (2008). *Milestones in the History of Aphasia; Theories and Protagonists*. Hove and New York: Psychology Press.
- Thaut, M.H., McIntosh, K.W., McIntosh, G.C., & Hoemberg, V. (2001). Auditory rhythmicity enhances movement and speech motor control in patients with Parkinson's disease. *Functional Neurology*, *16*, 163-172.
- Thaut, M.H. (2005). *Rhythm, Music and the Brain: Scientific Foundations and Clinical Applications*. New York and London: Routledge.
- Thompson, C.K., Shapiro, L.P., Ballard, K.J., Jacobs, B.J., Schneider, S.S., & Tait, M.E. (1997). Training and generalised production of wh and NP movement structure in agrammatic aphasia. *Journal of the International Neuropsychological Society*, *4*, 661-674.
- Thompson, C.K. (2006). Single subject controlled experiments in aphasia: The science and the state of the science. *Journal of Communication Disorders*, *39*, 266-291.
- Van den Eynde, E., Temmink, E., Kooi, T., Wilmsen, J., Timmerman, J., Jonkers, R., & Feiken, J. (2010). Testing Ziegler's non-linear model (2009). Paper presented at the 31th TABU Dag. Groningen: 3-4 June 2010.
- Van der Meulen, I., Van der Sandt-Koenderman, M., & Ribbers, G. (2012). Melodic Intonation Therapy: Present controversies and future opportunities. *Archives of Physical Medicine and Rehabilitation*, *93*, S46-S52.
- Van der Meulen, I., Van der Sandt-Koenderman, W.M.E., Heijbroek-Kal, M.H., Visch-Brink, E.G., & Ribbers, G.M. (2014). The efficacy and timing of Melodic Intonation Therapy in subacute aphasia. *Neurorehabilitation and Neural Repair*, *28*, 536-544.
- Van Lancker Sidtis, D. (2004). When novel sentences spoken or heard for the first time in the history of the universe are not enough: Toward a dual-process model of language. *International Journal of Language and Communication Disorders*, *39*, 1-44.
- Van Strien, J. (1992). Classificatie van links- en rechtshandige proefpersonen, *Nederlands Tijdschrift voor de Psychologie*, *47*, 88-92.
- Varley, R., Whiteside, S., Windsor, F. & Fisher, H. (2006). Moving up from the segment: A comment on Aichert and Ziegler's syllable frequency and syllable structure in Apraxia of Speech. *Brain and Language*, *96*, 235-239.
- Vigliocco, G. & Hartsuiker, R. (2002). The interplay of meaning, sound, and syntax in sentence production. *Psychological Bulletin*, *128*, 442-472.
- Vines, B.W., Norton, A.C., & Schlaug, G. (2011). Non-invasive brain stimulation enhances the effects of Melodic Intonation Therapy. *Frontiers in Psychology*, *2*, 1-10.

- Wade, D.T. (2005). Describing rehabilitation interventions. *Clinical Rehabilitation, 19*, 811-818.
- Wambaugh, J.L. & Martinez, A.L. (2000). Effects of modified response elaboration training with apraxic and aphasic speakers. *Aphasiology, 14*, 603-617.
- Wambaugh, J.L. (2002). A summary of treatments for Apraxia of Speech and review of replicated approaches. *Seminars Speech Language, 23*, 293-308.
- Wambaugh, J.L., Duffy, J.R., Mc Neill, M.R., Robin, D.A., & Rogers, M.A. (2006a). Treatment guidelines for acquired apraxia of speech: Treatment descriptions and recommendations. *Journal of Medical Speech-Language Pathology, 14*, 35-67.
- Wambaugh, J.L., Duffy, J.R., Mc Neill, M.R., Robin, D.A., & Rogers, M.A. (2006b). Treatment guidelines for acquired apraxia of speech: A synthesis and evaluation of the evidence. *Journal of Medical Speech-Language Pathology, 14*, 15-33.
- Wambaugh, J.L., & Shuster, L. (2008). The nature and management of neuromotor speech disorders accompanying aphasia. In: Chapey R. (eds), *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. New York: Lippincott Williams & Wilkins.
- Wertz, R.T., LaPointe, L.L., & Rosenbek, J.C (1984). *Apraxia of Speech in Adults: The Disorder and Its Management*. Orlando: Grune & Stratton.
- West, C., Hesketh, A., Vail, A., & Bowen, A. (2005). Interventions for Apraxia of Speech following stroke. *Cochrane Database Systematic Review: Issue 4*. Art. No.: CD004298. DOI: 10.1002 / 14651858. CD004298.pub2.
- Wilson, S.J., Parsons, K., & Reutens, D.C. (2006). Preserved singing in aphasia: a case study of the efficacy of Melodic Intonation Therapy. *Music Perception, 24*, 23-36.
- Yamadori, A., Osumi, Y., Masuhara, S., & Okubo, M. (1977). Preservation of singing in Broca's aphasia. *Journal of Neurology, Neurosurgery, and Psychiatry, 40*, 221-224.
- Yorkston, K.M., Beukelman, D., Strand, E., & Hadel, M. (2010). *Management of Motor Speech Disorders in Children and Adults*. Austin Texas: Pro-ed.
- Zatorre, R.J., Evans, A., Meyer, E., & Gjedde, A. (1992). Lateralization of phonetic and pitch discrimination in speech processing. *Science, 256*, 846-849.
- Zattore, R.J., Evans, A., & Meyer, E. (1994). Neural mechanisms underlying melodic perception and memory for pitch. *Journal of Neuroscience, 14*, 1908-1919.
- Ziegler, W. (2002). Task-related factors in oral motor control: Speech and oral diadochokinesis in dysarthria and Apraxia of Speech. *Brain and Language, 80*, 556-575.

- Ziegler, W. (2002). Psycholinguistic and motor theories of Apraxia of Speech. *Seminars in Speech and Language*, 23, 231-243.
- Ziegler, W. (2003). Speech motor control is task-specific: Evidence from dysarthria and Apraxia of Speech. *Aphasiology*, 17, 3-36.
- Ziegler, W. (2005). A nonlinear model on word length effects in apraxia of speech. *Cognitive Neuropsychology*, 22, 603-623.
- Ziegler, W. (2008). Apraxia of Speech. In: Goldenberg, G. & Miller, B. (eds), *Handbook of Clinical Neurology*. London: Elsevier.
- Ziegler, W. (2009). Modelling the architecture of phonetic plans: Evidence from Apraxia of Speech. *Language and Cognitive Processes*, 24, 631-661.
- Ziegler, W., Thelen, A.-K., Staiger, A., & Liepold, M. (2008). The domain of phonetic encoding in Apraxia of Speech: Which sub-lexical units count? *Aphasiology*, 22, 1230-1247.
- Ziegler, W., Aichert, I., & Staiger, A. (2012). Apraxia of Speech: Concepts and controversies. *Journal of Speech, Language, and Hearing Research*, 15, S1485-S1501.
- Zumbansen, A., Peretz, I., & Hébert, S. (2014a). Melodic Intonation Therapy: Back to basics for future research. *Frontiers in Neurology*, 5, 1-11
- Zumbansen, A., Peretz, I., & Hébert, S. (2014b). The combination of rhythm and pitch can account for the beneficial effect of melodic intonation therapy on connected speech improvements in Broca's aphasia. *Frontiers in Human Neuroscience*, 8, 1-11.

