

University of Groningen

On the cause of multiple sclerosis

Bijlard, Marjolein

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:
2016

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Bijlard, M. (2016). *On the cause of multiple sclerosis: Molecular mechanisms regulating myelin biogenesis*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

1. Frohman, E. M., Racke, M. K. & Raine, C. S. Multiple sclerosis-the plaque and its pathogenesis. *N. Engl. J. Med.* **354**, 942–55 (2006).
2. Barnett, M. H. & Prineas, J. W. Relapsing and remitting multiple sclerosis: pathology of the newly forming lesion. *Ann. Neurol.* **55**, 458–468 (2004).
3. Compston, A. & Coles, A. Multiple sclerosis. *Lancet* **372**, 1502–1517 (2008).
4. Kuhlmann, T. *et al.* Differentiation block of oligodendroglial progenitor cells as a cause for remyelination failure in chronic multiple sclerosis. *Brain* **131**, 1749–58 (2008).
5. Franklin, R. J. M. & ffrench-Constant, C. Remyelination in the CNS: from biology to therapy. *Nat. Rev. Neurosci.* **9**, 839–855 (2008).
6. Fancy, S. P. J. *et al.* Overcoming remyelination failure in multiple sclerosis and other myelin disorders. *Exp. Neurol.* **225**, 18–23 (2010).
7. Baron, W. *et al.* The major myelin-resident protein PLP is transported to myelin membranes via a transcytotic mechanism: involvement of sulfatide. *Mol. Cell. Biol.* **35**, 288–302 (2015).
8. Feldmann, A. *et al.* Transport of the major myelin proteolipid protein is directed by VAMP3 and VAMP7. *J. Neurosci.* **31**, 5659–72 (2011).
9. Baron, W. & Hoekstra, D. On the biogenesis of myelin membranes: Sorting, trafficking and cell polarity. *FEBS Lett.* **584**, 1760–70 (2010).
10. White, R. & Krämer-Albers, E.-M. Axon-glia interaction and membrane traffic in myelin formation. *Front. Cell. Neurosci.* **7**, 284 (2014).
11. Simons, M., Krämer, E.-M., Thiele, C., Stoffel, W. & Trotter, J. Assembly of myelin by association of proteolipid protein with cholesterol- and galactosylceramide-rich membrane domains. *J. Cell Biol.* **151**, 143–54 (2000).
12. Ainger, K. *et al.* Transport and localization of exogenous myelin basic protein mRNA microinjected into oligodendrocytes. *J. Cell Biol.* **123**, 431–441 (1993).
13. Ainger, K. *et al.* Transport and localization elements in myelin basic protein mRNA. *J. Cell Biol.* **138**, 1077–87 (1997).
14. Barbarese, E. *et al.* Protein translation components are colocalized in granules in oligodendrocytes. *J. Cell Sci.* **108**, 2781–90 (1995).
15. Ozgen, H. *et al.* The lateral membrane organization and dynamics of myelin proteins PLP and MBP are dictated by distinct galactolipids and the extracellular matrix. *PLoS One* **9**, e101834 (2014).
16. Schmitt, S., Cantuti Castelvetti, L. & Simons, M. Metabolism and functions of lipids in myelin. *Biochim. Biophys. Acta* **1851**, 999–1005 (2015).
17. Laursen, L. S., Chan, C. W. & ffrench-Constant, C. Translation of myelin basic protein mRNA in oligodendrocytes is regulated by integrin activation and hnRNP-K. *J. Cell Biol.* **192**, 797–811 (2011).
18. White, R. *et al.* Activation of oligodendroglial Fyn kinase enhances translation of mRNAs transported in hnRNP A2-dependent RNA granules. *J. Cell Biol.* **181**, 579–586 (2008).
19. Šišková, Z., Baron, W., de Vries, H. & Hoekstra, D. Fibronectin impedes ‘myelin’ sheet-directed flow in oligodendrocytes: a role for a beta 1 integrin-mediated PKC signaling pathway in vesicular trafficking. *Mol. Cell Neurosci.* **33**, 150–159 (2006).
20. Trajkovic, K. *et al.* Neuron to glia signaling triggers myelin membrane exocytosis from endosomal storage sites. *J. Cell Biol.* **172**, 937–48 (2006).
21. Titelbaum, D. S., Degenhardt, A. & Kinkel, R. P. Anti-tumor necrosis factor alpha-associated multiple sclerosis. *Am. J. Neuroradiol.* **26**, 1548–1550 (2005).
22. Hofman, F. M., Hinton, D. R., Johnson, K. & Merrill, J. E. Tumor necrosis factor identified in multiple sclerosis brain. *J. Exp. Med.* **170**, 607–12 (1989).
23. Nave, K.-A. Myelination and support of axonal integrity by glia. *Nature* **468**, 244–52 (2010).

24. Simons, M. & Lyons, D. A. Axonal selection and myelin sheath generation in the central nervous system. *Curr. Opin. Cell Biol.* **25**, 512–9 (2013).
25. Simons, M. & Trajkovic, K. Neuron-glia communication in the control of oligodendrocyte function and myelin biogenesis. *J. Cell Sci.* **119**, 4381–4389 (2006).
26. Gielen, E. *et al.* Rafts in oligodendrocytes: evidence and structure-function relationship. *Glia* **54**, 499–512 (2006).
27. Maier, O., Hoekstra, D. & Baron, W. Polarity development in oligodendrocytes: sorting and trafficking of myelin components. *J. Mol. Neurosci.* **35**, 35–53 (2008).
28. Simons, M., Snaidero, N. & Aggarwal, S. Cell polarity in myelinating glia: from membrane flow to diffusion barriers. *Biochim. Biophys. Acta* **1821**, 1146–53 (2012).
29. Masaki, T. Polarization and myelination in myelinating glia. *ISRN Neurol.* **2012**, 1–28 (2012).
30. Boison, D., Büssow, H., D'Urso, D., Müller, H.-W. & Stoffel, W. Adhesive properties of proteolipid protein are responsible for the compaction of CNS myelin sheaths. *J. Neurosci.* **15**, 5502–13 (1995).
31. Bakhti, M. *et al.* Loss of electrostatic cell-surface repulsion mediates myelin membrane adhesion and compaction in the central nervous system. *Proc. Natl. Acad. Sci. USA* **110**, 3143–8 (2013).
32. Aggarwal, S. *et al.* A size barrier limits protein diffusion at the cell surface to generate lipid-rich myelin-membrane sheets. *Dev. Cell* **21**, 445–56 (2011).
33. Snaidero, N. & Simons, M. Myelination at a glance. *J. Cell Sci.* **127**, 2999–3004 (2014).
34. Nave, K.-A. & Werner, H. B. Myelination of the nervous system: mechanisms and functions. *Annu. Rev. Cell Dev. Biol.* **30**, 503–533 (2014).
35. Aggarwal, S., Yurlova, L. & Simons, M. Central nervous system myelin: structure, synthesis and assembly. *Trends Cell Biol.* **21**, 585–93 (2011).
36. Schaeren-Wiemers, N., Valenzuela, D. M., Frank, M. & Schwab, M. E. Characterization of a rat gene, rMAL, encoding a protein with four hydrophobic domains in central and peripheral myelin. *J. Neurosci.* **15**, 5753–64 (1995).
37. Kim, T., Fiedler, K., Madison, D. L., Krueger, W. H. & Pfeiffer, S. E. Cloning and characterization of MVP17: a developmentally regulated myelin protein in oligodendrocytes. *J. Neurosci. Res.* **42**, 413–22 (1995).
38. Bello-Morales, R. *et al.* Characterization of the MAL2-positive compartment in oligodendrocytes. *Exp. Cell Res.* **315**, 3453–65 (2009).
39. Feldmann, A., Winterstein, C., White, R., Trotter, J. & Krämer-Albers, E.-M. Comprehensive analysis of expression, subcellular localization, and cognate pairing of SNARE proteins in oligodendrocytes. *J. Neurosci. Res.* **87**, 1760–1772 (2009).
40. Deber, C. M. & Reynolds, S. J. Central nervous system myelin: structure, function, and pathology. *Clin. Biochem.* **24**, 113–34 (1991).
41. Stoffel, W. & Bosio, A. Myelin glycolipids and their functions. *Curr. Opin. Neurobiol.* **7**, 654–61 (1997).
42. Morell, P., Quarles, R. & Norton, W. Myelin formation, structure and biochemistry in *Basic Neurochem.* (Siegel, GJ, Agranoff, BW, Albers, RW, Molinoff, PB, eds) **117**–143 (1994).
43. van der Bijl, P., Lopes-Cardozo, M. & van Meer, G. Sorting of newly synthesized galactosphingolipids to the two surface domains of epithelial cells. *J. Cell Biol.* **132**, 813–21 (1996).
44. Ikonen, E. & Simons, K. Protein and lipid sorting from the trans-Golgi network to the plasma membrane in polarized cells. *Semin. Cell Dev. Biol.* **9**, 503–9 (1998).
45. Kobayashi, T., Pimplikar, S. W., Parton, R. G., Bhakdi, S. & Simons, K. Sphingolipid transport from the trans-Golgi network to the apical surface in permeabilized MDCK cells. *FEBS Lett.* **300**, 227–31 (1992).

46. Ishizuka, I. Chemistry and functional distribution of sulfoglycolipids. *Prog. Lipid Res.* **36**, 245–319 (1997).
47. Zeller, N. K., Behar, T. N., Dubois-Dalq, M. E. & Lazzarini, R. A. The timely expression of myelin basic protein gene in cultured rat brain oligodendrocytes is independent of continuous neuronal influences. *J. Neurosci.* **5**, 2955–62 (1985).
48. Dubois-Dalq, M., Behar, T., Hudson, L. & Lazzarini, R. A. Emergence of three myelin proteins in oligodendrocytes cultured without neurons. *J. Cell Biol.* **102**, 384–92 (1986).
49. Baumann, N. & Pham-Dinh, D. Biology of oligodendrocyte and myelin in the mammalian central nervous system. *Physiol. Rev.* **81**, 871–927 (2001).
50. Morell, P. & Radin, N. S. Synthesis of cerebroside by brain from uridine diphosphate galactose and ceramide containing hydroxy fatty acid. *Biochemistry* **8**, 506–12 (1969).
51. Basu, S., Schultz, A. M., Basu, M. & Roseman, S. Enzymatic synthesis of galactocerebroside by a galactosyltransferase from embryonic chicken brain. *J. Biol. Chem.* **246**, 4272–9 (1971).
52. Hayashi, T. & Su, T.-P. Sigma-1 receptors at galactosylceramide-enriched lipid microdomains regulate oligodendrocyte differentiation. *Proc. Natl. Acad. Sci. USA* **101**, 14949–54 (2004).
53. Nylund, M. *et al.* Molecular features of phospholipids that affect glycolipid transfer protein-mediated galactosylceramide transfer between vesicles. *Biochim. Biophys. Acta* **1758**, 807–12 (2006).
54. West, G., Nylund, M., Peter Slotte, J. & Mattjus, P. Membrane interaction and activity of the glycolipid transfer protein. *Biochim. Biophys. Acta* **1758**, 1732–42 (2006).
55. Lahiri, S. & Futerman, A. H. The metabolism and function of sphingolipids and glycosphingolipids. *Cell. Mol. Life Sci.* **64**, 2270–2284 (2007).
56. Yurlova, L. *et al.* Self-segregation of myelin membrane lipids in model membranes. *Biophys. J.* **101**, 2713–20 (2011).
57. Marbois, B. N., Faull, K. F., Fluharty, A. L., Raval-Fernandes, S. & Rome, L. H. Analysis of sulfatide from rat cerebellum and multiple sclerosis white matter by negative ion electrospray mass spectrometry. *Biochim. Biophys. Acta* **1484**, 59–70 (2000).
58. Decker, L., Baron, W. & ffrench-Constant, C. Lipid rafts: microenvironments for integrin-growth factor interactions in neural development. *Biochem. Soc. Trans.* **32**, 426–30 (2004).
59. Schafer, D. P., Bansal, R., Hedstrom, K. L., Pfeiffer, S. E. & Rasband, M. N. Does paranode formation and maintenance require partitioning of neurofascin 155 into lipid rafts? *J. Neurosci.* **24**, 3176–85 (2004).
60. Maier, O., Baron, W. & Hoekstra, D. Reduced raft-association of NF155 in active MS-lesions is accompanied by the disruption of the paranodal junction. *Glia* **55**, 885–95 (2007).
61. Krämer, E. M., Klein, C., Koch, T., Boytinck, M. & Trotter, J. Compartmentation of Fyn kinase with glycosylphosphatidylinositol-anchored molecules in oligodendrocytes facilitates kinase activation during myelination. *J. Biol. Chem.* **274**, 29042–9 (1999).
62. Baron, W. *et al.* Sulfatide-mediated control of extracellular matrix-dependent oligodendrocyte maturation. *Glia* **62**, 927–42 (2014).
63. Baron, W., Decker, L., Colognato, H. & ffrench-Constant, C. Regulation of integrin growth factor interactions in oligodendrocytes by lipid raft microdomains. *Curr. Biol.* **13**, 151–5 (2003).
64. Baron, W., Colognato, H., ffrench-Constant, C. Integrin-growth factor interactions as regulators of oligodendroglial development and function. *Glia* **49**, 467–79 (2005).
65. Klein, C. *et al.* Process outgrowth of oligodendrocytes is promoted by interaction of fyn kinase with the cytoskeletal protein tau. *J. Neurosci.* **22**, 698–707 (2002).
66. Pomicter, A. D. *et al.* Novel forms of neurofascin 155 in the central nervous system: alterations in paranodal disruption models and multiple sclerosis. *Brain* **133**, 389–405 (2010).

67. Gudz, T. I., Komuro, H. & Macklin, W. B. Glutamate stimulates oligodendrocyte progenitor migration mediated via an alphav integrin/myelin proteolipid protein complex. *J. Neurosci.* **26**, 2458–66 (2006).
68. Werner, H. B. *et al.* A critical role for the cholesterol-associated proteolipids PLP and M6B in myelination of the central nervous system. *Glia* **61**(4):567–86 (2013). doi:10.1002/glia.22456
69. Saher, G. *et al.* High cholesterol level is essential for myelin membrane growth. *Nat. Neurosci.* **8**, 468–75 (2005).
70. Maier, O., De Jonge, J., Nomden, A., Hoekstra, D. & Baron, W. Lovastatin induces the formation of abnormal myelin-like membrane sheets in primary oligodendrocytes. *Glia* **57**, 402–13 (2009).
71. Pinto, S. N., Silva, L. C., Futerman, A. H. & Prieto, M. Effect of ceramide structure on membrane biophysical properties: the role of acyl chain length and unsaturation. *Biochim. Biophys. Acta* **1808**, 2753–60 (2011).
72. Ibarguren, M. *et al.* Partitioning of liquid-ordered/liquid-disordered membrane microdomains induced by the fluidifying effect of 2-hydroxylated fatty acid derivatives. *Biochim. Biophys. Acta* **1828**, 2553–63 (2013).
73. Dupree, J. L., Coetzee, T., Blight, A., Suzuki, K. & Popko, B. Myelin galactolipids are essential for proper node of Ranvier formation in the CNS. *J. Neurosci.* **18**, 1642–9 (1998).
74. Ishibashi, T. *et al.* A myelin galactolipid, sulfatide, is essential for maintenance of ion channels on myelinated axon but not essential for initial cluster formation. *J. Neurosci.* **22**, 6507–14 (2002).
75. Marcus, J. *et al.* Sulfatide is essential for the maintenance of CNS myelin and axon structure. *Glia* **53**, 372–81 (2006).
76. Honke, K. *et al.* Paranodal junction formation and spermatogenesis require sulfoglycolipids. *Proc. Natl. Acad. Sci. USA* **99**, 4227–32 (2002).
77. Bansal, R., Warrington, A. E., Gard, A. L., Ranscht, B. & Pfeiffer, S. E. Multiple and novel specificities of monoclonal antibodies O1, O4, and R-mAb used in the analysis of oligodendrocyte development. *J. Neurosci. Res.* **24**, 548–57 (1989).
78. Bansal, R. & Pfeiffer, S. E. Reversible inhibition of oligodendrocyte progenitor differentiation by a monoclonal antibody against surface galactolipids. *Proc. Natl. Acad. Sci. USA* **86**, 6181–5 (1989).
79. Dyer, C. A. & Benjamins, J. A. Organization of oligodendroglial membrane sheets. I: Association of myelin basic protein and 2',3'-cyclic nucleotide 3'-phosphohydrolase with cytoskeleton. *J. Neurosci. Res.* **24**, 201–211 (1989).
80. Dyer, C. A. & Benjamins, J. A. Organization of oligodendroglial membrane sheets: II. Galactocerebroside:antibody interactions signal changes in cytoskeleton and myelin basic protein. *J. Neurosci. Res.* **24**, 212–221 (1989).
81. Dyer, C. A., Phillbotte, T., Wolf, M. K. & Billings-Gagliardi, S. Regulation of cytoskeleton by myelin components: studies on shiverer oligodendrocytes carrying an *Mbp* transgene. *Dev. Neurosci.* **19**, 395–409 (1997).
82. Hirahara, Y., Bansal, R., Honke, K., Ikenaka, K. & Wada, Y. Sulfatide is a negative regulator of oligodendrocyte differentiation: development in sulfatide-null mice. *Glia* **45**, 269–77 (2004).
83. Bansal, R., Winkler, S. & Bheddah, S. Negative regulation of oligodendrocyte differentiation by galactosphingolipids. *J. Neurosci.* **19**, 7913–24 (1999).
84. Marcus, J. & Popko, B. Galactolipids are molecular determinants of myelin development and axo-glial organization. *Biochim. Biophys. Acta* **1573**, 406–13 (2002).
85. Honke, K. Biosynthesis and biological function of sulfoglycolipids. *Proc. Jpn. Acad. Ser. B. Phys. Biol. Sci.* **89**, 129–38 (2013).
86. Boggs, J. M. *et al.* Participation of galactosylceramide and sulfatide in glycosynapses between oligodendrocyte or myelin membranes. *FEBS Lett.* **584**, 1771–8 (2010).

87. Boggs, J. M., Gao, W. & Hirahara, Y. Myelin glycosphingolipids, galactosylceramide and sulfatide, participate in carbohydrate-carbohydrate interactions between apposed membranes and may form glycosynapses between oligodendrocyte and/or myelin membranes. *Biochim. Biophys. Acta* **1780**, 445–55 (2008).
88. Boggs, J. M. Role of galactosylceramide and sulfatide in oligodendrocytes and CNS myelin: formation of a glycosynapse. *Adv. Neurobiol.* **9**, 263–91 (2014).
89. Dyer, C. A., Philibotte, T. M., Wolf, M. K. & Billings-Gagliardi, S. Myelin basic protein mediates extracellular signals that regulate microtubule stability in oligodendrocyte membrane sheets. *J. Neurosci. Res.* **39**, 97–107 (1994).
90. Boggs, J. M., Rangaraj, G., Heng, Y.-M., Liu, Y. & Harauz, G. Myelin basic protein binds microtubules to a membrane surface and to actin filaments in vitro: effect of phosphorylation and deimination. *Biochim. Biophys. Acta* **1808**, 761–73 (2011).
91. Boggs, J. M., Gao, W. & Hirahara, Y. Signal transduction pathways involved in interaction of galactosylceramide/sulfatide-containing liposomes with cultured oligodendrocytes and requirement for myelin basic protein and glycosphingolipids. *J. Neurosci. Res.* **86**, 1448–1458 (2008).
92. Boggs, J. M. & Wang, H. Co-clustering of galactosylceramide and membrane proteins in oligodendrocyte membranes on interaction with polyvalent carbohydrate and prevention by an intact cytoskeleton. *J. Neurosci. Res.* **76**, 342–55 (2004).
93. Pesheva, P., Gloor, S., Schachner, M. & Probstmeier, R. Tenascin-R is an intrinsic autocrine factor for oligodendrocyte differentiation and promotes cell adhesion by a sulfatide-mediated mechanism. *J. Neurosci.* **17**, 4642–51 (1997).
94. Colognato, H. & Yurchenco, P. D. Form and function: the laminin family of heterotrimers. *Dev. Dyn.* **218**, 213–34 (2000).
95. Roberts, D. D. *et al.* Laminin binds specifically to sulfated glycolipids. *Proc. Natl. Acad. Sci. USA* **82**, 1306–10 (1985).
96. Timpl, R. *et al.* Structure and function of laminin LG modules. *Matrix Biol.* **19**, 309–17 (2000).
97. Talts, J. F. & Timpl, R. Mutation of a basic sequence in the laminin alpha2LG3 module leads to a lack of proteolytic processing and has different effects on beta1 integrin-mediated cell adhesion and alpha-dystroglycan binding. *FEBS Lett.* **458**, 319–23 (1999).
98. Talts, J. F., Andac, Z., Göhring, W., Brancaccio, A. & Timpl, R. Binding of the G domains of laminin alpha1 and alpha2 chains and perlecan to heparin, sulfatides, alpha-dystroglycan and several extracellular matrix proteins. *EMBO J.* **18**, 863–70 (1999).
99. Colognato, H. *et al.* CNS integrins switch growth factor signalling to promote target-dependent survival. *Nat. Cell Biol.* **4**, 833–41 (2002).
100. Pituch, K. C. *et al.* Dysfunction of platelet-derived growth factor receptor α (PDGFR α) represses the production of oligodendrocytes from arylsulfatase A-deficient multipotential neural precursor cells. *J. Biol. Chem.* **290**, 7040–53 (2015).
101. Dupree, J. L. & Popko, B. Genetic dissection of myelin galactolipid function. *J. Neurocytol.* **28**, 271–9 (1999).
102. Popko, B., Dupree, J. L., Coetzee, T. & Suzuki, K. Genetic analysis of myelin galactolipid function. *Adv. Exp. Med. Biol.* **468**, 237–44 (1999).
103. Bosio, A., Binczek, E. & Stoffel, W. Functional breakdown of the lipid bilayer of the myelin membrane in central and peripheral nervous system by disrupted galactocerebroside synthesis. *Proc. Natl. Acad. Sci. USA* **93**, 13280–5 (1996).
104. Coetzee, T. *et al.* Myelination in the absence of galactocerebroside and sulfatide: normal structure with abnormal function and regional instability. *Cell* **86**, 209–19 (1996).
105. Meixner, M., Jungnickel, J., Grothe, C., Gieselmann, V. & Eckhardt, M. Myelination in the

- absence of UDP-galactose:ceramide galactosyl-transferase and fatty acid 2 -hydroxylase. *BMC Neurosci.* **12**, 22 (2011).
106. Hayashi, A., Kaneko, N., Tomihira, C. & Baba, H. Sulfatide decrease in myelin influences formation of the paranodal axo-glial junction and conduction velocity in the sciatic nerve. *Glia* **61**, 466–74 (2013).
 107. Ramakrishnan, H. *et al.* Increasing sulfatide synthesis in myelin-forming cells of arylsulfatase A-deficient mice causes demyelination and neurological symptoms reminiscent of human metachromatic leukodystrophy. *J. Neurosci.* **27**, 9482–90 (2007).
 108. Gieselmann, V. *et al.* Metachromatic leukodystrophy: molecular genetics and an animal model. *J. Inherit. Metab. Dis.* **21**, 564–74 (1998).
 109. von Figura, K., Gieselmann, V. & Jaeken, J. Metachromatic leukodystrophy in *Metab. Mol. basis Inherit. Dis. (Sriver CR, Beudet AL, Val. D, Sly WS, eds)* 3695–3724 (2001).
 110. Richardson, W. D., Pringle, N., Mosley, M. J., Westermark, B. & Dubois-Dalcq, M. A role for platelet-derived growth factor in normal gliogenesis in the central nervous system. *Cell* **53**, 309–19 (1988).
 111. Noble, M., Murray, K., Stroobant, P., Waterfield, M. D. & Riddle, P. Platelet-derived growth factor promotes division and motility and inhibits premature differentiation of the oligodendrocyte/type-2 astrocyte progenitor cell. *Nature* **333**, 560–2 (1988).
 112. Baron, W., Shattil, S. J. & ffrench-Constant, C. The oligodendrocyte precursor mitogen PDGF stimulates proliferation by activation of alpha(v)beta3 integrins. *EMBO J.* **21**, 1957–1966 (2002).
 113. Decker, L. & ffrench-Constant, C. Lipid rafts and integrin activation regulate oligodendrocyte survival. *J. Neurosci.* **24**, 3816–25 (2004).
 114. de Vries, H., Schrage, C. & Hoekstra, D. An apical-type trafficking pathway is present in cultured oligodendrocytes but the sphingolipid-enriched myelin membrane is the target of a basolateral-type pathway. *Mol. Biol. Cell* **9**, 599–609 (1998).
 115. Klunder, B. *et al.* Sorting signals and regulation of cognate basolateral trafficking in myelin biogenesis. *J. Neurosci. Res.* **86**, 1007–16 (2008).
 116. Bijlard, M. *et al.* Transcriptional expression of myelin basic protein in oligodendrocytes depends on functional syntaxin 4: a potential correlation with autocrine signaling. *Mol. Cell Biol.* **35**, 675–87 (2015).
 117. Snaidero, N. *et al.* Myelin membrane wrapping of CNS axons by PI(3,4,5)P3-dependent polarized growth at the inner tongue. *Cell* **156**, 277–290 (2014).
 118. Jarjour, A. A. *et al.* The polarity protein Scribble regulates myelination and remyelination in the central nervous system. *PLoS Biol.* **13**, e1002107 (2015).
 119. Larocca, J. N. & Rodriguez-Gabin, A. G. Myelin biogenesis: vesicle transport in oligodendrocytes. *Neurochem. Res.* **27**, 1313–1329 (2002).
 120. Baron, W., de Vries, E. J., de Vries, H. & Hoekstra, D. Protein kinase C prevents oligodendrocyte differentiation: modulation of actin cytoskeleton and cognate polarized membrane traffic. *J. Neurobiol.* **41**, 385–398 (1999).
 121. Bello-Morales, R. *et al.* Interaction of PLP with GFP-MAL2 in the human oligodendroglial cell line HOG. *PLoS One* **6**, e19388 (2011).
 122. Tzaban, S. *et al.* The recycling and transcytotic pathways for IgG transport by FcRn are distinct and display an inherent polarity. *J. Cell Biol.* **185**, 673–84 (2009).
 123. Golachowska, M. R., Hoekstra, D. & van IJzendoorn, S. C. D. Recycling endosomes in apical plasma membrane domain formation and epithelial cell polarity. *Trends Cell Biol.* **20**, 618–26 (2010).
 124. Goldenring, J. R. Recycling endosomes. *Curr. Opin. Cell Biol.* **35**, 117–22 (2015).

125. Stoops, E. H. & Caplan, M. J. Trafficking to the apical and basolateral membranes in polarized epithelial cells. *J. Am. Soc. Nephrol.* **25**, 1375–86 (2014).
126. Slimane, T. A., Trugnan, G., Van IJzendoorn, S. C. D. & Hoekstra, D. Raft-mediated trafficking of apical resident proteins occurs in both direct and transcytotic pathways in polarized hepatic cells: role of distinct lipid microdomains. *Mol. Biol. Cell* **14**, 611–24 (2003).
127. van IJzendoorn, S. C., Zegers, M. M., Kok, J. W. & Hoekstra, D. Segregation of glucosylceramide and sphingomyelin occurs in the apical to basolateral transcytotic route in HepG2 cells. *J. Cell Biol.* **137**, 347–57 (1997).
128. In, J. G., Ihrke, G. & Tuma, P. L. Analysis of polarized membrane traffic in hepatocytes and hepatic cell lines. *Curr. Protoc. Cell Biol.* **Chapter 15**, Unit 15.17 (2012).
129. DeBruin, L. S. *et al.* Developmental partitioning of myelin basic protein into membrane microdomains. *J. Neurosci. Res.* **80**, 211–25 (2005).
130. Taylor, C. M., Coetzee, T. & Pfeiffer, S. E. Detergent-insoluble glycosphingolipid/cholesterol microdomains of the myelin membrane. *J. Neurochem.* **81**, 993–1004 (2002).
131. Schaeren-Wiemers, N. *et al.* The raft-associated protein MAL is required for maintenance of proper axon-glia interactions in the central nervous system. *J. Cell Biol.* **166**, 731–42 (2004).
132. Boyanapalli, M. *et al.* Oligodendrocyte-myelin glycoprotein is present in lipid rafts and caveolin-1-enriched membranes. *Glia* **52**, 219–27 (2005).
133. Pereyra, P. M., Horvath, E. & Braun, P. E. Triton X-100 extractions of central nervous system myelin indicate a possible role for the minor myelin proteins in the stability in lamellae. *Neurochem. Res.* **13**, 583–95 (1988).
134. Gillespie, C. S., Wilson, R., Davidson, A. & Brophy, P. J. Characterization of a cytoskeletal matrix associated with myelin from rat brain. *Biochem. J.* **260**, 689–96 (1989).
135. Wilson, R. & Brophy, P. J. Role for the oligodendrocyte cytoskeleton in myelination. *J. Neurosci. Res.* **22**, 439–48 (1989).
136. Krämer-Albers, E.-M., Gehrig-Burger, K., Thiele, C., Trotter, J. & Nave, K.-A. Perturbed interactions of mutant proteolipid protein/DM20 with cholesterol and lipid rafts in oligodendroglia: implications for dysmyelination in spastic paraplegia. *J. Neurosci.* **26**, 11743–52 (2006).
137. Debruin, L. S. & Harauz, G. White matter rafting-membrane microdomains in myelin. *Neurochem. Res.* **32**, 213–28 (2007).
138. Watanabe, R., Asakura, K., Rodriguez, M. & Pagano, R. E. Internalization and sorting of plasma membrane sphingolipid analogues in differentiating oligodendrocytes. *J. Neurochem.* **73**, 1375–83 (1999).
139. Simons, M. *et al.* Overexpression of the myelin proteolipid protein leads to accumulation of cholesterol and proteolipid protein in endosomes/lysosomes: implications for Pelizaeus-Merzbacher disease. *J. Cell Biol.* **157**, 327–36 (2002).
140. Hoekstra, D., Tyteca, D. & van IJzendoorn, S. C. D. The subapical compartment: a traffic center in membrane polarity development. *J. Cell Sci.* **117**, 2183–92 (2004).
141. van IJzendoorn, S. C. D., Tuvim, M. J., Weimbs, T., Dickey, B. F. & Mostov, K. E. Direct interaction between Rab3b and the polymeric immunoglobulin receptor controls ligand-stimulated transcytosis in epithelial cells. *Dev. Cell* **2**, 219–28 (2002).
142. Anitei, M., Cowan, A. E., Pfeiffer, S. E. & Bansal, R. Role for Rab3a in oligodendrocyte morphological differentiation. *J. Neurosci. Res.* **87**, 342–52 (2009).
143. Schardt, A. *et al.* The SNARE protein SNAP-29 interacts with the GTPase Rab3A: Implications for membrane trafficking in myelinating glia. *J. Neurosci. Res.* **87**, 3465–79 (2009).
144. Steegmaier, M. *et al.* Three novel proteins of the syntaxin/SNAP-25 family. *J. Biol. Chem.* **273**, 34171–9 (1998).

145. Pomicter, A. D. *et al.* Nfasc155H and MAG are specifically susceptible to detergent extraction in the absence of the myelin sphingolipid sulfatide. *Neurochem. Res.* **38(12)**, 2490–502 (2013).
146. Gollan, L., Salomon, D., Salzer, J. L. & Peles, E. Caspr regulates the processing of contactin and inhibits its binding to neurofascin. *J. Cell Biol.* **163**, 1213–8 (2003).
147. Sherman, D. L. *et al.* Neurofascins are required to establish axonal domains for saltatory conduction. *Neuron* **48**, 737–42 (2005).
148. Howell, O. W. *et al.* Disruption of neurofascin localization reveals early changes preceding demyelination and remyelination in multiple sclerosis. *Brain* **129**, 3173–85 (2006).
149. Zacchetti, D., Peränen, J., Murata, M., Fiedler, K. & Simons, K. VIP17/MAL, a proteolipid in apical transport vesicles. *FEBS Lett.* **377**, 465–9 (1995).
150. Alonso, M. A. & Weissman, S. M. cDNA cloning and sequence of MAL, a hydrophobic protein associated with human T-cell differentiation. *Proc. Natl. Acad. Sci. USA* **84**, 1997–2001 (1987).
151. Cheong, K. H., Zacchetti, D., Schneeberger, E. E. & Simons, K. VIP17/MAL, a lipid raft-associated protein, is involved in apical transport in MDCK cells. *Proc. Natl. Acad. Sci. USA* **96**, 6241–8 (1999).
152. Puertollano, R. & Alonso, M. A. MAL, an integral element of the apical sorting machinery, is an itinerant protein that cycles between the trans-Golgi network and the plasma membrane. *Mol. Biol. Cell* **10**, 3435–47 (1999).
153. Martín-Belmonte, F., Puertollano, R., Millán, J. & Alonso, M. A. The MAL proteolipid is necessary for the overall apical delivery of membrane proteins in the polarized epithelial Madin-Darby canine kidney and fischer rat thyroid cell lines. *Mol. Biol. Cell* **11**, 2033–45 (2000).
154. Martín-Belmonte, F., Arvan, P. & Alonso, M. A. MAL mediates apical transport of secretory proteins in polarized epithelial Madin-Darby canine kidney cells. *J. Biol. Chem.* **276**, 49337–42 (2001).
155. Frank, M., van der Haar, M. E., Schaeren-Wiemers, N. & Schwab, M. E. rMAL is a glycosphingolipid-associated protein of myelin and apical membranes of epithelial cells in kidney and stomach. *J. Neurosci.* **18**, 4901–13 (1998).
156. Frank, M. MAL, a proteolipid in glycosphingolipid enriched domains: functional implications in myelin and beyond. *Prog. Neurobiol.* **60**, 531–44 (2000).
157. Ramnarayanan, S. P., Cheng, C. A., Bastaki, M. & Tuma, P. L. Exogenous MAL reroutes selected hepatic apical proteins into the direct pathway in WIF-B cells. *Mol. Biol. Cell* **18**, 2707–15 (2007).
158. Magal, L. G. *et al.* Clustering and lateral concentration of raft lipids by the MAL protein. *Mol. Biol. Cell* **20**, 3751–62 (2009).
159. Frank, M., Schaeren-Wiemers, N., Schneider, R. & Schwab, M. E. Developmental expression pattern of the myelin proteolipid MAL indicates different functions of MAL for immature Schwann cells and in a late step of CNS myelinogenesis. *J. Neurochem.* **73**, 587–97 (1999).
160. Schaeren-Wiemers, N., Schaefer, C., Valenzuela, D. M., Yancopoulos, G. D. & Schwab, M. E. Identification of new oligodendrocyte- and myelin-specific genes by a differential screening approach. *J. Neurochem.* **65**, 10–22 (1995).
161. Schmid, D., Zeis, T., Sobrio, M. & Schaeren-Wiemers, N. MAL overexpression leads to disturbed expression of genes that influence cytoskeletal organization and differentiation of Schwann cells. *ASN Neuro* **6**, pii: 1759091414548916 (2014).
162. Yaghootfam, A., Gieselmann, V. & Eckhardt, M. Delay of myelin formation in arylsulphatase A-deficient mice. *Eur. J. Neurosci.* **21**, 711–20 (2005).
163. Saravanan, K. *et al.* Specific downregulation and mistargeting of the lipid raft-associated protein MAL in a glycolipid storage disorder. *Neurobiol. Dis.* **16**, 396–406 (2004).
164. Fewou, S. N. *et al.* Reversal of non-hydroxy:alpha-hydroxy galactosylceramide ratio and unstable

- myelin in transgenic mice overexpressing UDP-galactose:ceramide galactosyltransferase. *J. Neurochem.* **94**, 469–81 (2005).
165. De Haas, C. G. & Lopes-Cardozo, M. Hydroxy- and non-hydroxy-galactolipids in developing rat CNS. *Int. J. Dev. Neurosci.* **13**, 447–54 (1995).
166. Frank, M. *et al.* Progressive segregation of unmyelinated axons in peripheral nerves, myelin alterations in the CNS, and cyst formation in the kidneys of myelin and lymphocyte protein-overexpressing mice. *J. Neurochem.* **75**, 1927–39 (2000).
167. Buser, A. M., Erne, B., Werner, H. B., Nave, K.-A. & Schaeren-Wiemers, N. The septin cytoskeleton in myelinating glia. *Mol. Cell. Neurosci.* **40**, 156–66 (2009).
168. Kim, T. & Pfeiffer, S. E. Subcellular localization and detergent solubility of MVP17/rMAL, a lipid raft-associated protein in oligodendrocytes and myelin. *J. Neurosci. Res.* **69**, 217–26 (2002).
169. Wilson, S. H., Bailey, A. M., Nourse, C. R., Mattei, M. G. & Byrne, J. A. Identification of MAL2, a novel member of the mal proteolipid family, through interactions with TPD52-like proteins in the yeast two-hybrid system. *Genomics* **76**, 81–8 (2001).
170. de Marco, M. C. *et al.* MAL2, a novel raft protein of the MAL family, is an essential component of the machinery for transcytosis in hepatoma HepG2 cells. *J. Cell Biol.* **159**, 37–44 (2002).
171. Marazuela, M. *et al.* Expression of MAL2, an integral protein component of the machinery for basolateral-to-apical transcytosis, in human epithelia. *J. Histochem. Cytochem.* **52**, 243–52 (2004).
172. de Marco, M. C., Puertollano, R., Martínez-Menárguez, J. A. & Alonso, M. A. Dynamics of MAL2 during glycosylphosphatidylinositol-anchored protein transcytotic transport to the apical surface of hepatoma HepG2 cells. *Traffic* **7**, 61–73 (2006).
173. Llorente, A., de Marco, M. C. & Alonso, M. A. Caveolin-1 and MAL are located on prostasomes secreted by the prostate cancer PC-3 cell line. *J. Cell Sci.* **117**, 5343–51 (2004).
174. Südhof, T. C. & Rothman, J. E. Membrane fusion: grappling with SNARE and SM proteins. *Science* **323**, 474–7 (2009).
175. Fasshauer, D., Sutton, R. B., Brunger, A. T. & Jahn, R. Conserved structural features of the synaptic fusion complex: SNARE proteins reclassified as Q- and R-SNAREs. *Proc. Natl. Acad. Sci. USA* **95**, 15781–6 (1998).
176. Low, S. H. *et al.* The SNARE machinery is involved in apical plasma membrane trafficking in MDCK cells. *J. Cell Biol.* **141**, 1503–1513 (1998).
177. Fujita, H., Tuma, P. L., Finnegan, C. M., Locco, L. & Hubbard, A. L. Endogenous syntaxins 2, 3 and 4 exhibit distinct but overlapping patterns of expression at the hepatocyte plasma membrane. *Biochem. J.* **329**, 527–38 (1998).
178. ter Beest, M. B. A., Chapin, S. J., Avrahami, D. & Mostov, K. E. The role of syntaxins in the specificity of vesicle targeting in polarized epithelial cells. *Mol. Biol. Cell* **16**, 5784–92 (2005).
179. Madison, D. L., Krueger, W. H., Cheng, D., Trapp, B. D. & Pfeiffer, S. E. SNARE complex proteins, including the cognate pair VAMP-2 and syntaxin-4, are expressed in cultured oligodendrocytes. *J. Neurochem.* **72**, 988–998 (1999).
180. Breuza, L., Fransen, J. & Le Bivic, A. Transport and function of syntaxin 3 in human epithelial intestinal cells. *Am. J. Physiol. Cell Physiol.* **279**, C1239–48 (2000).
181. Maggipinto, M. *et al.* Increased expression of the MBP mRNA binding protein HnRNP A2 during oligodendrocyte differentiation. *J. Neurosci. Res.* **75**, 614–23 (2004).
182. Kosturko, L. D., Maggipinto, M. J., D'Sa, C., Carson, J. H. & Barbaresi, E. The microtubule-associated protein tumor overexpressed gene binds to the RNA trafficking protein heterogeneous nuclear ribonucleoprotein A2. *Mol. Biol. Cell* **16**, 1938–47 (2005).
183. Kosturko, L. D. *et al.* Heterogeneous nuclear ribonucleoprotein (hnRNP) E1 binds to hnRNP A2 and inhibits translation of A2 response element mRNAs. *Mol. Biol. Cell* **17**, 3521–33 (2006).

184. Hoek, K. S., Kidd, G. J., Carson, J. H. & Smith, R. hnRNP A2 selectively binds the cytoplasmic transport sequence of myelin basic protein mRNA. *Biochemistry* **37**, 7021–9 (1998).
185. Raju, C. S. *et al.* In neurons, activity-dependent association of dendritically transported mRNA transcripts with the transacting factor CBF-A is mediated by A2RE/RTS elements. *Mol. Biol. Cell* **22**, 1864–77 (2011).
186. Munro, T. P. *et al.* Mutational analysis of a heterogeneous nuclear ribonucleoprotein A2 response element for RNA trafficking. *J. Biol. Chem.* **274**, 34389–95 (1999).
187. Torvund-Jensen, J., Steengaard, J., Reimer, L., Fihl, L. B. & Laursen, L. S. Transport and translation of MBP mRNA is regulated differently by distinct hnRNP proteins. *J. Cell Sci.* **127**, 1550–64 (2014).
188. Müller, C., Schäfer, I., Luhmann, H. J. & White, R. Oligodendroglial Argonaute protein Ago2 associates with molecules of the *Mbp* mRNA localization machinery and is a downstream target of Fyn kinase. *Front. Cell. Neurosci.* **9**, 328 (2015).
189. Seiberlich, V. *et al.* Downregulation of the microtubule associated protein Tau impairs process outgrowth and myelin basic protein mRNA transport in oligodendrocytes. *Glia* **63**(9), 1621–35 (2015).
190. Carson, J. H., Worboys, K., Ainger, K. & Barbarese, E. Translocation of myelin basic protein mRNA in oligodendrocytes requires microtubules and kinesin. *Cell Motil. Cytoskeleton* **38**, 318–28 (1997).
191. Carson, J. H. *et al.* Multiplexed RNA trafficking in oligodendrocytes and neurons. *Biochim. Biophys. Acta - Gene Regul. Mech.* **1779**, 453–458 (2008).
192. Carson, J. H., Blondin, N. & Korza, G. Rules of engagement promote polarity in RNA trafficking. *BMC Neurosci.* **7 Suppl 1**, S3 (2006).
193. Anderson, P. & Kedersha, N. RNA granules. *J. Cell Biol.* **172**, 803–8 (2006).
194. Minuk, J. & Braun, P. E. Differential intracellular sorting of the myelin-associated glycoprotein isoforms. *J. Neurosci. Res.* **44**, 411–20 (1996).
195. Pham-Dinh, D. *et al.* Pelizaeus-Merzbacher disease: a valine to phenylalanine point mutation in a putative extracellular loop of myelin proteolipid. *Proc. Natl. Acad. Sci. USA* **88**, 7562–6 (1991).
196. Schneider, A. *et al.* Palmitoylation is a sorting determinant for transport to the myelin membrane. *J. Cell Sci.* **118**, 2415–23 (2005).
197. Jahn, R. & Südhof, T. C. Membrane fusion and exocytosis. *Annu. Rev. Biochem.* **68**, 863–911 (1999).
198. Risselada, H. J. & Grubmüller, H. How SNARE molecules mediate membrane fusion: recent insights from molecular simulations. *Curr. Opin. Struct. Biol.* **22**, 187–96 (2012).
199. Weimbs, T. *et al.* A conserved domain is present in different families of vesicular fusion proteins: a new superfamily. *Proc. Natl. Acad. Sci. USA* **94**, 3046–51 (1997).
200. Low, S. *et al.* Syntaxins 3 and 4 are concentrated in separate clusters on the plasma membrane before the establishment of cell polarity. *Mol. Biol. Cell* **17**, 977–989 (2006).
201. Low, S. H. *et al.* Differential localization of syntaxin isoforms in polarized Madin-Darby canine kidney cells. *Mol. Biol. Cell* **7**, 2007–2018 (1996).
202. Reales, E., Sharma, N., Low, S. H., Fölsch, H. & Weimbs, T. Basolateral sorting of syntaxin 4 is dependent on its N-terminal domain and the AP1B clathrin adaptor, and required for the epithelial cell polarity. *PLoS One* **6**, e21181 (2011).
203. Simons, M. & Trotter, J. Wrapping it up: the cell biology of myelination. *Curr. Opin. Neurobiol.* **17**, 533–540 (2007).
204. Boggs, J. M. Myelin basic protein: a multifunctional protein. *Cell Mol. Life Sci.* **63**, 1945–1961 (2006).
205. Jahn, O., Tenzer, S. & Werner, H. B. Myelin proteomics: molecular anatomy of an insulating sheath. *Mol. Neurobiol.* **40**, 55–72 (2009).

206. Harauz, G. & Boggs, J. M. Myelin management by the 18.5-kDa and 21.5-kDa classic myelin basic protein isoforms. *J. Neurochem.* **125**, 334–61 (2013).
207. Min, Y. *et al.* Interaction forces and adhesion of supported myelin lipid bilayers modulated by myelin basic protein. *Proc. Natl. Acad. Sci. USA* **106**, 3154–9 (2009).
208. Cohen, R. S. The role of membranes and membrane trafficking in RNA localization. *Biol. Cell* **97**, 5–18 (2005).
209. Woods, I. G., Lyons, D. A., Voas, M. G., Pogoda, H.-M. & Talbot, W. S. *nsf* Is essential for organization of myelinated axons in zebrafish. *Curr. Biol.* **16**, 636–48 (2006).
210. Irion, U. & St Johnston, D. *bicoid* RNA localization requires specific binding of an endosomal sorting complex. *Nature* **445**, 554–8 (2007).
211. Kippert, A., Trajkovic, K., Rajendran, L., Ries, J. & Simons, M. Rho regulates membrane transport in the endocytic pathway to control plasma membrane specialization in oligodendroglial cells. *J. Neurosci.* **27**, 3560–70 (2007).
212. Boison, D. & Stoffel, W. Disruption of the compacted myelin sheath of axons of the central nervous system in proteolipid protein-deficient mice. *Proc. Natl. Acad. Sci. USA* **91**, 11709–13 (1994).
213. Maier, O. *et al.* Alteration of the extracellular matrix interferes with raft association of neurofascin in oligodendrocytes. Potential significance for multiple sclerosis? *Mol. Cell Neurosci.* **28**, 390–401 (2005).
214. Stancic, M. *et al.* Galectin-4, a novel neuronal regulator of myelination. *Glia* **60**, 919–35 (2012).
215. Vert, J. P., Foveau, N., Lajaunie, C. & Vandenbrouck, Y. An accurate and interpretable model for siRNA efficacy prediction. *BMC. Bioinformatics.* **7**, 520 (2006).
216. Relvas, J. B. *et al.* Expression of dominant-negative and chimeric subunits reveals an essential role for beta1 integrin during myelination. *Curr. Biol.* **11**, 1039–1043 (2001).
217. Ranscht, B., Clapshaw, P. A., Price, J., Noble, M. & Seifert, W. Development of oligodendrocytes and Schwann cells studied with a monoclonal antibody against galactocerebroside. *Proc. Natl. Acad. Sci. USA* **79**, 2709–13 (1982).
218. Greenfield, E. A. *et al.* Monoclonal antibodies to distinct regions of human myelin proteolipid protein simultaneously recognize central nervous system myelin and neurons of many vertebrate species. *J. Neurosci. Res.* **83**, 415–31 (2006).
219. Batish, M., Raj, A. & Tyagi, S. Single molecule imaging of RNA in situ. *Methods Mol. Biol.* **714**, 3–13 (2011).
220. Bsibsi, M., Nomden, A., van Noort, J. M. & Baron, W. Toll-like receptors 2 and 3 agonists differentially affect oligodendrocyte survival, differentiation, and myelin membrane formation. *J. Neurosci. Res.* **90**, 388–398 (2012).
221. Emery, B. Transcriptional and post-transcriptional control of CNS myelination. *Curr. Opin. Neurobiol.* **20**, 601–7 (2010).
222. Pfeiffer, S. E., Warrington, A. E. & Bansal, R. The oligodendrocyte and its many cellular processes. *Trends Cell Biol.* **3**, 191–7 (1993).
223. Buttery, P. C. & French-Constant, C. Laminin-2/integrin interactions enhance myelin membrane formation by oligodendrocytes. *Mol. Cell. Neurosci.* **14**, 199–212 (1999).
224. Barbarese, E., Brumwell, C., Kwon, S., Cui, H. & Carson, J. H. RNA on the road to myelin. *J. Neurocytol.* **28**, 263–270 (1999).
225. Raj, A., van den Bogaard, P., Rifkin, S. A., van Oudenaarden, A. & Tyagi, S. Imaging individual mRNA molecules using multiple singly labeled probes. *Nat. Methods* **5**, 877–879 (2008).
226. de Vries, H., de Jonge, J. C., Schrage, C., van der Haar, M. E. & Hoekstra, D. Differential and cell development-dependent localization of myelin mRNAs in oligodendrocytes. *J. Neurosci. Res.*

- 47, 479–488 (1997).
227. Ozgen, H. *et al.* Regulation of cell proliferation by nucleocytoplasmic dynamics of postnatal and embryonic exon-II-containing MBP isoforms. *Biochim. Biophys. Acta* **1843**(3), 517–30 (2013).
 228. Aronov, S. & Gerst, J. E. Involvement of the late secretory pathway in actin regulation and mRNA transport in yeast. *J. Biol. Chem.* **279**, 36962–71 (2004).
 229. Winterstein, C., Trotter, J. & Krämer-Albers, E.-M. Distinct endocytic recycling of myelin proteins promotes oligodendroglial membrane remodeling. *J. Cell Sci.* **121**, 834–42 (2008).
 230. Emery, B. *et al.* Myelin gene regulatory factor is a critical transcriptional regulator required for CNS myelination. *Cell* **138**, 172–85 (2009).
 231. Koenning, M. *et al.* Myelin gene regulatory factor is required for maintenance of myelin and mature oligodendrocyte identity in the adult CNS. *J. Neurosci.* **32**, 12528–42 (2012).
 232. Campagnoni, A. T. Molecular biology of myelin proteins from the central nervous system. *J. Neurochem.* **51**, 1–14 (1988).
 233. Chernoff, G. F. Shiverer: an autosomal recessive mutant mouse with myelin deficiency. *J. Hered.* **72**, 128 (1981).
 234. Simons, M. & Nave, K.-A. Oligodendrocytes: Myelination and axonal support. *Cold Spring Harb. Perspect. Biol.* **8**(1), pii: a020479 (2015).
 235. de Vries, H. & Hoekstra, D. On the biogenesis of the myelin sheath: cognate polarized trafficking pathways in oligodendrocytes. *Glycoconj. J.* **17**, 181–190 (2000).
 236. Richter-Landsberg, C. & Heinrich, M. OLN-93: a new permanent oligodendroglia cell line derived from primary rat brain glial cultures. *J. Neurosci. Res.* **45**, 161–73 (1996).
 237. Jung, M., Sommer, I., Schachner, M. & Nave, K. A. Monoclonal antibody O10 defines a conformationally sensitive cell-surface epitope of proteolipid protein (PLP): evidence that PLP misfolding underlies dysmyelination in mutant mice. *J. Neurosci.* **16**, 7920–9 (1996).
 238. Schindelin, J. *et al.* Fiji: an open-source platform for biological-image analysis. *Nat. Methods* **9**, 676–82 (2012).
 239. Martín-Belmonte, F., Kremer, L., Albar, J. P., Marazuela, M. & Alonso, M. A. Expression of the MAL gene in the thyroid: the MAL proteolipid, a component of glycolipid-enriched membranes, is apically distributed in thyroid follicles. *Endocrinology* **139**, 2077–84 (1998).
 240. Caduff, J., Sansano, S., Bonnet, A., Suter, U. & Schaeren-Wiemers, N. Characterization of GFP-MAL expression and incorporation in rafts. *Microsc. Res. Tech.* **52**, 645–55 (2001).
 241. White, R. *et al.* Heterogeneous nuclear ribonucleoprotein (hnRNP) F is a novel component of oligodendroglial RNA transport granules contributing to regulation of myelin basic protein (MBP) synthesis. *J. Biol. Chem.* **287**, 1742–54 (2012).
 242. Müller, C., Bauer, N. M., Schäfer, I. & White, R. Making myelin basic protein -from mRNA transport to localized translation. *Front. Cell. Neurosci.* **7**, 169 (2013).
 243. Trifilieff, E. Synthesis and secondary structure of loop 4 of myelin proteolipid protein: effect of a point mutation found in Pelizaeus-Merzbacher disease. *J. Pept. Res.* **66**, 101–10 (2005).
 244. Simons, K. & Ikonen, E. Functional rafts in cell membranes. *Nature* **387**, 569–72 (1997).
 245. van IJzendoorn, S. C. & Hoekstra, D. (Glyco)sphingolipids are sorted in sub-apical compartments in HepG2 cells: a role for non-Golgi-related intracellular sites in the polarized distribution of (glyco)sphingolipids. *J. Cell Biol.* **142**, 683–96 (1998).
 246. Coetzee, T., Suzuki, K., Nave, K. A. & Popko, B. Myelination in the absence of galactolipids and proteolipid proteins. *Mol. Cell. Neurosci.* **14**, 41–51 (1999).
 247. Arvanitis, D. N., Min, W., Gong, Y., Heng, Y. M. & Boggs, J. M. Two types of detergent-insoluble, glycosphingolipid/cholesterol-rich membrane domains from isolated myelin. *J. Neurochem.* **94**, 1696–710 (2005).

248. Šišková, Z. et al. Fibronectin attenuates process outgrowth in oligodendrocytes by mislocalizing MMP-9 activity. *Mol. Cell Neurosci.* **42**, 234–242 (2009).
249. Colognato, H. & Tzvetanova, I. D. Glia unglued: how signals from the extracellular matrix regulate the development of myelinating glia. *Dev. Neurobiol.* **71**, 924–55 (2011).
250. Frost, E. E., Buttery, P. C., Milner, R. & ffrench-Constant, C. Integrins mediate a neuronal survival signal for oligodendrocytes. *Curr. Biol.* **9**, 1251–4 (1999).
251. Colognato, H. et al. Identification of dystroglycan as a second laminin receptor in oligodendrocytes, with a role in myelination. *Development* **134**, 1723–36 (2007).
252. Dyer, C. A. & Benjamins, J. A. Glycolipids and transmembrane signaling: antibodies to galactocerebroside cause an influx of calcium in oligodendrocytes. *J. Cell Biol.* **111**, 625–33 (1990).
253. Dyer, C. A. & Benjamins, J. A. Galactocerebroside and sulfatide independently mediate Ca²⁺ responses in oligodendrocytes. *J. Neurosci. Res.* **30**, 699–711 (1991).
254. Jeon, S.-B., Yoon, H. J., Park, S.-H., Kim, I.-H. & Park, E. J. Sulfatide, a major lipid component of myelin sheath, activates inflammatory responses as an endogenous stimulator in brain-resident immune cells. *J. Immunol.* **181**, 8077–87 (2008).
255. Zhao, C., Fancy, S. P. J., Franklin, R. J. M. & ffrench-Constant, C. Up-regulation of oligodendrocyte precursor cell alphaV integrin and its extracellular ligands during central nervous system remyelination. *J. Neurosci. Res.* **87**, 3447–55 (2009).
256. Lau, L. W. et al. Chondroitin sulfate proteoglycans in demyelinated lesions impair remyelination. *Ann. Neurol.* **72**, 419–32 (2012).
257. Satoh, J. I., Tabunoki, H. & Yamamura, T. Molecular network of the comprehensive multiple sclerosis brain-lesion proteome. *Mult. Scler.* **15**, 531–41 (2009).
258. Hibbits, N., Yoshino, J., Le, T. Q. & Armstrong, R. C. Astrogliosis during acute and chronic cuprizone demyelination and implications for remyelination. *ASN Neuro* **4**, 393–408 (2012).
259. Stoffels, J. M. J. et al. Fibronectin aggregation in multiple sclerosis lesions impairs remyelination. *Brain* **136**, 116–31 (2013).
260. Bsibsi, M., Ravid, R., Gveric, D. & van Noort, J. M. Broad expression of Toll-like receptors in the human central nervous system. *J. Neuropathol. Exp. Neurol.* **61**, 1013–21 (2002).
261. Sommer, I. & Schachner, M. Monoclonal antibodies (O1 to O4) to oligodendrocyte cell surfaces: an immunocytological study in the central nervous system. *Dev. Biol.* **83**, 311–27 (1981).
262. Vereyken, E. J. F., Fluitsma, D. M., Bolijn, M. J., Dijkstra, C. D. & Teunissen, C. E. An in vitro model for de- and remyelination using lysophosphatidyl choline in rodent whole brain spheroid cultures. *Glia* **57**, 1326–40 (2009).
263. Maier, O. et al. The function of neurofascin155 in oligodendrocytes is regulated by metalloprotease-mediated cleavage and ectodomain shedding. *Exp. Cell Res.* **312**, 500–11 (2006).
264. Bligh, E. G. & Dyer, W. J. A rapid method of total lipid extraction and purification. *Can. J. Biochem. Physiol.* **37**, 911–7 (1959).
265. Voegelzang, M. G. et al. Alpha4 integrin is expressed during peripheral nerve regeneration and enhances neurite outgrowth. *J. Neurosci.* **21**, 6732–44 (2001).
266. Guizzetti, M., Moore, N. H., Giordano, G. & Costa, L. G. Modulation of neurogenesis by astrocyte muscarinic receptors. *J. Biol. Chem.* **283**, 31884–97 (2008).
267. Krämer, E. M., Koch, T., Niehaus, A. & Trotter, J. Oligodendrocytes direct glycosyl phosphatidylinositol-anchored proteins to the myelin sheath in glycosphingolipid-rich complexes. *J. Biol. Chem.* **272**, 8937–45 (1997).
268. Miki, T. et al. An anti-sulfatide antibody O4 immunoprecipitates sulfatide rafts including Fyn, Lyn and the G protein α subunit in rat primary immature oligodendrocytes. *Glycoconj. J.* **30**(9), 819–23 (2013).

269. Colognato, H., Ramachandrapa, S., Olsen, I. M. & ffrench-Constant, C. Integrins direct Src family kinases to regulate distinct phases of oligodendrocyte development. *J. Cell Biol.* **167**, 365–75 (2004).
270. van Horsen, J., Dijkstra, C. D. & de Vries, H. E. The extracellular matrix in multiple sclerosis pathology. *J. Neurochem.* **103**, 1293–301 (2007).
271. Sobel, R. A. & Mitchell, M. E. Fibronectin in multiple sclerosis lesions. *Am. J. Pathol.* **135**, 161–8 (1989).
272. Bansal, R. & Pfeiffer, S. E. Inhibition of protein and lipid sulfation in oligodendrocytes blocks biological responses to FGF-2 and retards cytoarchitectural maturation, but not developmental lineage progression. *Dev. Biol.* **162**, 511–24 (1994).
273. Relucio, J., Menezes, M. J., Miyagoe-Suzuki, Y., Takeda, S. & Colognato, H. Laminin regulates postnatal oligodendrocyte production by promoting oligodendrocyte progenitor survival in the subventricular zone. *Glia* **60**, 1451–67 (2012).
274. Li, S. *et al.* Laminin-sulfatide binding initiates basement membrane assembly and enables receptor signaling in Schwann cells and fibroblasts. *J. Cell Biol.* **169**, 179–89 (2005).
275. Shroff, S. M. *et al.* Adult CST-null mice maintain an increased number of oligodendrocytes. *J. Neurosci. Res.* **87**, 3403–14 (2009).
276. Mitchell, J. S., Kanca, O. & McIntyre, B. W. Lipid microdomain clustering induces a redistribution of antigen recognition and adhesion molecules on human T lymphocytes. *J. Immunol.* **168**, 2737–44 (2002).
277. Watzlawik, J. O., Warrington, A. E. & Rodriguez, M. PDGF is required for remyelination-promoting IgM stimulation of oligodendrocyte progenitor cell proliferation. *PLoS One* **8**, e55149 (2013).
278. Watzlawik, J. *et al.* Human remyelination promoting antibody inhibits apoptotic signaling and differentiation through Lyn kinase in primary rat oligodendrocytes. *Glia* **58**, 1782–93 (2010).
279. McCoy, M. K. & Tansey, M. G. TNF signaling inhibition in the CNS: implications for normal brain function and neurodegenerative disease. *J. Neuroinflammation* **5**, 45 (2008).
280. Bongioanni, P. & Meucci, G. T-cell tumor necrosis factor-alpha receptor binding in patients with multiple sclerosis. *Neurology* **48**, 826–31 (1997).
281. Glabinski, A., Mirecka, M. & Pokoca, L. Tumor necrosis factor alpha but not lymphotoxin is overproduced by blood mononuclear cells in multiple sclerosis. *Acta Neurol. Scand.* **91**, 276–9 (1995).
282. Sharief, M. K., Noori, M. A., Ciardi, M., Cirelli, A. & Thompson, E. J. Increased levels of circulating ICAM-1 in serum and cerebrospinal fluid of patients with active multiple sclerosis. Correlation with TNF-alpha and blood-brain barrier damage. *J. Neuroimmunol.* **43**, 15–21 (1993).
283. Matsuda, M., Tsukada, N., Miyagi, K. & Yanagisawa, N. Increased levels of soluble tumor necrosis factor receptor in patients with multiple sclerosis and HTLV-1-associated myelopathy. *J. Neuroimmunol.* **52**, 33–40 (1994).
284. Philippé, J., Debruyne, J., Leroux-Roels, G., Willems, A. & Dereuck, J. In vitro TNF-alpha, IL-2 and IFN-gamma production as markers of relapses in multiple sclerosis. *Clin. Neurol. Neurosurg.* **98**, 286–90 (1996).
285. Huizinga, T. W. *et al.* TNF-alpha promoter polymorphisms, production and susceptibility to multiple sclerosis in different groups of patients. *J. Neuroimmunol.* **72**, 149–53 (1997).
286. Selmaj, K., Raine, C. S. & Cross, A. H. Anti-tumor necrosis factor therapy abrogates autoimmune demyelination. *Ann. Neurol.* **30**, 694–700 (1991).
287. Batoulis, H. *et al.* Blockade of TNF- α in experimental autoimmune encephalomyelitis reveals differential effects on the antigen-specific immune response and central nervous system

- histopathology. *Clin. Exp. Immunol.* **175**(1), 41–8 (2013).
288. Caminero, A., Comabella, M. & Montalban, X. Tumor necrosis factor alpha (TNF- α), anti-TNF- α and demyelination revisited: an ongoing story. *J. Neuroimmunol.* **234**, 1–6 (2011).
289. van Oosten, B. W. *et al.* Increased MRI activity and immune activation in two multiple sclerosis patients treated with the monoclonal anti-tumor necrosis factor antibody cA2. *Neurology* **47**, 1531–4 (1996).
290. Yamasu, K., Onoe, H., Soma, G., Oshima, H. & Mizuno, D. Secretion of tumor necrosis factor during fetal and neonatal development of the mouse: ontogenic inflammation. *J. Biol. Response Mod.* **8**, 644–55 (1989).
291. Bruce, A. J. *et al.* Altered neuronal and microglial responses to excitotoxic and ischemic brain injury in mice lacking TNF receptors. *Nat. Med.* **2**, 788–94 (1996).
292. Marino, M. W. *et al.* Characterization of tumor necrosis factor-deficient mice. *Proc. Natl. Acad. Sci. USA* **94**, 8093–8 (1997).
293. Arnett, H. a *et al.* TNF alpha promotes proliferation of oligodendrocyte progenitors and remyelination. *Nat. Neurosci.* **4**, 1116–22 (2001).
294. Kim, S., Steelman, A. J., Koito, H. & Li, J. Astrocytes promote TNF-mediated toxicity to oligodendrocyte precursors. *J. Neurochem.* **116**, 53–66 (2011).
295. Nakazawa, T. *et al.* Tumor necrosis factor-alpha mediates oligodendrocyte death and delayed retinal ganglion cell loss in a mouse model of glaucoma. *J. Neurosci. Off. J. Soc. Neurosci.* **26**, 12633–12641 (2006).
296. Cammer, W. & Zhang, H. Maturation of oligodendrocytes is more sensitive to TNF alpha than is survival of precursors and immature oligodendrocytes. *J. Neuroimmunol.* **97**, 37–42 (1999).
297. Cammer, W. Effects of TNFalpha on immature and mature oligodendrocytes and their progenitors in vitro. *Brain Res.* **864**, 213–9 (2000).
298. Andrews, T., Zhang, P. & Bhat, N. R. TNFalpha potentiates IFNgamma-induced cell death in oligodendrocyte progenitors. *J. Neurosci. Res.* **54**, 574–83 (1998).
299. Tartaglia, L. A. *et al.* The two different receptors for tumor necrosis factor mediate distinct cellular responses. *Proc. Natl. Acad. Sci. USA* **88**, 9292–6 (1991).
300. Tartaglia, L. A. & Goeddel, D. V. Two TNF receptors. *Immunol. Today* **13**, 151–3 (1992).
301. Maier, O., Fischer, R., Agresti, C. & Pfizenmaier, K. TNF receptor 2 protects oligodendrocyte progenitor cells against oxidative stress. *Biochem. Biophys. Res. Commun.* **440**, 336–41 (2013).
302. Pedraza, L. Nuclear transport of myelin basic protein. *J. Neurosci. Res.* **50**, 258–264 (1997).
303. Rowlands, D. J. *et al.* Activation of TNFR1 ectodomain shedding by mitochondrial Ca²⁺ determines the severity of inflammation in mouse lung microvessels. *J. Clin. Invest.* **121**, 1986–99 (2011).
304. Sorensen, A., Moffat, K., Thomson, C. & Barnett, S. C. Astrocytes, but not olfactory ensheathing cells or Schwann cells, promote myelination of CNS axons in vitro. *Glia* **56**, 750–763 (2008).
305. Klappe, K., Hummel, I. & Kok, J. W. Separation of actin-dependent and actin-independent lipid rafts. *Anal. Biochem.* **438**, 133–135 (2013).
306. Pool, M., Thiemann, J., Bar-Or, A. & Fournier, A. E. NeuriteTracer: a novel ImageJ plugin for automated quantification of neurite outgrowth. *J. Neurosci. Methods* **168**, 134–9 (2008).
307. Choi, S. J. *et al.* Differential expression, shedding, cytokine regulation and function of TNFR1 and TNFR2 in human fetal astrocytes. *Yonsei Med. J.* **46**, 818–26 (2005).
308. Takei, Y. & Laskey, R. Tumor necrosis factor α regulates responses to nerve growth factor, promoting neural cell survival but suppressing differentiation of neuroblastoma cells. *Mol. Biol. Cell* **19**, 855–864 (2008).
309. Fitzner, D. *et al.* Myelin basic protein-dependent plasma membrane reorganization in the

- formation of myelin. *EMBO J.* **25**, 5037–5048 (2006).
310. Dyer, C. A. & Benjamins, J. A. Antibody to galactocerebroside alters organization of oligodendroglial membrane sheets in culture. *J. Neurosci. Off. J. Soc. Neurosci.* **8**, 4307–4318 (1988).
311. Koukouritaki, S. B., Gravanis, A. & Stournaras, C. Tyrosine phosphorylation of focal adhesion kinase and paxillin regulates the signaling mechanism of the rapid nongenomic action of dexamethasone on actin cytoskeleton. *Mol. Med.* **5**, 731–742 (1999).
312. Wójciak-Stothard, B., Entwistle, A., Garg, R. & Ridley, A. J. Regulation of TNF-alpha-induced reorganization of the actin cytoskeleton and cell-cell junctions by Rho, Rac, and Cdc42 in human endothelial cells. *J. Cell. Physiol.* **176**, 150–65 (1998).
313. Ghosh, S., Tewari, R., Dixit, D. & Sen, E. TNFalpha induced oxidative stress dependent Akt signaling affects actin cytoskeletal organization in glioma cells. *Neurochem. Int.* **56**, 194–201 (2010).
314. Boggs, J. M. & Rangaraj, G. Interaction of lipid-bound myelin basic protein with actin filaments and calmodulin. *Biochemistry* **39**, 7799–7806 (2000).
315. Roth, G. A., Gonzalez, M. D., Monferran, C. G., De Santis, M. L. & Cumar, F. A. Myelin basic protein domains involved in the interaction with actin. *Neurochem. Int.* **23**, 459–465 (1993).
316. Head, B. P. *et al.* Microtubules and actin microfilaments regulate lipid raft/caveolae localization of adenylyl cyclase signaling components. *J. Biol. Chem.* **281**, 26391–26399 (2006).
317. Bauer, N. G., Richter-Landsberg, C. & ffrench-Constant, C. Role of the oligodendroglial cytoskeleton in differentiation and myelination. *Glia* **57**, 1691–705 (2009).
318. Chichili, G. R. & Rodgers, W. Clustering of membrane raft proteins by the actin cytoskeleton. *J. Biol. Chem.* **282**, 36682–36691 (2007).
319. Hummel, I., Klappe, K., Ercan, C. & Kok, J. W. Multidrug resistance-related protein 1 (MRP1) function and localization depend on cortical actin. *Mol. Pharmacol.* **79**, 229–240 (2011).
320. Greer, J. M. & Lees, M. B. Myelin proteolipid protein-the first 50 years. *Int. J. Biochem. Cell Biol.* **34**, 211–215 (2002).
321. Pang, Y. *et al.* Neuron-oligodendrocyte myelination co-culture derived from embryonic rat spinal cord and cerebral cortex. *Brain Behav.* **2**, 53–67 (2012).
322. Young, K. M. *et al.* Oligodendrocyte dynamics in the healthy adult CNS: evidence for myelin remodeling. *Neuron* **77**, 873–885 (2013).
323. Finsen, B., Antel, J. & Owens, T. TNFalpha: kill or cure for demyelinating disease? *Mol. Psychiatry* **7**, 820–1 (2002).
324. Ahrendsen, J. T. & Macklin, W. Signaling mechanisms regulating myelination in the central nervous system. *Neurosci. Bull.* **29**, 199–215 (2013).
325. Beecham, A. H. *et al.* Analysis of immune-related loci identifies 48 new susceptibility variants for multiple sclerosis. *Nat. Genet.* **45**, 1353–60 (2013).
326. Sawcer, S. *et al.* Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature* **476**, 214–9 (2011).
327. Schmitz, T. & Chew, L.-J. Cytokines and myelination in the central nervous system. *ScientificWorldJournal*, **8**, 1119–47 (2008).

