

University of Groningen

Kinetics, dynamics and localization of basic amino acid transporters in *Saccharomyces cerevisiae*

Bianchi, Frans

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2016

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Bianchi, F. (2016). *Kinetics, dynamics and localization of basic amino acid transporters in Saccharomyces cerevisiae*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

1. Moiset G (2013) Molecular Basis of Membrane Stability and Dynamics. Thesis University of Groningen
2. Cooper TG (1982) Nitrogen Metabolism in *Saccharomyces cerevisiae*. *Cold Spring Harbor Monograph Archive* 11B(0):39-99.
3. Ljungdahl PO, Daignan-Fornier B (2012) Regulation of amino acid, nucleotide, and phosphate metabolism in *Saccharomyces cerevisiae*. *Genetics* 190(3):885-929.
4. Serrano R, Kielland-Brandt MC, Fink GR (1986) Yeast plasma membrane ATPase is essential for growth and has homology with (Na⁺ + K⁺), K⁺- and Ca²⁺-ATPases. *Nature* 319(6055):689-693.
5. Regenberg B, During-Olsen L, Kielland-Brandt MC, Holmberg S (1999) Substrate specificity and gene expression of the amino-acid permeases in *Saccharomyces cerevisiae*. *Curr Genet* 36:317-328.
6. Sekito T, Fujiki Y, Ohsumi Y, Kakinuma Y (2008) Novel families of vacuolar amino acid transporters. *IUBMB Life* 60(8):519-525.
7. Kotyk A, Rihová L (1972) Energy requirement for amino acid uptake in *Saccharomyces cerevisiae*. *Folia Microbiol (Praha)* 17(5):353-356.
8. Woodward JR, Cirillo VP (1977) Amino acid transport and metabolism in nitrogen-starved cells of *Saccharomyces cerevisiae*. *Journal of Bacteriology* 130(2):714-723.
9. Morrison CE, Lichstein HC (1976) Regulation of lysine transport by feedback inhibition in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 125(3):864-871.
10. Fischer W-N, et al. (2002) Low and high affinity amino acid H⁺-cotransporters for cellular import of neutral and charged amino acids. *Plant J* 29(6):717-731.
11. Opekarova M, Caspari T, Tanner W (1993) Unidirectional arginine transport in reconstituted plasma-membrane vesicles from yeast overexpressing CAN1. *Eur J Biochem* 211(3):683-688.
12. Opekarova M, Kubin J (1997) On the unidirectionality of arginine uptake in the yeast *Saccharomyces cerevisiae*. *FEMS Microbiol Lett* 152(2):261-267.
13. Shimazu M, Sekito T, Akiyama K, Ohsumi Y, Kakinuma Y (2005) A family of basic amino acid transporters of the vacuolar membrane from *Saccharomyces cerevisiae*. *J Biol Chem* 280(6):4851-4857.
14. Cooper TG, Britton C, Brand L, Sumrada R (1979) Addition of basic amino acids prevents G-1 arrest of nitrogen-starved cultures of *Saccharomyces cerevisiae*. *Journal of Bacteriology* 137(3):1447-1448.
15. Sumrada R, Cooper TG (1978) Basic amino acid inhibition of cell division and macromolecular synthesis in *Saccharomyces cerevisiae*. *J Gen Microbiol* 108(1):45-56.
16. Sumrada R, Cooper T (1976) Basic amino acid inhibition of growth in *Saccharomyces cerevisiae*. *Biochemical and Biophysical Research Communications* 68(2):598-602.
17. Chang AB, Lin R, Studley WK, Tran CV, Saier MH Jr (2004) Phylogeny as a guide to structure and function of membrane transport proteins (Review). *21(3):171-181.*
18. Jardetzky O (1966) Simple allosteric model for membrane pumps. *Nature* 211(5052):969-970.
19. Jack DL, Paulsen IT, Saier MH (2000) The amino acid/polyamine/organocation (APC) superfamily of transporters specific for amino acids, polyamines and organocations. *Microbiology* 146 (Pt 8):1797-1814.
20. Saier MH (2000) Families of transmembrane transporters selective for amino acids and their derivatives. *Microbiology* 146:1775-1795.
21. Shaffer PL, Goehring A, Shankaranarayanan A, Gouaux E (2009) Structure and mechanism of a Na⁺-independent amino acid transporter. *Science* 325(5943):1010-1014.
22. Gao X, et al. (2009) Structure and Mechanism of an Amino Acid Antiporter. *Science* 324(5934):1565-1568.
23. Ma D, et al. (2012) Structure and mechanism of a glutamate-GABA antiporter. *Nature* 483(7391):632-636.

24. Krishnamurthy H, Krishnamurthy H, Gouaux E (2012) X-ray structures of LeuT in substrate-free outward-open and apo inward-open states. *Nature* 481(7382):469-474.
25. Yamashita A, Singh SK, Kawate T, Jin Y, Gouaux E (2005) Crystal structure of a bacterial homologue of Na⁺/Cl⁻-dependent neurotransmitter transporters. *Nature* 437(7056):215-223.
26. Weyand S, et al. (2008) Structure and molecular mechanism of a nucleobase-cation-symport-1 family transporter. *Science* 322(5902):709-713.
27. Fang Y, et al. (2009) Structure of a prokaryotic virtual proton pump at 3.2 Å resolution. *Nature* 460(7258):1040-1043.
28. Gao M, Kaiser CA (2006) A conserved GTPase-containing complex is required for intracellular sorting of the general amino-acid permease in yeast. *Nat Cell Biol* 8(7):657-667.
29. Ressel S, Terwisscha van Scheltinga AC, Vornrhein C, Ott V, Ziegler C (2009) Molecular basis of transport and regulation in the Na⁽⁺⁾/betaine symporter BetP. *Nature* 458(7234):47-52.
30. Gao X, et al. (2010) Mechanism of substrate recognition and transport by an amino acid antiporter. *Nature* 463(7282):828-832.
31. Schulze S, Köster S, Geldmacher U, Terwisscha van Scheltinga AC, Kühlbrandt W (2010) Structural basis of Na⁽⁺⁾-independent and cooperative substrate/product antiport in CaiT. *Nature* 467(7312):233-236.
32. Watanabe A, et al. (2010) The mechanism of sodium and substrate release from the binding pocket of vSGLT. *Nature* 468(7326):988-991.
33. Forrest LR, et al. (2008) Mechanism for alternating access in neurotransmitter transporters. *Proc Natl Acad Sci U S A* 105(30):10338-10343.
34. Krishnamurthy H, Piscitelli CL, Gouaux E (2009) Unlocking the molecular secrets of sodium-coupled transporters. *Nature* 459(7245):347-355.
35. Kowalczyk L, et al. (2011) Molecular basis of substrate-induced permeation by an amino acid antiporter. *Proc Natl Acad Sci U S A* 108(10):3935-3940.
36. Perez C, et al. (2011) Substrate specificity and ion coupling in the Na⁺/betaine symporter BetP. *The EMBO Journal* 30(7):1221-1229.
37. Ghaddar K, et al. (2014) Converting the yeast arginine Can1 permease to a lysine permease. *J Biol Chem*. doi:10.1074/jbc.M113.525915.
38. Oriji R, Postmus J, Beek Ter A, Brul S, Smits GJ (2009) *In vivo* measurement of cytosolic and mitochondrial pH using a pH-sensitive GFP derivative in *Saccharomyces cerevisiae* reveals a relation between intracellular pH and growth. *Microbiology* 155(Pt 1):268-278.
39. Poolman B, Driessen AJ, Konings WN (1987) Regulation of solute transport in streptococci by external and internal pH values. *Microbiol Rev* 51(4):498-508.
40. Poolman B, et al. (1996) Cation and sugar selectivity determinants in a novel family of transport proteins. *Mol Microbiol* 19(5):911-922.
41. Lolkema JS, Poolman B (1995) Uncoupling in secondary transport proteins. A mechanistic explanation for mutants of lac permease with an uncoupled phenotype. *J Biol Chem* 270(21):12670-12676.
42. Poolman B, Knol J, Lolkema JS (1995) Kinetic Analysis of Lactose and Proton Coupling in Glu379 Mutants of the Lactose Transport Protein of *Streptococcus thermophilus*. *The Journal of Biological Chemistry* 270:12995-13003.
43. Carrasco N, Antes LM, Poonian SP, Kaback HR (1986) Lac Permease of *Escherichia coli*: Histidine-322 and Glutamic Acid-325 May Be Components of a Charge-Relay System. *Biochemistry* 25:4486-4488.
44. Carrasco N, et al. (1989) Characterization of Site-Directed Mutants in the he lac Permease of *Escherichia coli*. 2. Glutamate-325 Replacements. *Biochemistry* 28:2533-2539.

45. Andersson M, et al. (2012) Proton-coupled dynamics in lactose permease. *Structure* 20(11):1893-1904.
46. Garczarek F, Gerwert K (2005) Functional waters in intraprotein proton transfer monitored by FTIR difference spectroscopy. *Nature* 439(7072):109-112.
47. Kovalevsky AY, et al. (2011) Identification of the elusive hydronium ion exchanging roles with a proton in an enzyme at lower pH values. *Angew Chem Int Ed Engl* 50(33):7520-7523.
48. Boyer PD (1988) Bioenergetic coupling to protonmotive force: should we be considering hydronium ion coordination and not group protonation? *Trends Biochem Sci* 13(1):5-7.
49. Wilson DM, Wilson TH (1987) Cation specificity for sugar substrates of the melibiose carrier in *Escherichia coli*. *Biochim Biophys Acta* 904(2):191-200.
50. Ethayathulla AS, et al. (2013) Structure-based mechanism for Na. *Nature Communications* 5:1-11.
51. Kaur J, Olkhova E, Malviya VN, Grell E, Michel H (2014) A L-lysine transporter of high stereoselectivity of the amino acid-polyamine-organocation (APC) superfamily: production, functional characterization, and structure modeling. *Journal of Biological Chemistry* 289(3):1377-1387.
52. Pinson B, Chevallier J, Urban-Grimal D (1999) Only one of the charged amino acids located in membrane-spanning regions is important for the function of the *Saccharomyces cerevisiae* uracil permease. *Biochem J* 339 (Pt 1)(Pt 1):37-42.
53. Ghaddar K, et al. (2014) Substrate-induced ubiquitylation and endocytosis of yeast amino acid permeases. *Mol Cell Biol* 34(24):4447-4463.
54. Hein C, Springael JY, Volland C, Haguenaer-Tsapis R, Andre B (1995) NPI1, an essential yeast gene involved in induced degradation of Gap1 and Fur4 permeases, encodes the Rsp5 ubiquitin-protein ligase. *Mol Microbiol* 18(1):77-87.
55. Springael JY, Galan JM, Haguenaer-Tsapis R, Andre B (1999) NH₄⁺-induced down-regulation of the *Saccharomyces cerevisiae* Gap1p permease involves its ubiquitination with lysine-63-linked chains. *J Cell Sci* 112 (Pt 9)(9):1375-1383.
56. Lauwers E, Jacob C, André B (2009) K63-linked ubiquitin chains as a specific signal for protein sorting into the multivesicular body pathway. *J Cell Biol* 185(3):493-502.
57. Lin CH, MacGurn JA, Chu T, Stefan CJ, Emr SD (2008) Arrestin-related ubiquitin-ligase adaptors regulate endocytosis and protein turnover at the cell surface. *Cell* 135(4):714-725.
58. Nikko E, Nikko E, Pelham HRB (2009) Arrestin-Mediated Endocytosis of Yeast Plasma Membrane Transporters. *Traffic* 10(12):1856-1867.
59. Soetens O, De Craene JO, Andre B (2001) Ubiquitin Is Required for Sorting to the Vacuole of the Yeast General Amino Acid Permease, Gap1. *Journal of Biological Chemistry* 276(47):43949-43957.
60. Keener JM, Babst M (2013) Quality Control and Substrate-Dependent Downregulation of the Nutrient Transporter Fur4. *Traffic* 14(4):412-427.
61. Teis D, Saksena S, Emr SD (2009) SnapShot: The ESCRT Machinery. *Cell* 137(1):182-182.e1.
62. Saksena S, Sun J, Chu T, Emr SD (2007) ESCRTing proteins in the endocytic pathway. *Trends Biochem Sci* 32(12):561-573.
63. Zhao Y, MacGurn JA, Liu M, Emr S (2013) The ART-Rsp5 ubiquitin ligase network comprises a plasma membrane quality control system that protects yeast cells from proteotoxic stress. *eLife* 2(0):e00459-e00459.
64. Van Zeebroeck G, Rubio-Texeira M, Schothorst J, Thevelein JM (2014) Specific analogues uncouple transport, signalling, oligo-ubiquitination and endocytosis in the yeast Gap1 amino acid transporter. *Mol Microbiol* 93(2):213-233.
65. Donaton MCV, et al. (2003) The Gap1 general amino acid permease acts as an amino acid sensor for activation of protein kinase A targets in the yeast *Saccharomyces cerevisiae*. *Mol Microbiol* 50(3):911-

66. Giots F, Donaton MCV, Thevelein JM (2003) Inorganic phosphate is sensed by specific phosphate carriers and acts in concert with glucose as a nutrient signal for activation of the protein kinase A pathway in the yeast *Saccharomyces cerevisiae*. *Mol Microbiol* 47(4):1163-1181.
67. Van Nuland A, et al. (2006) Ammonium permease-based sensing mechanism for rapid ammonium activation of the protein kinase A pathway in yeast. *Mol Microbiol* 59(5):1485-1505.
68. Van Zeebroeck G, Bonini BM, Versele M, Thevelein JM (2009) Transport and signaling via the amino acid binding site of the yeast Gap1 amino acid transceptor. *Nat Chem Biol* 5(1):45-52.
69. Hein C, André B (1997) A C-terminal di-leucine motif and nearby sequences are required for NH₄⁺-induced inactivation and degradation of the general amino acid permease, Gap1p, of *Saccharomyces cerevisiae*. *Mol Microbiol* 24(3):607-616.
70. Roth AF, et al. (2006) Global analysis of protein palmitoylation in yeast. *Cell* 125(5):1003-1013.
71. Nishimura N, Balch WE (1997) A di-acidic signal required for selective export from the endoplasmic reticulum. *Science* 277(5325):556-558.
72. Malkus P, Jiang F, Schekman R (2002) Concentrative sorting of secretory cargo proteins into COPII-coated vesicles. *J Cell Biol* 159(6):915-921.
73. Springael JY, André B (1998) Nitrogen-regulated ubiquitination of the Gap1 permease of *Saccharomyces cerevisiae*. *Mol Biol Cell* 9(6):1253-1263.
74. Omura F, Kodama Y, Ashikari T (2001) The basal turnover of yeast branched-chain amino acid permease Bap2p requires its C-terminal tail. *FEMS Microbiol Lett* 194:207-214.
75. Cooper TG (2002) Transmitting the signal of excess nitrogen in *Saccharomyces cerevisiae* from the Tor proteins to the GATA factors: connecting the dots. *Fems Microbiology Reviews* 26(3):222-238.
76. Magasanik B, Kaiser CA (2002) Nitrogen regulation in *Saccharomyces cerevisiae*. *Gene* 290(1-2):1-18.
77. Georis I, Feller A, Vierendeels F, Dubois E (2009) The yeast GATA factor Gat1 occupies a central position in nitrogen catabolite repression-sensitive gene activation. *Mol Cell Biol* 29(13):3803-3815.
78. Georis I, Tate JJ, Cooper TG, Dubois E (2011) Nitrogen-responsive regulation of GATA protein family activators Gln3 and Gat1 occurs by two distinct pathways, one inhibited by rapamycin and the other by methionine sulfoximine. *Journal of Biological Chemistry* 286(52):44897-44912.
79. Coffman JA, Cooper TG (1997) Nitrogen GATA factors participate in transcriptional regulation of vacuolar protease genes in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 179(17):5609-5613.
80. Forsberg H, Ljungdahl PO (2001) Genetic and Biochemical Analysis of the Yeast Plasma Membrane Ssy1p-Ptr3p-Ssy5p Sensor of Extracellular Amino Acids. *Mol Cell Biol* 21(3):814-826.
81. Ljungdahl PO (2009) Amino-acid-induced signalling via the SPS-sensing pathway in yeast. *Biochem Soc Trans* 37(Pt 1):242-247.
82. Kralt A, et al. (2015) Intrinsically disordered linker and plasma membrane-binding motif sort Ist2 and Ssy1 to junctions. *Traffic* 16(2):135-147.
83. Klasson H, Fink GR, Ljungdahl PO (1999) Ssy1p and Ptr3p are plasma membrane components of a yeast system that senses extracellular amino acids. *Mol Cell Biol* 19(8):5405-5416.
84. Didion T, Regenbreg B, Jørgensen MU, Kielland-Brandt MC, Andersen HA (1998) The permease homologue Ssy1p controls the expression of amino acid and peptide transporter genes in *Saccharomyces cerevisiae*. *Mol Microbiol* 27(3):643-650.
85. Ljungdahl PO, J GC, Styles CA, Fink GR (1993) SHR3: A Novel Component of the Secretory Pathway Specifically Required for Localization of Amino Acid Permeases in Yeast. *Cell* 71:463-478.
86. Kuehn MJ, Schekman R, Ljungdahl PO (1996) Amino acid permeases require COPII components and the

- ER resident membrane protein Shr3p for packaging into transport vesicles in vitro. *J Cell Biol* 135(3):585-595.
87. Meusser B, Hirsch C, Jarosch E, Sommer T (2005) ERAD: the long road to destruction. *Nat Cell Biol* 7(8):766-772.
 88. Huyer G, et al. (2004) Distinct machinery is required in *Saccharomyces cerevisiae* for the endoplasmic reticulum-associated degradation of a multispanning membrane protein and a soluble luminal protein. *J Biol Chem* 279(37):38369-38378.
 89. Kota J, Gilstring CF, Ljungdahl PO (2007) Membrane chaperone Shr3 assists in folding amino acid permeases preventing precocious ERAD. *J Cell Biol* 176(5):617-628.
 90. Kota J, Melin-Larsson M, Ljungdahl PO, Forsberg H (2007) Ssh4, Rcr2 and Rcr1 Affect Plasma Membrane Transporter Activity in *Saccharomyces cerevisiae*. *Genetics* 175(4):1681-1694.
 91. Hinnebusch AG, Natarajan K (2002) Gcn4p, a master regulator of gene expression, is controlled at multiple levels by diverse signals of starvation and stress. *Eukaryot Cell* 1(1):22-32.
 92. Donahue TF, Daves RS, Lucchini G, Fink GR (1983) A short nucleotide sequence required for regulation of HIS4 by the general control system of yeast. *Cell* 32(1):89-98.
 93. Natarajan K, et al. (2001) Transcriptional profiling shows that Gcn4p is a master regulator of gene expression during amino acid starvation in yeast. *Mol Cell Biol* 21(13):4347-4368.
 94. Quezada H, et al. (2008) Specialization of the paralogue LYS21 determines lysine biosynthesis under respiratory metabolism in *Saccharomyces cerevisiae*. *Microbiology* 154(Pt 6):1656-1667.
 95. Ehmann DE, Gehring AM, Walsh CT (1999) Lysine biosynthesis in *Saccharomyces cerevisiae*: mechanism of alpha-aminoadipate reductase (Lys2) involves posttranslational phosphopantetheinylation by Lys5. *Biochemistry* 38(19):6171-6177.
 96. Sinha AK, Bhattacharjee JK (1971) Lysine biosynthesis in *Saccharomyces*. Conversion of -aminoadipate into -aminoadipic -semialdehyde. *Biochem J* 125(3):743-749.
 97. Fjellstedt TA, Ogur M (1970) Effects of Supersuppressor Genes on Enzymes Controlling Lysine Biosynthesis in *Saccharomyces*. *Journal of Bacteriology* 101:108-117.
 98. JONES EE, BROQUIST HP (1965) SACCHAROPINE, AN INTERMEDIATE OF THE AMINOADIPIC ACID PATHWAY OF LYSINE BIOSYNTHESIS. II. STUDIES IN *SACCHAROMYCES CEREVISIAE*. *J Biol Chem* 240(6):2531-2536.
 99. Chen EJ, Kaiser CA (2002) Amino acids regulate the intracellular trafficking of the general amino acid permease of *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A* 99(23):14837-14842.
 100. Feller A, Ramos F, Piérard A, Dubois E (1999) In *Saccharomyces cerevisiae*, feedback inhibition of homocitrate synthase isoenzymes by lysine modulates the activation of LYS gene expression by Lys14p. *Eur J Biochem* 261(1):163-170.
 101. Bagnat M, Keränen S, Shevchenko A, Simons K (2000) Lipid rafts function in biosynthetic delivery of proteins to the cell surface in yeast. *Proc Natl Acad Sci U S A* 97(7):3254-3259.
 102. Lauwers E, André B (2006) Association of yeast transporters with detergent-resistant membranes correlates with their cell-surface location. *Traffic* 7(8):1045-1059.
 103. van der Rest ME, et al. (1995) The plasma membrane of *Saccharomyces cerevisiae*: structure, function, and biogenesis. *Microbiol Rev* 59(2):304-322.
 104. Patton JL, Lester RL (1991) The phosphoinositol sphingolipids of *Saccharomyces cerevisiae* are highly localized in the plasma membrane. *Journal of Bacteriology* 173(10):3101-3108.
 105. Umabayashi K, Umabayashi K (2003) Ergosterol is required for targeting of tryptophan permease to the yeast plasma membrane. *J Cell Biol* 161(6):1117-1131.
 106. Dupré S, Haguenuer-Tsapis R (2003) Raft partitioning of the yeast uracil permease during trafficking along the endocytic pathway. *Traffic* 4(2):83-96.

107. Hearn JD, Lester RL, Dickson RC (2003) The uracil transporter Fur4p associates with lipid rafts. *J Biol Chem* 278(6):3679-3686.
108. Lee MCS, Hamamoto S, Schekman R (2002) Ceramide biosynthesis is required for the formation of the oligomeric H⁺-ATPase Pma1p in the yeast endoplasmic reticulum. *J Biol Chem* 277(25):22395-22401.
109. Malínská K (2003) Visualization of Protein Compartmentation within the Plasma Membrane of Living Yeast Cells. *Mol Biol Cell* 14(11):4427-4436.
110. Daicho K, et al. (2007) The ergosterol biosynthesis inhibitor zaragozic acid promotes vacuolar degradation of the tryptophan permease Tat2p in yeast. *Biochim Biophys Acta* 1768(7):1681-1690.
111. Vivero-Pol L, George N, Krumm H, Johnsson K, Johnsson N (2005) Multicolor imaging of cell surface proteins. *J Am Chem Soc* 127(37):12770-12771.
112. Malínská K, Malinsky J, Opekarová M, Tanner W (2004) Distribution of Can1p into stable domains reflects lateral protein segregation within the plasma membrane of living *S. cerevisiae* cells. *J Cell Sci* 117(Pt 25):6031-6041.
113. Young ME, et al. (2002) The Sur7p family defines novel cortical domains in *Saccharomyces cerevisiae*, affects sphingolipid metabolism, and is involved in sporulation. *Mol Cell Biol* 22(3):927-934.
114. Grossmann G, Opekarová M, Malinsky J, Weig-Meckl I, Tanner W (2007) Membrane potential governs lateral segregation of plasma membrane proteins and lipids in yeast. *The EMBO Journal* 26(1):1-8.
115. Stradalova V, et al. (2009) Furrow-like invaginations of the yeast plasma membrane correspond to membrane compartment of Can1. *J Cell Sci* 122(16):2887-2894.
116. Brach T, et al. (2011) Reassessment of the role of plasma membrane domains in the regulation of vesicular traffic in yeast. *J Cell Sci* 124(Pt 3):328-337.
117. Spira F, et al. (2012) Patchwork organization of the yeast plasma membrane into numerous coexisting domains. *Nat Cell Biol* 14(6):640-648.
118. Browman DT, et al. (2007) The SPFH domain-containing proteins: more than lipid raft markers. *Trends in Cell Biology* 17(8):394-402.
119. Walther TC, et al. (2006) Eisosomes mark static sites of endocytosis. *Nat Cell Biol* 439(7079):998-1003.
120. Karotki L, et al. (2011) Eisosome-driven plasma membrane organization is mediated by BAR domains. *J Cell Biol* 18(7):854-856.
121. Walther TC, et al. (2007) Pkh-kinases control eisosome assembly and organization. *The EMBO Journal* 26(24):4946-4955.
122. Stradalova V, et al. (2012) Distribution of Cortical Endoplasmic Reticulum Determines Positioning of Endocytic Events in Yeast Plasma Membrane. *PLoS One* 7(4):e35132.
123. Grossmann G, et al. (2008) Plasma membrane microdomains regulate turnover of transport proteins in yeast. *J Cell Biol* 183(6):1075-1088.
124. Grousl T, Opekarová M, Stradalova V, Hasek J, Malinsky J (2015) Evolutionarily Conserved 5'-3' Exoribonuclease Xrn1 Accumulates at Plasma Membrane-Associated Eisosomes in Post-Diauxic Yeast. *PLoS One* 10(3):e0122770.
125. Aresta-Branco F, et al. (2011) Gel Domains in the Plasma Membrane of *Saccharomyces cerevisiae*: HIGHLY ORDERED, ERGOSTEROL-FREE, AND SPHINGOLIPID-ENRICHED LIPID RAFTS. *J Biol Chem* 286(7):5043-5054.
126. Valdez-Taubas J, Pelham HRB (2003) Slow Diffusion of Proteins in the Yeast Plasma Membrane Allows Polarity to Be Maintained by Endocytic Cycling. *Current Biology* 13(18):1636-1640.
127. Ries J, Klose C, Walch-Solimena C, Schuille P (2008) How to measure slow diffusion in yeast cell membranes. *Photonics Europe* 6991:69910W-69910W-8.

128. Axelrod D, Koppel DE, Schlessinger J, Elson E, Webb WW (1976) Mobility measurement by analysis of fluorescence photobleaching recovery kinetics. *Biophys J* 16(9):1055-1069.
129. Ganguly S, Singh P, Manoharlar R, Prasad R, Chattopadhyay A (2009) Differential dynamics of membrane proteins in yeast. *Biochemical and Biophysical Research Communications* 387(4):661-665.
130. Vinnakota KC, Mitchell DA, Deschenes RJ, Wakatsuki T, Beard DA (2010) Analysis of the diffusion of Ras2 in *Saccharomyces cerevisiae* using fluorescence recovery after photobleaching. *Phys Biol* 7(2):026011.
131. Fujiwara T (2002) Phospholipids undergo hop diffusion in compartmentalized cell membrane. *J Cell Biol* 157(6):1071-1082.
132. Greenberg ML, Axelrod D (1993) Anomalously slow mobility of fluorescent lipid probes in the plasma membrane of the yeast *Saccharomyces cerevisiae*. *J Membr Biol* 131(2):115-127.
133. Pruyne D, Bretscher A (2000) Polarization of cell growth in yeast. *J Cell Sci* 113 (Pt 4):571-585.
134. Marco E, et al. (2007) Endocytosis Optimizes the Dynamic Localization of Membrane Proteins that Regulate Cortical Polarity. *Cell* 129(2):411-422.
135. Kukulski W, et al. (2012) Plasma membrane reshaping during endocytosis is revealed by time-resolved electron tomography. *Cell* 150(3):508-520.
136. Stradalova V, et al. (2012) Distribution of cortical endoplasmic reticulum determines positioning of endocytic events in yeast plasma membrane. *PLoS One* 7(4):e35132.
137. Forrest LR, Krämer R, Ziegler C (2011) The structural basis of secondary active transport mechanisms. *Biochim Biophys Acta* 1807(2):167-188.
138. Shimamura T, et al. (2010) Molecular basis of alternating access membrane transport by the sodium-hydantoin transporter Mhp1. *Science* 328(5977):470-473.
139. Drew D, et al. (2008) GFP-based optimization scheme for the overexpression and purification of eukaryotic membrane proteins in *Saccharomyces cerevisiae*. *Nat Protoc* 3(5):784-798.
140. Zollmann T, et al. (2015) Single liposome analysis of peptide translocation by the ABC transporter TAPL. *Proc Natl Acad Sci U S A* 112(7):2046-2051.
141. Mulligan C, et al. (2009) The substrate-binding protein imposes directionality on an electrochemical sodium gradient-driven TRAP transporter. *Proc Natl Acad Sci U S A* 106(6):1778-1783.
142. Sychrova H, Matějcková A, Kotyk A (1993) Kinetic properties of yeast lysine permeases coded by genes on multi-copy vectors. *FEMS Microbiol Lett* 113(1):57-61.
143. Robertson DE, Kaczorowski GJ, Garcia ML, Kaback HR (1980) Active transport in membrane vesicles from *Escherichia coli*: the electrochemical proton gradient alters the distribution of the lac carrier between two different kinetic states. *Biochemistry* 19(25):5692-5702.
144. Guan L, Kaback HR (2004) Binding affinity of lactose permease is not altered by the H⁺ electrochemical gradient. *Proc Natl Acad Sci U S A* 101(33):12148-12152.
145. Sherman F, Fink GR, Hicks JB (1986) Laboratory course manual for methods in yeast genetics. 186.
146. Nørholm MHH (2010) A mutant Pfu DNA polymerase designed for advanced uracil-excision DNA engineering. *BMC Biotechnol* 10(1):21.
147. Alani E, Cao L, Kleckner N (1987) A method for gene disruption that allows repeated use of URA3 selection in the construction of multiply disrupted yeast strains. *Genetics* 116(4):541-545.
148. Geertsma ER, Poolman B (2007) High-throughput cloning and expression in recalcitrant bacteria. *Nat Methods* 4(9):705-707.
149. Newman MJ, Wilson TH (1980) Solubilization and reconstitution of the lactose transport system from *Escherichia coli*. *J Biol Chem* 255(22):10583-10586.
150. Cladera J, Rigaud JL, Bottin H, Duñach M (1996) Functional reconstitution of photosystem I reaction

center from *cyanobacterium Synechocystis* sp PCC6803 into liposomes using a new reconstitution procedure. *J Bioenerg Biomembr* 28(6):503-515.

151. Geertsma ER, Nik Mahmood NAB, Schuurman-Wolters GK, Poolman B (2008) Membrane reconstitution of ABC transporters and assays of translocator function. *Nat Protoc* 3(2):256-266.
152. Bernsel A, Viklund H, Hennerdal A, Elofsson A (2009) TOPCONS: consensus prediction of membrane protein topology. *Nucleic Acids Res* 37(Web Server issue):W465-8.
153. Saier MH, Reddy VS, Tamang DG, Västermark A (2014) The transporter classification database. *Nucleic Acids Res* 42(Database issue):D251-8.
154. Reddy VS, Shlykov MA, Castillo R, Sun EI, Saier MH Jr (2012) The major facilitator superfamily (MFS) revisited. *FEBS J* 279(11):2022-2035.
155. Tsirigos KD, Peters C, Shu N, Käll L, Elofsson A (2015) The TOPCONS web server for consensus prediction of membrane protein topology and signal peptides. *Nucleic Acids Res* 43(W1):W401-7.
156. Yan N (2013) Structural advances for the major facilitator superfamily (MFS) transporters. *Trends Biochem Sci* 38(3):151-159.
157. Gromadka R, Gora M, Zielenkiewicz U, Slonimski PP, Rytka J (1996) Subtelomeric duplications in *Saccharomyces cerevisiae* chromosomes III and XI: topology, arrangements, corrections of sequence and strain-specific polymorphism. *Yeast* 12(6):583-591.
158. Shimazu M, et al. (2012) Vba5p, a novel plasma membrane protein involved in amino acid uptake and drug sensitivity in *Saccharomyces cerevisiae*. *Biosci Biotechnol Biochem* 76(10):1993-1995.
159. Brachmann CB, et al. (1998) Designer deletion strains derived from *Saccharomyces cerevisiae* S288C: a useful set of strains and plasmids for PCR-mediated gene disruption and other applications. *Yeast* 14(2):115-132.
160. Casadaban MJ, Cohen SN (1980) Analysis of gene control signals by DNA fusion and cloning in *Escherichia coli*. *Journal of Molecular Biology* 138(2):179-207.
161. Giaever G, et al. (2002) Functional profiling of the *Saccharomyces cerevisiae* genome. *Nature* 418(6896):387-391.
162. Newstead S, et al. (2007) High-throughput fluorescent-based optimization of eukaryotic membrane protein overexpression and purification in *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A* 104(35):13936-13941.
163. Janke C, et al. (2004) A versatile toolbox for PCR-based tagging of yeast genes: new fluorescent proteins, more markers and promoter substitution cassettes. *Yeast* 21(11):947-962.
164. Sikorski RS, Hieter P (1989) A system of shuttle vectors and yeast host strains designed for efficient manipulation of DNA in *Saccharomyces cerevisiae*. *Genetics* 122(1):19-27.
165. Gueldener U, Heinisch J, Koehler GJ, Voss D, Hegemann JH (2002) A second set of loxP marker cassettes for Cre-mediated multiple gene knockouts in budding yeast. *Nucleic Acids Res* 30(6):e23-e23.
166. Blobel G (1980) Regulation of intracellular protein traffic. *Harvey Lect* 76:125-147.
167. Dingwall C, Sharnick SV, Laskey RA (1982) A polypeptide domain that specifies migration of nucleoplasmin into the nucleus. *Cell* 30(2):449-458.
168. Dingwall C, Laskey RA (1991) Nuclear targeting sequences--a consensus? *Trends Biochem Sci* 16(12):478-481.
169. Cornell RB, Taneva SG (2006) Amphipathic helices as mediators of the membrane interaction of amphitropic proteins, and as modulators of bilayer physical properties. *Curr Protein Pept Sci* 7(6):539-552.
170. Hennerdal A, Elofsson A (2011) Rapid membrane protein topology prediction. *Bioinformatics* 27(9):1322-1323.

171. Gatto GJ (2003) Nonrandom tripeptide sequence distributions at protein carboxyl termini. *Genome Res* 13(4):617-623.
172. Sonnichsen FD, Van Eyk JE, Hodges RS, Sykes BD (1992) Effect of trifluoroethanol on protein secondary structure: an NMR and CD study using a synthetic actin peptide. *Biochemistry* 31(37):8790-8798.
173. Manford AG, Stefan CJ, Yuan HL, MacGurn JA, Emr SD (2012) ER-to-plasma membrane tethering proteins regulate cell signaling and ER morphology. *Dev Cell* 23(6):1129-1140.
174. Maass K, et al. (2009) A signal comprising a basic cluster and an amphipathic α -helix interacts with lipids and is required for the transport of Ist2 to the yeast cortical ER. *J Cell Sci* 122(Pt 5):625-635.
175. Jüschke C, Wächter A, Schwappach B, Seedorf M (2005) SEC18/NSF-independent, protein-sorting pathway from the yeast cortical ER to the plasma membrane. *J Cell Biol* 169(4):613-622.
176. Celton-Morizur S, Bordes N, Fraissier V, Tran PT, Paoletti A (2004) C-terminal anchoring of mid1p to membranes stabilizes cytokinetic ring position in early mitosis in fission yeast. *Mol Cell Biol* 24(24):10621-10635.
177. Winters MJ, Lamson RE, Nakanishi H, Neiman AM, Pryciak PM (2005) A membrane binding domain in the ste5 scaffold synergizes with G β binding to control localization and signaling in pheromone response. *Mol Cell* 20(1):21-32.
178. Meinema AC, et al. (2011) Long unfolded linkers facilitate membrane protein import through the nuclear pore complex. *Science* 333(6038):90-93.
179. Linder ME, Deschenes RJ (2003) New insights into the mechanisms of protein palmitoylation. *Biochemistry* 42(15):4311-4320.
180. Atwal RS, et al. (2007) Huntingtin has a membrane association signal that can modulate huntingtin aggregation, nuclear entry and toxicity. *Hum Mol Genet* 16(21):2600-2615.
181. Loewen CJR, et al. (2004) Phospholipid metabolism regulated by a transcription factor sensing phosphatidic acid. *Science* 304(5677):1644-1647.
182. Neiman AM, Katz L, Brennwald PJ (2000) Identification of domains required for developmentally regulated SNARE function in *Saccharomyces cerevisiae*. *Genetics* 155(4):1643-1655.
183. Pryciak PM, Huntress FA (1998) Membrane recruitment of the kinase cascade scaffold protein Ste5 by the G β complex underlies activation of the yeast pheromone response pathway. *Genes Dev* 12(17):2684-2697.
184. van Drogen F, et al. (2000) Phosphorylation of the MEKK Ste11p by the PAK-like kinase Ste20p is required for MAP kinase signaling in vivo. *Curr Biol* 10(11):630-639.
185. Endres NF, et al. (2013) Conformational coupling across the plasma membrane in activation of the EGF receptor. *Cell* 152(3):543-556.
186. Smets B, et al. (2010) Life in the midst of scarcity: adaptations to nutrient availability in *Saccharomyces cerevisiae*. *Curr Genet* 56(1):1-32.
187. Cornell RB, Northwood IC (2000) Regulation of CTP:phosphocholine cytidyltransferase by amphitropism and relocalization. *Trends Biochem Sci* 25(9):441-447.
188. Piatkevich KD, et al. (2010) Monomeric red fluorescent proteins with a large Stokes shift. *Proc Natl Acad Sci U S A* 107(12):5369-5374.
189. Cormack BP, et al. (1997) Yeast-enhanced green fluorescent protein (yEGFP): a reporter of gene expression in *Candida albicans*. *Microbiology* 143:303-311.
190. Bitinaite J, Nichols NM (2009) DNA cloning and engineering by uracil excision. *Curr Protoc Mol Biol* Chapter 3:Unit 3.21.
191. Lee CC, Williams TG, Wong DWS, Robertson GH (2005) An episomal expression vector for screening mutant gene libraries in *Pichia pastoris*. *Plasmid* 54(1):80-85.

-
192. Schneider CA, Rasband WS, Eliceiri KW (2012) NIH Image to ImageJ: 25 years of image analysis. *Nat Methods* 9(7):671-675.
193. Meinema AC, Poolman B, Veenhoff LM (2013) Quantitative analysis of membrane protein transport across the nuclear pore complex. *Traffic* 14(5):487-501.
194. Phillips R, Kondev J, Theriot J, Garcia HG (2013) *Physical Biology of the Cell (Garland Science)*
195. Suzek BE, Huang H, McGarvey P, Mazumder R, Wu CH (2007) UniRef: comprehensive and non-redundant UniProt reference clusters. *Bioinformatics* 23(10):1282-1288.
196. Saier MH (2000) A functional-phylogenetic classification system for transmembrane solute transporters. *Microbiol Mol Biol Rev* 64(2):354-411.
197. Magrane M, Consortium U (2011) UniProt Knowledgebase: a hub of integrated protein data. *Database (Oxford)* 2011:bar009.
198. Katoh K, Standley DM (2013) MAFFT multiple sequence alignment software version 7: improvements in performance and usability. *Mol Biol Evol* 30(4):772-780.
199. Waterhouse AM, Procter JB, Martin DMA, Clamp M, Barton GJ (2009) Jalview Version 2a multiple sequence alignment editor and analysis workbench. *Bioinformatics* 25(9):1189-1191.
200. Drozdetskiy A, Cole C, Procter J, Barton GJ (2015) JPred4: a protein secondary structure prediction server. *Nucleic Acids Res* 43(W1):W389-94.
201. Petersen B, Lundegaard C, Petersen TN (2010) NetTurnP--neural network prediction of beta-turns by use of evolutionary information and predicted protein sequence features. *PLoS One* 5(11):e15079.
202. Crooks GE, Hon G, Chandonia J-M, Brenner SE (2004) WebLogo: a sequence logo generator. *Genome Res* 14(6):1188-1190.
203. Van Meer G, Voelker DR, Feigenson GW (2008) Membrane lipids: where they are and how they behave. *Nature Reviews Molecular Cell Biology* 9(2):112-124.
204. Kusumi A, Ike H, Nakada C, Murase K, Fujiwara T (2005) Single-molecule tracking of membrane molecules: plasma membrane compartmentalization and dynamic assembly of raft-philic signaling molecules. *Semin Immunol* 17(1):3-21.
205. Douglas LM, Wang HX, Li L, Konopka JB (2011) Membrane Compartment Occupied by Can1 (MCC) and Eosome Subdomains of the Fungal Plasma Membrane. *Membranes* 1(4):394-411.
206. Ziólkowska NE, Christiano R, Walther TC (2012) Organized living: formation mechanisms and functions of plasma membrane domains in yeast. *Trends in Cell Biology* 22(3):151-158.
207. Malinsky J, Opekarová M, Tanner W (2010) The lateral compartmentation of the yeast plasma membrane. *Yeast* 27(8):473-478.
208. Michalet X (2010) Mean square displacement analysis of single-particle trajectories with localization error: Brownian motion in an isotropic medium. *Phys Rev E Stat Nonlin Soft Matter Phys* 82(4 Pt 1):041914.
209. van Steensel B, et al. (1996) Partial colocalization of glucocorticoid and mineralocorticoid receptors in discrete compartments in nuclei of rat hippocampus neurons. *J Cell Sci* 109 (Pt 4):787-792.
210. Bevis BJ, Hammond AT, Reinke CA, Glick BS (2002) De novo formation of transitional ER sites and Golgi structures in *Pichia pastoris*. *Nat Cell Biol* 4(10):750-756.
211. Robson A, Burrage K, Leake MC (2013) Inferring diffusion in single live cells at the single-molecule level. *Philosophical transactions of the Royal Society of London Series B, Biological sciences* 368(1611):20120029.
212. Pelham HR (1995) Sorting and retrieval between the endoplasmic reticulum and Golgi apparatus. *Current Opinion in Cell Biology* 7(4):530-535.

213. Merhi A, Andre B (2012) Internal Amino Acids Promote Gap1 Permease Ubiquitylation via TORC1/Npr1/14-3-3-Dependent Control of the Bul Arrestin-Like Adaptors. *Mol Cell Biol* 32(22):4510-4522.
214. Meinema AC, Meinema AC, Poolman B, Veenhoff LM. (2013) Quantitative analysis of membrane protein transport across the nuclear pore complex. *Traffic* 14(5):487-501
215. Andrews SS, Addy NJ, Brent R, Arkin AP (2010) Detailed simulations of cell biology with Smoldyn 2.1. *PLoS Comput Biol* 6(3):e1000705.
216. MATLAB and Statistics Toolbox
217. Sambrook J, Fritsch EF, Maniatis T (1989) *Molecular cloning: A laboratory manual (Cold Spring Harbor Laboratory, Cold Spring Harbor, New York).*
218. Hedde PN, Fuchs J, Oswald F, Wiedenmann J, Nienhaus GU (2009) Online image analysis software for photoactivation localization microscopy. *Nat Methods* 6(10):689-690.
219. Isnard AD, Thomas D, Surdin-Kerjan Y (1996) The study of methionine uptake in *Saccharomyces cerevisiae* reveals a new family of amino acid permeases. *Journal of Molecular Biology* 262(4):473-484.
220. Devés R, Boyd CA (1998) Transporters for cationic amino acids in animal cells: discovery, structure, and function. *Physiol Rev* 78(2):487-545.
221. Agarwal V, Fink U, Schuldiner S, Reif B (2007) MAS solid-state NMR studies on the multidrug transporter EmrE. *Biochimica et Biophysica Acta (BBA) - Biomembranes* 1768(12):3036-3043.
222. Marks DS, et al. (2011) Protein 3D structure computed from evolutionary sequence variation. *PLoS One* 6(12):e28766.
223. Marks DS, Hopf TA, Sander C (2012) Protein structure prediction from sequence variation. *Nat Biotechnol* 30(11):1072-1080.
224. Hopf TA, et al. (2012) Three-dimensional structures of membrane proteins from genomic sequencing. *Cell* 149(7):1607-1621.
225. Morcos F, et al. (2011) Direct-coupling analysis of residue coevolution captures native contacts across many protein families. *Proc Natl Acad Sci U S A* 108(49):E1293-301.
226. Sievers F, et al. (2011) Fast, scalable generation of high-quality protein multiple sequence alignments using Clustal Omega. *Mol Syst Biol* 7:539.
227. Merhi A, et al. (2011) Systematic mutational analysis of the intracellular regions of yeast Gap1 permease. *PLoS One* 6(4):e18457.
228. Surma MA, et al. (2011) Generic Sorting of Raft Lipids into Secretory Vesicles in Yeast. *Traffic* 12(9):1139-1147.
229. Maximov, S., Ott, V., Belkoura, L. & Krämer, R. (2014) Stimulus analysis of BetP activation under in vivo conditions. *Biochim. Biophys. Acta* 1838, 1288-1295.
230. Kalayil, S., Schulze, S. & Kühlbrandt, W. (2013) Arginine oscillation explains Na⁺ independence in the substrate/product antiporter CaiT. *Proc Natl Acad Sci U S A* 110, 17296-17301.
231. Billesbølle, C. B. et al. (2015) Substrate-induced Unlocking of the Inner Gate Determines the Catalytic Efficiency of a Neurotransmitter:Sodium Symporter. *J. Biol. Chem.* 290, 26725-26738.
232. Piscitelli, C. L., Krishnamurthy, H. & Gouaux, E. (2010) Neurotransmitter/sodium symporter orthologue LeuT has a single high-affinity substrate site. *Nature* 468, 1129-1132.
233. Li, Z. et al. Identification of a second substrate-binding site in solute-sodium symporters. *Journal of Biological Chemistry* 290, 7361-7361 (2015).
234. Bjerregaard, H., Severinsen, K., Said, S., Wiborg, O. & Sinning, S. (2015) A dualistic conformational response to substrate binding in the human serotonin transporter reveals a high affinity state for serotonin. *Journal of Biological Chemistry* 290, 7747-7755.