

University of Groningen

## Inductive types in constructive languages

Bruin, Peter Johan de

**IMPORTANT NOTE:** You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

1995

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Bruin, P. J. D. (1995). *Inductive types in constructive languages*. s.n.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

# Index

- (relational composition), 37
- $\bar{\circ}$  (forward composition), 28
- $\bar{\circ}$  (morphism composition), 51
- $\circ$  (backward composition), 28
- ! (unique element type), 34
- (, ), 31
- (;), 29
- ( | ), 32, 39
- +, 32
- . (function application), 28
- 0, 33, 40
- ::, 27, 31
- ::=, 32
- :=, 24
- :=:, 30
- =, 33
- ==, 128
- ==>, 128
- =<sub>t</sub>, 26
- ? (goal variable), 137
- [ ] (relational image), 38
- # (length of a sequence), 33
- ALG**, 54, 59
- Alg**, 53
- CAT<sub>i</sub>**, 51
- CPO**, 99
- Card**, 122
- Cat<sub>i</sub>**, 50
- Define by, 30, 32
- $\Delta$  (diagonal functor), 52
- Dom, 31
- FAM, 111
- Fam, 31
- I (identity function), 28
- Id (identity object), 51
- K (constant function), 28
- IN, 33
- IN\_rec, 33
- Ord**, 122
- $\mathcal{P}$  (subset type), 37
- $\Pi$  (generalized product), 27
- Prop**, 34
- Set**, 120
- $\Sigma$  (generalized sum), 29
- Sign** (signatures), 53
- TYPE<sub>i</sub>**, 51
- Type<sub>i</sub>**, 26
- Variables, 25
- \_ (anonymous variable), 24
- ac (axiom of choice), 35
- $\perp$  (undefined object), 99, 101
- card, 122
- $\downarrow$  (definedness), 101
- eq, 33–35
- $\exists$ \_elim, 35, 137
- $\exists$ \_in, 35
- $\exists$ , 35
- \ (reverse application), 27
- fst, 29
- $\in$ , 37
- $\iota$  (iota description operator), 35, 136, 139
- $\leq$  (subobject inclusion), 53
- $\mapsto$  (function abstraction), 28
- $\mu$  (initial  $F$ -algebra), 68
- $\mu$ \_rec, 77
- $\nu$  (final  $F$ -coalgebra), 85
- $\omega$ \_chain, 99
- $\omega$ , 33
- $\pi$  (product projection), 28
- // (quotient type), 140
- raa (reductio ad absurdum), 36
- s (successor), 33
- $\sigma$  (sum injection), 29
- $\sim$ , 37, 58
- snd, 29
- $\sqsubseteq$  (approximates), 99
- $\subseteq$ , 37
- $\subseteq_t$  (coercion), 25
- $\times$ , 32, 52
- $\rightarrow$ , 27, 50
- $\rightarrow_c$  (continuous function space), 99
- $\rightarrow$  (natural transformations), 51
- $\triangleright$ , 29
- $\uparrow$  (optional objects), 101

- $\vdash$ , 24
- $\vdash$  (derivability), 128
- $[\ ]$ , 29
- $\langle \ \rangle$  (sequences), 32
- $\langle \ \rangle$  (tupling function), 28
- $[\ ]$  (anamorphism), 85
- $(\ )$  (catamorphism), 54
- $[[\ ]]$  (paramorphism), 75
- $\{ \mid \}$ , 36, 37
- $\{ \ :: \}$ , 37
- $\| \mid$ , 37
- $^{\cup}$  (relational inverse), 37
- $^{\text{op}}$  (dual category), 52
- $*$  (finite sequences), 33
- $<$  (relational left domain), 37
- $>$  (relational right domain), 37
  
- abstract syntax class, 19, 20
- ADAM, 8, 18
- ALF, 12
- algebra, 53
- algebra with equations, 57
- algebra,  $\Sigma$ -, 54
- algebra,  $F$ -, 54
- algebraic recursion, 74
- Algebraic Specification, 63
- ambiguity, 113
- anamorphism, 85, 87
- anti-foundation, 125
- ATT (ADAM's Type Theory), 126
- Automath, 11
- axiom of choice, 35, 121
  
- Backus-Naur form, 32
- bar recursion, 112
- binary tree, 41
- boolean, 32
  
- cardinal, 122
- carrier, 53
- catamorphism, 54
- category, 50
- CC, 12, 107
- co-inductive types, 85
- coalgebra,  $F$ -, 85
- cocone, 100
- coercion, 25
- concrete syntax class, 19, 22
- cons list, 41
- constructive type theory, 10
- context, 126
- continuous function, 99
  
- convertible, 128
- coproduct, 53
- cpo, 98
- CSP, 88
- CTT, 10
  
- declaration, 25
- declaration type, 30
- definition, 24
- dependent recursion, 76
- description operator, 136
- deterministic, 45
- DEVA, 12
- dialgebra, 54
- dinaturality, 153
- domain, 31
- domain theory, 98
- dual, 52
  
- ECC, 107
- enumeration, 32
- equality, 33
- exponential type, 27
- extensionality, 27
  
- family, 31
- final, 52
- finite type, 31
- fixed point, 99
- fixed point induction, 101
- forgetful functor, 59
- function space, 27
- functor, 51
- functorial, 144
  
- generalized product, 10
- generalized type system, 10
- goal variables, 137
  
- homomorphism, 54
  
- impredicativity, 11, 107
- inclusion map, 53
- induction, 13
- infinite list, 43, 86
- inherited parameter, 20
- initial, 52
- initial interpretation, 90, 91
- iterated inductive definition, 42
- iteration, 55
- ITT, 11
- join list, 41

- judgement, 10, 128
- Knaster-Tarski, 47
- label, 32
- labeled sum, 32
- law, 59
- lazy, 98
- LCF, 11, 101
- Leibniz equality, 33
- level, 26
- liberal mutual recursion, 82
- linear proof, 39
- Mendler recursion, 78
- ML, 11
- monad, 61
- monotonic operator, 47
- morphism, 50
- mutual inductive type, 68
- mutual recursion, 81
- MV, 11
- natural transformation, 51
- naturality, 148
- naturals, 33, 40
- no confusion, 41, 56
- no junk, 41, 56
- Nuprl, 11
- object, 50
- operation, 53
- operator domain, 66
- operator specification, 67
- operator, infix, 28
- operator, prefix, 27
- ordinal, 122
- ordinal notation, 42
- parametrized universe, 115
- paramorphism, 75
- partial function, 101
- pattern, 23
- Peano axioms, 40
- Pebble, 30
- plain algebra, 70
- polynomial functor, 68, 69
- positive type expressions, 72
- predecessor, 45, 60
- predicate, 36
- primitive recursion, 44
- process, 87
- product, 27, 52
- proof tree, 77
- propositions, 34
- propositions-as-types, 11
- pseudo definition, 25
- quantifier, 31
- quotient type, 139
- recursion, 13
- reductio ad absurdum, 36
- reduction, 128
- refinement, stepwise, 114
- regular cardinal, 123
- relation, 37, 147
- rose tree, 42
- rule set, 44
- rules of type theory, 128
- scope rules, 114
- sectioning, 29
- semantic equation, 58
- signature, 53
- simple type system, 10
- sort, 53
- span, 58
- standard element, 108
- stream transformers, 88
- structure definition, 30
- subobject, 53
- subset type, 37
- substitution, 127
- subtype, 36
- successor, 40
- sum, 29, 53
- supremum, 68
- syntactic equation, 58
- syntactic operation, 19
- syntactic predicate, 19
- syntactic term, 57
- synthesized parameter, 20
- term, abstract, 126
- terms in ADAM, 23
- TK, 109
- total induction, 43
- transfinite induction, 46
- transfinite recursion, 48
- transformer, 59
- tuple, 27
- two-level grammar, 19
- type conversion, 33

type theory, 10

universal algebra, 50

universe, 26

universe formation, inductive, 110

weak initial algebra, 108

weakly initial, 52

well-founded, 45, 46

well-ordering, 45

wellordering type, 68

ZFC, 120