

University of Groningen

Pheromones of the housefly

Noorman, N

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2001

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Noorman, N. (2001). *Pheromones of the housefly: A chemical and behavioural study*. [Thesis fully internal (DIV), University of Groningen]. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

REFERENCES

- Adams, T.S., Holt, G.G., 1987. Effect of pheromone components when applied to different models on male sexual behaviour in the housefly *Musca domestica*. J. Insect Physiol. 33, 9-18.
- Adams, T.S., Nelson, D.R., 1990. The influence of diet on ovarian maturation, mating and pheromone production in the housefly, *Musca domestica*. Invert. Reprod. Develop. 17, 193-201.
- Adams, T.S., Nelson, P.R., Fatland, C.L., 1995. Effect of methyl alkanes on male house fly *Musca domestica*, sexual behaviour. J. Insect Physiol. 41, 443-449.
- Adler, V.E., Uebel, E.C., Schwarz, M., 1984. Production of (Z)-9-tricosene by colonized and feral female house flies. Southwest. Entomol. 9, 223-226.
- Ahmad, S., Mackay, M.E., Blomquist, G.J., 1989. Accumulation of the female sex pheromone and its transfer to, and metabolism in, the male housefly, *Musca domestica* L., during courtship and mating. J. Insect Physiol. 35, 775-780.
- Anonymous, 1976. Control of insects affecting livestock. USDA Agricult. Research Service Natural Research Program no. 2048.
- Antony, C., Jallon, J.M., 1982. The chemical basis for sex recognition in *Drosophila melanogaster*. J. Insect Physiol. 28, 873-880.
- Axtell, R.C., Arends, J.J., 1990. Ecology and management of arthropods pests of poultry. Annu. Rev. Entomol. 35, 101-126.
- Beament, J.W.L., 1945. The cuticular lipids of insects. J. Exp. Biol. 21, 115-131.
- Bellingham, J., Anderson, M., 1993. Variations and sexual differences in the spectral sensitivity of the compound eye of the housefly *Musca domestica* (L) and the lesser housefly *Fannia canicularis*. In: Proc. of the Int. Conf. on Insects Pests in the Urban Environment p. 480. Cambridge.
- Betke, P., Hiepe, T., Mueller, P., Ribbeck, R., Schultka, H., Shumann, H., 1989. Biological control by means of *Ophyra aenescens* of *Musca domestica* on pig farming units. Monatshefte für Veterinärmedizin 44, 842-844.
- Blomquist, G.J., Dillwith, J.W., Pomonis, J.G., 1984. Sex pheromone of the housefly, metabolism of (Z)-9-tricosene to (Z)-9, 10-epoxytricosane and (Z)-14-tricosene-10-one. Insect Biochem. 14, 279-284.
- Blomquist, G.J., Nelson, D.R., De Renobales, M., 1987. Chemistry, biochemistry, and physiology of insect cuticular lipids. Arch. Insect Biochem. Physiol. 6, 227-265.
- Buchnan, P.B., Moreton, R.B., 1981. Flying and walking of small insects (*Musca domestica*) recorded differentially with a standing-wave radar actograph. Physiol. Entomol. 6, 149-155.
- Buchnan, P.B., Satelle, A.R.C., 1979. A radar-Doppler autocorrelation analysis of insect activity. Physiol. Entomol. 4, 103-109.
- Burkhardt, D., 1962. Spectral sensitivity and other response characteristics of single visual cells in the arthropod eye. Symp. Soc. Exp. Biol. 16, 86-109.
- Butenandt, A., Beckmann, R., Stamm, D., Hecker, E., 1959. Ueber den Sexual-Lockstoff des Seidenspinners *Bombyx mori*. Reinanstellung und Konstitution. Zeitschrift Naturforsch. B. 14, 283-284.
- Carlson, D.A., Beroza, M., 1973. Field evaluation of (Z)-9-tricosene, a sex attractant pheromone of the house fly. Environ. Entomol. 2, 555-559.

References

- Carlson, D.A., Doolittle, R.E., Beroza, M., Rogoff, W.M., Gretz, G.H., 1974. Muscalure and related compounds. I. Response of houseflies in olfactometer and pseudofly tests. *J. Agr. Food Chem.* 22, 194-197.
- Carlson, D.A., Leibold, C.M., 1981. Field trials of pheromone-toxicant devices containing muscalure for house flies (Diptera: Muscidae). *J. Med. Entomol.* 18, 73-77.
- Carlson, D.A., Mayer, M.S., Silhacek, D.L., James, J.D., Beroza, M., Bierl, B.A., 1971. Sex attractant pheromone of the housefly: isolation, identification and synthesis. *Science* 174, 76-78.
- Chapman, J.W., Howse, P.E., Knapp, J.J., Goulson, D., 1998. Evaluation of three (Z)-9-tricosene formulations for control of *Musca domestica* (Diptera: Muscidae) in caged-layer poultry units. *J. Econ. Entomol.* 91, 915-922.
- Chapman, P.A., 1985. The resistance to eighteen toxicants of a strain of *Musca domestica* L. collected from a farm in England. *Pestic. Sci.* 16, 271-276.
- Chapman, P.A., Morgan, C.P., 1992. Insecticide resistance in *Musca domestica* L. from eastern England. *Pestic. Sci.* 36, 35-45.
- Dawson, G.W., Laurence, B.R., Pickett, J.A., Pile, M.M., Wadhams, L.J., 1989. A note on the mosquito oviposition pheromone. *Pestic. Sci.* 27, 277-280.
- Deay, H.O., Taylor, J.G., 1962. Response of the housefly *Musca domestica* to electric lamps. *Proc. Ind. Acad. Sci.* 72, 161-166.
- Den Otter, C. J., De Cristofaro, A., Voskamp, K. E., Rotundo, G., 1996. Electrophysiological and behavioural responses of chestnut moths, *Cydia fagiglandana* and *C. splendana* (Lep., Tortricidae), to sex attractants and odours of host plants. *J. Appl. Entomol.* 120, 413-421.
- Den Otter, C. J., Tchicaya, T., Schutte, A.M., 1991. Effects of age, sex and hunger on the antennal olfactory sensitivity of tsetse flies. *Physiol. Entomol.* 16, 173-182.
- Den Otter, C. J., Tchicaya, T., Van den Berg, M.J., 1988. Olfactory sensitivity of five species of tsetse (*Glossina* spp.) to 1-octen-3-ol, 4-heptanone, 3-nonanone and acetone. *Insect Sci. Applic.* 9, 213-218.
- Dillwith, J.W., Adams, T.S., Blomquist, G.J., 1983. Correlation of housefly sex pheromone production with ovarian development. *J. Insect Physiol.* 29, 377-386.
- Dillwith, J.W., Blomquist, G.J., 1982. Site of sex pheromone biosynthesis in the female house fly, *Musca domestica*. *Experientia* 38, 471-473.
- Dilwith, J.W., Blomquist, G.J., Nelson, D.R., 1981. Biosynthesis of the hydrocarbon components of the sex pheromone of the housefly, *Musca domestica* L. *Insect. Biochem.* 11, 247-253.
- Dougherty, M.J., Hamilton, J.G.C., 1997. Dodecanoic acid is the oviposition pheromone of *Lutzomyia longipalpis*. *J. Chem. Ecol.* 12, 2657-2671.
- Dougherty, M.J., Hamilton, J.G.C., Ward, R.D., 1993. Semiochemical mediation of oviposition by the phlebotomine sandfly *Lutzomyia longipalpis*. *Med. Vet. Entomol.* 7, 219-224.
- Dougherty, M.J., Hamilton, J.G.C., Ward, R.D., 1994. Isolation of oviposition pheromone from the eggs of the sandfly *Lutzomyia longipalpis*. *Med. Vet. Entomol.* 8, 119-124.
- Edney, E.B., 1977. Water balance in land arthropods. Springer, Berlin.
- Elliot, M., Janes, N.F., Potter, C., 1978. The future of pyrethroids in insect control. *Ann. Rev. Entomol.* 23, 443-469.
- ElNaiem, D.A., Ward, R.D., 1990. An oviposition pheromone on the eggs of sandflies (Diptera: Psychodidae). *Trans. Royal Soc. Trop. Med. Parasit.* 84, 456-475.
- ElNaiem, D.A., Ward, R.D., 1991. Response of the sandfly *Lutzomyia longipalpis* to an

- oviposition pheromone associated with conspecific eggs. *Med. Vet. Entomol.* 5, 87-91.
- Farkas, R., Jantnyik, T., 1992. Laboratory studies on *Hydrotaea aenescens* as predator of house fly larvae (Diptera: Muscidae). *Parasitol. Hungar.* 23, 103-108.
- Geden, C.J., 1997. Evaluation of *Paraiotonchium muscadomesticae* (Nematoda: Tylenchida: Iotochiidae), a potential biological control agent of the housefly (Diptera: Muscidae). *Biological Control* 10, 42-47.
- Gibbs, A., 1995. Physical properties of insect cuticular hydrocarbons: model mixtures and lipid interaction. *Comp. Biochem. Physiol.* 112, 667-672.
- Gibbs, A., Kuenzli, M., Blomquist, G.J., 1995. Sex- and age-related changes in the biophysical properties of cuticular lipids of the housefly, *Musca domestica*. *Arch. Insect Biochem. and Physiol.* 29, 87-97.
- Gibbs, A., Mousseau, T.A., 1994. Thermal acclimation and genetic variation in cuticular lipids of the lesser migratory grasshopper (*Melanoplus sanguinipis*): Effects of lipid composition on biophysical properties. *Physiol. Zool.* 67, 1523-1543.
- Gibbs, A., Mousseau, T.A., Grove, J.H., 1991. Genetic and acclimatory variation in biophysical properties of insect cuticle lipids. *Proc. Nat. Acad. Sci. USA* 88, 7257-7260.
- Gibbs, A., Pomonis, J.G., 1995. Physical properties of insect cuticular hydrocarbons: The effect of chain length, methyl-branching and unsaturation. *Comp. Biochem. Physiol.* 112B, 243-249.
- Greene, G.L., Guo, Y., Chen, H., 1998. Parasitization of house fly pupae (Diptera: Muscidae) by *Spalangia nigroaenea* (Hymenoptera: Pteromalidae) in cattle feedlot environments. *Biological Control* 12, 7-13.
- Hadley, N.F., 1977. Epicuticular lipids of the desert tenebrionid beetle, *Eloedes armata*: seasonal and acclimatory effects on composition. *Insect Biochem.* 7, 277-283.
- Hadley, N.F., 1978. Cuticular permeability of desert tenebrionid beetles: correlations with the epicuticular hydrocarbon composition. *Insect Biochem.* 8, 17-22.
- Hadley, N.F., Schultz, T.D., 1987. Water loss in three species of tiger beetles (*Cicindela*): correlations with epicuticular hydrocarbons. *J. Insect Physiol.* 33, 677-682.
- Hendrikse, A., 1990. Sex-pheromone communication and reproductive isolation in small ermine moths. Thesis. University of Leiden, The Netherlands.
- Hill, I.R., 1985. The pyrethroids insecticides (J.P. Leahey, Ed.), pp 151-262.
- Howard, R.W., Blomquist, G.J., 1982. Chemical ecology and biochemistry of insect hydrocarbons. *Ann. Rev. Entomol.* 27, 149-172.
- Howard, J., Wall, R., 1996. Control of the housefly *Musca domestica* in poultry units: Current techniques and future prospects. *Agricult. Zool. Rev.* 7, 247-265.
- Howard, J., Wall, R., 1996a. Autosterilization of the housefly, *Musca domestica*, using the chitin synthesis inhibitor triflumuron on sugar-baited targets. *Med. Vet. Entomol.* 10, 97-100.
- Howard, J., Wall, R., 1996b. Autosterilization of the house fly, *Musca domestica* (Diptera: Muscidae) in poultry houses in north-east India. *Bull. Entomol. Res.* 86, 363-367.
- Islam, M.S., Port, G.R., 1994. Effect of a synthetic pheromone when applied to different models on male mating behaviour in *Musca domestica*. *Pak. J. Sci. Ind. Res.* 37, 160-161.
- Johnson, C., Bishop, A.H., Turner, C.L., 1998. Isolation and activity of strains of *Bacillus thuringiensis* toxic to larvae of the housefly (Diptera: Muscidae) and tropical blowflies (Diptera: Calliphoridae). *J. Invert. Pathol.* 71, 138-144.
- King, B.H., 1997. Effects of age and burial of house fly (Diptera: Muscidae) pupae on parasitism by *Spalangia cameroni* and *Muscidifurax raptor* (Hymenoptera: Pteromalidae). *Environ.*

- Entomol. 26, 410-415.
- Knoppien, P., Van der Pers, J.N.C., Van Delden, W., 2000. Quantification of locomotion and the effect of food deprivation on locomotor activity in *Drosophila*. J. Insect Behav. 13, 27-43.
- Kuramoto, H., Shimazu, M., 1997. Control of house fly populations by *Entomophthora muscae* (Zygomycotina: Entomophthorales) in a poultry house. Appl. Entomol. Zool. 32, 325-331.
- La-France, D., Shani, A., Margalit, J., 1989. Biological activity of synthetic hydrocarbon mixtures of cuticular components of the female housefly (*Musca domestica* L.). J. Chem. Ecol. 15, 1475-1490.
- Lancaster, J.L.Jr., Simco, J.S., 1969. House fly control by chemical sterilization with Apholate. Arkansas Experimental Station, Bulletin 737, 12 pp.
- Lemke, L.A., Koehler, P.G., Patterson, R.S., 1990. Laboratory method for measuring the attractiveness of pheromones to adult *Musca domestica* (Diptera: Muscidae). J. Med. Ent. 27, 1062-1064.
- Lindquist, A.W., Madden, A.H., Wilson, H.G., Knipling, E.F., 1945. DDT as a residual type treatment for control of houseflies. J. Econ. Entomol 38, 257.
- Lindquist, D.A., Abusowa, M., Hall, M.J.R., 1992. The New World screwworm fly in Libya: a review of its introduction and eradication. Med. Vet. Entomol. 6, 2-8.
- Long, D., 1953. Effects of population density on larvae of Lepidoptera. Trans. R. Entomol. Soc. Lond. 104, 543-585.
- Luvchiev, V.I., Tsankova, R.N., 1994. *Ophyra capensis* in Bulgaria and the possibilities for its use as an antagonist of *Musca domestica* L. Ekolgiya Sofia 25, 117-124.
- Mansingh, A., Steele, R.W., Smallman, B.N., 1972. Pheromone effects of *cis*-9 long chain alkenes on the common house fly : An improved sex attractant combination. Can. Ent. 104, 1963-1965.
- Mayer, M.S., Thaggard, C.W., 1966. Investigations of an olfactory attractant specific for males of the housefly, *Musca domestica*. J. Insect Physiol. 12, 891-897.
- McCall, P.J., 1995. Oviposition aggregation pheromone in the *Simulium damnosum* complex. Med. Vet. Entomol. 9, 101-108.
- McCall, P.J., Cameron, M.M., 1995. Oviposition pheromones in insect vectors. Parasitology Today 11, 352-355.
- McCall, P.J., Trees, A.J., Walsh, J.F., Molyneux, D.H., 1994. Aggregated oviposition in the *Simulium damnosum* complex is mediated by eggs in a laboratory bioassay. Med. Vet. Entomol. 8, 76-80.
- McCann, G.D., Arnett, D.W., 1972. Spectral and polarisation sensitivity of the dipteran visual system. J. Gen. Phys. 59, 534-558.
- Menn, J.J., Hollingworth, R.M., 1985. Comprehensive Insect Physiology, Biochemistry and Pharmacology in: Insect Control, Pergamon Press, Oxford 12, 1-8.
- Miller, R.W., Pickens, L.G., Potts, W.E., 1993. Comparison of traps and an integrated program to manage house flies and stable flies on dairy farms. J. of Agricult. Entomol. 10, 189-196.
- Mitchell, E.R., Tingle, F.C., Carlson, D.A., 1975. Effect of muscalure on house fly traps of different color and location in poultry houses. J. Georgia Entomol. Soc. 10, 168-174.
- Miyamota, J., Hirano, M., Takimoto, Y., Hatakoshi, M., 1993. Insect growth regulators for pest control, with emphasis on juvenile hormone analogs. Present status and future prospects. ACS Symposium Series 524, 144-168.

- Morgan, N.O., Pickens, L.G., 1968. Influence of air temperature on the attractiveness of electric lamps to house flies. *J. Econ. Entomol.* 61, 1257-1259.
- Mullens, B.A., Hinkle, N.C., Szijj, C.E., 1996. Impact of alternating manure removal schedules on pest flies (Diptera: Muscidae) and associated predators (Coleoptera: Histeridae, Staphylinidae: Acvarina: Macrochelidae) in caged-layer poultry manure in southern California. *J. Econ. Entomol.* 89, 1406-1417.
- Murvosh, P.B., LaBreque, G.C., Smith, C.N., 1965. Sex attraction in the house fly *Musca domestica* L. *Ohio J. Sci.* 65, 68-71.
- Nelson, D.R., 1978. Long-chain methyl branched hydrocarbons: occurrence, biosynthesis, and function. *Adv. Insect Physiol.* 13, 1-33.
- Nelson, D.R., Dillwith, J.W., Blomquist, G.J., 1981. Cuticular hydrocarbons of the house fly *Musca domestica*. *Insect Biochemistry* 11, 187-197.
- Noorman, N., Den Otter, C. J., Biancaniello, G., 1998. Variations in sexual activity, electrophysiological responses and muscalure quantities between different strains of houseflies. *Chem. Senses* 24, 97.
- Pap, L., Farkas, R., 1994. Monitoring of resistance of insecticides in house fly (*Musca domestica*) populations in Hungary. *Pesticide Science* 40, 245-258.
- Pimental, D., Perkins, J.H., 1980. Pest control: Cultural and environmental aspects. AAAS selected symposium, 43, Westview Press, Colorado. 243 pp.
- Plapp, F.W. Jr., 1986. Genetics and biochemistry of insecticide resistance in arthropods: Prospects for the future. In: *Pesticide Resistance: Strategies and Tactics for Management*. National Academy Press, Washington. pp. 74-86.
- Pospischill, J., 1994. *Musca domestica* in livestock and poultry farming: problems and solutions. *Public. Health, Bayer* 9, 14-17.
- Pospischill, J., Szomm, K., Londershausen, M., Schroder, I., Turberg, A., Fuchs, R., 1996. Multiple resistance in the larger house fly *Musca domestica* in Germany. *Pestic. Sci.*, 48, 333-341.
- Rao, K.V., Kaiser Jamil, Machwe, V.G., Tamaki, Y., 1990. Identification of three chemical components from male pheromone glands of *Musca domestica* L. *Journal of Reprod. Biol. Comp. Endocrinol.* 2, 88-93.
- Rao, K.V., Machwe, V.G., Kaiser Jamil, 1988. Extraction and isolation of sex pheromone of male *Musca domestica* (L). *Journal of Reprod. Biol. Comp. Endocrinol.* 8, 68-73.
- Rees, C.J.C., 1970. Age dependency of response in an insect chemoreceptor sensillum. *Nature* 227, 740-742.
- Renn, N., 1995. Mortality of immature houseflies (*Musca domestica* L.) in artificial diet and chicken manure after exposure to encapsulated entomopathogenic nematodes (Rhabditida: Steinernematidae, Heterorhabditidae). *Biocontrol Science and Technology* 5, 349-359.
- Renn, N., 1998. The efficacy of entomopathogenic nematodes for controlling housefly infestations of intensive pig units. *Medical and Veterinary Entomology* 12, 46-51.
- Renou, R., Berthier, A., Desbarats, L., Van der Pers, J., Querrero, A., 1999. Actographic analysis of the effects of an esterase inhibitor on male moth responses to sex pheromone. *Chemical Senses* 24, 423-428.
- Richter, I., 1974. Sex attraction of the house fly by moving dummies is not increased by pheromones. *Naturwissenschaften* 61, 365.

- Richter I., Krain H., Mangold, H. K., 1976. Long-chain (Z)-9-alkenes are 'psychedelics' to houseflies with regard to visually stimulated sex attraction and aggregation. *Experientia* 32, 186-188.
- Rogoff, W.M., Beltz, A.D., Johnsen, J.O., Plapp, F.W., 1964. A sex pheromone in the housefly *Musca domestica* L. *J. Insect Physiol.* 10, 239-246.
- Rogoff, W.M., Gretz, G.H., Jacobson, M., Beroza, M., 1973. Confirmation of (Z)-9-tricosene as a sex pheromone of the house fly. *Ann. Ent. Soc. Am.* 66, 739-741.
- Rogoff, W.M., Gretz, G.H. Sonnet, P.F., Schwarz, M., 1980. Responses of male house flies to muscalure and to combinations of hydrocarbons with and without muscalure. *Environ. Entomol.* 9, 605-606.
- Rutz, D.A., Scoles, G.A., Howser, G.G., 1988. Evaluation of fly-electrocuting black light devices in caged-layer poultry facilities. *Poultry Science* 67, 871-877.
- Silhacek, D.L., Carlson, D.A., Mayer, M.S., James, J.D., 1972. Composition and sex attractancy of cuticular hydrocarbons from houseflies: Effects of age, sex, and mating. *J. Insect Physiol.* 18, 347-354.
- Silhacek, D.L., Oberlander, H., Zettler, J.L., 1976. Susceptibility of malathion-resistant strains of *Plodia interpunctella* to juvenile hormone treatments. *J. Stored Prod. Res.* 20, 201-203.
- Stamp, N. E., 1980. Egg deposition patterns in butterflies: why do some species cluster their eggs rather than deposit them singly? *The American Naturalist* 115, 367-380.
- Stoffolano, J.G., 1973. Effect of age and diapause on the mean impulse frequency and failure to generate impulses in labellar chemoreceptor sensilla of *Phormia regina*. *J. Gerontol.* 28, 35-39.
- Syms, P.R., Goodman, L.J., 1987. The effect of flickering U-V light output on the attractiveness of an insect electrocutor trap to the house-fly, *Musca domestica*. *Entomol. Exp. Appl.* 43, 81-85.
- Tanada, Y., Holdaway, F.G., Quisenberry, J.H., 1950. DDT to control flies breeding in poultry manure. *J. Econ. Entomol.* 43, 30
- Tillman-Wall, J.A., Vanderwel, D., Kuenzli, M.E., 1992. Regulation of sex pheromone biosynthesis in the housefly, *Musca domestica*: Relative contribution of the elongation and reductive steps. *Arch. Biochem. Biophys.* 299, 92-99.
- Tobin, N.E., Stoffolano, Jr. J.G., 1973. The courtship of *Musca* species found in North America. 1. The house fly, *Musca domestica*. *Ann. Ent. Soc. Am.* 66, 1249-1257.
- Toolson, E.C., Hadley, N.F., 1979. Seasonal effects on cuticular permeability and epicuticular lipid composition in *Centruroides sculpturatus* Ewing 1928 (Scorpiones Buthidae). *J. Comp. Physiol.* 129, 319-325.
- Toolson, E.C., Markow, T.A., Jackson, L.L., Howard, R.W., 1990. Epicuticular hydrocarbon composition of wild and laboratory-reared *Drosophila mojavensis* Patterson and Crow. *Ann. Entomol. Soc. Am.* 83, 1165-1176.
- Tsankova, R.N., Luvchiev, V.I., 1993. Laboratory investigations on the larval zoophagy of *Ophyra capensis*: An antagonist of *Musca domestica*. *Appl. Parasitol.* 34, 221-228.
- Uebel, E.C., Sonnet, P.E., Menzer, R.E., Miller, R.W., Lusby, W.R., 1977. Mating-stimulant pheromone and cuticular lipid constituents of the little house fly, *Fannia canicularis* (L.). *J. Chem. Ecol.* 3, 269-278.

- Uebel, E.C., Sonnet, P.E., Miller, R.W., 1976. House fly sex pheromone: Enhancement of mating strike activity by combination of (Z)-9-tricosene with branched saturated hydrocarbons. *J. Econ. Entomol.* 5, 905-908.
- Uebel, E.C., Sonnet, P.E., Miller, R.W., Beroza, M., 1975. Sex pheromone of the face fly, *Musca autumnalis* De Geer. (Diptera: Muscidae). *J. Chem. Ecol.* 1, 195-202.
- Uebel, E.C., Schwarz, M., Lusby, B.R., Miller, R.W., Sonnet, P.E., 1978. Cuticular non-hydrocarbons of the female housefly and their evolution as mating stimulants. *Lloydia* 41, 63-67.
- Van der Broek, I.V.F., Den Otter, C.J., Van der Pers, J.N.C., 1999. Actometers for evaluating mosquito activity: daily activity and stimulus-induced activation. *Proc. Exper. & Appl. Entomol., N.E.V. Amsterdam* 10, 85-90.
- Van der Goes van Naters, W.N., Den Otter, C.J., 1992. Olfactory sensitivity of tsetse flies: a daily rhythm. *Chem. Senses* 23, 351-357.
- Vaz, A.H., Brownson, A., Blomquist, G.J., Reitz, R.C., 1989. Sex pheromone biosynthesis in the housefly: Evidence for the regulation of the fatty acyl-CoA desaturation and elongation system by 20-hydroxyecdysone. *Arch. Insect Biochem. Physiol.* 12, 173-186.
- Veal, L., Bath, C., Hutcheson, D., 1995. A comparison of the attractiveness towards house flies of two lamps used in insect electrocuting traps. *Int. J. Environm. Health. Res.* 5, 247-254.
- Watson, D.W., Rutz, D.A., Long, S.J., 1996. *Beauveria bassiana* and sawdust bedding for the management of the house fly, *Musca domestica* (Diptera: Muscidae) in calf hutches. *Biological Control* 7, 221-227.
- West, L.S., 1951. The housefly, its natural history, medical importance and control. New York. 584 pp.
- Wigglesworth, V.B., 1945. Transpiration through the cuticle of insects. *J. Exp. Biol.* 21, 97-114.