

University of Groningen

Quadricyclanen en 3-Oxaquadricyclanen. Overgangsmetaal gekatalyseerde reacties en dynamische processen.

Nusse, Bernard Jozeph

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1978

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Nusse, B. J. (1978). *Quadricyclanen en 3-Oxaquadricyclanen. Overgangsmetaal gekatalyseerde reacties en dynamische processen*. VRB Offsetdrukkerij bv Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

S U M M A R Y

In the first part of this thesis are presented the results of a mechanistic study of transition metal- and acid-catalyzed isomerizations of quadricyclanes and 3-oxaquadricyclanes. The second part deals with dynamic processes undergone by [8](2,4)-1,5-dicarbomethoxy-3-oxaquadricyclane, [8](1,4)-7-oxanorbornadiene and di-[8](1,4)-7-oxanorbornadienerhodium chloride.

After the introduction of this work (Chapter 1) it is shown in Chapter 2 that substitution at C₃ in quadricyclanes has no substantial effect on either the rates or nature of the products of the Rh₂(NOR)₂Cl₂-catalyzed valence-isomerization of these compounds. However, introduction of two carbomethoxy substituents at C₁ and C₅ leads to an appreciable retardation of the valence-isomerization. Variation of the catalyst does not change the nature of the products; only the corresponding norbornadienes are formed. Furthermore, it is shown that the mechanism of the Rh₂(NOR)₂Cl₂-catalyzed isomerization is rather complicated as compared to that of the Pd(C₆H₅CN)₂Cl₂-catalyzed isomerization, and that the AgClO₄-catalyzed isomerization proceeds *via* ionic intermediates.

The transition metal-catalyzed reactions of 3-oxaquadricyclanes do not, in contrast to those of the quadricyclanes, lead to the corresponding 7-oxanorbornadienes. The products formed depend upon the catalyst used (Chapter 3): the AgClO₄-catalyzed reactions occur *via* two routes, both leading to the same reaction products (6-hydroxyfulvenes), as is shown by a kinetic analysis. In the Rh₂(CO)₄Cl₂-catalyzed reactions the main products (oxepines) arise from a Lewis acid-type reaction; byproducts (6-hydroxyfulvenes) in the Rh₂(CO)₄Cl₂-catalyzed reactions are the result of an oxidative addition-type reaction, as in the Rh₂(NOR)₂Cl₂- and Pd(C₆H₅CN)₂Cl₂-catalyzed reactions. The acid-catalyzed reaction occurs *via* attack at a cyclopropyl ring and not *via* initial protonation of the ether oxygen atom. It is found that the octamethylene chain in [8](2,4)-1,5-dicarbomethoxy-3-oxaquadricyclane (301b) dramatically affects both product formation (AgClO₄- and Rh₂(CO)₄Cl₂-catalyzed reactions) and rate (thermal decomposition and CCl₃COOH-catalyzed reaction).

The octamethylene chain of compound 301b undergoes two processes, which have been studied by $^1\text{H-NMR}$ spectroscopy (Chapter 4). The slower process involves the interconversion of the two conformers of 301b, which also exist in the solid state. In the faster process a conformational interchange of the octamethylene chain in each of the above-mentioned conformers takes place.

The octamethylene chains in $[\text{8}](1,4)\text{-7-oxanorbornadiene}$ and $\text{di-}[\text{8}](1,4)\text{-7-oxanorbornadienerhodium chloride}$ show analogous dynamic processes, which have been studied with NMR spectroscopy (Chapter 5). In $\text{di-}[\text{8}](1,4)\text{-7-oxanorbornadienerhodium chloride}$ two additional processes have been observed: These are a degenerate one, probably involving a rotation of the 7-oxanorbornadiene ligands around the rhodium-oxygen axes), and a non-degenerate one involving an exchange of coordinated and free 7-oxanorbornadiene.

In Chapter 6 the experimental details of the work described in this thesis are given.

400
100