

University of Groningen

Over den invloed der windrichting op de acute ziekten der respiratie-organen

Rijkens, Roelf Gerrit

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1881

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Rijkens, R. G. (1881). *Over den invloed der windrichting op de acute ziekten der respiratie-organen*. [, Rijksuniversiteit Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN.

I.

Terecht zegt JAMES STARK: „No fact has as yet been more safely upheld than this: that the inflammation of the respirative organs increases with the fall and decreases with the rising of the medium temperature.”

II.

Insufficiëntie van de maag wordt alleen zeker aangetoond door de maagpomp of hevel.

III.

Het doodelijk verloop van sommige typhi met lage temperaturen bewijst niets tegen de hydriatische methode.

IV.

De combinatie van de douche met het koude bad verdient bij de behandeling van den typhus in de private praktijk de voorkeur.

V.

Tusschen typhus abdominalis en exanthematicus bestaan waarschijnlijk overgangen.

VI.

De meening van SENATOR is onjuist waar hij zegt: „Es scheint mir unzweifelhaft zu sein, dass die Aenderungen der umgebenden Temperatur auf die Wärmeproduction bei den Warmblutern ohne Einfluss sind.”

VII.

Bij de behandeling van de fracturen van het dijbeen verdient het extensie-verband de voorkeur.

VIII.

Het zou wenschelijk zijn, dat in plaats van sulphas steeds hydrochloras chinini gebruikt werd.

IX.

Opium is in de kinderpraktijk onmisbaar.

X.

Onwaar is de uitspraak van FOURCAULT: „La phthisie a son maximum de fréquence dans les climats et dans les lieux où l'air se trouve à son maximum d'humidité.”

XI.

De cranitorny-forceps is boven de cephalotribe te verkiezen.

XII.

De methode van SPIEGELBERG om de partus antiseptisch te laten verlopen is niet voor de praktijk berekend.

XIII.

De werking der koude baden bij pneumonie kan niet zoo gunstig zijn als door JÜRGERSEN wordt voorgesteld.

XIV.

De geographische verbreiding van de tuberculosis pulmonum is aan geene regelen gebonden.

XV.

Bij het heerschen van epidemische ziekten behooren melkinrichtingen aan strenge controle onderworpen te worden.

XVI.

De zorg voor goed drinkwater behoort zich ook tot het platte land uit te strekken.

XVII.

De litholapaxy kan alleen in concrete gevallen worden aangewend.
