

University of Groningen

## Over den invloed der windrichting op de acute ziekten der respiratie-organen

Rijkens, Roelf Gerrit

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

1881

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Rijkens, R. G. (1881). *Over den invloed der windrichting op de acute ziekten der respiratie-organen*. [S.n.].

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

# STELLINGEN.

---

## I.

Terecht zegt JAMES STARK: „No fact has as yet been more safely upheld than this: that the inflammation of the respirative organs increases with the fall and decreases with the rising of the medium temperature.”

## II.

Insufficiëntie van de maag wordt alleen zeker aangetoond door de maagpomp of hevel.

## III.

Het doodelijk verloop van sommige typhi met lage temperaturen bewijst niets tegen de hydriatische methode.

## IV.

De combinatie van de douche met het koude bad verdient bij de behandeling van den typhus in de private praktijk de voorkeur.

## V.

Tusschen typhus abdominalis en exanthematicus bestaan waarschijnlijk overgangen.

## VI.

De meening van SENATOR is onjuist waar hij zegt: „Es scheint mir unzweifelhaft zu sein, dass die Aenderungen der umgebenden Temperatur auf die Wärmeproduction bei den Warmblutern ohne Einfluss sind.”

## VII.

Bij de behandeling van de fracturen van het dijbeen verdient het extensie-verband de voorkeur.

## VIII.

Het zou wenschelijk zijn, dat in plaats van sulphas steeds hydrochloras chinini gebruikt werd.

## IX.

Opium is in de kinderpraktijk onmisbaar.

## X.

Onwaar is de uitspraak van FOURCAULT: „La phthisie a son maximum de fréquence dans les climats et dans les lieux où l'air se trouve à son maximum d'humidité.”

## XI.

De cranitorny-forceps is boven de cephalotribe te verkiezen.

## XII.

De methode van SPIEGELBERG om de partus antiseptisch te laten verlopen is niet voor de praktijk berekend.

## XIII.

De werking der koude baden bij pneumonie kan niet zoo gunstig zijn als door JÜRGERSEN wordt voorgesteld.

## XIV.

De geographische verbreiding van de tuberculosis pulmonum is aan geene regelen gebonden.

## XV.

Bij het heerschen van epidemische ziekten behooren melkinrichtingen aan strenge controle onderworpen te worden.

## XVI.

De zorg voor goed drinkwater behoort zich ook tot het platte land uit te strekken.

## XVII.

De litholapaxy kan alleen in concrete gevallen worden aangewend.

---