

University of Groningen

## Simulation of charge transport in organic semiconductors

van der Kaap, Niels

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2016

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

van der Kaap, N. (2016). *Simulation of charge transport in organic semiconductors*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



---

## Bibliography

- [1] W. Shockley and H. J. Queisser. "Detailed balance limit of efficiency of p-n junction solar cells". In: *J. Appl. Phys.* 32 (1961), pp. 510–519.
- [2] K.-C. Kao and W. Hwang. *Electrical transport in solids: with particular reference to organic semiconductors*. Taylor & Francis, 1979.
- [3] O. H. LeBlanc Jr. "Hole and electron drift mobilities in anthracene". In: *J. Chem. Phys.* 33 (1960), pp. 626–626.
- [4] M. Pope, H. Kallmann, and P. Magnante. "Electroluminescence in organic crystals". In: *J. Chem. Phys.* 38 (1963), pp. 2042–2043.
- [5] H. Shirakawa, E. J. Louis, A. G. MacDiarmid, C. K. Chiang, and A. J. Heeger. "Synthesis of electrically conducting organic polymers: halogen derivatives of polyacetylene, (CH)". In: *J. Chem. Soc., Chem. Commun.* (1977), pp. 578–580.
- [6] G. Yu, J. Gao, J. C. Hummelen, F. Wudl, and A. J. Heeger. "Polymer photovoltaic cells: Enhanced efficiencies via a network of internal donor-acceptor heterojunctions". In: *Science* 270 (1995), p. 1789.
- [7] J. H. Burroughes, D. D. C. Bradley, A. R. Brown, R. N. Marks, K. Mackay, R. H. Friend, P. L. Burns, and A. B. Holmes. "Light-emitting diodes based on conjugated polymers". In: *Nature* 347 (1990), pp. 539–541.
- [8] G. Horowitz et al. "Organic field-effect transistors". In: *Adv. Mater.* 10 (1998), pp. 365–377.

- [9] H. Sirringhaus. "25th Anniversary Article: Organic Field-Effect Transistors: The Path Beyond Amorphous Silicon". In: *Adv. Mater.* 26 (2014), pp. 1319–1335.
- [10] S. Savagatrup, A. S. Makaram, D. J. Burke, and D. J. Lipomi. "Mechanical Properties of Conjugated Polymers and Polymer-Fullerene Composites as a Function of Molecular Structure". In: *Adv. Func. Mater.* 24 (2014), pp. 1169–1181.
- [11] J. Y. Kim, K. Lee, N. E. Coates, D. Moses, T.-Q. Nguyen, M. Dante, and A. J. Heeger. "Efficient tandem polymer solar cells fabricated by all-solution processing". In: *Science* 317 (2007), pp. 222–225.
- [12] H. Bässler. "Charge Transport in Disordered Organic Photoconductors a Monte Carlo Simulation Study". In: *Phys. Status Solidi B* 175 (1993), pp. 15–56.
- [13] J. Oelerich, D. Huemmer, and S. Baranovskii. "How to find out the density of states in disordered organic semiconductors". In: *Phys. Rev. Lett.* 108 (2012), p. 226403.
- [14] M. Bouhassoune, S. V. Mensfoort, P. Bobbert, and R. Coehoorn. "Carrier-density and field-dependent charge-carrier mobility in organic semiconductors with correlated Gaussian disorder". In: *Org. Electron.* 10 (2009), pp. 437–445.
- [15] V. Rühle, A. Lukyanov, F. May, M. Schrader, T. Vehoff, J. Kirkpatrick, B. Baumeier, and D. Andrienko. "Microscopic simulations of charge transport in disordered organic semiconductors". In: *J. Chem. Theory Comput.* 7 (2011), pp. 3335–3345.
- [16] A. Miller and E. Abrahams. "Impurity conduction at low concentrations". In: *Phys. Rev.* 120 (1960), pp. 745–755.
- [17] R. A. Marcus and N. Sutin. "Electron transfers in chemistry and biology". In: *Biochim. Biophys. Acta* 811 (1985), pp. 265–322.
- [18] W. F. Pasveer, J. Cottaar, C. Tanase, R. Coehoorn, P. A. Bobbert, P. W. M. Blom, D. M. de Leeuw, and M. A. J. Michels. "Unified description of charge-carrier mobilities in disordered semiconducting polymers". In: *Phys. Rev. Lett.* 94 (2005), p. 206601.
- [19] P. W. M. Blom, M. J. M. D. Jong, and J. J. M. Vlegaar. "Electron and hole transport in poly (p-phenylene vinylene) devices". In: *Appl. Phys. Lett.* 68 (1996), pp. 3308–3310.
- [20] M. A. Lampert and P. Mark. *Current injection in solids*. Academic Press, 1970.

- [21] M. A. Lampert. "Simplified theory of space-charge-limited currents in an insulator with traps". In: *Phys. Rev.* 103 (1956), p. 1648.
- [22] S. E. Shaheen, C. J. Brabec, N. S. Sariciftci, F. Padinger, T. Fromherz, and J. C. Hummelen. "2.5% efficient organic plastic solar cells". In: *Appl. Phys. Lett.* 78 (2001), pp. 841–843.
- [23] G. Li, V. Shrotriya, J. Huang, Y. Yao, T. Moriarty, K. Emery, and Y. Yang. "High-efficiency solution processable polymer photovoltaic cells by self-organization of polymer blends". In: *Nat. Mater.* 4 (2005), pp. 864–868.
- [24] Y. Liang, Z. Xu, J. Xia, S. T. Tsai, Y. Wu, G. Li, C. Ray, and L. Yu. "For the bright future—bulk heterojunction polymer solar cells with power conversion efficiency of 7.4%". In: *Adv. Mater.* 22 (2010), E135–E138.
- [25] Y. Liu, J. Zhao, Z. Li, C. Mu, W. Ma, H. Hu, K. Jiang, H. Lin, H. Ade, and H. Yan. "Aggregation and morphology control enables multiple cases of high-efficiency polymer solar cells". In: *Nat. Commun.* 5 (2014), p. 5293.
- [26] C. B. Nielsen, R. S. Ashraf, N. D. Treat, B. C. Schroeder, J. E. Donaghey, A. J. P. White, N. Stingelin, and I. McCulloch. "2, 1, 3-Benzothiadiazole-5, 6-Dicarboxylic Imide—A Versatile Building Block for Additive- and Annealing-Free Processing of Organic Solar Cells with Efficiencies Exceeding 8%". In: *Adv. Mater.* 27 (2015), pp. 948–953.
- [27] Y. Liu, C. C. Chen, Z. Hong, J. Gao, Y. M. Y., H. Zhou, L. Dou, G. Li, and Y. Yang. "Solution-processed small-molecule solar cells: breaking the 10% power conversion efficiency". In: *Sci. Rep.* 3 (2013), p. 3356.
- [28] V. S. Gevaerts, A. Furlan, M. M. Wienk, M. Turbiez, and R. A. J. Janssen. "Solution processed polymer tandem solar cell using efficient small and wide bandgap polymer: fullerene blends". In: *Adv. Mater.* 24 (2012), pp. 2130–2134.
- [29] Q. Wei, T. Nishizawa, K. Tajima, and K. Hashimoto. "Self-Organized Buffer Layers in Organic Solar Cells". In: *Adv. Mater.* 20 (2008), pp. 2211–2216.
- [30] J. J. Intemann, K. Yao, Y. X. Li, H. L. Yip, Y. X. Xu, P. W. Liang, C. C. Chueh, F. Z. Ding, X. Yang, X. Li, et al. "Highly Efficient Inverted Organic Solar Cells Through Material and Interfacial Engineering of Indacenodithieno [3, 2-b] thiophene-Based Polymers and Devices". In: *Adv. Funct. Mater.* 24 (2014), pp. 1465–1473.

- [31] M. A. Green, K. Emery, Y. Hishikawa, W. Warta, and E. D. Dunlop. "Solar cell efficiency tables (Version 45)". In: *Prog. Photovoltaics* 23 (2015), pp. 1–9.
- [32] L. J. A. Koster, S. E. Shaheen, and J. C. Hummelen. "Pathways to a new efficiency regime for organic solar cells". In: *Adv. Energy Mater.* 2 (2012), pp. 1246–1253.
- [33] N. Sariciftci, L. Smilowitz, A. J. Heeger, F. Wudl, et al. "Photoinduced electron transfer from a conducting polymer to buckminsterfullerene". In: *Science* 258 (1992), pp. 1474–1476.
- [34] A. A. Bakulin, A. Rao, V. G. Pavelyev, P. H. van Loosdrecht, M. S. Pshenichnikov, D. Niedzialek, J. Cornil, D. Beljonne, and R. H. Friend. "The role of driving energy and delocalized states for charge separation in organic semiconductors". In: *Science* 335 (2012), pp. 1340–1344.
- [35] M. A. Loi, S. Toffanin, M. Muccini, M. Forster, U. Scherf, and M. Scharber. "Charge transfer excitons in bulk heterojunctions of a polyfluorene copolymer and a fullerene derivative". In: *Adv. Funct. Mater.* 17 (2007), pp. 2111–2116.
- [36] O. V. Mikhnenko, M. Kuik, J. Lin, N. van der Kaap, T.-Q. Nguyen, and P. W. Blom. "Trap-Limited Exciton Diffusion in Organic Semiconductors". In: *Adv. Mater.* 26 (2014), pp. 1912–1917.
- [37] L. J. A. Koster, E. C. P. Smits, V. D. Mihailetschi, and P. W. M. Blom. "Device model for the operation of polymer/fullerene bulk heterojunction solar cells". In: *Phys. Rev. B* 72 (2005), p. 085205.
- [38] A. J. Morfa, K. L. Rowlen, T. H. Reilly III, M. J. Romero, and J. van de Lagemaat. "Plasmon-enhanced solar energy conversion in organic bulk heterojunction photovoltaics". In: *Appl. Phys. Lett.* 92 (2008), p. 013504.
- [39] G. F. Burkhard, E. T. Hoke, and M. D. McGehee. "Accounting for interference, scattering, and electrode absorption to make accurate internal quantum efficiency measurements in organic and other thin solar cells". In: *Adv. Mater.* 22 (2010), pp. 3293–3297.
- [40] C. L. Braun. "Electric field assisted dissociation of charge transfer states as a mechanism of photocarrier production". In: *J. Chem. Phys.* 80 (1984), pp. 4157–4161.
- [41] L. Onsager. "Deviations from Ohm's law in weak electrolytes". In: *J. Chem. Phys.* 2 (1934), pp. 599–615.

- [42] S. Gélinas, A. Rao, A. Kumar, S. L. Smith, A. W. Chin, J. Clark, T. S. van der Poll, G. C. Bazan, and R. H. Friend. "Ultrafast long-range charge separation in organic semiconductor photovoltaic diodes". In: *Science* 343 (2014), pp. 512–516.
- [43] D. A. Vithanage, A. Devižis, V. Abramavičius, Y. Infahsaeng, D. Abramavičius, R. MacKenzie, P. Keivanidis, A. Yartsev, D. Hertel, J. Nelson, et al. "Visualizing charge separation in bulk heterojunction organic solar cells". In: *Nat. Commun.* 4 (2013), p. 2334.
- [44] H. J. Park, J. Y. Lee, T. Lee, and L. J. Guo. "Advanced heterojunction structure of polymer photovoltaic cell generating high photocurrent with internal quantum efficiency approaching 100%". In: *Adv. Energy Mater.* 3 (2013), pp. 1135–1142.
- [45] P. Langevin. "Recombinaison et mobilités des ions dans les gaz". In: *Ann. Chim. Phys* 28 (1903), p. 122.
- [46] G.-J. A. H. Wetzelaer, N. J. Van der Kaap, L. Koster, and P. W. M. Blom. "Quantifying bimolecular recombination in organic solar cells in steady state". In: *Adv. Energy Mater.* 3 (2013), pp. 1130–1134.
- [47] D. Murthy, A. Melianas, Z. Tang, G. Juška, K. Arlauskas, F. Zhang, L. D. Siebbeles, O. Inganäs, and T. J. Savenije. "Origin of reduced bimolecular recombination in blends of conjugated polymers and fullerenes". In: *Ad. Funct. Mater.* 23 (2013), pp. 4262–4268.
- [48] H. van Eersel, R. A. J. Janssen, and M. Kemerink. "Mechanism for efficient photoinduced charge separation at disordered organic heterointerfaces". In: *Adv. Func. Mater.* 22 (2012), pp. 2700–2708.
- [49] C. Groves and N. C. Greenham. "Bimolecular recombination in polymer electronic devices". In: *Phys. Rev. B* 78 (2008), p. 155205.
- [50] W. Shockley and W. T. Read Jr. "Statistics of the recombinations of holes and electrons". In: *Phys. Rev.* 87 (1952), p. 835.
- [51] R. N. Hall. "Electron-hole recombination in germanium". In: *Phys. Rev.* 87 (1952), p. 387.
- [52] H. T. Nicolai, M. Kuik, G. A. H. Wetzelaer, B. D. Boer, C. Campbell, C. Risko, J. L. Brédas, and P. W. M. Blom. "Unification of trap-limited electron transport in semiconducting polymers". In: *Nat. Mater.* 11 (2012), pp. 882–887.

- [53] A. Wagenpfahl, C. Deibel, and V. Dyakonov. "Organic solar cell efficiencies under the aspect of reduced surface recombination velocities". In: *Selected Topics in Quantum Electronics, IEEE Journal of* 16 (2010), pp. 1759–1763.
- [54] T. Kirchartz, B. E. Pieters, K. Taretto, and U. Rau. "Mobility dependent efficiencies of organic bulk heterojunction solar cells: Surface recombination and charge transfer state distribution". In: *Phys. Rev. B* 80 (2009), p. 035334.
- [55] A. Wagenpfahl, D. Rauh, M. Binder, C. Deibel, and V. Dyakonov. "S-shaped current-voltage characteristics of organic solar devices". In: *Phys. Rev. B* 82 (2010), p. 115306.
- [56] W. Tress, K. Leo, and M. Riede. "Influence of Hole-Transport Layers and Donor Materials on Open-Circuit Voltage and Shape of I–V Curves of Organic Solar Cells". In: *Adv. Funct. Mater.* 21 (2011), pp. 2140–2149.
- [57] J. Reinhardt, M. Grein, C. Bühler, M. Schubert, and U. Würfel. "Identifying the Impact of Surface Recombination at Electrodes in Organic Solar Cells by Means of Electroluminescence and Modeling". In: *Adv. Energy Mater.* 4 (2014), p. 1400081.
- [58] G.-J. A. H. Wetzelaer and P. W. M. Blom. "Diffusion-driven currents in organic-semiconductor diodes". In: *NPG Asia Materials* 6 (2014), e110.
- [59] H. K. Gummel. "A self-consistent iterative scheme for one-dimensional steady state transistor calculations". In: *IEEE Trans. Electron Devices* 11 (1964), pp. 455–465.
- [60] H. T. Nicolai, G. A. H. Wetzelaer, M. Kuik, A. J. Kronemeijer, B. De Boer, and P. W. M. Blom. "Space-charge-limited hole current in poly(9,9-dioctylfluorene) diodes". In: *Appl. Phys. Lett.* 96 (2010), p. 172107.
- [61] J. J. Brondijk, F. Torricelli, E. C. P. Smits, P. W. M. Blom, and D. M. de Leeuw. "Gate-bias assisted charge injection in organic field-effect transistors". In: *Org. Electron.* 13 (2012), pp. 1526–1531.
- [62] M. Kuik, L. J. A. Koster, A. G. Dijkstra, G. A. H. Wetzelaer, and P. W. M. Blom. "Non-radiative recombination losses in polymer light-emitting diodes". In: *Org. Electron.* 13 (2012), pp. 969–974.
- [63] S. Selberherr. *Analysis and Simulation of Semiconductor Devices*. Springer, Vienna, 1984.

- [64] J. D. Kotlarski, P. W. M. Blom, L. J. A. Koster, M. Lenes, and L. H. Slooff. "Combined optical and electrical modeling of polymer: fullerene bulk heterojunction solar cells". In: *J. Appl. Phys.* 103 (2008), p. 084502.
- [65] D. L. Scharfetter and H. K. Gummel. "Large-signal analysis of a silicon read diode oscillator". In: *IEEE Trans. Electron Devices* 16 (1969), pp. 64–77.
- [66] T. Koprucki and K. Gärtner. "Discretization scheme for drift-diffusion equations with strong diffusion enhancement". English. In: *Opt. Quant. Electron.* 45 (2013), pp. 791–796.
- [67] J. J. Kwiatkowski, J. M. Frost, and J. Nelson. "The effect of morphology on electron field-effect mobility in disordered C60 thin films". In: *Nano Lett.* 9 (2009), pp. 1085–1090.
- [68] J. J. M. Van Der Holst, M. A. Uijtewaal, B. Ramachandhran, R. Coehoorn, P. A. Bobbert, G. A. De Wijs, and R. A. De Groot. "Modeling and analysis of the three-dimensional current density in sandwich-type single-carrier devices of disordered organic semiconductors". In: *Phys. Rev. B* 79 (2009), p. 085203.
- [69] M. Mesta, M. Carvelli, R. J. de Vries, H. van Eersel, J. J. M. van der Holst, M. Schober, M. Furno, B. Lüssem, K. Leo, P. Loeb, et al. "Molecular-scale simulation of electroluminescence in a multilayer white organic light-emitting diode". In: *Nat. Mater.* 12 (2013), pp. 652–658.
- [70] P. K. Watkins, A. B. Walker, and G. L. B. Verschoor. "Dynamical Monte Carlo modelling of organic solar cells: The dependence of internal quantum efficiency on morphology". In: *Nano Lett.* 5 (2005), pp. 1814–1818.
- [71] D. T. Gillespie. "A general method for numerically simulating the stochastic time evolution of coupled chemical reactions". In: *J. Comput. Phys.* 22 (1976), pp. 403–434.
- [72] M. H. Kalos and P. A. Whitlock. *Monte carlo methods*. John Wiley & Sons, 2008.
- [73] S. Kim, J. Yeo, C. Im, and D. Kim. "Finite-size effects in Monte Carlo simulations of the Gaussian disorder model". In: *J. Kor. Phys. Soc.* 60 (2012), pp. 1897–1901.
- [74] M. A. Gibson and J. Bruck. "Efficient Exact Stochastic Simulation of Chemical Systems with Many Species and Many Channels". In: *J. Phys. Chem. A* 104 (2000), pp. 1876–1889.



- [75] C. Groves, R. G. E. Kimber, and A. B. Walker. "Simulation of loss mechanisms in organic solar cells: a description of the mesoscopic Monte Carlo technique and an evaluation of the first reaction method". In: *J. Chem. Phys* 133 (2010), p. 144110.
- [76] R. G. Kimber, E. N. Wright, S. E. O'Kane, A. B. Walker, and J. C. Blakesley. "Mesoscopic kinetic Monte Carlo modeling of organic photovoltaic device characteristics". In: *Phys. Rev. B* 86 (2012), p. 235206.
- [77] M. Casalegno, G. Raos, and R. Po. "Methodological assessment of kinetic Monte Carlo simulations of organic photovoltaic devices: The treatment of electrostatic interactions". In: *J. Chem. Phys* 132 (2010), p. 094705.
- [78] J. van der Holst. "Three-dimensional modeling of charge transport, injection and recombination in organic light-emitting diodes". PhD thesis. Technische Universiteit Eindhoven, 2010.
- [79] A. V. Nenashev, J. O. Oelerich, and S. D. Baranovskii. "Theoretical tools for the description of charge transport in disordered organic semiconductors". In: *J. Phys.-Condens. Mat.* 27 (2015), p. 093201.
- [80] J. D. Yuen, R. Menon, N. E. Coates, E. B. Namdas, S. Cho, S. T. Hannahs, D. Moses, and A. J. Heeger. "Nonlinear transport in semiconducting polymers at high carrier densities". In: *Nat. Mater.* 8 (2009), pp. 572–575.
- [81] A. J. Kronemeijer, E. H. Huisman, I. Katsouras, P. A. van Hal, T. C. T. Geuns, P. W. M. Blom, S. J. van der Molen, and D. M. de Leeuw. "Universal scaling in highly doped conducting polymer films". In: *Phys. Rev. Lett.* 105 (2010), p. 156604.
- [82] A. S. Dhoot, G. M. Wang, D. Moses, and A. J. Heeger. "Voltage-induced metal-insulator transition in polythiophene field-effect transistors". In: *Phys. Rev. Lett.* 96 (2006), p. 246403.
- [83] R. Menon, C. O. Yoon, D. Moses, A. J. Heeger, and Y. Cao. "Transport in polyaniline near the critical regime of the metal-insulator transition". In: *Phys. Rev. B* 48 (1993), p. 17685.
- [84] M. J. Panzer and C. D. Frisbie. "High Carrier Density and Metallic Conductivity in Poly (3-hexylthiophene) Achieved by Electrostatic Charge Injection". In: *Adv. Funct. Mater.* 16 (2006), pp. 1051–1056.

- [85] K. Asadi, A. J. Kronemeijer, T. Cramer, L. J. A. Koster, P. W. M. Blom, and D. M. de Leeuw. "Polaron hopping mediated by nuclear tunnelling in semiconducting polymers at high carrier density". In: *Nat. Commun.* 4 (2013), p. 1710.
- [86] Y. Jiang, H. Geng, W. Shi, Q. Peng, X. Zheng, and Z. Shuai. "Theoretical Prediction of Isotope Effects on Charge Transport in Organic Semiconductors". In: *J. Phys. Chem. Lett.* 5 (2014), pp. 2267–2273.
- [87] S. Jang and A. Montoya-Castillo. "Charge Hopping Dynamics along a Disordered Chain in Quantum Environments: Comparative Study of Different Rate Kernels". In: *J. Phys. Chem. B* 119 (2015), pp. 7659–7665.
- [88] J. Lee, J. W. Chung, D. H. Kim, B. Lee, J. Parkl, S. Lee, R. Häusermann, B. Batlogg, S. Lee, I. Choi, I. W. Kim, and M. S. Kang. "Thin Films of Highly Planar Semiconductor Polymers Exhibiting Band-like Transport at Room Temperature". In: *J. Am. Chem. Soc.* 137 (2015), pp. 7990–7993.
- [89] Z. Shuai, H. Geng, W. Xu, Y. Liao, and J. Andre. "From charge transport parameters to charge mobility in organic semiconductors through multiscale simulation". In: *Chem. Soc. Rev.* 43 (2014), pp. 2662–2679.
- [90] G. Nan, X. Yang, L. Wang, Z. Shuai, and Y. Zhao. "Nuclear tunneling effects of charge transport in rubrene, tetracene, and pentacene". In: *Phys. Rev. B* 79 (2009), p. 115203.
- [91] H. Geng, Q. Peng, L. Wang, H. Li, Y. Liao, Z. Ma, and Z. Shuai. "Toward Quantitative Prediction of Charge Mobility in Organic Semiconductors: Tunneling Enabled Hopping Model". In: *Adv. Mater.* 24 (2012), pp. 3568–3572.
- [92] I. Katsouras, A. Najafi, K. Asadi, A. J. Kronemeijer, A. J. Oostra, L. J. A. Koster, D. M. de Leeuw, and P. W. M. Blom. "Charge transport in poly (p-phenylene vinylene) at low temperature and high electric field". In: *Org. Electron.* 14 (2013), pp. 1591–1596.
- [93] U. Weiss. *Quantum Dissipative Systems. Series in Modern Condensed Matter Physics*. Vol. 13. World Scientific, Singapore, 2008.
- [94] M. P. A. Fisher and A. T. Dorsey. "Dissipative quantum tunneling in a biased double-well system at finite temperatures". In: *Phys. Rev. Lett.* 54 (1985), pp. 1609–1612.

- [95] Z. G. Yu, D. L. Smith, A. Saxena, R. L. Martin, and A. R. Bishop. "Molecular geometry fluctuations and field-dependent mobility in conjugated polymers". In: *Phys. Rev. B* 63 (2001), p. 085202.
- [96] J. Cottaar and P. A. Bobbert. "Calculating charge-carrier mobilities in disordered semiconducting polymers: Mean field and beyond". In: *Phys. Rev. B* 74 (2006), p. 115204.
- [97] J. Cottaar, L. J. A. Koster, R. Coehoorn, and P. A. Bobbert. "Scaling theory for percolative charge transport in disordered molecular semiconductors". In: *Phys. Rev. Lett.* 107 (2011), p. 136601.
- [98] N. Craciun, J. Brondijk, and P. Blom. "Diffusion-enhanced hole transport in thin polymer light-emitting diodes". In: *Phys. Rev. B* 77 (2008), p. 035206.
- [99] J. Sancho-Garcia, G. Horowitz, J.-L. Brédas, and J. Cornil. "Effect of an external electric field on the charge transport parameters in organic molecular semiconductors". In: *J. Chem. Phys.* 119 (2003), pp. 12563–12568.
- [100] P. Song, Y. Li, F. Ma, T. Pullerits, and M. Sun. "External Electric Field-Dependent Photoinduced Charge Transfer in a Donor–Acceptor System for an Organic Solar Cell". In: *J. Phys. Chem. C* 117 (2013), pp. 15879–15889.
- [101] H. A. Aleksandrov, L. V. Moskaleva, Z.-J. Zhao, D. Basaran, Z.-X. Chen, D. Mei, and N. Rösch. "Ethylene conversion to ethylidyne on Pd (111) and Pt (111): A first-principles-based kinetic Monte Carlo study". In: *J. Catal.* 285 (2012), pp. 187–195.
- [102] B. Sadigh, T. J. Lenosky, S. K. Theiss, M. Caturla, T. D. de la Rubia, and M. A. Foad. "Mechanism of Boron Diffusion in Silicon: An Ab Initio and Kinetic Monte Carlo Study". In: *Phys. Rev. Lett.* 83 (1999), pp. 4341–4344.
- [103] D. Levis and L. Berthier. "Clustering and heterogeneous dynamics in a kinetic Monte Carlo model of self-propelled hard disks". In: *Phys. Rev. E* 89 (2014), p. 062301.
- [104] L. Wang and P. Clancy. "Kinetic Monte Carlo simulation of the growth of polycrystalline Cu films". In: *Surf. Sci.* 473 (2001), pp. 25–38.
- [105] T. Schulze and P. Smereka. "Kinetic monte carlo simulation of heteroepitaxial growth: Wetting layers, quantum dots, capping, and nanorings". In: *Phys. Rev. B* 86 (2012), p. 235313.

- [106] T. Treeratanaphitak, M. D. Pritzker, and N. M. Abukhdeir. “Kinetic Monte Carlo simulation of electrodeposition using the embedded-atom method”. In: *Electrochim. Acta* 121 (2014), pp. 407–414.
- [107] R. M. Ziff, E. Gulari, and Y. Barshad. “Kinetic Phase Transitions in an Irreversible Surface-Reaction Model”. In: *Phys. Rev. Lett.* 56 (1986), pp. 2553–2556.
- [108] A. P. J. Jansen. *An introduction to kinetic Monte Carlo simulations of surface reactions*. Vol. 856. Springer, 2012.
- [109] M. Stamatakis, Y. Chen, and D. G. Vlachos. “First-Principles-based kinetic Monte Carlo simulation of the structure sensitivity of the water–gas shift reaction on platinum surfaces”. In: *J. Phys. Chem. C* 115 (2011), pp. 24750–24762.
- [110] C. Fu, J. D. Torre, F. Willaime, J. Bocquet, and A. Barbu. “Multiscale modelling of defect kinetics in irradiated iron”. In: *Nat. Mater.* 4 (2005), pp. 68–74.
- [111] I. Martin-Bragado, A. Rivera, G. Valles, J. L. Gomez-Selles, and M. J. Caturla. “MMonCa: An Object Kinetic Monte Carlo simulator for damage irradiation evolution and defect diffusion”. In: *Comput. Phys. Comm.* 184 (2013), pp. 2703–2710.
- [112] T. A. J. Duke, N. le Noveère, and D. Bray. “Conformational spread in a ring of proteins: a stochastic approach to allostery”. In: *J. Mol. Biol.* 308 (2001), pp. 541–553.
- [113] E. Flenner, L. Janosi, B. Barz, A. Neagu, G. Forgacs, and I. Kosztin. “Kinetic Monte Carlo and cellular particle dynamics simulations of multicellular systems”. In: *Phys. Rev. E* 85 (2012), p. 031907.
- [114] K. A. Fichthorn and W. H. Weinberg. “Theoretical foundations of dynamical Monte Carlo simulations”. In: *J. Chem. Phys.* 95 (1991), pp. 1090–1096.
- [115] J. Zhou, Y. Zhou, J. M. Zhao, C. Wu, X. M. Ding, and X. Y. Hou. “Carrier density dependence of mobility in organic solids: A Monte Carlo simulation”. In: *Phys. Rev. B* 75 (2007), p. 153201.
- [116] T. P. Schulze and P. Smereka. “An energy localization principle and its application to fast kinetic Monte Carlo simulation of heteroepitaxial growth”. In: *J. Mech. Phys. Solids* 57 (2009), pp. 521–538.

- [117] L. Kittiratanawasin and R. Smith. “Long time scale evolution of radiation-induced defects in Er<sub>2</sub>O<sub>3</sub>”. In: *Nucl. Instrum. Meth. B* 269 (2011), pp. 1712–1719.
- [118] H. Cheng, L. Greengard, and V. Rokhlin. “A fast adaptive multipole algorithm in three dimensions”. In: *J. Comput. Phys.* 155 (1999), pp. 468–498.
- [119] I. Lashuk, A. Chandramowlishwaran, H. Langston, T.-A. Nguyen, R. Sampath, A. Shringarpure, R. Vuduc, L. Ying, D. Zorin, and G. Biros. “A massively parallel adaptive fast multipole method on heterogeneous architectures”. In: *Commun. ACM* 55 (2012), pp. 101–109.
- [120] J. J. M. van der Holst, F. W. A. van Oost, R. Coehoorn, and P. A. Bobbert. “Monte Carlo study of charge transport in organic sandwich-type single-carrier devices: Effects of Coulomb interactions”. In: *Phys. Rev. B* 83 (2011), p. 085206.
- [121] T. P. Schulze and P. Smereka. “Simulation of Three-Dimensional Strained Heteroepitaxial Growth Using Kinetic Monte Carlo.” In: *Comm. Comput. Phys.* 10 (2011), p. 1089.
- [122] A. B. Bortz, M. H. Kalos, and J. L. Lebowitz. “A new algorithm for Monte Carlo simulation of Ising spin systems”. In: *J. Comput. Phys.* 17 (1975), pp. 10–18.
- [123] B. D. Lubachevsky. “Efficient parallel simulations of dynamic Ising spin systems”. In: *J. Comput. Phys.* 75 (1988), pp. 103–122.
- [124] Y. Shim and J. G. Amar. “Semirigorous synchronous sublattice algorithm for parallel kinetic Monte Carlo simulations of thin film growth”. In: *Phys. Rev. B* 71 (2005), p. 125432.
- [125] E. Martínez, J. Marian, M. H. Kalos, and J. M. Perlado. “Synchronous parallel kinetic Monte Carlo for continuum diffusion-reaction systems”. In: *J. Comput. Phys.* 227 (2008), pp. 3804–3823.
- [126] M. Merrick and K. A. Fichtorn. “Synchronous relaxation algorithm for parallel kinetic Monte Carlo simulations of thin film growth”. In: *Phys. Rev. E* 75 (2007), p. 011606.
- [127] Y. Shim and J. G. Amar. “Rigorous synchronous relaxation algorithm for parallel kinetic Monte Carlo simulations of thin film growth”. In: *Phys. Rev. B* 71 (2005), p. 115436.

- [128] G. Arampatzis, M. A. Katsoulakis, P. Plecháč, M. Taufer, and L. Xu. “Hierarchical fractional-step approximations and parallel kinetic Monte Carlo algorithms”. In: *J. Comput. Phys.* 231 (2012), pp. 7795–7814.
- [129] S. Plimpton, C. Battaile, M. Chandross, L. Holm, A. Thompson, V. Tikare, G. Wagner, E. Webb, X. Zhou, C. G. Cardona, and A. Slepoy. *Crossing the mesoscale no-man’s land via parallel kinetic monte carlo*. Tech. rep. Sandia National Laboratories, Oct. 2009.
- [130] J. A. Anderson, E. Jankowski, T. L. Grubb, M. Engel, and S. C. Glotzer. “Massively parallel Monte Carlo for many-particle simulations on {GPUs}”. In: *J. Comput. Phys.* 254 (2013), pp. 27–38.
- [131] E. Martínez, P. R. Monasterio, and J. Marian. “Billion-atom synchronous parallel kinetic Monte Carlo simulations of critical 3D Ising systems”. In: *J. Comput. Phys.* 230 (2011), pp. 1359–1369.
- [132] P. J. Green. “Reversible jump Markov chain Monte Carlo computation and Bayesian model determination”. In: *Biometrika* 82.4 (1995), pp. 711–732.
- [133] R. Y. Rubinstein and D. P. Kroese. *Simulation and the Monte Carlo method*. Vol. 707. John Wiley & Sons, 2011.
- [134] V. Coropceanu, J. Cornil, D. A. da Silva Filho, Y. Olivier, R. Silbey, and J. L. Brédas. “Charge transport in organic semiconductors”. In: *Chem. Rev.* 107 (2007), pp. 926–952.
- [135] L. Demeyu, S. Stafström, and M. Bekele. “Monte Carlo simulations of charge carrier mobility in semiconducting polymer field-effect transistors”. In: *Phys. Rev. B* 76 (2007), p. 155202.
- [136] A. Lukyanov and D. Andrienko. “Extracting nondispersive charge carrier mobilities of organic semiconductors from simulations of small systems”. In: *Phys. Rev. B* 82 (2010), p. 193202.
- [137] C. Groves, J. C. Blakesley, and N. C. Greenham. “Effect of Charge Trapping on Geminate Recombination and Polymer Solar Cell Performance”. In: *Nano Lett.* 10 (2010), pp. 1063–1069.
- [138] Y. Preezant and N. Tessler. “Carrier heating in disordered organic semiconductors”. In: *Phys. Rev. B* 74 (2006), p. 235202.

- [139] H. Bäessler. “Localized states and electronic transport in single component organic solids with diagonal disorder”. In: *Phys. Status Solidi B* 107 (1981), pp. 9–54.
- [140] P. W. M. Blom, C. Tanase, D. M. de Leeuw, and R. Coehoorn. “Thickness scaling of the space-charge-limited current in poly(p-phenylene vinylene)”. In: *Appl. Phys. Lett.* 86 (2005), p. 092105.
- [141] V. D. Mihailetschi, H. X. Xie, B. de Boer, L. J. A. Koster, and P. W. M. Blom. “Charge transport and photocurrent generation in poly (3-hexylthiophene): methanofullerene bulk-heterojunction solar cells”. In: *Adv. Funct. Mater.* 16 (2006), pp. 699–708.
- [142] C. M. Proctor, J. A. Love, and T. Nguyen. “Mobility guidelines for high fill factor solution-processed small molecule solar cells”. In: *Adv. Mater.* 26 (2014), pp. 5957–5961.
- [143] D. Bartesaghi, I. del Carmen Pérez, J. Kniepert, S. Roland, M. Turbiez, D. Neher, and L. J. A. Koster. “Competition between recombination and extraction of free charges determines the fill factor of organic solar cells”. In: *Nat. Commun.* 6 (2015), p. 7083.
- [144] M. Kuik, G. A. H. Wetzelaer, J. G. Laddé, H. T. Nicolai, J. Wildeman, J. Sweelssen, and P. W. M. Blom. “The effect of ketone defects on the charge transport and charge recombination in polyfluorenes”. In: *Adv. Funct. Mater.* 21 (2011), pp. 4502–4509.
- [145] A. Melianas, V. Pranculis, A. Devižis, V. Gulbinas, O. Inganäs, and M. Kemerink. “Dispersion-dominated photocurrent in polymer:fullerene solar cells”. In: *Adv. Funct. Mater.* 24 (2014), pp. 4507–4514.
- [146] G. A. H. Wetzelaer, L. J. A. Koster, and P. W. M. Blom. “Validity of the Einstein relation in disordered organic semiconductors”. In: *Phys. Rev. Lett.* 107 (2011), p. 066605.
- [147] J. Cottaar, R. Coehoorn, and P. A. Bobbert. “Field-induced detrapping in disordered organic semiconducting host-guest systems”. In: *Phys. Rev. B* 82 (2010), p. 205203.

- [148] A. M. Ballantyne, L. Chen, J. Dane, T. Hammant, F. M. Braun, M. Heeney, W. Duffy, I. McCulloch, D. D. C. Bradley, and J. Nelson. "The effect of poly (3-hexylthiophene) molecular weight on charge transport and the performance of polymer:fullerene solar cells". In: *Adv. Funct. Mater.* 18 (2008), p. 2373.
- [149] S. Albrecht, W. Schindler, J. Kurpiers, J. Kniepert, J. C. Blakesley, I. Dum-sch, S. Allard, K. Fostiropoulos, U. Scherf, and D. Neher. "On the field dependence of free charge carrier generation and recombination in blends of PCPDTBT/PC70BM: Influence of solvent additives". In: *J. Phys. Chem. Lett.* 3 (2012), pp. 640–645.
- [150] H. Yan, P. Lee, N. R. Armstrong, A. Graham, G. A. Evmenenko, P. Dutta, and T. J. Marks. "High-performance hole-transport layers for polymer light-emitting diodes. Implementation of organosiloxane cross-linking chemistry in polymeric electroluminescent devices". In: *J. Am. Chem. Soc.* 127 (2005), pp. 3172–3183.
- [151] A. W. Hains and T. J. Marks. "High-efficiency hole extraction/electron-blocking layer to replace poly (3, 4-ethylenedioxythiophene): poly (styrene sulfonate) in bulk-heterojunction polymer solar cells". In: *Appl. Phys. Lett.* 92 (2008), p. 023504.
- [152] U. Würfel, D. Neher, A. Spies, and S. Albrecht. "Impact of charge transport on current-voltage characteristics and power-conversion efficiency of organic solar cells". In: *Nat. Commun.* 6 (2015), p. 6951.



