

University of Groningen

## A spectroscopic study of the high-redshift Universe

Karman, Wouter

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*  
2016

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Karman, W. (2016). *A spectroscopic study of the high-redshift Universe*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*



rijksuniversiteit  
groningen

# A spectroscopic study of the high-redshift Universe

## Proefschrift

ter verkrijging van de graad van doctor aan de  
Rijksuniversiteit Groningen  
op gezag van de  
rector magnificus prof. dr. E. Sterken  
en volgens besluit van het College voor Promoties.  
De openbare verdediging zal plaatsvinden op  
vrijdag 21 oktober 2016 om 12:45 uur

door

**Wouter Karman**

geboren op 21 november 1987  
te Amsterdam, Nederland

**Promotores**

Prof. dr. K.I. Caputi

Prof. dr. S.C. Trager

**Beoordelingscommissie**

Prof. dr. P.D. Barthel

Prof. dr. M. Franx

Prof. dr. O. Le Fèvre

ISBN: 978-90-367-9073-4 (printed version)

ISBN: 978-90-367-9072-7 (electronic version)



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	The formation and evolution of galaxies . . . . .	3
1.1.1	Cosmology . . . . .	3
1.2	Physical processes in galaxy evolution . . . . .	4
1.2.1	Stellar feedback . . . . .	6
1.3	Properties of galaxies from UV spectroscopy . . . . .	8
1.3.1	Ly $\alpha$ . . . . .	12
1.3.2	Detecting gas flows . . . . .	15
1.3.3	Analogues of EOR galaxies . . . . .	16
1.4	Gravitational lensing . . . . .	16
1.5	This thesis . . . . .	19
<b>2</b>	<b>Rest-frame ultraviolet spectra of massive galaxies at <math>z \sim 3</math>: evidence of high-velocity outflows</b>	<b>21</b>
2.1	Introduction . . . . .	23
2.2	Sample selection and data reduction . . . . .	25
2.2.1	Photometric data . . . . .	25
2.2.2	Spectroscopic target selection . . . . .	25
2.2.3	Spectroscopic data . . . . .	26
2.2.4	Data reduction . . . . .	26
2.3	Spectral analysis . . . . .	28
2.3.1	Redshift measurements . . . . .	28
2.3.2	Analysis of individual targets with . . . . .	30
2.4	Outflow analysis . . . . .	39
2.4.1	Modelling of absorption profiles with outflowing compo- nents . . . . .	39
2.4.2	Comparison with previous studies . . . . .	41
2.5	Properties based on multiwavelength broadband analysis of our targets . . . . .	51

2.5.1	Spectral energy distribution modelling . . . . .	51
2.5.2	Analysis of the contribution of an AGN component to the SED fitting . . . . .	52
2.6	Summary and conclusions . . . . .	54
<b>3</b>	<b>MUSE integral-field spectroscopy towards the Frontier Fields Cluster Abell S1063: I. Data products and redshift identifica- tions</b>	<b>59</b>
3.1	Introduction . . . . .	61
3.2	Observations . . . . .	63
3.2.1	Data reduction . . . . .	63
3.3	Spectral analysis . . . . .	65
3.3.1	Cluster galaxies . . . . .	65
3.3.2	Background galaxies . . . . .	69
3.4	Narrow-band images . . . . .	76
3.5	Summary and conclusions . . . . .	78
<b>4</b>	<b>Discovery of a faint star-forming multiply lensed Lyman-<math>\alpha</math> blob</b>	<b>83</b>
4.1	Introduction . . . . .	85
4.2	Methodology . . . . .	86
4.2.1	Data . . . . .	86
4.2.2	Strong lens model . . . . .	87
4.3	The multiply lensed Lyman- $\alpha$ blob . . . . .	89
4.4	Conclusions . . . . .	97
<b>5</b>	<b>MUSE integral-field spectroscopy towards the Frontier Fields cluster Abell S1063: II. Properties of intrinsically faint Lyman <math>\alpha</math> emitters at <math>z&gt;3</math></b>	<b>99</b>
5.1	Introduction . . . . .	101
5.2	Observations . . . . .	103
5.2.1	Photometry . . . . .	103
5.2.2	Integral field spectroscopy . . . . .	106
5.3	Spectral analysis . . . . .	109
5.3.1	Physical properties deduced from Ly $\alpha$ . . . . .	110
5.4	Stellar properties . . . . .	115
5.4.1	Ly $\alpha$ escape fraction . . . . .	125
5.4.2	UV-continuum slope . . . . .	126
5.4.3	Linking gas to stars . . . . .	129
5.5	Discussion . . . . .	130
5.6	Summary and conclusions . . . . .	133
	Appendix 5.A Redshifts in AS1063 . . . . .	134
	Appendix 5.B Lensing models . . . . .	141
	Appendix 5.C Individual SED fitting results . . . . .	143
	Appendix 5.D Individual Lyman $\alpha$ modelling results . . . . .	144

<b>6</b>	<b>The story of supernova ‘Refsdal’ told by MUSE*</b>	<b>169</b>
6.1	Introduction . . . . .	171
6.2	<i>HST</i> imaging . . . . .	173
6.3	VLT spectroscopy . . . . .	173
6.3.1	Data reduction . . . . .	174
6.3.2	Spectral analysis . . . . .	175
6.4	Lens modeling . . . . .	184
6.4.1	Multiple image systems . . . . .	185
6.4.2	Mass components . . . . .	187
6.4.3	Mass models . . . . .	191
6.4.4	Results . . . . .	193
6.5	Summary and conclusions . . . . .	203
<b>7</b>	<b>A highly-ionized region surrounding SN Refsdal revealed by MUSE</b>	<b>213</b>
7.1	Introduction . . . . .	215
7.2	Observations . . . . .	216
7.3	Spectral analysis . . . . .	217
7.4	Discussion . . . . .	221
7.5	Summary and conclusions . . . . .	221
<b>8</b>	<b>Conclusions and future outlook</b>	<b>223</b>
8.1	Conclusions . . . . .	223
8.1.1	UV-spectroscopy of high-redshift galaxies . . . . .	223
8.1.2	Gas kinematics at $z > 2.5$ . . . . .	224
8.1.3	Stellar and gaseous properties of faint galaxies . . . . .	224
8.1.4	The driver of faint extended Ly $\alpha$ emission . . . . .	225
8.1.5	Heating of SN environment at $z \sim 1.5$ . . . . .	225
8.2	Future outlook . . . . .	226
8.2.1	Drivers and extent of outflows . . . . .	226
8.2.2	The faint end of the Ly $\alpha$ luminosity function . . . . .	226
8.2.3	Populations of normal galaxies with extended Ly $\alpha$ emission	227
8.2.4	Galaxies that reionised the Universe . . . . .	227
	<b>Bibliography</b>	<b>229</b>
	<b>Nederlandse Samenvatting</b>	<b>241</b>
	<b>Acknowledgements</b>	<b>249</b>

