

## University of Groningen

### Stimulants and the developing brain

Schweren, Lizanne Johanna Stephanie

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2016

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Schweren, L. J. S. (2016). *Stimulants and the developing brain*. University of Groningen.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).


The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## REFERENCES





- Aarts, E., Holstein, M. Van, Hoogman, M., Onnink, M., Kan, C., Franke, B., ... Cools, R. (2014). Reward modulation of cognitive function in adult attention-deficit/hyperactivity disorder: a pilot study on the role of striatal dopamine. *Behavioural Pharmacology*, *26*(1-2), 227-240.
- Abikoff, H., Hechtman, L., Klein, R., Weiss, G., Fleiss, K., Etcovitch, J., ... Pollack, S. (2004). Symptomatic improvement in children with ADHD treated with long-term methylphenidate and multimodal psychosocial treatment. *Journal of the American Academy of Child and Adolescent Psychiatry*, *43*(7), 802-811.
- Almeida, L. G., Ricardo-Garcell, J., Prado, H., Barajas, L., Fernández-Bouzas, A., Avila, D., & Martínez, R. B. (2010). Reduced right frontal cortical thickness in children, adolescents and adults with ADHD and its correlation to clinical variables: a cross-sectional study. *Journal of Psychiatric Research*, *44*(16), 1214-1223.
- Almeida Montes, L. G., Prado Alcántara, H., Martínez García, R. B., De La Torre, L. B., Avila Acosta, D., & Duarte, M. G. (2013). Brain cortical thickness in ADHD: age, sex, and clinical correlations. *Journal of Attention Disorders*, *17*(8), 641-654.
- American Psychiatric Association (2000). *Diagnostic and statistical manual of mental disorders: DSM-IV-TR*. American Psychiatric Publishing Inc.
- American Psychiatric Association (2013). *Diagnostic and Statistical Manual of Mental Disorders (5th ed.)*. Arlington, VA: American Psychiatric Publishing Inc.
- Amico, F., Stauber, J., Koutsouleris, N., & Frodl, T. (2011). Anterior cingulate cortex gray matter abnormalities in adults with attention-deficit/hyperactivity disorder: a voxel-based morphometry study. *Psychiatry Research*, *191*(1), 31-35.
- An, L., Cao, X. H., Cao, Q. J., Sun, L., Yang, L., Zou, Q. H., ... Wang, Y. F. (2013). Methylphenidate normalizes resting-state brain dysfunction in boys with attention-deficit/hyperactivity disorder. *Neuropsychopharmacology*, *38*(7), 1287-1295.
- Andersen, S. L. (2005). Stimulants and the developing brain. *Trends in Pharmacological Sciences*, *26*(5), 237-243.
- Andersen, S. L., & Navalta, C. P. (2011). Annual research review: New frontiers in developmental neuropharmacology: Can long-term therapeutic effects of drugs be optimized through carefully timed early intervention? *Journal of Child Psychology and Psychiatry and Allied Disciplines*, *52*(4), 476-503.
- Anderson, C. M., Polcari, A., Lowen, S. B., Renshaw, P. F., & Teicher, M. H. (2002). Effects of methylphenidate on functional magnetic resonance relaxometry of the cerebellar vermis in boys with ADHD. *American Journal of Psychiatry*, *159*(8), 1322-1328.
- Antshel, K., Zhang-James, Y., & Faraone, S. (2013). The comorbidity of ADHD and autism spectrum disorder. *Expert Review of Neurotherapeutics*, *13*(10), 1117-1128.
- Armstrong, B. D., & Noguchi, K. K. (2004). The neurotoxic effects of 3,4-methylenedioxymethamphetamine (MDMA) and methamphetamine on serotonin, dopamine, and GABA-ergic terminals: An in-vitro autoradiographic study in rats. *NeuroToxicology*, *25*(6), 905-914.
- Arnold, L. E., Abikoff, H. B., Cantwell, D. P., Conners, C. K., Elliott, G. R., Greenhill, L. L., ... Wells, K. C. (1997). NIMH collaborative multimodal treatment study of children with ADHD (MTA): Design, methodology, and protocol evolution. *Archives of General Psychiatry*, *54*(9), 865-870.
- Arnsten, A. F. T. (2006). Therapeutic actions in ADHD. *Neuropharmacology*, *31*, 2376-2383.
- Asghari, V., Sanyal, S., Buchwaldt, S., Paterson, A., Jovanovic, V., & van Tol, H. H. (1995). Modulation of intracellular cyclic AMP levels by different human dopamine D4 receptor variants. *Journal of Neurochemistry*, *65*(3), 1157-1165.
- Ashburner, J., & Friston, K. (2000). Voxel-based morphometry - the methods. *NeuroImage*, *11*(6), 805-821.
- Ashburner, J., & Friston, K. J. (2005). Unified segmentation. *NeuroImage*, *26*(3), 839-851.

- Ashtari, M., Avants, B., Cyckowski, L., Cervellione, K. L., Roofeh, D., Cook, P., ... Kumra, S. (2011). Medial temporal structures and memory functions in adolescents with heavy cannabis use. *Journal of Psychiatric Research, 45*(8), 1055–1066.
- Ashtari, M., Kumra, S., Bhaskar, S. L., Clarke, T., Thaden, E., Cervellione, K. L., ... Ardekani, B. A. (2005). Attention-deficit/hyperactivity disorder: a preliminary diffusion tensor imaging study. *Biological Psychiatry, 57*(5), 448–455.
- Bachmann, C. J., Lempp, T., Glaeske, G., & Hoffmann, F. (2014). Antipsychotic prescription in children and adolescents: an analysis of data from a German statutory health insurance company from 2005 to 2012. *Deutsches Ärzteblatt International, 111*(3), 25–34.
- Barbaresi, W. J., Katusic, S. K., Colligan, R. C., Weaver, A. L., Leibson, C. L., & Jacobsen, S. J. (2006). Long-term stimulant medication treatment of attention-deficit/hyperactivity disorder: Results from a population-based study. *Journal of Developmental and Behavioral Pediatrics, 27*, 10.
- Batty, M. J., Liddle, E. B., Pitiot, A., Toro, R., Groom, M. J., Scerif, G., ... Hollis, C. (2010). Cortical gray matter in attention-deficit/hyperactivity disorder: A structural magnetic resonance imaging study. *Journal of the American Academy of Child and Adolescent Psychiatry, 49*(3), 229–238.
- Bava, S., Thayer, R., Jacobus, J., Ward, M., Jernigan, T. L., & Tapert, S. F. (2010). Longitudinal characterization of white matter maturation during adolescence. *Brain Research, 1327*, 38–46.
- Becker, B., Wagner, D., Koester, P., Bender, K., Kabbasch, C., Gouzoulis-Mayfrank, E., & Daumann, J. (2013). Memory-related hippocampal functioning in ecstasy and amphetamine users: A prospective fMRI study. *Psychopharmacology, 225*(4), 923–934.
- Bédard, A. C., Schulz, K. P., Cook, E. H., Fan, J., Clerkin, S. M., Ivanov, I., ... Newcorn, J. H. (2010). Dopamine transporter gene variation modulates activation of striatum in youth with ADHD. *NeuroImage, 53*(3), 935–942.
- Belcher, A. M., O'Dell, S. J., & Marshall, J. F. (2005). Impaired object recognition memory following methamphetamine, but not p-chloroamphetamine- or d-amphetamine-induced neurotoxicity. *Neuropsychopharmacology, 30*(11), 2026–2034.
- Bellgrove, M. A., Johnson, K. A., Barry, E., Mulligan, A., Hawi, Z., Gill, M., ... Chambers, C. D. (2009). Dopaminergic haplotype as a predictor of spatial inattention in children with attention-deficit/hyperactivity disorder. *Archives of General Psychiatry, 66*(10), 1135–1142.
- Benjamini, E., & Hochberg, Y. (1995). Controlling the False Discovery Rate: A practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society, 57*(1), 289–300.
- Berman, S., Kuczenski, R., McCracken, J., & London, E. D. (2009). Potential adverse effects of amphetamine treatment on brain and behavior: a review. *Molecular Psychiatry, 14*, 123–142.
- Berman, S., O'Neill, J., Fears, S., Bartzokis, G., & London, E. D. (2008). Abuse of amphetamines and structural abnormalities in the brain. *Annals of the New York Academy of Sciences, 1141*, 195–220.
- Biederman, J., Monuteaux, M. C., Spencer, T., Wilens, T. E., & Faraone, S. V. (2009). Do stimulants protect against psychiatric disorders in youth with ADHD? A 10-year follow-up study. *Pediatrics, 124*(1), 71–78.
- Biederman, J., Petty, C. R., O'Connor, K. B., Hyder, L. L., & Faraone, S. V. (2012). Predictors of persistence in girls with attention-deficit/hyperactivity disorder: results from an 11-year controlled follow-up study. *Acta Psychiatrica Scandinavica, 125*(2), 147–156.
- Biezonski, D. K., & Meyer, J. S. (2010). Effects of 3,4-methylenedioxyamphetamine (MDMA) on serotonin transporter and vesicular monoamine transporter 2 protein and gene expression in rats: Implications for MDMA neurotoxicity. *Journal of Neurochemistry, 112*(4), 951–962.
- Bledsoe, J., Semrud-Clikeman, M., & Pliszka, S. R. (2009). A magnetic resonance imaging study of the cerebellar vermis in chronically treated and treatment-naïve children with attention-deficit/hyperactivity disorder combined type. *Biological Psychiatry, 65*(7), 620–624.
- Blumenthal, J. D., Zijdenbos, A., Molloy, E., & Giedd, J. N. (2002). Motion artifact in magnetic resonance imaging: implications for automated analysis. *NeuroImage, 16*(1), 89–92.

- Bottelier, M. A, Schouw, M. L. J., Klomp, A., Tamminga, H. G. H., Schranter, A. G. M., Bouziane, C., ... Reneman, L. (2014). The effects of Psychotropic drugs On Developing brain (ePOD) study: methods and design. *BMC Psychiatry, 14*, 48.
- Brookes, K. J., Mill, J., Guindalini, C., Curran, S., Xu, X., Knight, J., ... Asherson, P. (2006). A common haplotype of the dopamine transporter gene associated with attention-deficit/hyperactivity disorder and interacting with maternal use of alcohol during pregnancy. *Archives of General Psychiatry, 63*(1), 74–81.
- Brown, S. A, Tapert, S. F., Granholm, E., & Delis, D. C. (2000). Neurocognitive functioning of adolescents: effects of protracted alcohol use. *Alcoholism, Clinical and Experimental Research, 24*(2), 164–171.
- Brown, S., Myers, M., Lippke, L., Tapert, S., Steward, D., & Vik, P. (1998). Psychometric evaluation of the Customary Drinking and Drug Use Record (CDDR): a measure of adolescent alcohol and drug involvement. *Journal of Studies on Alcohol, 59*(4), 427–438.
- Buitelaar, J. K., & Coghill, D. R. (2013). Brain imaging: closing the gap between basic research and clinical application is urgently needed. *European Child and Adolescent Psychiatry, 22*(12), 715–717.
- Buitelaar, J., & Medori, R. (2010). Treating attention-deficit/hyperactivity disorder beyond symptom control alone in children and adolescents: a review of the potential benefits of long-acting stimulants. *European Child and Adolescent Psychiatry, 19*(4), 325–340.
- Bush, G., Spencer, T. J., Holmes, J., Shin, L. M., Valera, E. M., Seidman, L. J., ... Biederman, J. (2008). Functional magnetic resonance imaging of methylphenidate and placebo in attention-deficit/hyperactivity disorder during the multi-source interference task. *Archives of General Psychiatry, 65*(1), 102–114.
- Bush, G., Valera, E. M., & Seidman, L. J. (2005). Functional neuroimaging of attention-deficit/hyperactivity disorder: a review and suggested future directions. *Biological Psychiatry, 57*(11), 1273–1284.
- Bussing, R., Grudnik, J., Mason, D., Wasiak, M., & Leonard, C. (2002). ADHD and conduct disorder : An MRI study in a community sample. *World Journal of Biological Psychiatry, 3*(4), 6–10.
- Canese, R., Adriani, W., Marco, E. M., De Pasquale, F., Lorenzini, P., De Luca, N., ... Laviola, G. (2009). Peculiar response to methylphenidate in adolescent compared to adult rats: A pHMRI study. *Psychopharmacology, 203*(1), 143–153.
- Cao, Q., Sun, L., Gong, G., Lv, Y., Cao, X., Shuai, L., ... Wang, Y. (2010). The macrostructural and microstructural abnormalities of corpus callosum in children with attention-deficit/hyperactivity disorder: a combined morphometric and diffusion tensor MRI study. *Brain Research, 1310*, 172–180.
- Carmona, S., Hoekzema, E., Ramos-Quiroga, J. A., Richarte, V., Canals, C., Bosch, R., ... Vilarroya, O. (2012). Response inhibition and reward anticipation in medication-naïve adults with attention-deficit/hyperactivity disorder: A within-subject case-control neuroimaging study. *Human Brain Mapping, 33*(10), 2350–2361.
- Carmona, S., Vilarroya, O., Bielsa, A., Tremols, V., Soliva, J. C., Rovira, M., ... Bulbena, A. (2005). Global and regional gray matter reductions in ADHD: A voxel-based morphometric study. *Neuroscience Letters, 389*(2), 88–93.
- Casey, B. J., Epstein, J. N., Buhle, J., Liston, C., Davidson, M. C., Tonev, S. T., ... Glover, G. (2007). Frontostriatal connectivity and its role in cognitive control in parent-child dyads with ADHD. *American Journal of Psychiatry, 164*(11), 1729–1736.
- Castellanos, F. X., Lee, P. P., Sharp, W., Jeffries, N. O., Greenstein, D. K., Clasen, L. S., ... Rapoport, J. L. (2002). Developmental trajectories of brain volume abnormalities in children and adolescents with attention-deficit/hyperactivity disorder. *Journal of the American Medical Association, 288*(14), 1740–1748.
- Chan, E., Fogler, J. M., & Hamner, P. G. (2016). Treatment of attention-deficit/hyperactivity disorder in adolescents. *Journal of the American Medical Association, 315*(18), 1997.

- Chang, Z., D'Onofrio, B. M., Quinn, P. D., Lichtenstein, P., & Larsson, H. (2016). Medication for attention-deficit/hyperactivity disorder and risk for depression: A nationwide longitudinal cohort study. *Biological Psychiatry (ePub)*
- Charach, A., Ickowicz, A., & Schachar, R. (2004). Stimulant treatment over five years: adherence, effectiveness, and adverse effects. *Journal of the American Academy of Child and Adolescent Psychiatry, 43(5)*, 559–567.
- Cheng, J. T., & Li, J. S. (2013). Intra-orbitofrontal cortex injection of haloperidol removes the beneficial effect of methylphenidate on reversal learning of spontaneously hypertensive rats in an attentional set-shifting task. *Behavioural Brain Research, 239(1)*, 148–154.
- Cherkasova, M. V., Faridi, N., Casey, K. F., O'Driscoll, G. A., Hechtman, L., Joober, R., ... Benkelfat, C. (2014). Amphetamine-induced dopamine release and neurocognitive function in treatment-naive adults with ADHD. *Neuropsychopharmacology, 39(6)*, 1498–1507.
- Coghill, D. R., Seth, S., & Matthews, K. (2014a). A comprehensive assessment of memory, delay aversion, timing, inhibition, decision making and variability in attention-deficit/hyperactivity disorder: advancing beyond the three-pathway models. *Psychological Medicine, 44(9)*, 1989–2001.
- Coghill, D. R., Seth, S., Pedroso, S., Usala, T., Currie, J., & Gagliano, A. (2014b). Effects of methylphenidate on cognitive functions in children and adolescents with attention-deficit/hyperactivity disorder: evidence from a systematic review and a meta-analysis. *Biological Psychiatry, 76(8)*, 603–615.
- Cohen, J. (1992). A power primer. *Quantitative Methods in Psychology, 112(1)*, 155–159.
- Concato, J. (2013). Study design and “evidence” in patient-oriented research. *American Journal of Respiratory and Critical Care Medicine, 187(11)*, 1167–1172.
- Concato, J., Shah, N., & Horwitz, R. I. (2000). Randomized, controlled trials, observational studies, and the hierarchy of research designs. *The New England Journal of Medicine, 342(25)*, 1887–1892.
- Conners, C. (2002). Forty years of methylphenidate treatment in attention-deficit/hyperactivity disorder. *Journal of Attention Disorders, 6(suppl 1)*, S17–30.
- Conners, C. K., Erhardt, D., & Sparrow, A. P. (1999). *Conner's Adult ADHD Rating Scales: CAARS*. North Tonawanda, NY: Multi-Health Systems.
- Conners, C. K., Sitarenios, G., Parker, J. D. A., & Epstein, J. N. (1998a). Revision and re-standardization of the Conners' Teacher Rating Scale (CTRS-R): factor structure, reliability, and criterion validity. *Journal of Abnormal Child Psychology, 26(4)*, 279–291.
- Conners, C. K., Sitarenios, G., Parker, J. D. A., & Epstein, J. N. (1998b). The revised Conners' Parent Rating Scale (CPRS-R): factor structure, reliability, and criterion validity. *Journal of Abnormal Child Psychology, 26(4)*, 257–268.
- Connor, D. F., Steeber, J., & McBurnett, K. (2010). A review of attention-deficit/hyperactivity disorder complicated by symptoms of oppositional defiant disorder or conduct disorder. *Journal of Developmental and Behavioral Pediatrics, 31(5)*, 427–440.
- Contini, V., Rovaris, D. L., Victor, M. M., Grevet, E. H., Rohde, L. A., & Bau, C. H. D. (2013). Pharmacogenetics of response to methylphenidate in adult patients with attention-deficit/hyperactivity disorder (ADHD): a systematic review. *European Neuropsychopharmacology, 23(6)*, 555–560.
- Contini, V., Victor, M. M., Bertuzzi, G. P., Salgado, C. A. I., Picon, F. A., Grevet, E. H., ... Bau, C. H. D. (2012). No significant association between genetic variants in 7 candidate genes and response to methylphenidate treatment in adult patients with ADHD. *Journal of Clinical Psychopharmacology, 32(6)*, 820–823.
- Copeland, W. E., Adair, C. E., Smetanin, P., Stiff, D., Briante, C., Colman, I., ... Angold, A. (2013). Diagnostic transitions from childhood to adolescence to early adulthood. *Journal of Child Psychology and Psychiatry, and Allied Disciplines, 54(7)*, 791–799.
- Cortese, S. (2012). The neurobiology and genetics of attention-deficit/hyperactivity disorder (ADHD): What every clinician should know. *European Journal of Paediatric Neurology, 16(5)*, 422–433.

- Cowan, R. L., Lyoo, I. K., Sung, S. M., Ahn, K. H., Kim, M. J., Hwang, J., ... Renshaw, P. F. (2003). Reduced cortical gray matter density in human MDMA (ecstasy) users: A voxel-based morphometry study. *Drug and Alcohol Dependence, 72*(3), 225–235.
- Cubillo, A., Halari, R., Giampietro, V., Taylor, E., & Rubia, K. (2011). Fronto-striatal underactivation during interference inhibition and attention allocation in grown up children with attention-deficit/hyperactivity disorder and persistent symptoms. *Psychiatry Research - Neuroimaging, 193*(1), 17–27.
- Cubillo, A., Halari, R., Smith, A., Taylor, E., & Rubia, K. (2012a). A review of fronto-striatal and fronto-cortical brain abnormalities in children and adults with attention-deficit/hyperactivity disorder (ADHD) and new evidence for dysfunction in adults with ADHD during motivation and attention. *Cortex, 48*(2), 194–215.
- Cubillo, A., Smith, A. B., Barrett, N., Giampietro, V., Brammer, M. J., Simmons, A., & Rubia, K. (2012b). Shared and drug-specific effects of atomoxetine and methylphenidate on inhibitory brain dysfunction in medication-naive ADHD Boys. *Cerebral Cortex, 24*(1), 174–185.
- Dale, A. M., Fischl, B., & Sereno, M. I. (1999). Cortical surface-based analysis. I. Segmentation and surface reconstruction. *NeuroImage, 9*(2), 179–194.
- Dalsgaard, S., Mortensen, P. B., Frydenberg, M., & Thomsen, P. H. (2014). ADHD, stimulant treatment in childhood and subsequent substance abuse in adulthood - a naturalistic long-term follow-up study. *Addictive Behaviors, 39*(1), 325–328.
- Dalsgaard, S., Nielsen, H. S., & Simonsen, M. (2013). Five-fold increase in national prevalence rates of attention-deficit/hyperactivity disorder medications for children and adolescents with autism spectrum disorder, attention-deficit/hyperactivity disorder, and other psychiatric disorders: A Danish register-based study. *Journal of Child and Adolescent Psychopharmacology, 23*(7), 432–439.
- Daumann, J., Koester, P., Becker, B., Wagner, D., Imperati, D., Gouzoulis-Mayfrank, E., & Tittgemeyer, M. (2011). Medial prefrontal gray matter volume reductions in users of amphetamine-type stimulants revealed by combined tract-based spatial statistics and voxel-based morphometry. *NeuroImage, 54*(2), 794–801.
- De Luis-García, R., Cabús-Piñol, G., Imaz-Roncero, C., Argibay-Quiñones, D., Barrio-Arranz, G., Aja-Fernández, S., & Alberola-López, C. (2015). Attention-deficit/hyperactivity disorder and medication with stimulants in young children: A DTI study. *Progress in Neuro-Psychopharmacology and Biological Psychiatry, 57*, 176–184.
- De Win, M. M. L., Jager, G., Booij, J., Reneman, L., Schilt, T., Lavini, C., ... van den Brink, W. (2008). Sustained effects of ecstasy on the human brain: A prospective neuroimaging study in novel users. *Brain, 131*(11), 2936–2945.
- De Zeeuw, P., Mandl, R. C. W., Hulshoff Pol, H. E., van Engeland, H., & Durston, S. (2012). Decreased frontostriatal microstructural organization in attention-deficit/hyperactivity disorder. *Human Brain Mapping, 33*(8), 1941–1951.
- Defagot, M. C., Malchiodi, E. L., Villar, M. J., & Antonelli, M. C. (1997). Distribution of D4 dopamine receptor in rat brain with sequence-specific antibodies. *Molecular Brain Research, 45*(1), 1–12.
- Del Campo, N., Chamberlain, S. R., Sahakian, B. J., & Robbins, T. W. (2011). The roles of dopamine and noradrenaline in the pathophysiology and treatment of attention-deficit/hyperactivity disorder. *Biological Psychiatry, 69*(12), e145–e157.
- Delis, D., Kramer, J., Kaplan, A., & Ober, B. (1994). *Manual for the California Verbal Learning Test - Children's version*. San Antonio, TX: Psychological Corporation.
- Delis, D., Kramer, J., Kaplan, A., & Ober, B. (2000). *California Verbal Learning Test - 2nd edition (CVLT-II) manual*. San Antonio, TX: The Psychological Corporation.



- Dennis, M., Francis, D. J., Cirino, P. T., Schachar, R., Barnes, M. A., & Fletcher, J. M. (2009). Why IQ is not a covariate in cognitive studies of neurodevelopmental disorders. *Journal of the International Neuropsychological Society, 15*(3), 331–343.
- Depue, B. E., Burgess, G. C., Bidwell, L. C., Willcutt, E. G., & Banich, M. T. (2010). Behavioral performance predicts grey matter reductions in the right inferior frontal gyrus in young adults with combined type ADHD. *Psychiatry Research - Neuroimaging, 182*(3), 231–237.
- Desikan, R. S., Ségonne, F., Fischl, B., Quinn, B., Dickerson, B., Blacker, D., ... Killiany, R. (2006). An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage, 31*(3), 968–980.
- Di Martino, A., Scheres, A., Margulies, D. S., Kelly, S. M. C., Uddin, L. Q., Shehzad, Z., ... Milham, M. P. (2008). Functional connectivity of human striatum: A resting state fMRI study. *Cerebral Cortex, 18*(12), 2735–2747.
- Dickstein, D. P., Bannon, K., Castellanos, F. X., & Milham, M. P. (2006). The neural correlates of attention-deficit/hyperactivity disorder: an ALE meta-analysis. *Journal of Child Psychology and Psychiatry, 47*(10), 1061–1062.
- Dodds, C. M., Müller, U., Clark, L., van Loon, A., Cools, R., & Robbins, T. W. (2008). Methylphenidate has differential effects on blood oxygenation level-dependent signal related to cognitive subprocesses of reversal learning. *The Journal of Neuroscience, 28*(23), 5976–5982.
- Doyle, A. (2006). Executive functions in attention-deficit/hyperactivity disorder. *The Journal of Clinical Psychiatry, 67*(suppl 8), 21–26.
- Doyle, A. E., Willcutt, E. G., Seidman, L. J., Biederman, J., Chouinard, V. A., Silva, J., & Faraone, S. V. (2005). Attention-deficit/hyperactivity disorder endophenotypes. *Biological Psychiatry, 57*(11), 1324–1335.
- Duerden, E. G., Tannock, R., & Dockstader, C. (2012). Altered cortical morphology in sensorimotor processing regions in adolescents and adults with attention-deficit/hyperactivity disorder. *Brain Research, 1445*, 82–91.
- Durston, S., de Zeeuw, P., & Staal, W. G. (2009). Imaging genetics in ADHD: A focus on cognitive control. *Neuroscience and Biobehavioral Reviews, 33*(5), 674–689.
- Durston, S., Fossella, J. A., Casey, B. J., Hulshoff Pol, H. E., Galvan, A., Schnack, H. G., ... van Engeland, H. (2005). Differential effects of *DRD4* and *DAT1* genotype on fronto-striatal gray matter volumes in a sample of subjects with attention-deficit/hyperactivity disorder, their unaffected siblings, and controls. *Molecular Psychiatry, 10*(7), 678–685.
- Durston, S., Fossella, J. A., Mulder, M. J., Casey, B. J., Ziermans, T. B., Vessaz, M. N., & van Engeland, H. (2008). Dopamine transporter genotype conveys familial risk of attention-deficit/hyperactivity disorder through striatal activation. *Journal of the American Academy of Child and Adolescent Psychiatry, 47*(1), 61–67.
- Dwan, K., Altman, D. G., Arnaiz, J. A., Bloom, J., Chan, A. W., Cronin, E., ... Williamson, P. R. (2008). Systematic review of the empirical evidence of study publication bias and outcome reporting bias. *PLoS One, 11*(6), e1001666
- Eisch, A. J., & Harburg, G. C. (2006). Opiates, psychostimulants, and adult hippocampal neurogenesis: Insights for addiction and stem cell biology. *Hippocampus, 16*(3), 271–286.
- Epstein, J. N., Casey, B. J., Tonev, S. T., Davidson, M. C., Reiss, A. L., Garrett, A., ... Spicer, J. (2007). ADHD- and medication-related brain activation effects in concordantly affected parent-child dyads with ADHD. *Journal of Child Psychology and Psychiatry, 48*(9), 899–913.
- Epstein, T., Na, P., & Weiser, M. (2014). Immediate-release methylphenidate for attention-deficit/hyperactivity disorder (ADHD) in adults (Review). *The Cochrane Library, (9)*, 1–75.
- Ersche, K. D., Williams, G. B., Robbins, T. W., & Bullmore, E. T. (2013). Meta-analysis of structural brain abnormalities associated with stimulant drug dependence and neuroimaging of addiction vulnerability and resilience. *Current Opinion in Neurobiology, 23*(4), 615–624.

- Faber, A., Kalverdiijk, L. J., de Jong-van den Berg, L. T. W., Hugtenburg, J. G., Minderaa, R. B., & Tobi, H. (2010). Co-morbidity and patterns of care in stimulant-treated children with ADHD in the Netherlands. *European Child and Adolescent Psychiatry, 19*(2), 159–166.
- Faraone, S. V., Biederman, J., & Mick, E. (2006). The age-dependent decline of attention-deficit/hyperactivity disorder: a meta-analysis of follow-up studies. *Psychological Medicine, 36*(2), 159–165.
- Faraone, S. V., Bonvicini, C., & Scassellati, C. (2014). Biomarkers in the diagnosis of ADHD - promising directions. *Current Psychiatry Reports, 16*(11), 497.
- Faraone, S. V., & Buitelaar, J. (2010). Comparing the efficacy of stimulants for ADHD in children and adolescents using meta-analysis. *European Child and Adolescent Psychiatry, 19*(4), 353–364.
- Fernández-Jaén, A., López-Martín, S., Albert, J., Fernández-Mayoralas, D. M., Fernández-Perrone, A. L., Tapia, D. Q., & Calleja-Pérez, B. (2014). Cortical thinning of temporal pole and orbitofrontal cortex in medication-naïve children and adolescents with ADHD. *Psychiatry Research, 224*(1), 8–13.
- Fischl, B., & Dale, A. M. (2000). Measuring the thickness of the human cerebral cortex from magnetic resonance images. *Proceedings of the National Academy of Sciences of the United States of America, 97*(20), 11050–11055.
- Fischl, B., Salat, D. H., van der Kouwe, A., Makris, N., Ségonne, F., Quinn, B., & Dale, A. M. (2004). Sequence-independent segmentation of magnetic resonance images. *NeuroImage, 23* suppl 1, s69–s84.
- Fischl, B., Sereno, M. I., & Dale, A. M. (1999). Cortical surface-based analysis II: Inflation, flattening, and a surface-based coordinate system. *NeuroImage, 9*(2), 195–207.
- Franckx, W., Zwiers, M. P., Mennes, M., Oosterlaan, J., Heslenfeld, D., Hoekstra, P. J., ... Buitelaar, J. K. (2015). White matter microstructure and developmental improvement of hyperactive/impulsive symptoms in attention-deficit/hyperactivity disorder. *Journal of Child Psychology and Psychiatry, and Allied Disciplines, 56*(12), 1289–1297.
- Franke, B., Vasquez, A. A., Johansson, S., Hoogman, M., Romanos, J., Boreatti-Hümmer, A., ... Reif, A. (2010). Multicenter analysis of the *SLC6A3/DAT1* VNTR haplotype in persistent ADHD suggests differential involvement of the gene in childhood and persistent ADHD. *Neuropsychopharmacology, 35*(3), 656–664.
- Frazier, J. A., Giedd, J. N., Kaysen, D., Albus, K., Hamburger, S., Alagband-Rad, J., ... Rapoport, J. L. (1996). Childhood-onset schizophrenia: Brain MRI rescan after 2 years of clozapine maintenance treatment. *American Journal of Psychiatry, 153*(4), 564–566.
- Frieden, T., Jaffe, H., Cono, J., Richards, C., & Iademarco, M. (2014). *Youth Risk Behavior Surveillance - US2013*. Atlanta, United States: Center for Surveillance, Epidemiology, and Laboratory Services, Centers for Disease Control and Prevention (CDC), U.S. Department of Health and Human Services
- Frodl, T., & Skokauskas, N. (2012). Meta-analysis of structural MRI studies in children and adults with attention-deficit/hyperactivity disorder indicates treatment effects. *Acta Psychiatrica Scandinavica, 125*(2), 114–126.
- Frodl, T., Stauber, J., Schaaff, N., Koutsouleris, N., Scheuerecker, J., Ewers, M., ... Meisenzahl, E. (2010). Amygdala reduction in patients with ADHD compared with major depression and healthy volunteers. *Acta Psychiatrica Scandinavica, 121*(2), 111–118.
- Froehlich, T. E., Epstein, J. N., Nick, T. G., Melguizo Castro, M. S., Stein, M. A., Brinkman, W. B., ... Kahn, R. S. (2011). Pharmacogenetic predictors of methylphenidate dose-response in attention-deficit/hyperactivity disorder. *Journal of the American Academy of Child and Adolescent Psychiatry, 50*(11), 1129–1139.
- Fusar-Poli, P., Rubia, K., Rossi, G., Sartori, G., & Balottin, U. (2012). Striatal dopamine transporter alterations in ADHD: Pathophysiology or adaptation to psychostimulants? A meta-analysis. *American Journal of Psychiatry, 169*(3), 264–272.
- Garbe, E., Mikolajczyk, R. T., Banaschewski, T., Petermann, U., Petermann, F., Kraut, A. A., & Langner, I. (2012). Drug treatment patterns of attention-deficit/hyperactivity disorder in children and

- adolescents in Germany: results from a large population-based cohort study. *Journal of Child and Adolescent Psychopharmacology*, *22*(6), 452–458.
- Giedd, J. N., Lalonde, F. M., Celano, M. J., White, S. L., Wallace, G. L., Lee, N. R., & Lenroot, R. K. (2009). Anatomical brain magnetic resonance imaging of typically developing children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, *48*(5), 465–470.
- Gilsbach, S., Neufang, S., Scherag, S., Vloet, T. D., Fink, G. R., Herpertz-Dahlmann, B., & Konrad, K. (2012). Effects of the *DRD4* genotype on neural networks associated with executive functions in children and adolescents. *Developmental Cognitive Neuroscience*, *2*(4), 417–427.
- Glasser, M., & van Essen, D. (2011). Mapping human cortical areas in vivo based on myelin content as revealed by T1- and T2-weighted MRI. *Journal of Neuroscience*, *31*(32), 11597–11616.
- Goto, Y., Yang, C. R., & Otani, S. (2010). Functional and dysfunctional synaptic plasticity in prefrontal cortex: Roles in psychiatric disorders. *Biological Psychiatry*, *67*(3), 199–207.
- Granziera, C., Daducci, A., Donati, A., Bonnier, G., Romascano, D., Roche, A., ... Krueger, G. (2015). A multi-contrast MRI study of microstructural brain damage in patients with mild cognitive impairment. *NeuroImage Clinical*, *8*, 631–619.
- Greenhill, L. L., Findling, R. L., & Swanson, J. M. (2002). A double-blind, placebo-controlled study of modified-release methylphenidate in children with attention-deficit/hyperactivity disorder. *Pediatrics*, *109*(3), E39.
- Greven, C. U., Bralten, J., Mennes, M., O'Dwyer, L., van Hulzen, K. J. E., Rommelse, N., ... Buitelaar, J. K. (2015). Developmentally stable whole-brain volume reductions and developmentally sensitive caudate and putamen volume alterations in those with attention-deficit/hyperactivity disorder and their unaffected siblings. *JAMA Psychiatry*, *72*(5), 490–499.
- Groenman, A. P., Oosterlaan, J., Rommelse, N. N. J., Franke, B., Greven, C. U., Hoekstra, P. J., ... Faraone, S. V. (2013). Stimulant treatment for attention-deficit/hyperactivity disorder and risk of developing substance use disorder. *The British Journal of Psychiatry*, *203*(2), 112–119.
- Groenman, A., Schwers, L., Weeda, W., Luman, M., Hartman, C., Hoekstra, P., ... Oosterlaan, J. (submitted). Predicting substance use disorder and nicotine dependence in ADHD: the crucial role of stimulant medication profiles.
- Haber, S. N., & Knutson, B. (2010). The reward circuit: linking primate anatomy and human imaging. *Neuropsychopharmacology*, *35*(1), 4–26.
- Hamilton, L. S., Levitt, J. G., O'Neill, J., Alger, J. R., Luders, E., Phillips, O. R., ... Narr, K. L. (2008). Reduced white matter integrity in attention-deficit/hyperactivity disorder. *Neuroreport*, *19*(17), 1705–1708.
- Han, X., Jovicich, J., Salat, D., van der Kouwe, A., Quinn, B., Czanner, S., ... Fischl, B. (2006). Reliability of MRI-derived measurements of human cerebral cortical thickness: the effects of field strength, scanner upgrade and manufacturer. *NeuroImage*, *32*(1), 180–194.
- Harrison, J. N., Cluxton-Keller, F., & Gross, D. (2012). Antipsychotic medication prescribing trends in children and adolescents. *Journal of Pediatric Health Care*, *26*(2), 139–145.
- Hart, H., Radua, J., Nakao, T., Mataix-Cols, D., & Rubia, K. (2013). Meta-analysis of functional magnetic resonance imaging studies of inhibition and attention in attention-deficit/hyperactivity disorder: exploring task-specific, stimulant medication, and age effects. *JAMA Psychiatry*, *70*(2), 185–198.
- Hartman, C. A., Luteijn, E., Serra, M., & Minderaa, R. (2006). Refinement of the Children's Social Behavior Questionnaire (CSBQ): an instrument that describes the diverse problems seen in milder forms of PDD. *Journal of Autism and Developmental Disorders*, *36*(3), 325–342.
- Hawrylycz, M. J., Lein, E. S., Guillozet-Bongaarts, A. L., ... Jones, A. R. (2012). An anatomically comprehensive atlas of the adult human transcriptome. *Nature*, *489*(7416), 391–399. The Allen Human Brain Atlas, available from: <http://human.brain-map.org>
- Heal, D. J., Cheetham, S. C., & Smith, S. L. (2009). The neuropharmacology of ADHD drugs in vivo: insights on efficacy and safety. *Neuropharmacology*, *57*(7-8), 608–618.

- Heinz, A., Goldman, D., Jones, D. W., Palmour, R., Hommer, D., Gorey, J. G., ... Weinberger, D. R. (2000). Genotype influences in vivo dopamine transporter availability in human striatum. *Neuropsychopharmacology*, *22*(2), 133–139.
- Hoekzema, E., Carmona, S., Ramos-Quiroga, J. A., Richarte Fernández, V., Picado, M., Bosch, R., ... Vilarroya, O. (2012). Laminar thickness alterations in the fronto-parietal cortical mantle of patients with attention-deficit/hyperactivity disorder. *PLoS One*, *7*(12), e48286.
- Honey, G., & Bullmore, E. (2004). Human pharmacological MRI. *Trends in Pharmacological Sciences*, *25*(7), 366–374.
- Huang, Y. S., Wang, L. J., & Chen, C. K. (2012). Long-term neurocognitive effects of methylphenidate in patients with attention/deficit-hyperactivity disorder, even at drug-free status. *BMC Psychiatry*, *12*(1), 194.
- Huang-Pollock, C. L., Karalunas, S. L., Tam, H., & Moore, A. N. (2012). Evaluating vigilance deficits in ADHD: a meta-analysis of CPT performance. *Journal of Abnormal Psychology*, *121*(2), 360–371.
- IBM. (2011). *IBM SPSS Statistics for Windows*. Armonk: NY: IBM Corp.
- Ivanov, I., Bansal, R., Hao, X., Zhu, H., Miller, L., Sanchez-pena, J., ... Peterson, B. S. (2010). Morphological abnormalities of the thalamus in youths with attention-deficit/hyperactivity disorder. *American Journal of Psychiatry*, *167*(4), 397–408.
- Ivanov, I., Liu, X., Clerkin, S., Schulz, K., Fan, J., Friston, K., ... Newcorn, J. H. (2014). Methylphenidate and brain activity in a reward/conflict paradigm: Role of the insula in task performance. *European Neuropsychopharmacology*, *24*(6), 897–906.
- Jay, T. M. (2003). Dopamine: A potential substrate for synaptic plasticity and memory mechanisms. *Progress in Neurobiology*, *69*(6), 375–390.
- Jensen, P. S., Arnold, L. E., Swanson, J. M., Vitiello, B., Abikoff, H. B., Greenhill, L. L., ... Hur, K. (2007). 3-year follow-up of the NIMH MTA study. *Journal of the American Academy of Child and Adolescent Psychiatry*, *46*(8), 989–1002.
- Jepsen, P., Johnsen, S. P., Gillman, M. W., & Sørensen, H. T. (2004). Interpretation of observational studies. *Heart*, *90*(8), 956–960.
- Johnston, L., O'Malley, P., Miech, R., Bachman, J., & Schulenberg, J. (2015). *Monitoring the Future national survey results on drug use, 1975-2015: Overview, key findings on adolescent drug use*. University of Michigan: Ann Arbor: Institute for Social Research.
- Jolles, D. D., van Buchem, M. A., Crone, E. A., & Rombouts, S. A. (2011). A comprehensive study of whole-brain functional connectivity in children and young adults. *Cerebral Cortex*, *21*(2), 385–391.
- Jones, D. K., Knösche, T. R., & Turner, R. (2013). White matter integrity, fiber count, and other fallacies: the do's and don'ts of diffusion MRI. *NeuroImage*, *73*, 239–254.
- Kasparbauer, A., Rujescu, D., Riedel, M., Pogarell, O., Costa, A., Meindl, T., ... Ettinger, U. (2015). Methylphenidate effects on brain activity as a function of *SLC6A3* genotype and striatal dopamine transporter availability. *Neuropsychopharmacology*, *40*(3), 736–745.
- Kasperek, T., Theiner, P., & Filova, A. (2013). Neurobiology of ADHD from childhood to adulthood: Findings of imaging methods. *Journal of Attention Disorders*, *20*(10), 1–13.
- Kasper, L. J., Alderson, R. M., & Hudec, K. L. (2012). Moderators of working memory deficits in children with attention-deficit/hyperactivity disorder (ADHD): A meta-analytic review. *Clinical Psychology Review*, *32*(7), 605–617.
- Kaufman, J., Birmaher, B., Brent, D., Rao, U., Flynn, C., Moreci, P., ... Ryan, N. (1997). Schedule for Affective Disorders and schizophrenia for School-age children - Present and Lifetime version (K-SADS-PL): initial reliability and validity data. *Journal of the American Academy of Child and Adolescent Psychiatry*, *36*(7), 980–988.
- Kebir, O., & Joob, R. (2011). Neuropsychological endophenotypes in attention-deficit/hyperactivity disorder: A review of genetic association studies. *European Archives of Psychiatry and Clinical Neuroscience*, *261*(8), 583–594.

- Klein, C., Wendling, K., Huettner, P., Ruder, H., & Peper, M. (2006). Intra-subject variability in attention-deficit/hyperactivity disorder. *Biological Psychiatry, 60*(10), 1088–1097.
- Klomp, A., den Hollander, B., de Bruin, K., Booij, J., & Reneman, L. (2012). The effects of ecstasy (MDMA) on brain serotonin transporters are dependent on age-of-first exposure in recreational users and animals. *PLoS One, 7*(10), e47524.
- Knutson, B., Bjork, J. M., Fong, G. W., Hommer, D., Mattay, V. S., & Weinberger, D. R. (2004). Amphetamine modulates human incentive processing. *Neuron, 43*(2), 261–269.
- Kobel, M., Bechtel, N., Specht, K., Klarhöfer, M., Weber, P., Scheffler, K., ... Penner, I. K. (2010). Structural and functional imaging approaches in attention-deficit/hyperactivity disorder: does the temporal lobe play a key role? *Psychiatry Research, 183*(3), 230–236.
- Kobel, M., Bechtel, N., Weber, P., Specht, K., Klarhöfer, M., Scheffler, K., ... Penner, I. K. (2009). Effects of methylphenidate on working memory functioning in children with attention-deficit/hyperactivity disorder. *European Journal of Paediatric Neurology, 13*(6), 516–523.
- Koester, P., Tittgemeyer, M., Wagner, D., Becker, B., Gouzoulis-Mayfrank, E., & Daumann, J. (2012). Cortical thinning in amphetamine-type stimulant users. *Neuroscience, 221*, 182–192.
- Konrad, A., Dielentheis, T., El Masri, D., Bayerl, M., Fehr, C., Gesierich, T., ... Winterer, G. (2010). Disturbed structural connectivity is related to inattention and impulsivity in adult attention deficit hyperactivity disorder. *European Journal of Neuroscience, 31*(5), 912–919.
- Konrad, K., & Eickhoff, S. B. (2010). Is the ADHD brain wired differently? A review on structural and functional connectivity in attention-deficit/hyperactivity disorder. *Human Brain Mapping, 31*(6), 904–916.
- Konrad, K., Neufang, S., Fink, G. R., & Herpertz-Dahlmann, B. (2007). Long-term effects of methylphenidate on neural networks associated with executive attention in children with ADHD: results from a longitudinal functional MRI study. *Journal of the American Academy of Child and Adolescent Psychiatry, 46*(12), 1633–1641.
- Kooij, J. S., Boonstra, A. M., Vermeulen, S. H., Heister, A. G., Burger, H., Buitelaar, J. K., & Franke, B. (2008). Response to methylphenidate in adults with ADHD is associated with a polymorphism in *SLC6A3 (DAT1)*. *American Journal of Medical Genetics, Part B: Neuropsychiatric Genetics, 147*(2), 201–208.
- Kraemer, H. C., Yesavage, J. A., Taylor, J. L., & Kupfer, D. (2000). How can we learn about developmental processes from cross-sectional studies, or can we? *American Journal of Psychiatry, 157*(2), 163–171.
- Krebs, R. M., Heipertz, D., Schuetze, H., & Duzel, E. (2011). Novelty increases the mesolimbic functional connectivity of the substantia nigra/ventral tegmental area (SN/VTA) during reward anticipation: Evidence from high-resolution fMRI. *NeuroImage, 58*(2), 647–655.
- Krogsrud, S., Tamnes, C., Fjell, A., Amlie, I., Grydeland, H., Sulutvedt, U., ... Walhovd, K. (2014). Development of hippocampal subfield volumes from 4 to 22 years. *Human Brain Mapping, 35*(11), 5646–5657.
- Kuczenski, R., & Segal, D. S. (1997). Effects of methylphenidate on extracellular dopamine, serotonin, and norepinephrine: comparison with amphetamine. *Journal of Neurochemistry, 68*(5), 2031–2037.
- Kuriyan, A. B., Pelham, W. E., Molina, B. S. G., Waschbusch, D. A., Sibley, M. H., & Gnagy, E. M. (2014). Concordance between parent and physician medication histories for children and adolescents with attention-deficit/hyperactivity disorder. *Journal of Child and Adolescent Psychopharmacology, 24*(5), 269–274.
- Kutcher, S., Aman, M. G., Brooks, S. J., Buitelaar, J. K., van Daalen, E., Fegert, J. M., ... Tyano, S. (2004). International consensus statement on attention-deficit/hyperactivity disorder (ADHD) and disruptive behaviour disorders (DBDs): clinical implications and treatment practice suggestions. *European Neuropsychopharmacology, 4*(1), 11–28.
- Langevin, L. M., MacMaster, F. P., & Dewey, D. (2014). Distinct patterns of cortical thinning in concurrent motor and attention disorders. *Developmental Medicine and Child Neurology, 57*(3), 257–264.

- Langley, K., Fowler, T., Ford, T., Thapar, A. K., van den Bree, M., Harold, G., ... Thapar, A. (2010). Adolescent clinical outcomes for young people with attention-deficit hyperactivity disorder. *The British Journal of Psychiatry*, *196*(3), 235–240.
- Lee, Y. S., Han, D. H., Lee, J. H., & Choi, T. Y. (2010). The effects of methylphenidate on neural substrates associated with interference suppression in children with ADHD: A preliminary study using event related fMRI. *Psychiatry Investigation*, *7*(1), 49–54.
- Leh, S. E., Ptito, A., Chakravarty, M. M., & Strafella, A. P. (2007). Fronto-striatal connections in the human brain: A probabilistic diffusion tractography study. *Neuroscience Letters*, *419*(2), 113–118.
- Li, Q., Sun, J., Guo, L., Zang, Y., Feng, Z., Huang, X., ... Gong, Q. (2010). Increased fractional anisotropy in white matter of the right frontal region in children with attention-deficit/hyperactivity disorder: a diffusion tensor imaging study. *Neuro Endocrinology Letters*, *31*(6), 747–753.
- Lichtenstein, P., Halldner, L., Zetterqvist, J., Sjölander, A., Serlachius, E., Fazel, S., ... Larsson, H. (2012). Medication for attention-deficit/hyperactivity disorder and criminality. *New England Journal of Medicine*, *367*(21), 2006–2014.
- Liddle, E. B., Hollis, C., Batty, M. J., Groom, M. J., Totman, J. J., Liotti, M., ... Liddle, P. F. (2011). Task-related default mode network modulation and inhibitory control in ADHD: Effects of motivation and methylphenidate. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, *52*(7), 761–771.
- Linton, D., Barr, A. M., Honer, W. G., & Procyshyn, R. M. (2013). Antipsychotic and psychostimulant drug combination therapy in attention-deficit/hyperactivity and disruptive behavior disorders: a systematic review of efficacy and tolerability. *Current Psychiatry Reports*, *15*(5), 355.
- Loo, S. K., Specter, E., Smolen, A., Hopfer, C., Teale, P. D., & Reite, M. L. (2003). Functional effects of the *DAT1* polymorphism on EEG measures in ADHD. *Journal of the American Academy of Child and Adolescent Psychiatry*, *42*(8), 986–993.
- Ludolph, A. G., Kassubek, J., Schmeck, K., Glaser, C., Wunderlich, A., Buck, A. K., ... Mottaghy, F. M. (2008). Dopaminergic dysfunction in attention-deficit/hyperactivity disorder (ADHD), differences between pharmacologically treated and never treated young adults: a 3,4-dihydroxy-6-[18F]fluorophenyl-l-alanine PET study. *NeuroImage*, *41*(3), 718–727.
- Luman, M., Oosterlaan, J., & Sergeant, J. A. (2005). The impact of reinforcement contingencies on AD/HD: A review and theoretical appraisal. *Clinical Psychology Review*, *25*(2), 183–213.
- Lynch, W. J., Nicholson, K. L., Dance, M. E., Morgan, R. W., & Foley, P. L. (2010). Animal models of substance abuse and addiction: Implications for science, animal welfare, and society. *Comparative Medicine*, *60*(3), 177–188.
- Mackey, S., Stewart, J. L., Connolly, C. G., Tapert, S. F., & Paulus, M. P. (2014). A voxel-based morphometry study of young occasional users of amphetamine-type stimulants and cocaine. *Drug and Alcohol Dependence*, *135*(1), 104–111.
- Mannuzza, S., Klein, R. G., Truong, N. L., Moulton, J. L., Roizen, E. R., Howell, K. H., & Castellanos, F. X. (2008). Age of methylphenidate treatment initiation in children with ADHD and later substance abuse: Prospective follow-up into adulthood. *American Journal of Psychiatry*, *165*(5), 604–609.
- Martins, M., Reinke, A., Petronilho, F., Gomes, K., Dal-Pizzol, F., & Quevedo, J. (2006). Methylphenidate treatment induces oxidative stress in young rat brain. *Brain Research*, *1078*(1), 189–197.
- Mattai, A., Chavez, A., Greenstein, D., Clasen, L., Bakalar, J., Stidd, R., ... Gogtay, N. (2010). Effects of clozapine and olanzapine on cortical thickness in childhood-onset schizophrenia. *Schizophrenia Research*, *116*(1), 44–48.
- McAlonan, G. M., Cheung, V., Chua, S. E., Oosterlaan, J., Hung, S., Tang, C., ... Leung, P. W. L. (2009). Age-related grey matter volume correlates of response inhibition and shifting in attention-deficit/hyperactivity disorder. *The British Journal of Psychiatry*, *194*(2), 123–129.

- McCarthy, S., Wilton, L., Murray, M. L., Hodgkins, P., Asherson, P., & Wong, I. C. K. (2012). Persistence of pharmacological treatment into adulthood, in UK primary care, for ADHD patients who started treatment in childhood or adolescence. *BMC Psychiatry, 12*(1), 219.
- McGauran, N., Wieseler, B., Kreis, J., Schöler, Y. B., Kölsch, H., & Kaiser, T. (2010). Reporting bias in medical research - a narrative review. *Trials, 11*, 37.
- McGough, J. J., McCracken, J. T., Loo, S. K., Manganiello, M., Leung, M. C., Tietjens, J. R., ... Sugar, C. A. (2009). A candidate gene analysis of methylphenidate response in attention-deficit/hyperactivity disorder. *Journal of the American Academy of Child Adolescent Psychiatry, 48*(12), 1155-1164.
- McGregor, I. S., Clemens, K. J., van der Plasse, G., Li, K. M., Hunt, G. E., Chen, F., & Lawrence, A. J. (2003). Increased anxiety 3 months after brief exposure to MDMA ('ecstasy') in rats: association with altered 5-HT transporter and receptor density. *Neuropsychopharmacology, 28*, 1472-1484.
- Meijer, W. M., Faber, A., van den Ban, E., & Tobi, H. (2009). Current issues around the pharmacotherapy of ADHD in children and adults. *Pharmacy World and Science, 31*(5), 509-516.
- Meinzer, M. C., Pettit, J. W., & Viswesvaran, C. (2014). The co-occurrence of attention-deficit/hyperactivity disorder and unipolar depression in children and adolescents: A meta-analytic review. *Clinical Psychology Review, 34*(8), 595-607.
- Menon, V. (2015). *Saliency Network. Brain Mapping* (Vol. 2). Elsevier Inc.
- Miller, G., & Chapman, J. (2001). Misunderstanding analysis of covariance. *Journal of Abnormal Psychology, 110*(1), 40-48.
- Minzenberg, M. (2012). Pharmacological MRI approaches to understanding mechanisms of drug action. *Current Topics in Behavioral Neuroscience, 11*, 365-388.
- Molina, B. S. G., Hinshaw, S. P., Swanson, J. M., Arnold, L. E., Vitiello, B., Jensen, P. S., ... Houck, P. R. (2009). The MTA at 8 years: prospective follow-up of children treated for combined-type ADHD in a multisite study. *Journal of the American Academy of Child and Adolescent Psychiatry, 48*(5), 484-500.
- Monuteaux, M. C., Seidman, L. J., Faraone, S. V., Makris, N., Spencer, T., Valera, E., ... Biederman, J. (2008). A preliminary study of dopamine D4 receptor genotype and structural brain alterations in adults with ADHD. *American Journal of Medical Genetics, Part B: Neuropsychiatric Genetics, 147*(8), 1436-1441.
- Moskvina, V., & Schmidt, K. M. (2008). On multiple-testing correction in genome-wide association studies. *Genetic Epidemiology, 32*(6), 567-573.
- MTA Cooperative Group (1999). A 14-month randomized clinical trial of treatment strategies for attention-deficit/hyperactivity disorder. *Archives of General Psychiatry, 56*(12), 1073-1086.
- MTA Cooperative Group (2004). National Institute of Mental Health Multimodal Treatment study of ADHD follow-up: 24-month outcomes of treatment strategies for attention-deficit/hyperactivity disorder. *Pediatrics, 113*(4), 754-761.
- Müller, U. C., Asherson, P., Banaschewski, T., Buitelaar, J. K., Ebstein, R. P., Eisenberg, J., ... Steinhausen, H. C. (2011). The impact of study design and diagnostic approach in a large multi-centre ADHD study. Part 1: ADHD symptom patterns. *BMC Psychiatry, 11*, 54.
- Mulligan, R. C., Kristjansson, S. D., Reiersen, A. M., Parra, A. S., & Anokhin, A. P. (2014). Neural correlates of inhibitory control and functional genetic variation in the dopamine D4 receptor gene. *Neuropsychologia, 62*, 306-318.
- Murphy, P., Bruno, R., Ryland, I., Wareing, M., Fisk, J., Montgomery, C., & Hilton, J. (2012). The effects of 'ecstasy' (MDMA) on visuospatial memory performance: findings from a systematic review with meta-analyses. *Human Psychopharmacology, 27*, 113-138.
- Nakao, T., Radua, J., Rubia, K., & Mataix-Cols, D. (2011). Gray matter volume abnormalities in ADHD: voxel-based meta-analysis exploring the effects of age and stimulant medication. *American Journal of Psychiatry, 168*(11), 1154-1163.

- Narr, K. L., Woods, R. P., Lin, J., Kim, J., Phillips, O. R., Del'Homme, M., ... Levitt, J. G. (2009). Widespread cortical thinning is a robust anatomical marker for attention-deficit/hyperactivity disorder. *Journal of the American Academy of Child and Adolescent Psychiatry, 48*(10), 1014–1022.
- NHS. (2008). *NICE clinical guideline 72*. Manchester.
- Nijmeijer, J. S., Hoekstra, P. J., Minderaa, R. B., Buitelaar, J. K., Altink, M. E., Buschgens, C. J., ... A, H. C. (2009). PDD symptoms in ADHD, an independent familial trait? *Journal of Abnormal Child Psychology, 37*(3), 443–453.
- Noreika, V., Falter, C. M., & Rubia, K. (2013). Timing deficits in attention-deficit/hyperactivity disorder (ADHD): evidence from neurocognitive and neuroimaging studies. *Neuropsychologia, 51*(2), 235–266.
- O'Dwyer, L., Tanner, C., van Dongen, E. V., Greven, C. U., Bralten, J., Zwiers, M. P., ... Buitelaar, J. K. (2014). Brain volumetric correlates of autism spectrum disorder symptoms in attention-deficit/hyperactivity disorder. *PloS One, 9*(6), e101130.
- Obeso, J. A., Rodriguez-Oroz, M. C., Benitez-Temino, B., Blesa, F. J., Guridi, J., Marin, C., & Rodriguez, M. (2008). Functional organization of the basal ganglia: therapeutic implications for Parkinson's disease. *Movement Disorders, 23* suppl, s548–s559.
- Onaivi, E. S., Bishop-Robinson, C., Motley, E. D., Chakrabarti, A., & Chirwa, S. S. (1996). Neurobiological actions of cocaine in the hippocampus. *Annals of the New York Academy of Sciences, 801*(615), 76–94.
- Onnink, A. M. H., Zwiers, M. P., Hoogman, M., Mostert, J. C., Kan, C. C., Buitelaar, J., & Franke, B. (2014). Brain alterations in adult ADHD: Effects of gender, treatment and comorbid depression. *European Neuropsychopharmacology, 24*(3), 397–409.
- Onnink, A. M. H., Franke, B., van Hulzen, K., Zwiers, M. P., Mostert, J. C., Schene, A. H., ... Hoogman, M. (2016). Enlarged striatal volume in adults with ADHD carrying the 9-6 haplotype of the dopamine transporter gene *DAT1*. *Journal of Neural Transmission (ePub)*.
- Padmanabhan, A., & Luna, B. (2013). Developmental imaging genetics: Linking dopamine function to adolescent behavior. *Brain and Cognition, 89*, 27–38.
- Paloyelis, Y., Mehta, M., Faraone, S., Asherson, P., & Kuntsi, J. (2012). Striatal sensitivity during reward processing in attention deficit hyperactivity disorder (ADHD). *Journal of the American Academy of Child and Adolescent Psychiatry, 51*(7), 997–1003.
- Panagiotopoulos, C., Ronsley, R., Elbe, D., Davidson, J., & Smith, D. H. (2010). First do no harm: promoting an evidence-based approach to atypical antipsychotic use in children and adolescents. *Journal of the Canadian Academy of Child and Adolescent Psychiatry, 19*(2), 124–137.
- Patenaude, B., Smith, S. M., Kennedy, D. N., & Jenkinson, M. (2011). A Bayesian model of shape and appearance for subcortical brain segmentation. *NeuroImage, 56*(3), 907–922.
- Pavuluri, M. N., Yang, S., Kamineni, K., Passarotti, A. M., Srinivasan, G., Harral, E. M., ... Zhou, X. J. (2009). Diffusion tensor imaging study of white matter fiber tracts in pediatric bipolar disorder and attention-deficit/hyperactivity disorder. *Biological Psychiatry, 65*(7), 586–593.
- Peterson, B. S., Potenza, M. N., Wang, Z., Zhu, H., Martin, A., Marsh, R., ... Yu, S. (2009). An fMRI study of the effects of psychostimulants on default-mode processing during stroop task performance in youths with ADHD. *American Journal of Psychiatry, 166*(11), 1286–1294.
- Peterson, D. J., Ryan, M., Rimrodt, S. L., Cutting, L. E., Denckla, M. B., Kaufmann, W. E., & Mahone, E. M. (2011). Increased regional fractional anisotropy in highly screened attention-deficit/hyperactivity disorder (ADHD). *Journal of Child Neurology, 26*(10), 1296–1302.
- Pliśzka, S. R. (2000). Patterns of psychiatric comorbidity with attention-deficit/hyperactivity disorder. *Child and Adolescent Clinics of North America, 9*(3), 525–540.
- Pliśzka, S. R., Glahn, D. C., Semrud-Clikeman, M., Franklin, C., Perez, R., Xiong, J., & Liotti, M. (2006). Neuroimaging of inhibitory control areas in children with attention-deficit/hyperactivity disorder



- who were treatment naive or in long-term treatment. *American Journal of Psychiatry*, *163*(6), 1052–1060.
- Pliszka, S. R., Liotti, M., Bailey, B. Y., Perez, R., Glahn, D., & Semrud-Clikeman, M. (2007). Electrophysiological effects of stimulant treatment on inhibitory control in children with attention-deficit/hyperactivity disorder. *Journal of Child and Adolescent Psychopharmacology*, *17*(3), 356–366.
- Plomp, E., van Engeland, H., & Durston, S. (2009). Understanding genes, environment and their interaction in attention-deficit/hyperactivity disorder: Is there a role for neuroimaging? *Neuroscience*, *164*(1), 230–240.
- Polanczyk, G., de Lima, M. S., Horta, B. L., Biederman, J., & Rohde, L. A. (2007). The worldwide prevalence of ADHD: A systematic review and meta-regression analysis. *American Journal of Psychiatry*, *164*(6), 942–948.
- Posner, J., Maia, T. V., Fair, D., Peterson, B. S., Sonuga-Barke, E. J., & Nagel, B. J. (2011). The attenuation of dysfunctional emotional processing with stimulant medication: An fMRI study of adolescents with ADHD. *Psychiatry Research - Neuroimaging*, *193*(3), 151–160.
- Posner, J., Siciliano, F., Wang, Z., Liu, J., Sonuga-Barke, E., & Greenhill, L. (2014). A multimodal MRI study of the hippocampus in medication-naïve children with ADHD: What connects ADHD and depression? *Psychiatry Research*, *224*(2), 112–118.
- Potvin, S., Stavro, K., Rizkallah, É., & Pelletier, J. (2014). Cocaine and cognition: a systematic quantitative review. *Journal of Addiction Medicine*, *8*(5), 368–376.
- Powers, R. L., Marks, D. J., Miller, C. J., Newcorn, J. H., & Halperin, J. M. (2008). Stimulant treatment in children with attention-deficit/hyperactivity disorder moderates adolescent academic outcome. *Journal of Child and Adolescent Psychopharmacology*, *18*(5), 449–459.
- Prehn-Kristensen, A., Krauel, K., Hinrichs, H., Fischer, J., Malecki, U., Schuetze, H., ... Baving, L. (2011). Methylphenidate does not improve interference control during a working memory task in young patients with attention-deficit/hyperactivity disorder. *Brain Research*, *1388*, 56–68.
- Proal, E., Reiss, P. T., Klein, R. G., Mannuzza, S., Gotimer, K., Ramos-Olazagasti, M. A., ... Castellanos, F. X. (2011). Brain gray matter deficits at 33-year follow-up in adults with attention-deficit/hyperactivity disorder established in childhood. *Archives of General Psychiatry*, *68*(11), 1122–1134.
- Pruim, R. H. R., Mennes, M., Buitelaar, J. K., & Beckmann, C. F. (2015). Evaluation of ICA-AROMA and alternative strategies for motion artifact removal in resting state fMRI. *NeuroImage*, *112*, 278–287.
- Pruim, R. H. R., Mennes, M., van Rooij, D., Llera, A., Buitelaar, J. K., & Beckmann, C. F. (2015). ICA-AROMA: A robust ICA-based strategy for removing motion artifacts from fMRI data. *NeuroImage*, *112*, 267–277.
- Rapoport, J. L., & Gogtay, N. (2008). Brain neuroplasticity in healthy, hyperactive and psychotic children: insights from neuroimaging. *Neuropsychopharmacology*, *33*(1), 181–197.
- Ray, N. J., Brittain, J. S., Holland, P., Joundi, R. A., Stein, J. F., Aziz, T. Z., & Jenkinson, N. (2012). The role of the subthalamic nucleus in response inhibition: Evidence from local field potential recordings in the human subthalamic nucleus. *NeuroImage*, *60*(1), 271–278.
- Raznahan, A., Shaw, P., Lalonde, F., Stockman, M., Wallace, G. L., Greenstein, D., ... Giedd, J. N. (2011). How does your cortex grow? *Journal of Neuroscience*, *31*(19), 7174–7177.
- Reske, M., Eidt, C., Delis, D., & Paulus, M. (2010). Non-dependent stimulant users of cocaine and prescription amphetamines show verbal learning and memory deficits. *Biological Psychiatry*, *68*(8), 762–769.
- Richards, J., Arias Vásquez, A., Franke, B., Hoekstra, P., Heslenfeld, D., Oosterlaan, J., ... Hartman, C. (2016). Developmentally sensitive interaction effects of genes and the social environment on total and subcortical brain volumes. *PLoS One* (ePub)
- Roberts, G. M. P., Nestor, L., & Garavan, H. (2009). Learning and memory deficits in ecstasy users and their neural correlates during a face-learning task. *Brain Research*, *1292*, 71–81.

- Robinson, T. E., & Kolb, B. (2004). Structural plasticity associated with exposure to drugs of abuse. *Neuropharmacology*, *47*(suppl. 1), 33–46.
- Rohde, L. A., Roman, T., Szobot, C., Cunha, R. D., Hutz, M. H., & Biederman, J. (2003). Dopamine transporter gene, response to methylphenidate and cerebral blood flow in attention-deficit/hyperactivity disorder: a pilot study. *Synapse*, *48*(2), 87–89.
- Rommelse, N. N., Altink, M. E., Martin, N. C., Buschgens, C. J., Buitelaar, J. K., Sergeant, J., & Oosterlaan, J. (2008). Neuropsychological measures probably facilitate heritability research of ADHD. *Archives of Clinical Neuropsychology*, *23*(5), 579–591.
- Rubia, K., Alegria, A. a., Cubillo, A. I., Smith, A. B., Brammer, M. J., & Radua, J. (2014). Effects of stimulants on brain function in attention-deficit/hyperactivity disorder: A systematic review and meta-analysis. *Biological Psychiatry*, *76*(8), 616–628.
- Rubia, K., Halari, R., Cubillo, A., Smith, A. B., Mohammad, A. M., Brammer, M., & Taylor, E. (2011a). Methylphenidate normalizes fronto-striatal underactivation during interference inhibition in medication-naïve boys with attention-deficit/hyperactivity disorder. *Neuropsychopharmacology*, *36*(8), 1575–1586.
- Rubia, K., Halari, R., Cubillo, A., Mohammad, A. M., Brammer, M., & Taylor, E. (2009). Methylphenidate normalises activation and functional connectivity deficits in attention and motivation networks in medication-naïve children with ADHD during a rewarded continuous performance task. *Neuropharmacology*, *57*(7-8), 640–652.
- Rubia, K., Halari, R., Mohammad, A.-M., Taylor, E., & Brammer, M. (2011b). Methylphenidate normalizes frontocingulate underactivation during error processing in attention-deficit/hyperactivity disorder. *Biological Psychiatry*, *70*(3), 255–262.
- Rubinov, M., & Sporns, O. (2011). Weight-conserving characterization of complex functional brain networks. *NeuroImage*, *56*(4), 2068–2079.
- Russell, V., Villiers, A. De, Sagvolden, T., Lamm, M., & Taljaard, J. (1998). Differences between electrically-, ritalin- and D -amphetamine-stimulated release of [3H]dopamine from brain slices suggest impaired vesicular storage of dopamine in an animal model of attention-deficit/hyperactivity disorder. *Behavioral Brain Research*, *94*(1), 163-171.
- SAMHSA Substance Abuse and Mental Health Services Administration (2014). *Results from the 2013 national survey on drug use and health: Summary of national findings*. Rockville, MD: Substance Abuse and Mental Health Service Administration, NSDUH Series H-48.
- Schaid, D. J., Rowland, C. M., Tines, D. E., Jacobson, R. M., & Poland, G. A. (2002). Score tests for association between traits and haplotypes when linkage phase is ambiguous. *American Journal of Human Genetics*, *70*(2), 425–434.
- Schlotztermeier, L., Stoy, M., Schlagenhaut, F., Wrase, J., Park, S. Q., Friedel, E., ... Ströhle, A. (2011). Childhood methylphenidate treatment of ADHD and response to affective stimuli. *European Neuropsychopharmacology*, *21*(8), 646–654.
- Schoenfelder, E. N., Faraone, S. V., & Kollins, S. H. (2014). Stimulant treatment of ADHD and cigarette smoking: A meta-analysis. *Pediatrics*, *133*(6), 1070–1080.
- Schweren, L. J. S., de Zeeuw, P., & Durston, S. (2013). MR imaging of the effects of methylphenidate on brain structure and function in attention-deficit/hyperactivity disorder. *European Neuropsychopharmacology*, *23*(10), 1151–1164.
- Schweren, L. J. S., Hartman, C. A., Heslenfeld, D. J., van der Meer, D., Franke, B., Oosterlaan, J., ... Hoekstra, P. J. (2015a). Thinner medial temporal cortex in adolescents with attention-deficit/hyperactivity disorder and the effects of stimulants. *Journal of the American Academy of Child and Adolescent Psychiatry*, *54*(8), 660–667.
- Schweren, L. J. S., Hartman, C. A., Zwieters, M. P., Heslenfeld, D. J., van der Meer, D., Franke, B., ... Hoekstra, P. J. (2015b). Combined stimulant and antipsychotic treatment in adolescents with attention-

- deficit/hyperactivity disorder: a cross-sectional observational structural MRI study. *European Child and Adolescent Psychiatry*, 24(8), 959–968.
- Scott, J. C., Woods, S. P., Matt, G. E., Meyer, R. A., Heaton, R. K., Atkinson, J. H., & Grant, I. (2007). Neurocognitive effects of methamphetamine: A critical review and meta-analysis. *Neuropsychology Review*, 17(3), 275–297.
- Seidman, L. J., Valera, E. M., & Makris, N. (2005). Structural brain imaging of attention-deficit/hyperactivity disorder. *Biological Psychiatry*, 57(11), 1263–1272.
- Semrud-Clikeman, M., Pliszka, S. R., Bledsoe, J., & Lancaster, J. (2014). Volumetric MRI differences in treatment naive and chronically treated adolescents with ADHD-combined type. *Journal of Attention Disorders*, 18(6), 511–520
- Semrud-Clikeman, M., Plińska, S. R., Lancaster, J., & Liotti, M. (2006). Volumetric MRI differences in treatment-naïve vs. chronically treated children with ADHD. *Neurology*, 67(6), 1023–1027.
- Shaffer, D., Gould, M. S., Brasic, J., Ambrosini, P., Fisher, P., Bird, H., & Aluwahlia, S. (1983). A Children's Global Assessment Scale (CGAS). *Archives of General Psychiatry*, 40(11), 1228–1231.
- Shafritz, K. M., Marchione, K. E., Gore, J. C., Shaywitz, S. E., & Shaywitz, B. A. (2004). The effects of methylphenidate on neural systems of attention in attention-deficit/hyperactivity disorder. *American Journal of Psychiatry*, 161(11), 1990–1997.
- Shang, C. Y., Wu, Y. H., Gau, S. S., & Tseng, W. Y. (2013). Disturbed microstructural integrity of the frontostriatal fiber pathways and executive dysfunction in children with attention-deficit/hyperactivity disorder. *Psychological Medicine*, 43(5), 1093–1107.
- Shaw, P., de Rossi, P., Watson, B., Wharton, A., Greenstein, D., Raznahan, A., ... Chakravarty, M. M. (2014). Mapping the development of the basal ganglia in children with attention-deficit/hyperactivity disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, 53(7), 780–789.
- Shaw, P., Eckstrand, K., Sharp, W., Blumenthal, J., Lerch, J. P., Greenstein, D., ... Rapoport, J. L. (2007a). Attention-deficit/hyperactivity disorder is characterized by a delay in cortical maturation. *Proceedings of the National Academy of Sciences of the United States of America*, 104(49), 1–6.
- Shaw, P., Gilliam, M., Liverpool, M., Weddle, C., Malek, M., Sharp, W., ... Giedd, J. (2011). Cortical development in typically developing children with symptoms of hyperactivity and impulsivity: Support for a dimensional view of attention-deficit/hyperactivity disorder. *American Journal of Psychiatry*, 168(2), 143–151.
- Shaw, P., Gornick, M., Lerch, J., Addington, A., Seal, J., Greenstein, D., ... Rapoport, J. L. (2007b). Polymorphisms of the dopamine D4 receptor, clinical outcome, and cortical structure in attention-deficit/hyperactivity disorder. *Archives of General Psychiatry*, 64(8), 921–931.
- Shaw, P., Lerch, J., Greenstein, D., Sharp, W., Clasen, L., Evans, A., ... Rapoport, J. (2006). Longitudinal mapping of cortical thickness and clinical outcome in children and adolescents with attention-deficit/hyperactivity disorder. *Archives of General Psychiatry*, 63(5), 540–549.
- Shaw, P., Malek, M., Watson, B., Greenstein, D., de Rossi, P., & Sharp, W. (2013). Trajectories of cerebral cortical development in childhood and adolescence and adult attention-deficit/hyperactivity disorder. *Biological Psychiatry*, 74(8), 599–606.
- Shaw, P., Malek, M., Watson, B., Sharp, W., Evans, A., & Greenstein, D. (2012). Development of cortical surface area and gyrification in attention-deficit/hyperactivity disorder. *Biological Psychiatry*, 72(3), 191–197.
- Shaw, P., Sharp, W. S., Morrison, M., Eckstrand, K., Greenstein, D. K., Clasen, L. S., ... Rapoport, J. L. (2009). Psychostimulant treatment and the developing cortex in attention-deficit/hyperactivity disorder. *American Journal of Psychiatry*, 166(1), 58–63.
- Sheridan, M. A., Hinshaw, S. P., & D'Esposito, M. (2010). The effect of stimulant medication on prefrontal connectivity during working memory in attention-deficit/hyperactivity disorder. *Journal of Attention Disorders*, 14(1), 69–78.

- Shima, K., & Tanji, J. (1998). Role for cingulate motor area cells in voluntary movement selection based on reward. *Science*, *282*(5392), 1335–1338.
- Shook, D., Brady, C., Lee, P. S., Kenealy, L., Murphy, E. R., Gaillard, W. D., ... Vaidya, C. J. (2011). Effect of dopamine transporter genotype on caudate volume in childhood ADHD and controls. *American Journal of Medical Genetics, Part B: Neuropsychiatric Genetics*, *156*(1), 28–35.
- Šidák, Z. (1967). Rectangular confidence regions for the means of multivariate normal distributions. *Journal of the American Statistical Association*, *62*(318), 626–633.
- Silk, T. J., Vance, A., Rinehart, N., Bradshaw, J. L., & Cunnington, R. (2009a). Structural development of the basal ganglia in attention/deficit-hyperactivity disorder: a diffusion tensor imaging study. *Psychiatry Research*, *172*(3), 220–225.
- Silk, T. J., Vance, A., Rinehart, N., Bradshaw, J. L., & Cunnington, R. (2009b). White-matter abnormalities in attention-deficit/hyperactivity disorder: a diffusion tensor imaging study. *Human Brain Mapping*, *30*(9), 2757–2765.
- Silverman, S. L. (2009). From randomized controlled trials to observational studies. *The American Journal of Medicine*, *122*(2), 114–120.
- Simon, V., Czobor, P., Balint, S., Meszaros, A., & Bitter, I. (2009). Prevalence and correlates of adult attention-deficit/hyperactivity disorder: meta-analysis. *The British Journal of Psychiatry*, *194*(3), 204–211.
- Smith, S. M., Jenkinson, M., Woolrich, M. W., Beckmann, C. F., Behrens, T. E. J., Johansen-Berg, H., ... Matthews, P. M. (2004). Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, *23*(suppl. 1), 208–219.
- Sobel, L. J., Bansal, R., Maia, T. V., Sanchez, J., Mazzone, L., Durkin, K., ... Peterson, B. S. (2010). Basal ganglia surface morphology and the effects of stimulant medications in youth with attention-deficit/hyperactivity disorder. *American Journal of Psychiatry*, *167*(8), 977–986.
- Sonuga-Barke, E., Bitsakou, P., & Thompson, M. (2010). Beyond the dual pathway model: Evidence for the dissociation of timing, inhibitory, and delay-related impairments in attention-deficit/hyperactivity disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, *49*(4), 345–355.
- Sowell, E., Delis, D., Stiles, J., & Jernigan, T. (2001). Improved memory functioning and frontal lobe maturation between childhood and adolescence: A structural MRI study. *Journal of the International Neuropsychological Society*, *7*(3), 312–322.
- Spencer, T., Biederman, J., Wilens, T., Harding, M., O'Donnell, D., & Griffin, S. (1996). Pharmacotherapy of attention-deficit hyperactivity disorder across the life cycle. *Journal of the American Academy of Child and Adolescent Psychiatry*, *35*(4), 409–432.
- Spencer, T. J., Brown, A., Seidman, L. J., Valera, E. M., Makris, N., Lomedico, A., ... Biederman, J. (2013). Effect of psychostimulants on brain structure and function in ADHD: a qualitative literature review of magnetic resonance imaging-based neuroimaging studies. *The Journal of Clinical Psychiatry*, *74*(9), 902–917.
- Squeglia, L. M., Tapert, S. F., Sullivan, E. V., Jacobus, J., Meloy, M. J., Rohlfing, T., & Pfefferbaum, A. (2015). Brain development in heavy-drinking adolescents. *The American Journal of Psychiatry*, *172*(6), 531–542.
- Storebø, O. J., Simonsen, E., & Gluud, C. (2016). Methylphenidate for attention-deficit/hyperactivity disorder in children and adolescents. *JAMA*, *315*(18), 2009–2010.
- Stoy, M., Schlagenhaut, F., Schlochtermeyer, L., Wrase, J., Knutson, B., Lehmkuhl, U., ... Ströhle, A. (2011). Reward processing in male adults with childhood ADHD - a comparison between drug-naïve and methylphenidate-treated subjects. *Psychopharmacology*, *215*(3), 467–481.
- Suskauer, S. J., Simmonds, D. J., Fotedar, S., Blankner, J. G., Pekar, J. J., Denckla, M. B., & Mostofsky, S. H. (2008). Functional magnetic resonance imaging evidence for abnormalities in response selection in attention-deficit/hyperactivity disorder: differences in activation associated with response inhibition but not habitual motor response. *Journal of Cognitive Neuroscience*, *20*(3), 478–493.

- Swanson, J., Baler, R. D., & Volkow, N. D. (2011). Understanding the effects of stimulant medications on cognition in individuals with attention-deficit/hyperactivity disorder: a decade of progress. *Neuropsychopharmacology*, *36*(1), 207–226.
- Swanson, J. M., Hinshaw, S. P., Arnold, L. E., Gibbons, R. D., Marcus, S., Hur, K., ... Wigal, T. (2007a). Secondary evaluations of MTA 36-month outcomes: propensity score and growth mixture model analyses. *Journal of the American Academy of Child and Adolescent Psychiatry*, *46*(8), 1003–1014.
- Swanson, J. M., Kinsbourne, M., Nigg, J., Lanphear, B., Stefanatos, G. A., Volkow, N., ... Wadhwa, P. D. (2007b). Etiologic subtypes of attention-deficit/hyperactivity disorder: brain imaging, molecular genetic and environmental factors and the dopamine hypothesis. *Neuropsychology Review*, *17*(1), 39–59.
- Swanson, J. M., Kraemer, H. C., Hinshaw, S. P., Arnold, L. E., Conners, C. K., Abikoff, H. B., ... Wu, M. (2001). Clinical relevance of the primary findings of the MTA: Success rates based on severity of ADHD and ODD symptoms at the end of treatment. *Journal of the American Academy of Child and Adolescent Psychiatry*, *40*(2), 168–179.
- Swanson, J., McBurnett, K., Wigal, T., Pfiffner, L., Lerner, M., Williams, L., ... Fisher, T. (1993). Effect of stimulant medication on children with attention-deficit disorder: a 'review of reviews'. *Exceptional Children*, 154–162.
- Tamnes, C. K., Østby, Y., Fjell, A. M., Westlye, L. T., Due-Tønnessen, P., & Walhovd, K. B. (2010). Brain maturation in adolescence and young adulthood: Regional age-related changes in cortical thickness and white matter volume and microstructure. *Cerebral Cortex*, *20*(3), 534–548.
- Tamnes, C. K., Walhovd, K. B., Engvig, A., Grydeland, H., Krogsrud, S. K., Østby, Y., ... Fjell, A. M. (2014). Regional hippocampal volumes and development predict learning and memory. *Developmental Neuroscience*, *36*(3-4), 161–174.
- Teicher, M. H., Anderson, C. M., Polcari, A., Glod, C. A., Maas, L. C., & Renshaw, P. F. (2000). Functional deficits in basal ganglia of children with attention-deficit/hyperactivity disorder shown with functional magnetic resonance imaging relaxometry. *Nature Medicine*, *6*(4), 470–473.
- ter Huurne, N., Fallon, S. J., van Schouwenburg, M., van der Schaaf, M., Buitelaar, J., Jensen, O., & Cools, R. (2015). Methylphenidate alters selective attention by amplifying salience. *Psychopharmacology*, *232*(23), 4317–43123.
- Thapar, A., & Cooper, M. (2016). Attention-deficit/hyperactivity disorder. *Lancet*, *387*, 1240–1250.
- Thissen, A. J. A. M., Bralten, J., Rommelse, N. N. J., Arias-Vasquez, A., Greven, C. U., Heslenfeld, D., ... Buitelaar, J. K. (2015). The role of age in association analyses of ADHD and related neurocognitive functioning: A proof of concept for dopaminergic and serotonergic genes. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, *168*(6), 471–479.
- Thomason, M. E., & Thompson, P. M. (2011). Diffusion imaging, white matter, and psychopathology. *Annual Review of Clinical Psychology*, *7*, 63–85.
- Tomasi, D., Volkow, N., Wang, G., Wang, R., Telang, F., Caparelli, E., ... Fowler, J. (2011). Methylphenidate enhances brain activation and deactivation responses to visual attention and working memory tasks in healthy controls. *NeuroImage*, *54*(4), 3101–3110.
- Trip, A. M., Visser, S. T., Kalverdiijk, L. J., & de Jong-van den Berg, L. T. W. (2009). Large increase of the use of psychostimulants among youth in the Netherlands between 1996 and 2006. *British Journal of Clinical Pharmacology*, *67*(4), 466–468.
- Tsai, C. S., Huang, Y. S., Wu, C. L., Hwang, F. M., Young, K. B., Tsai, M. H., & Chu, S. M. (2013). Long-term effects of stimulants on neurocognitive performance of Taiwanese children with attention-deficit/hyperactivity disorder. *BMC Psychiatry*, *13*, 330.
- Tseng, K. Y., & O'Donnell, P. (2007). Dopamine modulation of prefrontal cortical interneurons changes during adolescence. *Cerebral Cortex*, *17*(5), 1235–1240.
- Uda, S., Matsui, M., Tanaka, C., Uematsu, A., Miura, K., Kawana, I., & Noguchi, K. (2015). Normal development of human brain white matter from infancy to early adulthood: A diffusion tensor imaging study. *Developmental Neuroscience*, *37*(2), 182–194.

- Ullsperger, M., & von Cramon, D. Y. (2003). Error monitoring using external feedback: specific roles of the habenular complex, the reward system, and the cingulate motor area revealed by functional magnetic resonance imaging. *The Journal of Neuroscience*, *23*(10), 4308–4314.
- Vaidya, C. J., Austin, G., Kirkorian, G., Ridlehuber, H. W., Desmond, J. E., Glover, G. H., & Gabrieli, J. D. E. (1998). Selective effects of methylphenidate in attention-deficit/hyperactivity disorder: a functional magnetic resonance study. *Proceedings of the National Academy of Sciences of the United States of America*, *95*(24), 14494–14499.
- Valera, E. M., Brown, A., Biederman, J., Faraone, S. V., Makris, N., Monuteaux, M. C., ... Seidman, L. J. (2010). Sex differences in the functional neuroanatomy of working memory in adults with ADHD. *American Journal of Psychiatry*, *167*(1), 86–94.
- Valera, E. M., Faraone, S. V., Murray, K. E., & Seidman, L. J. (2007). Meta-analysis of structural imaging findings in attention-deficit/hyperactivity disorder. *Biological Psychiatry*, *61*(12), 1361–1369.
- van de Loo-Neus, G. H. H., Rommelse, N., & Buitelaar, J. K. (2011). To stop or not to stop? How long should medication treatment of attention-deficit/hyperactivity disorder be extended? *European Neuropsychopharmacology*, *21*(8), 584–599.
- van den Ban, E. F., Souverein, P. C., van Engeland, H., Swaab, H., Egberts, T. C. G., & Heerdink, E. R. (2015). Differences in ADHD medication usage patterns in children and adolescents from different cultural backgrounds in the Netherlands. *Social Psychiatry and Psychiatric Epidemiology*, *50*(7), 1153–1162.
- van den Ban, E., Souverein, P. C., Swaab, H., van Engeland, H., Egberts, T. C. G., & Heerdink, E. R. (2010). Less discontinuation of ADHD drug use since the availability of long-acting ADHD medication in children, adolescents and adults under the age of 45 years in the Netherlands. *Attention Deficit and Hyperactivity Disorders*, *2*(4), 213–220.
- van der Marel, K., Bouet, V., Meerhoff, G. F., Freret, T., Boulouard, M., Dauphin, F., ... Reneman, L. (2015). Effects of long-term methylphenidate treatment in adolescent and adult rats on hippocampal shape, functional connectivity and adult neurogenesis. *Neuroscience*, *309*, 243–258.
- van der Marel, K., Klomp, A., Meerhoff, G. F., Schipper, P., Lucassen, P. J., Homberg, J. R., ... Reneman, L. (2014). Long-term oral methylphenidate treatment in adolescent and adult rats: differential effects on brain morphology and function. *Neuropsychopharmacology*, *39*(2), 263–273.
- van der Meer, D., Hoekstra, P. J., Zwiers, M., Mennes, M., Schweren, L. J. S., Franke, B., ... Hartman, C. A. (2015). Brain correlates of the interaction between *5-HTTLPR* and psychosocial stress mediating attention-deficit/hyperactivity disorder severity. *American Journal of Psychiatry*, *172*(8), 768–775.
- van Ewijk, H., Groenman, A. P., Zwiers, M. P., Heslenfeld, D. J., Faraone, S. V., Hartman, C. A., ... Oosterlaan, J. (2015). Smoking and the developing brain: altered white matter microstructure in attention-deficit/hyperactivity disorder and healthy controls. *Human Brain Mapping*, *36*(3), 1180–1189.
- van Ewijk, H., Heslenfeld, D. J., Luman, M., Rommelse, N. N., Hartman, C. A., Hoekstra, P., ... Oosterlaan, J. (2014a). Visuospatial working memory in ADHD patients, unaffected siblings, and healthy controls. *Journal of Attention Disorders*, *18*(4), 369–378.
- van Ewijk, H., Heslenfeld, D. J., Zwiers, M. P., Buitelaar, J. K., & Oosterlaan, J. (2012). Diffusion tensor imaging in attention-deficit/hyperactivity disorder: a systematic review and meta-analysis. *Neuroscience and Biobehavioral Reviews*, *36*(4), 1093–1106.
- van Ewijk, H., Heslenfeld, D. J., Zwiers, M. P., Faraone, S. V., Luman, M., Hartman, C. A., ... Oosterlaan, J. (2014b). Different mechanisms of white matter abnormalities in attention-deficit/hyperactivity disorder: A diffusion tensor imaging study. *Journal of the American Academy of Child and Adolescent Psychiatry*, *53*(7), 790–799.
- van Hulst, B. M., de Zeeuw, P., & Durston, S. (2014). Distinct neuropsychological profiles within ADHD: a latent class analysis of cognitive control, reward sensitivity and timing. *Psychological Medicine*, *45*(4), 735–745.

- van Lieshout, M., Luman, M., Schwenen, L. J. S., Twisk, J., Faraone, S., Heslenfeld, D., ... Oosterlaan, J. (*in preparation*). Neurocognitive development as predictor for behavioral outcome in children with ADHD and their unaffected siblings: are we looking at a dead end?
- van Lieshout, M., Luman, M., Twisk, J. W. R., van Ewijk, H., Groenman, A. P., Thissen, A. J. A. M., ... Oosterlaan, J. (2016). A 6-year follow-up of a large European cohort of children with attention-deficit/hyperactivity disorder-combined subtype: outcomes in late adolescence and young adulthood. *European Child and Adolescent Psychiatry (ePub)*
- van Nieuwenhuijzen, P. S., Long, L. E., Hunt, G. E., Arnold, J. C., & McGregor, I. S. (2010). Residual social, memory and oxytocin-related changes in rats following repeated exposure to gamma-hydroxybutyrate (GHB), 3,4-methylenedioxyamphetamine (MDMA) or their combination. *Psychopharmacology, 212(4)*, 663–674.
- van Rooij, D., Hartman, C. A., Mennes, M., Oosterlaan, J., Franke, B., Rommelse, N., ... Hoekstra, P. J. (2015a). Altered neural connectivity during response inhibition in adolescents with attention-deficit/hyperactivity disorder and their unaffected siblings. *NeuroImage Clinical, 7*, 325–35.
- van Rooij, D., Hoekstra, P. J., Mennes, M., von Rhein, D., Thissen, A. J., Heslenfeld, D., ... Hartman, C. A. (2015b). Distinguishing adolescents with ADHD from their unaffected siblings and healthy comparison subjects by neural activation patterns during response inhibition. *American Journal of Psychiatry, 172(7)*, 674–683.
- van Widenfelt, B. M., Goedhart, A. W., Treffers, P. D. A., & Goodman, R. (2003). Dutch version of the Strengths and Difficulties Questionnaire (SDQ). *European Child and Adolescent Psychiatry, 12(6)*, 281–289.
- Vassena, E., Cobbaert, S., Andres, M., Fias, W., & Verguts, T. (2015). Unsigned value prediction-error modulates the motor system in absence of choice. *NeuroImage, 122*, 73–79.
- Verster, J. C., Bekker, E. M., Kooij, J. J. S., Buitelaar, J. K., Verbaten, M. N., Volkerts, E. R., & Olivier, B. (2010). Methylphenidate significantly improves declarative memory functioning of adults with ADHD. *Psychopharmacology, 212(2)*, 277–281.
- Villemonteix, T., de Brito, S. A., Kavec, M., Balériaux, D., Metens, T., Slama, H., ... Massat, I. (2015). Grey matter volumes in treatment naïve vs. chronically treated children with attention-deficit/hyperactivity disorder: a combined approach. *European Neuropsychopharmacology, 25(8)*, 1118–1127.
- Voineskos, A., Winterburn, J., Felsky, D., Pipitone, J., Rajji, T., Mulsant, B., & Chakravarty, M. (2015). Hippocampal (subfield) volume and shape in relation to cognitive performance across the adult lifespan. *Human Brain Mapping, 36(8)*, 3020–3037.
- Volkow, N. D., Wang, G., Fowler, J. S., Logan, J., Gerasimov, M., Maynard, L., ... Franceschi, D. (2001). Therapeutic doses of oral methylphenidate significantly increase extracellular dopamine in the human brain. *Journal of Neuroscience, 21(2)*, RC121.
- Volkow, N. D., Wang, G. J., Fowler, J. S., Logan, J., Angrist, B., Hitzemann, R., ... Pappas, N. (1997). Effects of methylphenidate on regional brain glucose metabolism in humans: relationship to dopamine D2 receptors. *American Journal of Psychiatry, 154(1)*, 50–55.
- Volkow, N. D., Wang, G. J., Fowler, J. S., Telang, F., Maynard, L., Logan, J., ... Swanson, J. M. (2004). Evidence that methylphenidate enhances the saliency of a mathematical task by increasing dopamine in the human brain. *American Journal of Psychiatry, 161(7)*, 1173–1180.
- Volkow, N. D., Wang, G. J., Newcorn, J. H., Kollins, S. H., Wigal, T. L., Telang, F., ... Swanson, J. M. (2011). Motivation deficit in ADHD is associated with dysfunction of the dopamine reward pathway. *Molecular Psychiatry, 16(11)*, 1147–1154.
- Volkow, N. D., Wang, G. J., Tomasi, D., Kollins, S. H., Wigal, T. L., Newcorn, J. H., ... Swanson, J. M. (2012). Methylphenidate-elicited dopamine increases in ventral striatum are associated with long-term symptom improvement in adults with attention-deficit/hyperactivity disorder. *The Journal of Neuroscience, 32(3)*, 841–849.

- von Rhein, D., Mennes, M., van Ewijk, H., Groenman, A. P., Zwiers, M. P., Oosterlaan, J., ... Buitelaar, J. (2015a). The NeuroIMAGE study: a prospective phenotypic, cognitive, genetic and MRI study in children with attention-deficit/hyperactivity disorder. Design and descriptives. *European Child and Adolescent Psychiatry*, *24*(3), 265-281.
- von Rhein, D., Cools, R., Zwiers, M. P., van der Schaaf, M., Franke, B., Luman, M., ... Buitelaar, J. (2015b). Increased neural responses to reward in adolescents and young adults with attention-deficit/hyperactivity disorder and their unaffected siblings. *Journal of the American Academy of Child and Adolescent Psychiatry*, *54*(5), 394-402.
- Wang, G. J., Volkow, N. D., Wigal, T., Kollins, S. H., Newcorn, J. H., Telang, F., ... Swanson, J. M. (2013). Long-term stimulant treatment affects brain dopamine transporter level in patients with attention-deficit/hyperactive disorder. *PLoS One*, *8*(5), e63023.
- Wechsler (2000). *WAIS-III Nederlandstalige bewerking*. Technische handleiding. London, UK: The Psychological Corporation.
- Wechsler (2002). *WISC-III Handleiding*. London, UK: The Psychological Corporation.
- Wierenga, L., Langen, M., Ambrosino, S., van Dijk, S., Oranje, B., & Durston, S. (2014). Typical development of basal ganglia, hippocampus, amygdala and cerebellum from age 7 to 24. *NeuroImage*, *96*, 67-72.
- Wilens, T., McBurnett, K., Bukstein, O., McGough, J., Greenhill, L., Lerner, M., ... Lynch, J. (2006). Multisite controlled study of OROS methylphenidate in the treatment of adolescents with attention-deficit/hyperactivity disorder. *Archives of Pediatric and Adolescent Medicine*, *160*, 82-90.
- Willcutt, E. G., Doyle, A. E., Nigg, J. T., Faraone, S. V., & Pennington, B. F. (2005). Validity of the executive function theory of attention-deficit/hyperactivity disorder: a meta-analytic review. *Biological Psychiatry*, *57*(11), 1336-1346.
- Winkler, A. M., Ridgway, G. R., Webster, M. A., Smith, S. M., & Nichols, T. E. (2014). Permutation inference for the general linear model. *NeuroImage*, *92*, 381-397.
- Winstanley, C. A., Eagle, D. M., & Robbins, T. W. (2006). Behavioral models of impulsivity in relation to ADHD: Translation between clinical and preclinical studies. *Clinical Psychology Review*, *26*(4), 379-395.
- Wong, C. G., & Stevens, M. C. (2012). The effects of stimulant medication on working memory functional connectivity in attention-deficit/hyperactivity disorder. *Biological Psychiatry*, *71*(5), 458-466.
- Wong, I. C. K., Asherson, P., Bilbow, A., Clifford, S., Coghill, D., Desoysa, R., ... Taylor, E. (2009). Cessation of attention-deficit/hyperactivity disorder drugs in the young (CADDY) - a pharmaco-epidemiological and qualitative study. *Health Technology Assessment*, *13*(50), 1-120
- Wood, A., & Neale, M. (2010). Twin studies and their implications for molecular genetic studies: Endophenotypes integrate quantitative and molecular genetics in ADHD research. *Journal of the American Academy of Child and Adolescent Psychiatry*, *49*(9), 1-14.
- Wood, S. N. (2011). Fast stable restricted maximum likelihood and marginal likelihood estimation of semiparametric generalized linear models. *Journal of the Royal Statistical Society. Series B: Statistical Methodology*, *73*(1), 3-36.
- Woods, S. P., Delis, D. C., Scott, J. C., Kramer, J. H., & Holdnack, J. A. (2006). The California Verbal Learning Test - second edition: Test-retest reliability, practice effects, and reliable change indices for the standard and alternate forms. *Archives of Clinical Neuropsychology*, *21*(5), 413-420.
- Wright, N. E., Strong, J. A., Gilbert, E. R., Shollenbarger, S. G., & Lisdahl, K. M. (2015). *5-HTTLPR* genotype moderates the effects of past ecstasy use on verbal memory performance in adolescent and emerging adults: A pilot study. *PLoS One*, *10*(7), e0134708.
- Wu, Y. H., Gau, S. S. F., Lo, Y. C., & Tseng, W. Y. I. (2014). White matter tract integrity of frontostriatal circuit in attention-deficit/hyperactivity disorder: association with attention performance and symptoms. *Human Brain Mapping*, *35*(1), 199-212.



- Xia, S., Li, X., Kimball, A. E., Kelly, M. S., Lesser, I., & Branch, C. (2012). Thalamic shape and connectivity abnormalities in children with attention-deficit/hyperactivity disorder. *Psychiatry Research*, *204*(2-3), 161–167.
- Yang, X. R., Carrey, N., Bernier, D., & Macmaster, F. P. (2015). Cortical thickness in young treatment-naive children with ADHD. *Journal of Attention Disorders*, *19*(11), 925-930.
- Yang, Z., Kelly, C., Castellanos, F. X., Leon, T., Milham, M. P., & Adler, L. a. (2016). Neural correlates of symptom improvement following stimulant treatment in adults with attention-deficit/hyperactivity disorder. *Journal of Child and Adolescent Psychopharmacology (ePub)*
- Yanofski, J. (2010). The dopamine dilemma: using stimulants and antipsychotics concurrently. *Psychiatry (Edgemont)*, *7*(6), 18-23.
- Zang, Y. F., Jin, Z., Weng, X. C., Zhang, L., Zeng, Y. W., Yang, L., ... Faraone, S. V. (2005). Functional MRI in attention-deficit/hyperactivity disorder: evidence for hypofrontality. *Brain and Development*, *27*(8), 544–550.
- Zimmer, L. (2009). Positron emission tomography neuroimaging for a better understanding of the biology of ADHD. *Neuropharmacology*, *57*(7-8), 601–607.
- Zwiers, M. P. (2010). Patching cardiac and head motion artefacts in diffusion-weighted images. *NeuroImage*, *53*(2), 565–575.



