

University of Groningen

## Patient centered development and clinical evaluation of an ankle foot orthosis

van der Wilk, Dymphy

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2017

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

van der Wilk, D. (2017). *Patient centered development and clinical evaluation of an ankle foot orthosis*. Rijksuniversiteit Groningen.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

# References

- [1] L Allet, H IJzerman, K Meijer, P Willems, and H Savelberg. The influence of stride-length on plantar foot-pressures and joint moments. *Gait & posture*, 34(3):300–6, 2011.
- [2] FM Anderson. Occult spinal dysraphism: a series of 73 cases. *Pediatrics*, 55(6):826–35, 1975.
- [3] A Bartonek, M Eriksson, and H Saraste. Heart rate and walking velocity during independent walking in children with low and midlumbar myelomeningocele. *Pediatric Physical Therapy*, 14(4):185–90, 2002.
- [4] A Bartonek, EM Gutierrez, Y Haglund-Akerlind, and H Saraste. The influence of spasticity in the lower limb muscles on gait pattern in children with sacral to mid-lumbar myelomeningocele: a gait analysis study. *Gait & posture*, 22(1):10–25, 2005.
- [5] S Berkowitz. User-friendly handbook for mixed method evaluations, 1997. URL <https://www.nsf.gov/pubs/1997/nsf97153/start.htm>.
- [6] RW Bohannon and MB Smith. Interrater reliability of a modified Ashworth scale of muscle spasticity. *Physical Therapy*, 67(2):206–7, 1987.
- [7] V Braun and V Clarke. Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3(2):77–101, 2006.
- [8] DJJ Bregman. *The Optimal Ankle Foot Orthosis: The influence of mechanical properties of Ankle Foot Orthoses on the walking ability of patients with central neurological disorders*. PhD thesis, VU University, Amsterdam, 2011.
- [9] DJJ Bregman, A Rozumalski, D Koops, V de Groot, M Schwartz, and J Harlaar. A new method for evaluating ankle foot orthosis characteristics: BRUCE. *Gait & posture*, 30(2):144–9, 2009.
- [10] MA Brehm and F Nollet. *Richtlijn Beenorthesen naar maat - Een klinisch handboek voor het verstrekken van beenorthesen naar maat bij mensen met blijvende ernstige zwakte of verlammingen van de beenspieren*. ZonMw, Amsterdam, 2012.
- [11] MA Brehm, SA Bus, J Harlaar, and F Nollet. A candidate core set of outcome measures based on the International Classification of Functioning, Disability and Health for clinical studies on lower limb orthoses. *Prosthetics and orthotics international*, 35(3):269–77, 2011.
- [12] C Bulley, TH Mercer, JE Hooper, P Cowan, S Scott, and ML van der Linden. Experiences of functional electrical stimulation (FES) and ankle foot orthoses (AFOs) for foot-drop in people with multiple sclerosis. *Disability and rehabilitation. Assistive technology*, 5:1–10, 2014.
- [13] NC Carroll, D Jones, W Maschuich, M Milner, and C White. Evaluation pertinent to the gait of children with myelomeningocele. *Prosthetics and orthotics international*, 6(1):27–34, 1982.
- [14] R Chin, E T Hsiao-Weckler, E Loth, G Kogler, S D Manwaring, S N Tyson, K A Shorter, and J N Gilmer. A pneumatic power harvesting ankle-foot orthosis to prevent foot-drop. *Journal of NeuroEngineering and Rehabilitation*, 6(19), 2009.
- [15] AE Chisholm and SD Perry. Ankle-foot orthotic management in neuromuscular disorders: recommendations for future research. *Disability and rehabilitation. Assistive technology*, 7(6): 437–49, 2012.
- [16] AJ Churchill, PW Halligan, and DT Wade. Relative contribution of footwear to the efficacy of ankle-foot orthoses. *Clinical rehabilitation*, 17(5):553–57, 2003.
- [17] SH Collins, B Wiggin, and GS Sawicki. Reducing the energy cost of human walking using an unpowered exoskeleton. *Nature*, 522(7555):212–15, 2015.
- [18] JD Del Bianco and S Fatone. Comparison of silicone and posterior leaf spring ankle-foot orthoses in a subject with Charcot-Marie-Tooth disorder. *Journal of Prosthetics & Orthotics (JPO)*, 20(4): 155–62, 2008.
- [19] L Demers, M Monette, Y Lapierre, DL Arnold, and C Wolfson. Reliability, validity, and applicability of the Quebec User Evaluation of Satisfaction with assistive Technology (QUEST 2.0) for adults with multiple sclerosis. *Disability and Rehabilitation*, 24(1-3):21–30, 2002.
- [20] K Don Kim, HJ Lee, MH Lee, and G Hwangbo. Effect of ankle-foot orthosis on weight bearing of chronic stroke patients performing various functional standing tasks. *Journal of physical therapy science*, 27(4):1059–61, 2015.
- [21] Dr. Comfort. Men's Footwear > Double Depth > Performance X, 2014. URL <https://www.drcomfort.com/our-footwear/mens-footwear/double-depth/performance-x/>.
- [22] JS Dufek, ES Neumann, MC Hawkins, and B O'Toole. Functional and dynamic response characteristics of a custom composite ankle foot orthosis for Charcot-Marie-Tooth patients. *Gait and Posture*, 39(1):308–13, 2014.
- [23] CM Duffy, HK Graham, and AP Cosgrove. The influence of ankle-foot orthoses on gait and energy expenditure in spina bifida. *Journal of Pediatric Orthopaedics*, 20(3):356–61, 2000.
- [24] LJ Elias, MP Bryden, and MB Bulman-Fleming. Footedness is a better predictor than is handedness of emotional lateralization. *Neuropsychologia*, 36(1):37–43, 1998.
- [25] Farlex.Inc. Definition of Muscle spasticity, 2016. URL <http://medical-dictionary.thefreedictionary.com/spasticity>.

- [26] SE Farmer, G Pearce, J Whittall, RCM Quinlivan, and JH Patrick. The use of stock orthoses to assist gait in neuromuscular disorders: A pilot study. *Prosthetics and orthotics international*, 30(2):145–54, 2006.
- [27] S Fatone, WB Johnson, and S Kwak. Using a three-dimensional model of the Ankle-Foot Orthosis/leg to explore the effects of combinations of axis misalignments. *Prosthetics and orthotics international*, 40(2):247–520, 2014.
- [28] DP Ferris, JM Czerniecki, and B Hannaford. An ankle-foot orthosis powered by artificial pneumatic muscles. *Journal of applied biomechanics*, 21(2):189–97, 2005.
- [29] Fior&Gentz. NEURO SWING, 2016. URL <http://www.fior-gentz.de/orthesenbau/online-tutorials/herstellung-der-orthese/gelenkmontage-neuro-swing>.
- [30] M Galli, M Crivellini, E Fazzi, and F Motta. Energy consumption and gait analysis in children with myelomeningocele. *Functional neurology*, 15(3):171–75, 2000.
- [31] JFM Geboers, YJM Janssen-Potten, HAM Seelen, and MR Drost. Evaluation of effect of ankle-foot orthosis use on strength restoration of paretic dorsiflexors. *Archives of Physical Medicine and Rehabilitation*, 82(6):856–60, 2001.
- [32] JFM Geboers, MR Drost, F Spaans, H Kuipers, and HA Seelen. Immediate and long-term effects of ankle-foot orthosis on muscle activity during walking: A randomized study of patients with unilateral foot drop. *Archives of Physical Medicine and Rehabilitation*, 83(2):240–45, 2002.
- [33] JFM Geboers, WL Wetzelaer, HA Seelen, F Spaans, and MR Drost. Ankle-foot orthosis has limited effect on walking test parameters among patients with peripheral ankle dorsiflexor paresis. *Journal of rehabilitation medicine : official journal of the UEMS European Board of Physical and Rehabilitation Medicine*, 34(2):80–85, 2002.
- [34] P Gill, K Stewart, E Treasure, and B Chadwick. Methods of data collection in qualitative research: interviews and focus groups. *British dental journal*, 204(6):291–5, 2008.
- [35] W Gilleard, J Crosbie, and R Smith. Rising to stand from a chair: symmetry, and frontal and transverse plane kinematics and kinetics. *Gait & posture*, 27(1):8–15, 2008.
- [36] GIP/ Zorginstituut Nederland. Totale kosten 2010-2014, hulpmiddelencategorie C0520: Orthesen been/voet, 2016. URL <https://www.gipdatabank.nl/databank.asp?tabel=01-basis{%j}geg=tk{%&}item=C05>.
- [37] A Goldberg, M Chavis, J Watkins, and T Wilson. The five-times-sit-to-stand test: validity, reliability and detectable change in older females. *Aging clinical and experimental research*, 24(4):339–44, 2012.
- [38] SR Goldberg and SJ Stanhope. Sensitivity of joint moments to changes in walking speed and body-weight-support are interdependent and vary across joints. *Journal of biomechanics*, 46(6):1176–83, 2013.
- [39] JM Gregson, MJ Leathley, AP Moore, TL Smith, AK Sharma, and CL Watkins. Reliability of measurements of muscle tone and muscle power in stroke patients. *Age and ageing*, 29(3):223–8, 2000.
- [40] B Gudmundsson, E Olafsson, F Jakobsson, and P Luthvigsson. Prevalence of symptomatic Charcot-Marie-Tooth disease in Iceland: a study of a well-defined population. *Neuroepidemiology*, 34(1):13–7, 2010.
- [41] B Guillebastre, P Calmels, and PR Rougier. Assessment of appropriate ankle-foot orthoses models for patients with Charcot-Marie-Tooth disease. *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 90(8):619–27, 2011.
- [42] K Hachisuka, A Ohnishi, M Yamaga, K Dozono, M Ueta, and H Ogata. The role of weakness of triceps surae muscles in astasia without abasia. *Journal of Neurology Neurosurgery and Psychiatry*, 62(5):496–500, 1997.
- [43] DJ Haight, E Russell Esposito, and JM Wilken. Biomechanics of uphill walking using custom ankle-foot orthoses of three different stiffnesses. *Gait & posture*, 41(3):750–6, 2015.
- [44] AH Hansen and EA Nickel. Further improvements to ankle-foot prosthesis and orthosis capable of automatic adaptation to sloped walking surfaces, 2014.
- [45] Y Heerkens, T Bougie, and E Claus. The use of the ICF in the process of supplying assistive products: discussion paper based on the experience using a general Dutch prescription guideline. *Prosthetics and orthotics international*, 35(3):310–7, 2011.
- [46] A Hemmerich, H Brown, S Smith, SS Marthandam, and UP Wyss. Hip, knee, and ankle kinematics of high range of motion activities of daily living. *Journal of orthopaedic research : official publication of the Orthopaedic Research Society*, 24(4):770–81, 2006.
- [47] H Herr. Variable-mechanical-impedance artificial legs, 2004.
- [48] JPT Higgins and S Green. Chapter 8: Assessing risk of bias in included studies. In *Cochrane Handbook for Systematic Reviews of Interventions*, volume 5.1.0. The Cochrane Collaboration, 2011. URL <http://handbook.cochrane.org/>.
- [49] B Hintermann. 4.2.2 Range of ankle motion. In *Total ankle arthroplasty: historical overview*,

- current concepts and future perspectives*. Springer, Austria, 2005.
- [50] H Hoets. Focus Group Moderators How to Choose One, 2012. URL [www.focusgrouptips.com/focus-group-moderators.html](http://www.focusgrouptips.com/focus-group-moderators.html).
- [51] SL Huang, CL Hsieh, RM Wu, CH Tai, CH Lin, and WS Lu. Minimal detectable change of the timed "up & go" test and the dynamic gait index in people with Parkinson disease. *Physical therapy*, 91(1):114–21, 2011.
- [52] MG Hullin, JE Robb, and IR Loudon. Ankle-foot orthosis function in low-level myelomeningocele. *Journal of Pediatric Orthopaedics*, 12(4):518–21, 1992.
- [53] IDEO.org. *The Field Guide To Human-Centered Design: Design Kit*. Number 1. IDEO.org, Canada, 1 edition, 2015. ISBN 978-0-9914063-1-9.
- [54] ISO. Prosthetics and orthotics Vocabulary Part 1: general terms for external limb prostheses and external orthoses. Technical report, International Organization for Standardization, Geneva, 1989.
- [55] SH Jang, MH Lee, and KD Kim. The influence of an ankle foot orthosis on the percentage of weight loading during standing tasks in stroke patients. *Journal of physical therapy science*, 27(9):2887–90, 2015.
- [56] K Kawamura, A Tokuhiro, and H Takechi. Gait analysis of slope walking: a study on step length, stride width, time factors and deviation in the center of pressure. *Acta medica Okayama*, 45(3):179–84, 1991.
- [57] YL Kerkum. *Maximizing the efficacy of ankle foot orthoses in children with cerebral palsy*. PhD thesis, Vrije Universiteit Amsterdam, 2016.
- [58] YL Kerkum, H Houdijk, MA Brehm, AI Buizer, MLC Kessels, A Sterk, JC van den Noort, and J Harlaar. The Shank-to-Vertical-Angle as a parameter to evaluate tuning of Ankle-Foot Orthoses. *Gait & posture*, 42(3):269–74, 2015.
- [59] S Kizilirmak, B Balaban, H Mohur, S Gunduz, and TA Kalyon. The effect of short leg braces on gait patients with cauda equina syndrome. *Journal of Rheumatology and Medical Rehabilitation*, 16(3):190–9, 2005.
- [60] JT Klein, R Häberli, RW Scholz, W Grossenbacher-Mansuy, A Bill, and M Welti, editors. *Transdisciplinarity: Joint Problem Solving among Science, Technology, and Society*. Birkhäuser Basel, Basel, 2001. ISBN 978-3-0348-9559-0.
- [61] PM Kluding, K Dunning, MW O'Dell, SS Wu, J Ginosian, J Feld, and K McBride. Foot drop stimulation versus ankle foot orthosis after stroke: 30-week outcomes. *Stroke*, 44(6):1660–9, 2013.
- [62] T Kobayashi, AKL Leung, Y Akazawa, and SW Hutchins. Design of a stiffness-adjustable ankle-foot orthosis and its effect on ankle joint kinematics in patients with stroke. *Gait and Posture*, 33(4):721–3, 2011.
- [63] T Kobayashi, AKL Leung, and SW Hutchins. Techniques to measure rigidity of ankle-foot orthosis: a review. *Journal of rehabilitation research and development*, 48(5):565–76, 2011.
- [64] RA Kreuger. Designing and Conducting Focus Group Interviews, 2002. URL <http://www.eiu.edu/ihec/Kreuger-FocusGroupInterviews.pdf>.
- [65] P Kutilek, V Socha, S Viteckova, and Z Svoboda. Quantification of gait asymmetry in patients with ankle foot orthoses based on hip hip cyclograms. *Biocybernetics and Biomedical Engineering*, 34(1):46–52, 2014.
- [66] JW Kwon, SM Son, and NK Lee. Changes of kinematic parameters of lower extremities with gait speed: a 3D motion analysis study. *Journal of physical therapy science*, 27(2):477–9, 2015.
- [67] AN Lay, CJ Hass, and RJ Gregor. The effects of sloped surfaces on locomotion: a kinematic and kinetic analysis. *Journal of Biomechanics*, 39(9):1621–8, 2006.
- [68] AN Lay, CJ Hass, T Richard Nichols, and RJ Gregor. The effects of sloped surfaces on locomotion: an electromyographic analysis. *Journal of biomechanics*, 40(6):1276–85, 2007.
- [69] JL Lelas, GJ Merriman, PO Riley, and DC Kerrigan. Predicting peak kinematic and kinetic parameters from gait speed. *Gait & posture*, 17(2):106–12, 2003.
- [70] J Leung and A Moseley. Impact of ankle-foot orthoses on gait and leg muscle activity in adults with hemiplegia: systematic literature review. *Physiotherapy*, 89(1):39–55, 2003.
- [71] J Lewallen, J Miedaner, S Amyx, and J Sherman. Effect of three styles of custom ankle foot orthoses on the gait of stroke patients while walking on level and inclined surfaces. *Journal of Prosthetics & Orthotics*, 22(2):78–83, 2010.
- [72] N Mack, C Woodsong, KM Macqueen, G Guest, and E Namey. Qualitative Research Methods: A Data Collector's Field Guide, 2011. URL <http://www.fhi360.org/sites/default/files/media/documents/QualitativeResearchMethods-ADDataCollector'sFieldGuide.pdf>.
- [73] CG Maher, C Sherrington, RD Herbert, AM Moseley, and M Elkins. Reliability of the PEDro scale for rating quality of randomized controlled trials. *Physical Therapy*, 83(8):713–21, 2003.
- [74] BM Melnyk and E Fineout-Overholt. *Evidence-based practice in nursing & healthcare : a guide to best practice*. Wolters Kluwer/Lippincott Williams & Wilkins, Philadelphia, 2011. ISBN

- 9781451190946.
- [75] F Menotti, L Laudani, A Damiani, T Mignogna, and A Macaluso. An anterior ankle-foot orthosis improves walking economy in Charcot-Marie-Tooth type 1A patients. *Prosthetics and orthotics international*, October(5):387–92, 2014.
  - [76] F Menotti, L Laudani, A Damiani, P Orlando, and A Macaluso. Comparison of walking energy cost between an anterior and a posterior ankle-foot orthosis in people with foot drop. *Journal of rehabilitation medicine*, 46(8):768–72, 2014.
  - [77] A Mnatsakanian, JT Kissel, P Terry, and WM King. One clinic’s experience with carbon fiber orthoses in neuromuscular disease. *Muscle & Nerve*, 5(6):1–4, 2016.
  - [78] Motekmedical. GRAIL - Gait Real-time Analysis Interactive Lab, 2016. URL [www.motekforcelink.com/product/grail](http://www.motekforcelink.com/product/grail).
  - [79] G Muratovski. Paradigm Shift: The New Role of Design in Business and Society. *She Ji: The Journal of Design, Economics, and Innovation*, 1(2):118–39, 2015.
  - [80] S Nuzik, R Lamb, A VanSant, and S Hirt. Sit-to-stand movement pattern. A kinematic study. *Physical therapy*, 66(11):1708–13, 1986.
  - [81] T Oberg, A Karsznia, and K Oberg. Basic gait parameters: reference data for normal subjects, 10-79 years of age. *Journal of rehabilitation research and development*, 30(2):210–23, 1993.
  - [82] Ottobock Healthcare. Ankle hinge 17B66, 2015. URL [professionals.ottobockus.com/zb2b4ob/us01/en/USD/c/Service-Set-17B66/p/17B66{-}5S](http://professionals.ottobockus.com/zb2b4ob/us01/en/USD/c/Service-Set-17B66/p/17B66{-}5S).
  - [83] S Ounpuu, JR Gage, and RB Davis. Three-dimensional lower extremity joint kinetics in normal pediatric gait. *Journal of pediatric orthopedics*, 11(3):341–9, 1991.
  - [84] E Owen. The importance of being earnest about shank and thigh kinematics especially when using ankle-foot orthoses. *Prosthetics and orthotics international*, 34(3):254–69, 2010.
  - [85] VP Panzer, DB Wakefield, CB Hall, and LI Wolfson. Mobility assessment: sensitivity and specificity of measurement sets in older adults. *Archives of physical medicine and rehabilitation*, 92(6):905–12, 2011.
  - [86] BK Park, HR Song, SI Vankoski, CA Moore, and LS Dias. Gait Electromyography at the Sacral Level in Children With Myelomeningocele. *Archives of Physical Medicine and Rehabilitation*, 78 (May):471–5, 1997.
  - [87] Patentdocs. Patents Encyclopedia: splint, brace, or bandage - orthopedic bandage - Splint or brace - Lower extremity - ankle/Drop-foot brace, 2016. URL <http://www.patentsencyclopedia.com/class/000551769>.
  - [88] MQ Patton. *Qualitative Research & Evaluation Methods*. SAGE Publications, Inc., Saint Paul, 4 edition, 2015. ISBN 9781412972123.
  - [89] JC Patzkowski, RV Blanck, JG Owens, JM Wilken, J Blair, and JR Hsu. Can an ankle-foot orthosis change hearts and minds? *Journal of surgical orthopaedic advances*, 20(1):8–18, jan 2011.
  - [90] JC Patzkowski, RV Blanck, JG Owens, JM Wilken, KL Kirk, JC Wenke, and JR Hsu. Comparative effect of orthosis design on functional performance. *Journal of Bone and Joint Surgery - Series A*, 94(6):507–15, 2012.
  - [91] J Perry. *Gait analysis: normal and pathological function*. SLACK Incorporated, Thorofare, 1992. ISBN 978-1-55642-192-1.
  - [92] MF Phillips, K Radford, and A Wills. Ankle foot orthoses for people with Charcot Marie Tooth disease—views of users and orthotists on important aspects of use. *Disability and rehabilitation.Assistive technology*, 6(6):491–9, 2011.
  - [93] MF Phillips, Z Robertson, B Killen, and B White. A pilot study of a crossover trial with randomized use of ankle-foot orthoses for people with Charcot-Marie-tooth disease. *Clinical rehabilitation*, 26 (6):534–44, 2012.
  - [94] HE Ploeger, SA Bus, M Brehm, and F Nollet. Ankle-foot orthoses that restrict dorsiflexion improve walking in polio survivors with calf muscle weakness. *Gait & posture*, 40(3):391–8, 2014.
  - [95] D Podsiadlo and S Richardson. The timed "Up & Go": a test of basic functional mobility for frail elderly persons. *Journal of the American Geriatrics Society*, 39(2):142–8, 1991.
  - [96] RA Powell, HM Single, and KR Lloyd. Focus groups in mental health research: enhancing the validity of user and provider questionnaires. *The International journal of social psychiatry*, 42(3): 193–206, 1996.
  - [97] A Protopapadaki, W I Drechsler, M C Cramp, F J Coutts, and O M Scott. Hip, knee, ankle kinematics and kinetics during stair ascent and descent in healthy young individuals. *Clinical biomechanics*, 22(2):203–10, 2007.
  - [98] SA Radtka, GB Oliveira, KE Lindstrom, and MD Borders. The kinematic and kinetic effects of solid, hinged, and no ankle-foot orthoses on stair locomotion in healthy adults. *Gait & posture*, 24 (2):211–8, 2006.
  - [99] GM Ramdharry, BL Day, MM Reilly, and JF Marsden. Foot drop splints improve proximal as well

- as distal leg control during gait in Charcot-Marie-Tooth Disease. *Muscle and Nerve*, 46(4):512–9, 2012.
- [100] GM Ramdharry, AJ Pollard, JF Marsden, and MM Reilly. Comparing gait performance of people with charcot-marie-tooth disease who do and do not wear ankle foot orthoses. *Physiotherapy Research International : The Journal for Researchers and Clinicians in Physical Therapy*, 17(4):191–9, 2012.
- [101] NB Robbins, RM Heiberger, C Court, and S Hall. Plotting Likert and Other Rating Scales. *Joint Statistical Meetings*, Section on:1058–66, 2011.
- [102] LD Roorda, ME Roebroeck, GJ Lankhorst, T Van Tilburg, and LM Bouter. Measuring functional limitations in rising and sitting down: Development of a questionnaire. *Archives of Physical Medicine and Rehabilitation*, 77(7):663–9, 1996.
- [103] H Rouhani, J Favre, X Crevoisier, and K Aminian. Ambulatory measurement of ankle kinetics for clinical applications. *Journal of biomechanics*, 44(15):2712–8, 2011.
- [104] Z Safaeepour, A Esteki, FT Ghomshe, and NA Abu Osman. Quantitative analysis of human ankle characteristics at different gait phases and speeds for utilizing in ankle-foot prosthetic design. *Biomedical engineering online*, 13(1):19, 2014.
- [105] RK Shields, LJ Enloe, RE Evans, KB Smith, and SD Steckel. Reliability, validity, and responsiveness of functional tests in patients with total joint replacement. *Physical therapy*, 75(3):169–76, 1995.
- [106] B Silver-Thorn, A Herrmann, T Current, and J McGuire. Effect of ankle orientation on heel loading and knee stability for post-stroke individuals wearing ankle-foot orthoses. *Prosthetics and orthotics international*, 35(2):150–62, 2011.
- [107] JW Song and KC Chung. Observational studies: cohort and case-control studies. *Plastic and reconstructive surgery*, 126(6):2234–42, 2010.
- [108] AC Sparkes and B Smith. *Qualitative Research Methods in Sport, Exercise and Health: From Process to Product*. Routledge, Taylor & Francis Group, London and New York, 2014. ISBN 9780415578356.
- [109] G Stoquart, C Detrembleur, and T Lejeune. Effect of speed on kinematic, kinetic, electromyographic and energetic reference values during treadmill walking. *Neurophysiologie clinique = Clinical neurophysiology*, 38(2):105–16, 2008.
- [110] J Sun, M Walters, N Svensson, and D Lloyd. The influence of surface slope on human gait characteristics: a study of urban pedestrians walking on an inclined surface. *Ergonomics*, 39(4): 677–92, 1996.
- [111] A Thibaut, C Chatelle, E Ziegler, M Bruno, S Laureys, and O Gosseries. Spasticity after stroke: physiology, assessment and treatment. *Brain injury*, 27(10):1093–105, 2013.
- [112] SE Thomas, JM Mazur, ME Child, and TJ Supan. Quantitative evaluation of AFO use with myelomeningocele children. *Surgery in infancy and childhood*, 44:38–40, 1989.
- [113] SS Thomas, CE Buckon, S Jakobson-Huston, MD Sussman, and MD Aiona. Stair locomotion in children with spastic hemiplegia: The impact of three different ankle foot orthosis (AFOs) configurations. *Gait and Posture*, 16(2):180–7, 2002.
- [114] JD Thomson, S Ounpuu, RB Davis, and PA DeLuca. The effects of ankle-foot orthoses on the ankle and knee in persons with myelomeningocele: An evaluation using three-dimensional gait analysis. *Journal of Pediatric Orthopaedics*, 19(1):27–33, 1999.
- [115] SF Tyson and RM Kent. Effects of an ankle-foot orthosis on balance and walking after stroke: A systematic review and pooled meta-analysis. *Archives of Physical Medicine and Rehabilitation*, 94(7):1377–85, 2013.
- [116] SF Tyson, E Sadeghi-Demneh, and CJ Nester. A systematic review and meta-analysis of the effect of an ankle-foot orthosis on gait biomechanics after stroke. *Clinical rehabilitation*, 27(10):879–91, 2013.
- [117] M Van de Putte, N Hagemester, N St-Onge, G Parent, and J A de Guise. Habituation to treadmill walking. *Bio-medical materials and engineering*, 16(1):43–52, 2006.
- [118] AJ van den Bogert, T Geijtenbeek, O Even-Zohar, F Steenbrink, and EC Hardin. A real-time system for biomechanical analysis of human movement and muscle function. *Medical & biological engineering & computing*, 51(10):1069–77, 2013.
- [119] D van der Wilk, JM Hijmans, K Postema, and GJ Verkerke. A user-centred qualitative study on experiences with ankle-foot orthoses and suggestions for improved design. *Prosthetics and Orthotics International (accepted)*, .
- [120] D van der Wilk, R Reints, K Postema, J Harlaar, JM Hijmans, and GJ Verkerke. Development of an ankle foot orthosis with support of flaccid paretic plantarflexor and dorsiflexor muscles. *Submitted*.
- [121] D van der Wilk, PU Dijkstra, K Postema, GJ Verkerke, and JM Hijmans. Effects of ankle foot orthoses on body functions and activities in people with floppy paretic ankle muscles: a systematic review. *Clinical Biomechanics*, 30(10):1009–25, 2015.

- [122] D van Dijk, F Kresin, M Reitenbach, E Rennen, and S Wildevuur. *Users as Designers, A hands-on approach to Creative Research*. Waag Society, Amsterdam, 2011. ISBN 978-90-806452-0-2.
- [123] SJ Vankoski, S Michaud, and L Dias. External tibial torsion and the effectiveness of the solid ankle-foot orthoses. *Journal of Pediatric Orthopaedics*, 20(3):349–55, 2000.
- [124] GJ Verkerke and EB van der Houwen. *Design of biomedical products*. World Scientific Publishing, Singapore, 2008. ISBN 9789812709561.
- [125] LJ Viccaro, S Perera, and SA Studenski. Is timed up and go better than gait speed in predicting health, function, and falls in older adults? *Journal of the American Geriatrics Society*, 59(5): 887–92, 2011.
- [126] P Vinci and P Gargiulo. Poor compliance with ankle-foot-orthoses in Charcot-Marie-Tooth disease. *European journal of physical and rehabilitation medicine*, 44(1):27–31, 2008.
- [127] A Vistamehr, SA Kautz, and RR Neptune. The influence of solid ankle-foot-orthoses on forward propulsion and dynamic balance in healthy adults during walking. *Clinical Biomechanics*, 29(5): 583–9, 2014.
- [128] E von Hippel. *The sources of innovation*. Oxford University Press, New York, 1988. ISBN 9788578110796.
- [129] M Walbran, K Turner, and AJ McDaid. Customized 3D printed ankle-foot orthosis with adaptable carbon fibre composite spring joint. *Cogent Engineering*, 3(1):1–11, 2016.
- [130] RL Waters and S Mulroy. The energy expenditure of normal and pathologic gait. *Gait & posture*, 9(3):207–31, 1999.
- [131] AL Weightman, MK Mann, L Sander, and RL Turley. Health Evidence Bulletins - Wales: Questions to assist with the critical appraisal of an observational study eg cohort, cross-sectional, longitudinal, case-control. (Type IV evidence) Appendix 8, 2004. URL <http://hebw.cardiff.ac.uk/projectmethod/ProjectMethodology5.pdf>.
- [132] RD Wessels and LP De Witte. Reliability and validity of the Dutch version of QUEST 2.0 with users of various types of assistive devices. *Disability and rehabilitation*, 25(6):267–72, 2003.
- [133] ME Wewers and NK Lowe. A critical review of visual analogue scales in the measurement of clinical phenomena. *Research in nursing & health*, 13(4):227–36, 1990.
- [134] JMA Whitehead, ER Esposito, and JM Wilken. Stair ascent and descent biomechanical adaptations while using a custom anklefoot orthosis. *Journal of Biomechanics*, Epub ahead, 2016.
- [135] SR Whiteside, MJ Allen, WJ Barringer, WD Beiswenger, MD Brnckick, TD Bulgarelli, CJ Hentges, and RS Lin. Practice Analysis of Certified Practitioners in the Disciplines of Orthotics and Prosthetics. Technical report, American Board for Certification in Orthotics, Prosthetics and Pedorthics, Inc., Alexandria, 2007.
- [136] WHO. *International Classification of Functioning, Disability and Health (ICF)*. World Health Organization, Geneva, 2001. ISBN 9241545429.
- [137] WHO Collaborating Centre for the Family of International Classifications (FIC). WEB-Browser, 2011. URL <http://class.who-fic.nl/browser.aspx?scheme=ICF-nl.cla>.
- [138] MB Wiggan, GS Sawicki, and SH Collins. Apparatus and clutch for using controlled storage and release of mechanical energy to aid locomotion, 2013.
- [139] RJ Williams, AH Hansen, and SA Gard. Prosthetic Ankle-Foot Mechanism Capable of Automatic Adaptation to the Walking Surface. *Journal of Biomechanical Engineering*, 131(3):035002, 2009.
- [140] DA Winter. *The biomechanics and motor control of human gait: normal, elderly and pathological*. Ontario University of Waterloo Press, Waterloo, 2 edition, 1991. ISBN 0-88898-105-8.
- [141] CJ Wutzke, GS Sawicki, and MD Lewek. The influence of a unilateral fixed ankle on metabolic and mechanical demands during walking in unimpaired young adults. *Journal of biomechanics*, 45(14): 2405–10, 2012.
- [142] S Yamamoto, A Hagiwara, T Mizobe, O Yokoyama, and T Yasui. Development of an ankle-foot orthosis with an oil damper. *Prosthetics and orthotics international*, 29(3):209–19, 2005.
- [143] RR Young and PJ Delwaide. Compensating for impaired or lost function - biomechanical or rehabilitation engineering. In RR Young and PJ Delwaide, editors, *Principles and Practice of Restorative Neurology*, chapter 7, pages 83–92. Butterworth Heinemann Ltd, Oxford, 1992. ISBN 0750611723.



