

University of Groningen

Infants at very high risk of cerebral palsy

Hielkema, Tjitske

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2017

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Hielkema, T. (2017). *Infants at very high risk of cerebral palsy: a challenging population*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

LIST OF PUBLICATIONS

International publications

- Hamer EG, **Hielkema T**, Bos AF, Dirks T, Hooijmsa SJ, Reinders-Messelink HA, Toonen RF, Hadders-Algra M. Effect of early intervention on functional outcome at school age: Follow-up and process evaluation of a randomised controlled trial in infants at risk. *Early Hum Dev.* 2017;106-107:67-74.
- Hielkema T**, Boxum AG, Hamer EG, Geertzen JH, Hadders-Algra M. Time to Update the Gross Motor Function Classification System (GMFCS) for Early Age Bands by Incorporation of Assisted Mobility? *Pediatr Phys Ther.* 2017;29:100-101.
- Hadders-Algra M, Boxum AG, **Hielkema T**, Hamer EG. Effect of early intervention in infants at very high risk of cerebral palsy: a systematic review. *Dev Med Child Neurol.* 2017; 59:246-258.
- Hamer EG, Vermeulen RJ, Dijkstra LJ, **Hielkema T**, Kos C, Bos AF, Hadders-Algra M. Slow pupillary light responses in infants at high risk of cerebral palsy were associated with periventricular leukomalacia and neurological outcome. *Acta Paediatr.* 2016; 105:1493-1501.
- Hielkema T**, Hadders-Algra M. Motor and cognitive outcome after specific early lesions of the brain - a systematic review. *Dev Med Child Neurol.* 2016; 58 Suppl 4:46-52.
- Dirks T, **Hielkema T**, Hamer EG, Reinders-Messelink HA, Hadders-Algra M. Infant positioning in daily life may mediate associations between physiotherapy and child development-video-analysis of an early intervention RCT. *Res Dev Disabil.* 2016; 53-54:147-57.
- Boxum AG, van Balen LC, Dijkstra LJ, Hamer EG, **Hielkema T**, Reinders-Messelink HA, Hadders-Algra M. Postural adjustments in infants at very high risk for cerebral palsy before and after developing the ability to sit independently. *Early Hum Dev.* 2014; 90:435-441.
- Hielkema T**, Hamer EG, Ebbers-Dekkers I, Dirks T, Maathuis CG, Reinders-Messelink HA, Geertzen JH, Hadders-Algra M. GMFM in infancy: age-specific limitations and adaptations. *Pediatr Phys Ther.* 2013; 25:168-76.
- Hielkema T**, Blauw-Hospers CH, Dirks T, Drijver-Messelink M, Bos AF, Hadders-Algra M. Does physiotherapeutic intervention affect motor outcome in high-risk infants? An approach combining a randomized controlled trial and process evaluation. *Dev Med Child Neurol.* 2011; 53:e8-15.
- Hielkema T**, Hamer EG, Reinders-Messelink HA, Maathuis CG, Bos AF, Dirks T, van Doormaal L, Verheijden J, Vlaskamp C, Lindeman E, Hadders-Algra M. LEARN 2 MOVE 0-2 years: effects of a new intervention program in infants at very high risk for cerebral palsy; a randomized controlled trial. *BMC Pediatr.* 2010; 10:76.
- De Jong M, Punt M, de Groot E, **Hielkema T**, Struik M, Minderaa RB, Hadders-Algra M. Symptom diagnostics based on clinical records: a tool for scientific research in child psychiatry? *Eur Child Adolesc Psychiatry.* 2009; 18:257-264.

Submitted

Hielkema T, Toonen RF, Hooijmsma SJ, Dirks T, Reinders-Messelink HA, Maathuis CGB, Geertzen JHB, Hadders-Algra M. Changes over time in contents of infant physiotherapy: a quantitative, observational study. Submitted.

Hielkema T, Hamer EG, Boxum AG, la Bastide-van Gemert S, Dirks T, Reinders-Messelink HA, Maathuis CGB, Verheijden J, Geertzen JHB, Hadders-Algra M. LEARN2MOVE 0-2 years: a randomized controlled trial on early intervention in infants at very high risk of cerebral palsy. Submitted.

National publications

Reinders-Messelink HA, Dallmeijer AJ, Ketelaar M, Verschuren O, Berg-Emons R van de, Roebroek M, Hadders-Algra M, Verheijden J, **Hielkema T**, Hamer E, Maathuis CGB, Kruijzen-Terpstra AJA, Wely L van, Balemans ACJ, Becher JG. Lessons learned from the 'LEARN 2 MOVE' research program. Ned T v Revalidatiegeneeskunde 2014, 5: 215-216

Reinders-Messelink HA, **Hielkema T**, Kruijzen AJA, van Wely L, Slaman J. LEARN 2 MOVE; Onderzoeksprogramma naar het effect en werkingsmechanisme van behandeling bij kinderen en jongeren met Cerebrale Parese. Ergotherapie 2011, 39:28-32.

Reinders-Messelink HA, **Hielkema T**, Kruijzen AJA, van Wely L, Slaman J. LEARN 2 MOVE; Onderzoeksprogramma naar het effect en werkingsmechanisme van behandeling bij kinderen en jongeren met Cerebrale Parese. Nederlands Tijdschrift voor Kinderfysiotherapie 2010; 22:12-14.

Hielkema T, Kruijzen AJA, van Wely L, Slaman J. LEARN 2 MOVE onderzoek, Mobiliteit van kind met CP en functioneren van kind en gezin verbeteren. BOSK Magazine 2009; 1:29.