

## University of Groningen

### The non-existent average individual

Blaauw, Frank Johan

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2018

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Blaauw, F. J. (2018). *The non-existent average individual: Automated personalization in psychopathology research by leveraging the capabilities of data science*. University of Groningen.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

Based on:

Blaauw, F. J., Schenk, H. M., Jeronimus, B. F., van der Krieke, L., de Jonge, P., Aiello, M., & Emerencia, A. C. (2016). Let's get Physiquial – An intuitive and generic method to combine sensor technology with ecological momentary assessments. *Journal of Biomedical Informatics*, 63, 141–149.

## Chapter 9

---

# Augmenting Ecological Momentary Assessments with Physiological Data

Ecological momentary assessments are a useful technique for collecting relatively high resolution data on the psychological symptoms of a person. Such data is useful for performing analysis on the level of the individual, as shown in the previous chapters. However, it is evident that the use of ecological momentary assessment (EMA) methods comes at a price. One can imagine that participating in an EMA study can be a rather tedious task. The participants have to comply to a certain schedule in order to be able to answer the (same) EMA questionnaire. This generally means that participants will constantly be interrupted from their day-to-day life. Besides merely being an inconvenience, this constant distraction and the EMA itself could also influence the measurements (e.g., Kramer et al., 2014). The EMA can serve as an intervention, causing difficulties in interpreting the EMA data afterwards. Lastly, the EMA methodology we consider can generally be considered subjective. Participants report their opinionated view on certain traits, where an objective view is generally preferred. Although for many questions these issues can currently only be accepted as limitations of the EMA method, certain questions can in fact be replaced with an objective and non-intrusive method, for example, by the use of a wearable sensing device.

The emergence of wearables and smartwatches is making sensors a ubiquitous and accepted technology to measure daily rhythms in physiological measures, such as movement and heart rate. An integration of sensor data from wearables and self-report questionnaire data about cognition, behaviors, and emotions can provide new insights into the interaction between mental and physiological processes in daily life. Hitherto no method existed that enables an easy-to-use integration of sensor and self-report data. To fill this gap, we present Physiquial, a platform for researchers that gathers and integrates data from commercially available sensors

and service providers into one unified format for use in EMA or experience sampling method (ESM), and Quantified Self (QS). Physiqua currently supports sensor data provided by two well-known service providers and therewith a wide range of smartwatches and wearables. To demonstrate the features of Physiqua, we conducted a case study in which we assessed two subjects by means of data from an EMA study combined with sensor data as aggregated and exported by Physiqua. The novelty of Physiqua resides in the fact that to date and to the best of our knowledge no method exists that can automatically integrate data from commercially available wearable sensors with existing EMA studies with the potential to be used in large scale research.

## 9.1 Combining Sensor Technology With Ecological Momentary Assessments

In EMA and other electronic diary methods, participants are repeatedly assessed for a certain period of time (from a few days up to weeks), by administering a single or a set of questionnaires on a relatively high frequency (e.g., HowNutsAreTheDutch [HND] in Chapter 3 uses a protocol of three measurements a day, for thirty consecutive days). With EMA, moment-to-moment fluctuations in physiological conditions and psychological states — such as cognition and affect — can be recorded in real-time, reducing recall bias. Additionally, personal daily dynamics can reveal the influences of time and setting on mental health (van der Krieke, Jeronimus, et al., 2016).

Nowadays, many people measure various aspects of their lives using sensors in wearables including activity trackers and smartwatches (Almalki, Gray, & Sanchez, 2015; Andreu-Perez, Leff, Ip, & Yang, 2015). Wearable sales have increased greatly over the past few years, which is an indication of their growing popularity. According to the International Data Corporation (2017), close to 102.4 million units were shipped in 2016 as opposed to 81.9 million units in 2015, Austen (2015) mentions a fivefold increase of this number in 2019 and says half a billion or so wearables will be collecting data. Furthermore, with the recent introduction of the smartwatch, personal health monitoring gained widespread adoption. Personal health monitoring may include monitoring of activity or sleep patterns, calories used, and heart rate, depending on the type of sensors integrated in the wearable (Ferguson, Rowlands, Olds, & Maher, 2015). Also, in the medical field, the interest for — and prospects of — monitoring physiological parameters of patients using different types of sensors is increasing (Park, Jang, Park, & Youm, 2015).

In this chapter we provide a detailed description of the functionality of the Physi-

qual platform and demonstrate its practical usefulness in a case study. For this case study, a trial was conducted in which two subjects wore a Fitbit <sup>1</sup> or smartwatch compatible with Google Fit <sup>2</sup> while participating in a thirty day longitudinal study using the HND project (see Chapter 3 for more details). Moreover, we provide an online demo of our implementation of Physiqua and released its source code as open-source software<sup>3</sup>. Our implementation of Physiqua serves as a proof of concept and demonstrates its capabilities.

This chapter is organized as follows: Section 9.2 gives an overview of the current state of the art with regard to the present work. In Section 9.3, the concept of Physiqua is elaborated. We describe the types of physiological data that are supported by Physiqua and how their different sampling rates are unified. We provide a concise overview of the implementation of Physiqua and outline its architecture. In Section 9.4, we describe the case study we performed using Physiqua in combination with an EMA study. We explain the steps taken to gather the data and shed light on the statistical analysis performed. Section 9.5 describes the validation of Physiqua, both in terms of effectiveness and accuracy. Section 9.6 includes links to the source code and to a live demo of our implementation of Physiqua on an online platform and Section 9.7 shows the results of the case study.

## 9.2 Background

Advances in mobile technology have fostered the rise of EMA studies. Mobile technology allows for EMA studies to be conducted on a large scale, and participants can be measured more easily and more reliably than when using traditional methods (i.e., pencil and paper Trull & Ebner-Priemer, 2009). The use of (mobile) technology allows for multimodal continuous data collection and automatic data entry at a high frequency (Intille, 2007; Kumar et al., 2013).

The increased availability of sensors to assess physiological measures yields a substantial amount of data in the medical and social sciences (Chang, Kauffman, & Kwon, 2014; Markowitz, Błaszkiwicz, Montag, Switala, & Schlaepfer, 2014). The need for combining EMA data and sensor data is demonstrated by the development of several platforms specifically designed for this purpose. Gaggioli et al. (2012) built the open-source platform *PsychLog* to collect data which can be used in psychophysiological research. Unlike Physiqua, this platform does not support data collected from commercially available sensors and focuses on a specific set of sensors. That is, PsychLog only focuses on electrocardiogram (ECG) and accelerome-

---

<sup>1</sup>Website: <http://fitbit.com>.

<sup>2</sup>Website: <http://fit.google.com>.

<sup>3</sup>Source available at <https://github.com/roqua/physiqua>.

ter data, whereas Physiqua is not tied to specific hardware and thus is compatible with any sensor that can interface with a supported service provider (e.g., Fitbit or Google Fit). Other researchers focus on the interpretation of psychological states or on deriving psychological states using sensors. For instance, Wagner, Andre, and Jung (2009) show the possibilities to recognize emotions (such as anger and joy) in real time in multimodal online emotion recognition (OER) systems by fusing data from various sensors (e.g., data from audio and video). Technology can also be used for pattern identification and data analysis in automating EMA and ESM sensing. Shi, Nguyen, Blitz, and French (2010) showed that by using machine learning, information detected by sensors can be automatically classified to certain psychological states, such as stress.

**Table 9.1:** Comparison between Physiqua and several existing EMA and sensor platforms.

	Physiqua	mEMA	ESTHER	PsychLog
<b>Target group</b>	General	General	Hip replacement patients	General
<b>Compatibility</b>	Wearables and smartphones	Wearables (beta) and smartphones	LiveView / ProMove-3D sensor	Specialized ECG and accelerometer data
<b>Source availability</b>	Open-Source	Closed-Source	Unknown / Closed-Source	Open-Source
<b>Sensor measurements Used EMA System</b>	Continuous Variable	Continuous Specific	Continuous Specific	Intermittent Specific
<b>Reference</b>	Blaauw et al. (2016)	Illumivu (2015)	Jimenez Garcia, Romero, Boerema, Keyson, and Havinga (2013)	Gaggioli et al. (2012)


An application similar to Physiqua is mEMA by Illumivu (2015). MEMA is a complete EMA solution that uses a mobile application to perform measurements. Furthermore, Illumivu provides options to enrich an EMA data set with physiological sensor data, as measured from the mobile phone sensors or wearable sensors. Although this functionality overlaps with some of the functions of Physiqua, there are several important differences. Firstly, Physiqua focuses on sensors from external services and therefore supports a plethora of wearable sensor devices. Organizations, such as wearable providers, get competitive advantages by providing these services and as such have a competitive drive to provide them, improving the compatibility of Physiqua (Bouguettaya et al., 2017). Secondly, Physiqua can be used separately from an existing EMA solution and can be enabled after a study has been completed. Lastly, mEMA is a commercial proprietary solution, whereas Physiqua is freely available open-source software. A comparison between Physiqua and the three other platforms is presented in Table 9.1. The projects by Wagner et al.

(2009) and Shi et al. (2010) are not included in this table as their main focus lies on data analysis instead of the EMA / sensor platform. This comparison addresses five properties: (i) the target group the platform focuses on, (ii) the sensor compatibility of the platform, (iii) the availability of the source code, (iv) the method of sensor data collection, and (v) the EMA system to be used with the platform.

Despite the increasing number of platforms and technologies that contribute to the collection of EMA and sensor data, to the best of our knowledge, an automated way to combine data from different sources in a functional data format is still missing. The goal of Physiqua is to fill this gap.

### 9.3 Physiqua

Physiqua is a novel means to collect, aggregate, and unify sensor data for use in EMA studies. With Physiqua we aim to offer a single point of access to gather sensor data from various service providers and to expose this data in such a way that it can be combined with EMA data. In order to offer this single point of access, Physiqua gathers and processes data from the underlying service providers. One of its key features is the abstraction of any service provider-specific routines (e.g., connecting to the service provider or collecting the data from it), allowing for an approach that is unaware of the service provider being used. Hence, data exported by Physiqua always adheres to the same format. Figure 9.1 gives an overview of the actors involved in the use of Physiqua and shows the main flow of information.




**Figure 9.1:** Overview of actors and flow of information in Physiqua.

The steps in this flow (Figure 9.1) are as follows. Physiqua ties into the EMA study platform managed by the researchers. Prior to the study, it requires the researcher to configure certain settings that are specific to the design of the EMA study (as shown in Step (i)) and identical for all participants (i.e., the duration of the study, the frequency of its measurements, and the type of imputation to be used). The

researcher also needs to configure the credentials to access the service providers (Step (ii)). For the entire duration of the EMA study, participants passively measure themselves using wearable devices supported by Physiqua (Steps (iii) and (iv)). In our envisioned scenario, Physiqua integrates seamlessly with the (Web) application that hosts the EMA part of the study. Through this familiar front-end, participants are asked to provide the necessary authentication credentials for Physiqua to obtain their physiological measurements for use in the EMA study (Step (v)). The decision whether user permission should be requested prior, during, or after the study period lies with the researcher. The authorization credentials in Physiqua are stored persistently, allowing for data exports subsequent to study completion (unless access is explicitly revoked by the participant). Upon completion of the study for each participant that has granted permission, the researcher can call a routine in Physiqua to export all sensor data from a specified time interval (Step (vi)). As Physiqua stores only the authorization information, the responsibility of scheduling exports and storing the retrieved data lies with the hosting platform managed by the researcher. Physiqua gathers the online sensor data from the service providers and the researcher merges the data with EMA data (Step (vii)) to perform their analysis.

### 9.3.1 Architecture

The architecture of Physiqua adheres to a layered approach as illustrated in Figure 9.2. Each of the layers serves a specific purpose. The first layer, the service layer, gathers sensor data from the external service providers. The second layer, the aggregation and processing layer, performs several processing steps on the data. In this layer the data is summarized, aggregated, and unified to a format compatible with the EMA protocol. After this step, data flows to the third layer, the imputation layer, in which any missing values can be imputed using one of the supported data imputation algorithms (as outlined in Section 9.3.4). The final data set is then offered to the researcher through the top layer, the presentation layer, in various formats (i.e., JavaScript object notation [JSON], comma separated values [CSV], or using a Web page). Self-evidently, the 'raw' data of the service providers is still available (also via Physiqua). Although Physiqua allows the researcher to use the sensor data, whilst unaware of the platform it originated from, the researcher can retrieve a list of participant codes in combination with the name of the connected service provider. The steps performed in each of these layers are described in more detail in the next sections.



**Figure 9.2:** Overview of the layers in the Physiqua architecture.

### 9.3.2 Service Layer and Service Providers

Physiqua applies a service-oriented architecture (SOA) to retrieve the sensor data from the service providers (Laskey & Laskey, 2009), enabled using the open authorization (OAuth) protocol (version 2). The OAuth protocol allows users to give certain applications permission to access their data. With OAuth, the credentials of the user remain at the service provider and are never transferred to a third-party service. Moreover, the participant can revoke the permission at any time, without needing to change credentials.

Physiqua is designed to be compatible with certain service providers rather than with specific sensor hardware. This is because the service providers themselves already support many different sensor types. Sensors, including the ones used in his study, have some limitations, as the level of accuracy of these sensors might vary (Case, Burwick, Volpp, & Patel, 2015; Kooiman et al., 2015). The development



and validation of sensors for measuring physiological data is outside of the scope of the present work. Physiqua is currently compatible with two service providers for accessing sensor data, namely Google Fit and Fitbit.

Google Fit is a platform to capture, manage, and aggregate data from a variety of (third-party) devices. Data for Google Fit can be collected using a Google Fit enabled device. Android, a mobile operating system by Google designed for smartphones and tablets, and Android Wear, an operating system specially designed for smartwatches and other wearables, have applications that are compatible with Google Fit. For example, when using the Google Fit application one can collect steps using a smartphone and heart rate using a smartwatch. Furthermore, data can be collected by a third-party application and / or device. Retrieving the data from Google Fit is possible by using specific libraries or by using the application programming interface (API) directly.

Fitbit is a company specialized in developing consumer software and hardware for measuring activity and health-related data. They currently offer eight different wearable sensors, with functionality ranging from basic step counting to heart rate monitoring and location tracking. The data can be stored on the device, from which it is synced to the Fitbit platform. Furthermore, both companies offer an elaborate API to gather daily data from a user. Gathering intra-day data from Fitbit, however, requires access to the so-called partner API, to which access is granted on a per-project basis.

Loose coupling with these service providers by means of an API allows Physiqua to bind at runtime. That is, the internals of the service providers can be changed without affecting Physiqua.

### 9.3.3 Aggregation and Processing Layer

Data sources offered by various service providers can be in a different format or granularity. For example, one service provider may list steps per second, while another lists steps per minute. Additionally, it is unlikely that the sampling rate exactly corresponds to the sampling rate of the EMA data. Physiqua therefore resamples the data in a way that renders it useful and intuitive to the researcher.

EMA studies administer questionnaires using a certain schedule or protocol. For Physiqua, we currently support studies which use equidistant measurement protocols. In such protocols, the measurements are conducted at equidistant time intervals (e.g., every six hours) for a certain number of measurements per day. To adhere to the measurement schedule of the EMA study, the sensor data requires a resampling step. Physiqua combines all sensor data from the time of the measurement moment, including the first measurement time, up-to the next measurement

time. For example, in the aforementioned schedule (a measurement every six hours) when having the first measurement at 10:00:00 AM, the last sensor reading included will be the one at 3:59:59 PM. Depending on the type of variable, this resampling step takes one of three forms.

#### **Steps, distance, and calories.**

A meaningful way for researchers to summarize steps, distance, or calorie expenditure over a certain time-span is by calculating their respective sums. This approach is incorporated in Physiqual. In order to down-sample the measurements, Physiqual sums the values (per category) to derive a value that best represents the interval between subsequent measurements. For the first measurement of the day it might not be desirable to include all preceding measurements, as some analysis methods omit the period of night. Therefore, the previous interval for the first measurement can be configured to a fixed number of hours. Thus, the decision of whether or not to include the night lies with the researchers.

#### **Sleep.**


Sleep is measured slightly different from steps, distance, or calories. Several EMA studies adjust their schedule in such a way that no questionnaires are administered during the night in order to reduce the impact of the study on its participants. However, if Physiqual were to comply exactly to the EMA study schedule for the sleep metric, chances are that large parts of sleep during the night are not measured by Physiqual. Therefore the sleep metric is provided for each measurement as the time spent sleeping since the previous measurement, in minutes.

#### **Heart rate.**

For heart rate, summation of the data does not always provide EMA studies with a measure that is intuitive or useful. Simply taking the average does not suffice either as questions in EMA studies are often formulated to ask for current feelings or for feelings that best describe the time since the previous measurement (for example, see the HND study in Chapter 3). We assume researchers are more interested in knowing the heart rate that was measured most frequently during a time interval, instead of a mean or cumulative score.

Figure 9.3 gives a hypothetical example of why a normal histogram or mode may not suffice. The blue bars show the histogram values (with the corresponding mean, median, and mode). In this example, we have detected 28 occurrences of heart rate 110, while we detected 24, 20 and 20 occurrences of respectively heart rate 71, 72,

and 73. Using the mode selecting the most occurring heart rate estimates the heart rate of 110 as occurred the most frequent one. Although this is true, this is probably not what the researcher is interested in.



**Figure 9.3:** The blue bars correspond to the bins of a regular histogram. The dashed lines point out respectively the bin selected by top hat kernel density estimation (KDE), median, mean, and mode. Using the mode of the data would yield a heart rate of 110, while using the mode after top hat KDE is 73.

To solve this issue, `Physiqal` implements a top hat KDE method to determine the heart rate that best represents the time interval (Silverman, 1986). Figure 9.3 shows how the top hat kernel density estimation method would select a bin. This method effectively collects the heart rate measurements in a histogram in which each measurement not only increases its own bin, but also the  $k$  surrounding bins. For example, if  $k = 2$ , and we detect a heart rate of 80, we do not only increase the frequency of the 80-heart rate bin, but also of the 78, 79, 81, and 82 bins. After performing the top hat KDE, we select the mode from the new data set. The top hat KDE method reduces the effect of inaccuracies in and small fluctuations in the measured heart rate. When there are multiple bins with the maximum number of occurrences, we choose the bin that lies closest to their mean. In case of a tie, we return the average of the tied values.

### Unifying data.

Different service providers may use different formats for their exported data sources. For example, Google Fit lists the timestamp for steps in nanoseconds, while Fitbit uses a more conventional date time notation, and one service provider might use the metric system to export its data, whereas another service provider exports data in the imperial system.

To make sure that the format of the exported data is not affected by a specific service provider, Physiqua unifies the output format of the variables across different service providers. This unification maintains the abstraction of service providers as interchangeable parts and allows the hosting application to remain unaware of which service provider is used. Researchers can use this single datafile without being bothered by the details of each service provider that the participants use, or all required transformations, and use the data as-is.

### 9.3.4 Imputation Layer

Physiqua can resolve missing values through imputation. To prevent information loss, Physiqua imputes the data at one of the top layers in the architecture, thus after the data has been aggregated. Consequently, Physiqua only imputes aggregated values so that imputation is only needed when all values considered for the aggregate are missing. This is a rare occurrence because in a typical EMA measurement interval sensor data is measured many times.

The default imputation method is *Catmull-Rom interpolation*, a cubic spline interpolation technique (Catmull & Rom, 1974). The researcher can also select a different method. The selected imputation method will be used to impute each of the aggregated variables. Physiqua currently supports the following imputation methods:

- **Mean imputation:** missing values are imputed with the mean of the observed values.
- **Last Observation Carried Forward:** missing values are imputed with the last observed value.
- **K-Nearest Neighbors:** missing values are imputed with the mean of the values of the K-surrounding neighbors (i.e., the K-Nearest Neighbors algorithm).
- **Spline Inter / Extrapolation:** missing values are imputed with resampled data points that have been derived with a spline function fitted on the available data.
- **Catmull-Rom:** missing values are imputed with a spline interpolation technique that uses cubic interpolation splines.
- **No imputation:** it remains possible to refrain from imputation.

### 9.3.5 Presentation Layer

Data from Physiqua is, depending on the needs of the researcher, presented in one of three formats: (i) JSON, (ii) CSV, and (iii) hypertext markup language (HTML).

These export formats each comprise the same set of variables. In Table 9.2 we provide an overview of the data sources per platform. For a more elaborate overview of the sensor data provided by the service providers, we refer to the API documentation of these service providers<sup>4</sup>.

**Table 9.2:** Supported variables in Physiqua.

	Fitbit	Google Fit (with smartwatch)
Steps	Supported	Supported
Heart rate (bpm)	Supported	Supported
Sleep (minutes slept)	Supported	Supported (using 3 <sup>rd</sup> party app)
Distance (km)	Supported	Supported
Calories (expended)	Supported	Supported


## 9.4 Case Study

We designed and executed an evaluation with two subjects that participated in the HND EMA study while using a wearable device with sensor readings over a period of thirty days. This case study illustrates how integrating physiological data into an EMA study can provide new insights into the relations and interactions between physiological and mental processes, further demonstrating the utility of Physiqua in a practical setting. In contrast to cross-sectional studies, which provide average values, the main aim of EMA is to identify relationships within individuals and to find associations at the individual level (van Ockenburg, Booij, Riese, Rosmalen, & Janssens, 2015). Multiple repeated measurements can be linked to physiological data collected with wearables, revealing meaningful information for that specific individual. We do not aim to generalize the results, because what holds for one individual, is not necessarily true for another (Hamaker, 2012; Molenaar & Campbell, 2009). Separate analyses are conducted for each individual to elucidate individual patterns.

### 9.4.1 Ecological Momentary Assessments and Sensors

An overview of the case study design is provided in Figure 9.4. The EMA data in this case study was collected using our HND platform. As described elaborately

<sup>4</sup>Documentation available for Fitbit at <https://dev.fitbit.com> and for Google Fit at <https://developers.google.com/fit>.



**Figure 9.4:** Overview of the experimental setup for the Physiqua case study. Autovar refers to automated vector autoregression (VAR) analysis, see Section 9.4.2 and Part I.

in Chapter 3, HND offers an EMA study with a predefined protocol, that is, three questionnaires per day, for thirty consecutive days. Each questionnaire has a total of 43 items, of which 42 items are predefined and one question can be selected from a list of possible items (or be defined by the participant), see Table A.2 for a table of all questions. The participant is prompted to fill out a questionnaire at fixed times: every six hours, with the last questionnaire approximately half an hour before the bedtime of the participant. This bedtime has to be specified by the participant before the start of the study.

The case study included two subjects; a 26-year-old male and a 32-year-old female. The former collected data using the Google Fit service, wearing a Motorola Moto 360 (1<sup>st</sup> generation) in combination with a Motorola Moto G (2013) for collecting heart rate and steps, and an application called Cinch<sup>5</sup>. Cinch is a fitness application which was used to automatically measure heart rate every five minutes. Participant two collected data using the Fitbit Charge HR in combination with a Samsung Galaxy S3 Mini. Both participants gave consent for using their data for this case study.

## 9.4.2 Statistical Analyses

Statistical analyses were performed on the combined data sets. The data sets contained the psychological variables as described by van der Krieke, Blaauw, et al. (2016), combined with some of the physiological variables exposed by Physiqua

<sup>5</sup>Website: <https://bit.ly/cinch-app>.

(viz., steps, calories, heart rate, and distance). For the top hat KDE method we used a  $k$  of 2, and we configured Physiqua to include the measurements of six hours prior to the first measurement of the day.

To investigate the relations between the variables in the combined data set, we fitted VAR models (Sims, 1980). VAR is a statistical method that can be used to fit a regression model on a time-series data set while accounting for the contemporaneous relations between variables (relations between variables at the same moment in time) and the time-lagged relations between variables (relations in which a variable is related to itself or a different variable at a previous moment in time). Here, the contemporaneous relations were defined as the residual Pearson correlations, and the time-lagged relations were defined as the significant Granger causality at the  $p \leq 0.05$  level (Granger, 1969). For a detailed description, see Section 2.3.1. Fitting the VAR model was performed using *Autovar*, a program that automates the process of fitting VAR models for time series data (Emerencia et al., 2016). For this analysis, we selected for each participant five variables from their data set that were reasonably normally distributed and had high variance. Furthermore, we included at least one physiological variable (as collected using Physiqua) in the model.

## 9.5 Validation

We performed a first qualitative validation of Physiqua in terms of effectiveness and accuracy. Firstly, we determined the effectiveness of Physiqua by comparing it with the manual analysis of a domain expert, in terms of results, time spent, and ease of use. Secondly, we validate Physiqua in terms of accuracy. In this validation, we illustrate how our proposed techniques for summarizing measurements to a single data point are compatible with the design of an EMA study, and how the results are equivalent to those used in EMA practice.

### 9.5.1 Effectiveness

To validate the effectiveness of Physiqua, our automated procedure was compared to a previously used manual procedure to collect and process data from sensors applied in research. The research used for this comparison has been published in a Dutch magazine (van der Neut, 2014). Information about the manual procedure was collected by interviewing researchers who applied it.

The procedure was described as follows. Sensors were read out and a raw data file was created. For the manual study, it was necessary to complete missing data about length and weight, which was completed manually. The raw file was converted to a Microsoft Excel-file. If more than one wearable was used over time, files

were merged manually. The Excel-file was opened, and data labels about the start of the study and questionnaire intervals of the EMA study for the duration of the study (e.g., thirty days) were inserted manually in the data file. Next, data was copied into another pre-programmed Excel-template, and descriptive statistics were computed using Excel. Due to a small error in the template, equations had to be adjusted manually. After this procedure, data was ready for statistical analysis.

Everything considered, it took an experienced researcher around 20 to 30 minutes to process the data of a single participant. Besides the time effort, this process is prone to mistakes due to the number of manual steps involved. After the initial one-time setup (that is, updating the EMA platform to use the Physiqua platform and to manage the communication between Physiqua and the EMA application), Physiqua can be used to perform the process automatically. Generating the aforementioned data file using the Physiqua procedure would take several seconds (depending on the service providers used), which is negligible compared to the 20 to 30 minutes in manual analysis. We tested the response time of Physiqua for both service providers by exporting twenty thirty-day data sets for all supported variables. The average response time for the Google Fit platform was 3.71 seconds (standard deviation [SD] = 0.34, range 3.19 to 4.41,  $n = 20$ ). For Fitbit the response time was considerably higher, with an average response time of 57.73 seconds (SD = 1.76, range 55.83 to 62.39,  $n = 20$ ). This difference is caused by the number of API calls Physiqua makes. Google Fit allows Physiqua to retrieve a longitudinal data set per variable using a single request (i.e., with five variables this makes five requests in total). For Fitbit however, Physiqua needs to perform a request per day, for each variable for which to retrieve data (i.e.,  $5 \times 30 = 150$  requests in total). Nevertheless, compared to the manual analysis, Physiqua saves more than 95% of the time (over nineteen minutes per participant). Importantly, as sensor data can be retrieved online, no physical contact between researcher and sensor is required, that is the sensors do not need to be physically available to the researcher. This enables for a large scale implementation of sensors in an EMA study, which would have been impossible with expensive, single-purpose sensor devices.

Self-evidently, saving time by replacing a manual procedure with an automated procedure like Physiqua is only interesting when the time savings outweigh the set up time of Physiqua. To estimate the length of the initial setup time of Physiqua in an existing EMA platform, we made the existing (large scale) EMA platform HND compatible with Physiqua. The development of HND was completed prior to the inception of Physiqua, and as such, can be considered to be an arbitrary EMA platform choice. By following the description as provided on the open-source software repository of Physiqua, it took a single experienced software engineer less than one hour to enable Physiqua support in this platform. Comparing this estimate to the



previously mentioned lower bound of twenty minutes for the manual procedure indicates that the implementation of Physiqua could already be beneficial in a study with more than five participants.

### 9.5.2 Accuracy

We validated the accuracy using the data from the manual analysis described in Section 9.5.1. We checked whether the aggregated data from Physiqua was the same as the output from the manual analysis. In order to do so, we compared the results of the manual analysis described in Section 9.5.1 with the analysis performed by Physiqua. For this comparison, Physiqua's data retrieval procedure was slightly adapted as the data in that study was collected using an Actical device<sup>6</sup>, instead of a supported Fitbit or Google Fit device. The layered architecture of Physiqua allowed these changes to remain isolated to the service layer, leaving the rest of the program/code unaffected. The results of the manual analysis were equivalent to the output as retrieved from Physiqua. Note that for this analysis, imputation was done beforehand, so both Physiqua and the manual analysis received the same imputed data set.

## 9.6 Software Implementation

Our implementation of Physiqua provides a fully working, open-source implementation<sup>7</sup> of the proposed platform. We implemented Physiqua in the Ruby on Rails framework as a plug-in (or Engine, in Ruby on Rails parlance) so that it can be easily integrated in third-party projects. Physiqua persists the data regarding the authentication of the participants to the external service providers in a database (i.e., the tokens that allow access to a participant's account). Our current implementation of Physiqua exposes the data in three formats, a JSON format, a CSV format, or as a Web page on which a dashboard is shown presenting a general overview of the data. The main purpose of the latter format is demonstration purposes.

A live demo of our Physiqua implementation can be found online<sup>8</sup>. This simple Web application facilitates account creation and supports data exports in predefined formats. It also shows a dashboard overviewing the measured activities, steps, heart rate, distance, and calories. For those without Fitbit or Google Fit data, example data can be shown instead.

---

<sup>6</sup>Website: <http://actigraphy.com/devices/actical>.


<sup>7</sup>Source available at <https://github.com/roqua/physiqua>.

<sup>8</sup>Website: <http://physiqua.com>.

## 9.7 Case Study Results

While the implementation establishes the feasibility of our architecture, our case study serves to demonstrate the practical utility of how adding sensor data can provide new insights, and illustrates the interaction between EMA data and sensor data.


Network representations of the case study analysis results are shown in Figures 9.5 and 9.6. These network images illustrate the relations between variables as determined using VAR analysis. Recall, in these network images, the nodes depict the measured EMA variables (in this case psychological variables) and physiological variables (from Physiqal). Green nodes depict positive variables, red nodes depict negative variables, and blue nodes depict neutral variables. The edges (arrows) between the nodes depict the Granger causal relations between two nodes. That is, a directed edge from node  $A$  to node  $B$  shows that changes in node  $A$  precede changes in node  $B$  at the  $p \leq 0.05$  level, or to put it differently,  $A$  Granger causes  $B$ . If the edge is undirected, the effect is contemporaneous, meaning that the variables affect each other at the same moment in time. See Section 3.3.2 for more information on these network images.



**Figure 9.5:** Lagged and contemporaneous associations determined from the case study of EMA data and sensor data for participant one.

The results of the analyses for participant one (Figure 9.5) showed a positive time-lagged association from the number of steps to humor and vice versa (Figure 9.5a). Moreover, there was a negative time-lagged association from the number of steps to feeling down. These relations can be interpreted as follows: if this person reported more laughter at time  $t = 0$ , the person tends to have an increase in the number of steps at the next measurement moment ( $t = 1$ ). Furthermore, when this person does more steps at time  $t = 0$ , he is expected to report more laughter — and to feel less down — at time  $t = 1$ .

In the contemporaneous model (Figure 9.5b), steps were negatively associated with a personal question (i.e., a question determined by the participant). This relationship denotes that whenever this participant took more steps, he would have a decrease in this personal question at the same time. Due to technical issues, the Motorola Moto 360 smartwatch worn by participant one did not collect data for two weeks. Nevertheless, a valid model involving steps was found because steps were still collected by the Google Fit application on the smartphone.



**Figure 9.6:** Lagged and contemporaneous associations determined from the case study of EMA data and sensor data for participant two.

For participant two (Figure 9.6), the time-lagged model showed a positive influence of cheerfulness on the calories expended (Figure 9.6a). Moreover, the calorie expenditure has a negative association with the feeling of falling short of something, which in turn had a negative association with cheerfulness. That is, when this person felt more cheerful, she would have an increase in the amount of calories expended, which in turn caused a decrease in concentration and a decrease in the feeling of falling short of something. In the contemporaneous model, no significant association was found between calorie expenditure and any of the other variables in the model (Figure 9.6b).

## 9.8 Discussion and Concluding Remarks

We presented Physiqua as a means to combine data from commercially available wearable sensors and EMA studies. An important contribution of Physiqua is that it provides a generic, open-source platform to serve as a means to aggregate and unify these data. By automating the time-consuming task of data retrieval and ag-

gregation, PhysiquaI potentially enables the usage of sensor data with EMA data on a large scale. With PhysiquaI, existing wearable devices can be used in EMA, instead of acquiring a specialized device for each participant. Our study provides a base for future developments, and invites researchers and corporations to cooperate on solutions for challenging social and mental health questions.

Data exported by PhysiquaI may be used to complement or replace certain EMA data. Comparing physiological data with EMA data could provide new insight regarding the correlation between perceived and measured physical activity. The most appropriate EMA questions for this purpose would be those regarding activity or sleep. For those sensors that are validated in scientific studies, and where physiological data is significantly correlated with existing questions in EMA studies, replacing those questions with data exported by PhysiquaI could serve as a first step in partly alleviating the burden of EMA studies through the use of passive monitoring provided by sensors.

Currently PhysiquaI supports two wearable platforms: Fitbit and Google Fit. Apart from these two platforms, PhysiquaI could be relatively easily extended to support other platforms. For instance, Garmin<sup>9</sup>, NikeFuel<sup>10</sup>, and Misfit<sup>11</sup> all provide a developer API that could possibly be consumed by PhysiquaI. We are aware that solely providing access to commercially available wearable sensors via an online API might be restrictive for research. For example, devices often used in combination with EMA are the *Actical*<sup>12</sup> and *Actiwatch*<sup>13</sup>, and both do not expose their data via an online API. Therefore, some of the researchers involved in designing the PhysiquaI platform have started development for a novel R-package, that researchers can run on their local workstations. This package mainly focuses on sleep measures, and is currently still in development. The progress can be followed on its GitHub repository<sup>14</sup>.

---

<sup>9</sup>Website: <http://garmin.com>.

<sup>10</sup>Website: <http://nikeplus.nike.com>.

<sup>11</sup>Website: <https://misfit.com>.

<sup>12</sup>Website: <http://actigraphy.com/solutions/actical>.

<sup>13</sup>Website: <http://actigraphy.com/solutions/actiwatch/actiwatch2.html>.

<sup>14</sup>Source available at <https://github.com/compsy/ACTman>.

