



University of Groningen

Electromagnetically induced transparency with localized impurity electron spins in a semiconductor

Chaubal, Alok

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version Publisher's PDF, also known as Version of record

Publication date: 2018

Link to publication in University of Groningen/UMCG research database

Citation for published version (APA): Chaubal, A. (2018). Electromagnetically induced transparency with localized impurity electron spins in a semiconductor. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: https://www.rug.nl/library/open-access/self-archiving-pure/taverneamendment.

Take-down policy If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): http://www.rug.nl/research/portal. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

PROPOSITIONS

Belonging to the thesis

Electromagnetically induced transparency with localized impurity electron spins in a semiconductor

by

Alok Chaubal

 The good optical properties of GaAs and its superior technological maturity for material growth and device fabrication make it a preferred material for exploring the behavior of electromagnetically induced transparency (EIT) in solid state. However, for actual applications of EIT, material systems with significantly longer electronic spin coherence times will prevail.

Chapters 2 and 4 of the thesis

 Interpreting the results of magneto-spectroscopy studies of donor-bound excitons in semiconductors requires improvements of state-of-the-art theoretical descriptions. The path to success will profit more from an approach that starts with simple phenomenological model systems than from an *ab initio* approach.

Chapter 3 of the thesis

- 3. In bulk low-doped n-GaAs, dynamic nuclear polarization can be used to prepare long-lived out-of-equilibrium states of the nuclear spin polarization within the volumes of the donor-bound electron wave functions. However, preparing such states is limited by the diffusion of nuclear spin polarization out of these volumes. Achieving a precise and homogenous polarization at and around donor sites can therefore not be achieved via driving optical transitions to donor-bound exciton states, and can be realized better via driving transitions to free-exciton states. Chapter 4 of the thesis
- 4. Electromagnetically induced transparency can function as a sensitive tool to detect miniscule shifts of energy levels due environmental disturbances.

Chapter 4 of the thesis

- 5. To flourish in industry, one can be either a people manager, or a project manager, or a developer. On contrary, to flourish in academia, one has to be a good people person with project management skills and having innovative ideas. Research groups in academia with many PhD students striving for success are therefore a more fruitful environment for the development of new knowledge and ideas.
- 6. There are striking coincidences in today's technology and old Sanskrit epics from ancient India when explained in layman's language. One part of the epic describes, for example, test tube babies.

These propositions are considered defendable and have been approved as such by the supervisor prof. C. H. van der Wal.

Eindhoven, January 2017