

University of Groningen

## Computational Methods for High-Throughput Small RNA Analysis in Plants

Monteiro Morgado, Lionel

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*  
2018

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Monteiro Morgado, L. (2018). *Computational Methods for High-Throughput Small RNA Analysis in Plants*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*



## REFERENCES

---

- [1] Watson JD, Crick FHC (1953) Genetical Implications of the Structure of Deoxyribonucleic Acid. *Nature*, 171(4361): 964–967.
- [2] Horowitz NH, Bonner D, Mitchell HK, *et al.* (1945) Genic Control of Biochemical Reactions in Neurospora. *Am. Nat.*, 79(783):304–317.
- [3] Crick FH (1958) On protein synthesis. *Symp. Soc. Exp. Biol.*, 12:138–163.
- [4] Napoli C, Lemieux C, Jorgensen R (1990) Introduction of a Chimeric Chalcone Synthase Gene into Petunia Results in Reversible Co-Suppression of Homologous Genes in trans. *Plant Cell Online*, 2(4):279–289.
- [5] Campbell TN, Choy FYM (2005) RNA interference: past, present and future. *Curr Issues Mol. Biol.*, 7(1):1–6.
- [6] Romano N, Macino G (1992) Quelling: transient inactivation of gene expression in Neurospora crassa by transformation with homologous sequences. *Mol. Microbiol.*, 6(22):3343–3353.
- [7] Cogoni C, Irelan JT, Schumacher M, *et al.* (1996) Transgene silencing of the al-1 gene in vegetative cells of Neurospora is mediated by a cytoplasmic effector and does not depend on DNA-DNA interactions or DNA methylation. *EMBO J.*, 15(12):3153–3163.
- [8] Waterhouse PM, Graham MW, Wang MB (1998) Virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and antisense RNA. *Proc. Natl. Acad. Sci. U. S. A.*, 95(23):13959–13964.
- [9] Fire A, Xu S, Montgomery MK, *et al.* (1998) Potent and specific genetic interference by double-stranded RNA in Caenorhabditis elegans. *Nature*, 391(6669):806–811.
- [10] Lee RC, Feinbaum RL, Ambros V (1993) The C. elegans heterochronic gene lin-4 encodes small RNAs with antisense complementarity to lin-14. *Cell*, 75(5):843–854.
- [11] Llave C, Kasschau KD, Rector MA, *et al.* (2002) Endogenous and Silencing-Associated Small RNAs in Plants. *Plant Cell Online*, 14(7):1605–1619.
- [12] Park W, Li J, Song R, *et al.* (2002) CARPEL FACTORY, a Dicer homolog, and HEN1, a novel protein, act in microRNA metabolism in Arabidopsis thaliana. *Curr. Biol.*, 12(17):1484–1495.
- [13] Reinhart BJ, Weinstein EG, Rhoades MW, *et al.* (2002) MicroRNAs in plants. *Genes Dev.*, 16(13):1616–1626.
- [14] Wassenegger M, Heimes S, Riedel L, *et al.* (1994) RNA-directed de novo methylation of genomic sequences in plants. *Cell*, 76(3):567–576.
- [15] Vazquez F, Vaucheret H, Rajagopalan R, *et al.* (2004) Endogenous trans-acting siRNAs regulate the accumulation of arabidopsis mRNAs. *Mol. Cell*, 16(1):69–79.
- [16] Peragine A, Yoshikawa M, Wu G, *et al.* (2004) SGS3 and SGS2/SDE1/RDR6 are required for juvenile development and the production of trans-acting siRNAs in Arabidopsis. *Genes Dev.*, 18(19):2368–2379.

- [17] Borsani O, Zhu J, Verslues PE, *et al.* (2005) Endogenous siRNAs derived from a pair of natural cis-antisense transcripts regulate salt tolerance in Arabidopsis. *Cell*, 123(7):1279–1291.
- [18] Bernstein E, Caudy AA, Hammond SM, *et al.* (2001) Role for a bidentate ribonuclease in the initiation step of RNA interference. *Nature*, 409(6818):363–366.
- [19] Doi N, Zenno S, Ueda R, *et al.* (2003) Short-interfering-RNA-mediated gene silencing in mammalian cells requires Dicer and eIF2C translation initiation factors. *Curr. Biol.*, 13(1):41–6.
- [20] Pareek CS, Smoczynski R, Tretyn A (2011) Sequencing technologies and genome sequencing. *Journal of Applied Genetics*, 52(4):413–435.
- [21] ENCODE Project Consortium (2012) An integrated encyclopedia of DNA elements in the human genome. *Nature*, 489(7414):57–74.
- [22] Creasey KM, Zhai J, Borges F, *et al.* (2014) miRNAs trigger widespread epigenetically activated siRNAs from transposons in Arabidopsis. *Nature*, 508(7496):411–415.
- [23] Mirouze M (2012) The small RNA-based odyssey of epigenetic information in plants: from cells to species. *DNA Cell Biol.*, 31(12):1650–6.
- [24] Axtell MJ (2013) Classification and Comparison of Small RNAs from Plants. *Annu. Rev. Plant Biol.*, 64(1):137–159.
- [25] Guo L, Lu Z (2010) The fate of miRNA\* strand through evolutionary analysis: Implication for degradation as merely carrier strand or potential regulatory molecule?. *PLoS One*, 5(6).
- [26] Zhang X, Zhao H, Gao S, *et al.* (2011) Arabidopsis Argonaute 2 Regulates Innate Immunity via miRNA393\*-Mediated Silencing of a Golgi-Localized SNARE Gene, MEMB12. *Mol. Cell*, 42(3):356–366.
- [27] Ambros V, Bartel B, Bartel DP, *et al.* (2003) A uniform system for microRNA annotation. *RNA*, 9(3):277–279.
- [28] Meyers BC, Axtell MJ, Bartel B, *et al.* (2008) Criteria for Annotation of Plant MicroRNAs. *Plant Cell Online*, 20(12):3186–3190.
- [29] Lau NC, Lim LP, Weinstein EG, *et al.* (2001) An Abundant Class of Tiny RNAs with Probable Regulatory Roles in *Caenorhabditis elegans*. *Science*, 294(5543):858–862.
- [30] Bartel DP (2004) MicroRNAs: genomics, biogenesis, mechanism, and function. *Cell*, 116(2):281–297.
- [31] Rhoades MW, Reinhart BJ, Lim LP, *et al.* (2002) Prediction of plant microRNA targets. *Cell*, 110(4):513–520.
- [32] Merchan F, Boualem A, Crespi M, *et al.* (2009) Plant polycistronic precursors containing non-homologous microRNAs target transcripts encoding functionally related proteins. *Genome Biol.*, 10(12):R136.

- [33] Allen E, Xie Z, Gustafson AM, *et al.* (2005) microRNA-directed phasing during trans-acting siRNA biogenesis in plants. *Cell*, 121(2):207–221.
- [34] Franco-Zorrilla JM, Valli A, Todesco M, *et al.* (2007) Target mimicry provides a new mechanism for regulation of microRNA activity. *Nat. Genet.*, 39(8):1033–1037.
- [35] Bøvre K, Szybalski W (1969) Patterns of convergent and overlapping transcription within the b2 region of coliphage  $\lambda$ . *Virology*, 38(4):614–626.
- [36] Osato N, Yamada H, Satoh K, *et al.* (2003) Antisense transcripts with rice full-length cDNAs. *Genome Biol.*, 5(1):R5.
- [37] Zhan S, Lukens L (2013) Protein-coding cis-natural antisense transcripts have high and broad expression in Arabidopsis. *Plant Physiol.*, 161(4):2171–2180.
- [38] Osato N, Suzuki Y, Ikeo K, *et al.* (2007) Transcriptional interferences in cis natural antisense transcripts of humans and mice. *Genetics*, 176(2):1299–1306.
- [39] Munroe SH, Lazar MA (1991) Inhibition of c-erbA mRNA splicing by a naturally occurring antisense RNA. *J. Biol. Chem.*, 266(33):22083–22086.
- [40] Sureau A, Soret J, Guyon C, *et al.* (1997) Characterization of multiple alternative RNAs resulting from antisense transcription of the PR264/SC35 splicing factor gene. *Nucleic Acids Res.*, 25(22):4513–22.
- [41] Peters NT, Rohrbach JA, Zalewski BA, *et al.* (2003) RNA editing and regulation of *Drosophila* 4f-rnp expression by sas-10 antisense readthrough mRNA transcripts. *RNA*, 9(6):698–710.
- [42] Kim DDY, Lim TTY, Walsh T, *et al.* (2004) Widespread RNA editing of embedded Alu elements in the human transcriptome. *Genome Res.*, 14(9):1719–1725.
- [43] Tufarelli C, Stanley JAS, Garrick D, *et al.* (2003) Transcription of antisense RNA leading to gene silencing and methylation as a novel cause of human genetic disease. *Nat. Genet.*, 34(2):157–165.
- [44] Lewis A, Mitsuya K, Umlauf D, *et al.*, (2004) Imprinting on distal chromosome 7 in the placenta involves repressive histone methylation independent of DNA methylation. *Nat. Genet.*, 36(12):1291–1295.
- [45] Moore T, Constanica M, Zubair M, *et al.* (1997) Multiple imprinted sense and antisense transcripts, differential methylation and tandem repeats in a putative imprinting control region upstream of mouse *Igf2*. *Proc. Natl. Acad. Sci.*, 94(23):12509–12514.
- [46] Sleutels F, Zwart R, Barlow DP (2002) The non-coding Air RNA is required for silencing autosomal imprinted genes. *Nature*, 415(6873):810–813.
- [47] Yamasaki K, Joh K, Ohya T, *et al.* (2003) Neurons but not glial cells show reciprocal imprinting of sense and antisense transcripts of *Ube3a*. *Hum. Mol. Genet.*, 12(8):837–847.

- [48] Thakur N, Tiwari VK, Thomassin H, *et al.* (2004) An antisense RNA regulates the bidirectional silencing property of the Kcnq1 imprinting control region. *Mol. Cell. Biol.*, 24(18):7855–62.
- [49] Wang Y, Joh K, Masuko S, *et al.* (2004) The mouse Murr1 gene is imprinted in the adult brain, presumably due to transcriptional interference by the antisense-oriented U2af1-rs1 gene. *Mol. Cell. Biol.*, 24(1):270–279.
- [50] Lee J, Davidow LS, Warshawsky D (1999) Tsix, a gene antisense to Xist at the X-inactivation centre. *Nat. Genet.*, 21(4):400–404.
- [51] Zhang X, Xia J, Lii Y, *et al.* (2012) Genome-wide analysis of plant nat-siRNAs reveals insights into their distribution, biogenesis and function. *Genome Biol.*, 13(3): R20.
- [52] Li Y-Y, Qin L, Guo Z-M, *et al.* (2006) In silico discovery of human natural antisense transcripts. *BMC Bioinform.*, 7:18.
- [53] Wang X-J, Gaasterland T, Chua N-H (2005) Genome-wide prediction and identification of cis-natural antisense transcripts in Arabidopsis thaliana. *Genome Biol.*, 6:R30.
- [54] Zhang Y, Liu XS, Liu Q-R, *et al.* (2006) Genome-wide in silico identification and analysis of cis natural antisense transcripts (cis-NATs) in ten species. *Nucleic Acids Res.*, 34(12):3465–3475.
- [55] Chen H-M, Li Y-H, Wu S-H (2007) Bioinformatic prediction and experimental validation of a microRNA-directed tandem trans-acting siRNA cascade in Arabidopsis. *Proc. Natl. Acad. Sci.*, 104(9):3318–3323.
- [56] Howell MD, Fahlgren N, Chapman EJ, *et al.* (2007) Genome-wide analysis of the RNA-DEPENDENT RNA POLYMERASE6/DICER-LIKE4 pathway in Arabidopsis reveals dependency on miRNA- and tasiRNA-directed targeting. *Plant Cell Online*, 19(3):926–942.
- [57] Shivaprasad PV, Chen H-M, Patel K, *et al.* (2012) A microRNA superfamily regulates nucleotide binding site-leucine-rich repeats and other mRNAs. *Plant Cell*, 24(3):859–874.
- [58] Chitwood DH, Guo M, Nogueira FTS, *et al.* (2007) Establishing leaf polarity: the role of small RNAs and positional signals in the shoot apex. *Development*, 134(5):813–823.
- [59] Axtell MJ, Jan C, Rajagopalan R, *et al.* (2006) A two-hit trigger for siRNA biogenesis in plants. *Cell*, 127(3):565–577.
- [60] Fahlgren N, Montgomery TA, Howell MD, *et al.* (2006) Regulation of AUXIN RESPONSE FACTOR3 by TAS3 ta-siRNA affects developmental timing and patterning in arabidopsis. *Curr. Biol.*, 16(9):939–944.
- [61] Gascioli V, Mallory AC, Bartel DP, *et al.* (2005) Partially redundant functions of arabidopsis DICER-like enzymes and a role for DCL4 in producing trans-acting siRNAs. *Curr. Biol.*, 15(16):1494–1500.
- [62] Yoshikawa M, Peragine A, Mee YP, *et al.* (2005) A pathway for the biogenesis of trans-

acting siRNAs in Arabidopsis. *Genes Dev.*, 19(18):2164–2175.

- [63] Williams L, Carles CC, Osmont KS, *et al.* (2005) A database analysis method identifies an endogenous trans-acting short-interfering RNA that targets the Arabidopsis ARF2, ARF3, and ARF4 genes. *Proc. Natl. Acad. Sci. U. S. A.*, 102(27):9703–9708.
- [64] Heisel SE, Zhang Y, Allen E, *et al.* (2008) Characterization of unique small RNA populations from rice grain. *PLoS One*, 3(8).
- [65] Vaucheret H (2006) Post-transcriptional small RNA pathways in plants: mechanisms and regulations. *Genes and Develop.*, 20(7):759–771.
- [66] Matzke MA, Kanno T, Matzke AJM (2015) RNA-directed DNA Methylation: the evolution of a complex epigenetic pathway in flowering plants. *Annu. Rev. Plant Biol.*, 66(1):243–267.
- [67] Law J, Jacobsen SE (2010) Establishing, maintaining and modifying DNA methylation patterns in plants and animals. *Nat. Rev. Genet.*, 11(3):204–220.
- [68] Matzke M, Kanno T, Daxinger L, Huettel B, Matzke AJ (2009) RNA-mediated chromatin-based silencing in plants. *Current Opinion in Cell Biol.*, 21(3):367–376.
- [69] Finnegan EJ, Genger RK, Peacock WJ, *et al.* (1998) DNA methylation in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.*, 49:223–247.
- [70] Guseinov VA, Vanyushin BF (1975) Content and localisation of 5-methylcytosine in DNA of healthy and wilt-infected cotton plants. *BBA Sect. Nucleic Acids Protein Synth.*, 395(3):229–238.
- [71] Pavet V, Quintero C, Cecchini NM, *et al.* (2006) *Arabidopsis* displays centromeric DNA hypomethylation and cytological alterations of heterochromatin upon attack by *Pseudomonas syringae*. *Mol. Plant-Microbe Interact.*, 19(6):577–587.
- [72] Huettel B, Kanno T, Daxinger L, *et al.* (2007) RNA-directed DNA methylation mediated by DRD1 and Pol IVb: a versatile pathway for transcriptional gene silencing in plants. *Biochimica et Biophysica Acta - Gene Structure and Expression*, 1769(5–6):358–374.
- [73] Vaistij F, Jones L, Baulcombe D (2013) Spreading of RNA targeting and DNA methylation in RNA silencing requires transcription of the target gene and a putative RNA-dependent RNA polymerase. *Plant Cell*, 14(4):857–867.
- [74] Katiyar-Agarwal S, Jin H (2010) Role of small RNAs in host-microbe interactions. *Annu. Rev. Phytopathol.*, 48(1):225–246.
- [75] Yu A, Lepere G, Jay F, *et al.* (2013) Dynamics and biological relevance of DNA demethylation in Arabidopsis antibacterial defense. *Proc. Natl. Acad. Sci.*, 110(6):2389–2394.
- [76] Downen RH, Pelizzola M, Schmitz RJ, *et al.* (2012) Widespread dynamic DNA methylation in response to biotic stress. *Proc. Natl. Acad. Sci.*, 109(32):E2183–E2191.
- [77] Pumplin N, Voinnet O (2013) RNA silencing suppression by plant pathogens: defence,



- counter-defence and counter-counter-defence. *Nat. Rev. Microbiol.*, 11(11):745–760.
- [78] Riggs AD, Martienssen RA, Russo VE (1996) Introduction. *Epigenetic Mech. gene Regul.*:0–4.
- [79] Cubas P, Vincent C, Coen E (1999) An epigenetic mutation responsible for natural variation in floral symmetry. *Nature*, 401(6749):157–161.
- [80] Bilichak A, Ilnytskyy Y, Woycicki R, *et al.* (2015) The elucidation of stress memory inheritance in *Brassica rapa* plants. *Front. Plant Sci.*, 6.
- [81] Bird A (2007) Perceptions of epigenetics. *Nature*, 447(7143):396–398.
- [82] Brosnan CA, Voinnet O (2011) Cell-to-cell and long-distance siRNA movement in plants: Mechanisms and biological implications. *Current Opinion in Plant Biol.*, 14(5):580–587.
- [83] Slotkin RK, Vaughn M, Borges F, *et al.* (2009) Epigenetic Reprogramming and Small RNA Silencing of Transposable Elements in Pollen. *Cell*, 136(3):461–472.
- [84] Martienssen R, Barkan A, Taylor WC, *et al.* (1990) Somatically heritable switches in the DNA modification of Mu transposable elements monitored with a suppressible mutant in maize. *Genes Dev.*, 4(3):331–343.
- [85] McClintock B (1965) The control of gene action in maize. *Brookhaven Symp. Biol.*, 18:162–184.
- [86] McCue AD, Nuthikattu S, Reeder SH, *et al.* (2012) Gene expression and stress response mediated by the epigenetic regulation of a transposable element small RNA. *PLoS Genet.*, 8(2).
- [87] Nuthikattu S, McCue AD, Panda K, *et al.* (2013) The initiation of epigenetic silencing of active transposable elements is triggered by RDR6 and 21-22 nucleotide small interfering RNAs. *Plant Physiol.*, 162(1):116–131.
- [88] Marí-Ordóñez A, Marchais A, Etcheverry M, *et al.* (2013) Reconstructing de novo silencing of an active plant retrotransposon. *Nat. Genet.*, 45(9):1029–1039.
- [89] Tian T, Wang J, Zhou X (2015) A review: microRNA detection methods. *Org. Biomol. Chem.*, 13(8):2226–2238.
- [90] Hausser J, Zavolan M (2014) Identification and consequences of miRNA–target interactions — beyond repression of gene expression. *Nat. Rev. Genet.*, 15(9):599–612.
- [91] Thomson DW, Bracken CP, Goodall GJ (2011) Experimental strategies for microRNA target identification. *Nucleic Acids Res.*, 39(16):6845–6853.
- [92] Komor AC, Badran AH, Liu DR (2017) CRISPR-based technologies for the manipulation of eukaryotic genomes. *Cell*, 168(1–2):20–36.
- [93] Bonnet E, Wuyts J, Rouze P, *et al.* (2004) Detection of 91 potential conserved plant

microRNAs in *Arabidopsis thaliana* and *Oryza sativa* identifies important target genes. *Proc. Natl. Acad. Sci.*, 101(31):11511–11516.

- [94] Bernstein BE, Birney E, Dunham I, *et al.* (2012) An integrated encyclopedia of DNA elements in the human genome. *Nature*, 489:57–74.
- [95] Rueda A, Barturen G, Lebron R, *et al.* (2015) SRNAToolbox: an integrated collection of small RNA research tools. *Nucleic Acids Res.*, 43(W1):W467–W473.
- [96] Stocks MB, Moxon S, Mapleson D, *et al.* (2012) The UEA sRNA workbench: a suite of tools for analysing and visualizing next generation sequencing microRNA and small RNA datasets. *Bioinformatics*, 28(15):2059–2061.
- [97] Müller S, Rycak L, Winter P, *et al.* (2013) omiRas: a web server for differential expression analysis of miRNAs derived from small RNA-Seq data. *Bioinformatics*, 29(20):2651–2652.
- [98] Patra D, Fasold M, Langenberger D, *et al.* (2014) plantDARIO: web based quantitative and qualitative analysis of small RNA-seq data in plants. *Front. Plant Sci.*, 5.
- [99] Chen CJ, Servant N, Toedling J, *et al.* (2012) NcPRO-seq: A tool for annotation and profiling of ncRNAs in sRNA-seq data. *Bioinformatics*, 28(23):3147–3149.
- [100] Icaý K, Chen P, Cervera A, *et al.* (2016) SePIA: RNA and small RNA sequence processing, integration, and analysis. *BioData Min.*, 9(1):20.
- [101] Wan C, Gao J, Zhang H, *et al.* (2017) CPSS 2.0: a computational platform update for the analysis of small RNA sequencing data. *Bioinformatics*, 33(20):3289–3291.
- [102] Kozomara A, Griffiths-Jones S (2011) MiRBase: Integrating microRNA annotation and deep-sequencing data. *Nucleic Acids Res.*, 39:D152–D157.
- [103] Zhang C, Li G, Zhu S, *et al.* (2014) TasiRNAdb: a database of ta-siRNA regulatory pathways. *Bioinformatics*, 30(7):1045–1046.
- [104] Chen D, Yuan C, Zhang J, *et al.* (2012) PlantNATsDB: a comprehensive database of plant natural antisense transcripts. *Nucleic Acids Res.*, 40(D1).
- [105] Altschul SF, Gish W, Miller W, *et al.* (1990) Basic local alignment search tool. *J. Mol. Biol.*, 215(3):403–410.
- [106] Iida K, Jin H, Zhu J-K (2009) Bioinformatics analysis suggests base modifications of tRNAs and miRNAs in *Arabidopsis thaliana*. *BMC Genomics*, 10:155.
- [107] Ehardt HA, Tsang HH, Dai DC, *et al.* (2009) Meta-analysis of small RNA-sequencing errors reveals ubiquitous post-transcriptional RNA modifications. *Nucleic Acids Res.*, 37(8):2461–2470.
- [108] Pantano L, Estivill X, Martí E (2009) SeqBuster, a bioinformatic tool for the processing and analysis of small RNAs datasets, reveals ubiquitous miRNA modifications in human embryonic cells. *Nucleic Acids Res.*, 38(5):e34.

- [109] Zhao S, Gordon W, Du S, *et al.* (2017) QuickMIRSeq: a pipeline for quick and accurate quantification of both known miRNAs and isomiRs by jointly processing multiple samples from microRNA sequencing. *BMC Bioinformatics*, 18(1):180.
- [110] Muller H, Marzi MJ, Nicassio F (2014) IsomiRage: from functional classification to differential expression of miRNA isoforms. *Front. Bioeng. Biotechnol.*, 2.
- [111] Barturen G, Rueda A, Hamberg M, *et al.* (2014) sRNAbench: profiling of small RNAs and its sequence variants in single or multi-species high-throughput experiments. *Methods Next Gener. Seq.*, 1(1).
- [112] Sablok G, Miley I, Minkov G, *et al.* (2013) IsomiRex: web-based identification of microRNAs, isomiR variations and differential expression using next-generation sequencing datasets. *FEBS Lett.*, 587(16):2629–2634.
- [113] De Oliveira LFV, Christoff AP, Margis R (2013) isomiRID: A framework to identify microRNA isoforms. *Bioinformatics*, 29(20):2521–2523.
- [114] Nawrocki EP, Burge SW, Bateman A, *et al.* (2015) Rfam 12.0: updates to the RNA families database. *Nucleic Acids Res.*, 43(D1):D130–D137.
- [115] Xie F, Xiao P, Chen D, *et al.* (2012) miRDeepFinder: a miRNA analysis tool for deep sequencing of plant small RNAs. *Plant Mol. Biol.*, 80(1):75–84.
- [116] Folkes L, Moxon S, Woolfenden HC, *et al.* (2012) PAREsnip: a tool for rapid genome-wide discovery of small RNA/target interactions evidenced through degradome sequencing. *Nucleic Acids Res.*, 40(13).
- [117] Wang Y, Li H, Sun Q, *et al.* (2016) Characterization of small RNAs derived from tRNAs, rRNAs and snoRNAs and their response to heat stress in wheat seedlings. *PLoS One*, 11(3).
- [118] Axtell MJ (2013) ShortStack: comprehensive annotation and quantification of small RNA genes. *RNA*, 19(6):740–751.
- [119] Li H, Durbin R (2009) Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics*, 25(14):1754–1760.
- [120] Langmead B, Trapnell C, Pop M, *et al.* (2009) Ultrafast and memory-efficient alignment of short DNA sequences to the human genome. *Genome Biol.*, 10(3):R25.
- [121] Leclercq M, Diallo AB, Blanchette M (2013) Computational prediction of the localization of microRNAs within their pre-miRNA. *Nucleic Acids Res.*, 41(15):7200–7211.
- [122] Hofacker IL (2003) Vienna RNA secondary structure server. *Nucleic Acids Res.*, 31(13):3429–3431.
- [123] Markham NR, Zuker M (2008) UNAFold: software for nucleic acid folding and hybridization. *Methods Mol. Biol.*, 453:3–31.
- [124] Zhang B, Pan X, Cannon CH, *et al.* (2006) Conservation and divergence of plant

microRNA genes. *Plant J.*, 46(2):243–259.

- [125] Mendes ND, Freitas AT, Sagot MF (2009) Current tools for the identification of miRNA genes and their targets. *Nucleic Acids Res.*, 37(8):2419–2433.
- [126] Gomes CPC, Cho JH, Hood L, *et al.* (2013) A review of computational tools in microRNA discovery. *Frontiers in Genetics*, 4.
- [127] Higashi S, Fournier C, Gautier C, *et al.* (2015) Mirinho: an efficient and general plant and animal pre-miRNA predictor for genomic and deep sequencing data. *BMC Bioinformatics*, 16(1):179.
- [128] Tav C, Tempel S, Poligny L, *et al.* (2016) miRNAFold: a web server for fast miRNA precursor prediction in genomes. *Nucleic Acids Res.*, 44(W1):W181–W184.
- [129] Jones-Rhoades MW, Bartel DP (2004) Computational identification of plant MicroRNAs and their targets, including a stress-induced miRNA. *Mol. Cell*, 14(6):787–799.
- [130] Dezulian T, Remmert M, Palatnik JF, *et al.* (2006) Identification of plant microRNA homologs. *Bioinformatics*, 22(3):359–360.
- [131] Lindow M, Krogh A (2005) Computational evidence for hundreds of non-conserved plant microRNAs. *BMC Genomics*, 6:119.
- [132] Milev I, Yahubyan G, Minkov I, *et al.* (2011) miRTour: plant miRNA and target prediction tool. *Bioinformation*, 6(6):248–249.
- [133] Numnark S, Mhuantong W, Ingsriswang S, *et al.* (2012) C-mii: a tool for plant miRNA and target identification. *BMC Genomics*, 13(7):S16.
- [134] Xuan P, Guo M, Liu X, *et al.* (2011) PlantMiRNAPred: efficient classification of real and pseudo plant pre-miRNAs. *Bioinformatics*, 27(10):1368–1376.
- [135] Yao YM, Ma C, Deng H, *et al.* (2016) plantMirP: an efficient computational program for the prediction of plant pre-miRNA by incorporating knowledge-based energy features. *Mol. Biosyst.*, 12(10):3124–3131.
- [136] Xue C, Li F, He T, *et al.* (2005) Classification of real and pseudo microRNA precursors using local structure-sequence features and support vector machine. *BMC Bioinformatics*, 6:310.
- [137] Batuwita R, Palade V (2009) microPred: effective classification of pre-miRNAs for human miRNA gene prediction. *Bioinformatics*, 25(8):989–995.
- [138] Teune J-H, Steger G (2010) NOVOMIR: de novo prediction of microRNA-coding regions in a single plant-genome. *J. Nucleic Acids*:1–10.
- [139] Gudyś A, Szcześniak M, Sikora M, *et al.* (2013) HuntMi: an efficient and taxon-specific approach in pre-miRNA identification. *BMC Bioinformatics*, 14(1):83.
- [140] Williams PH, Eyles R, Weiller G (2012) Plant microRNA prediction by supervised

machine learning using C5.0 decision trees. *J. Nucleic Acids* 2012.

- [141] Thieme CJ, Gramzow L, Lobbes D, *et al.* (2011) SplamiR-prediction of spliced miRNAs in plants. *Bioinformatics*, 27(9):1215–1223.
- [142] Meng J, Liu D, Sun C, *et al.* (2014) Prediction of plant pre-microRNAs and their microRNAs in genome-scale sequences using structure-sequence features and support vector machine. *BMC Bioinformatics*, 15(1):423.
- [143] Wu Y, Wei B, Liu H, *et al.* (2010) MiRPara: a SVM-based software for prediction of mature miRNAs. in *2010 IEEE International Conference on Bioinformatics and Biomedicine Workshops, BIBMW 2010*:839–840.
- [144] Karathanasis N, Tsamardinos I, Poirazi P (2015) MiRduplexSVM: a high-performing MiRNA-duplex prediction and evaluation methodology. *PLoS One*, 10(5).
- [145] Xuan P, Guo M, Huang Y, *et al.* (2011) Maturepred: efficient identification of microRNAs within novel plant pre-miRNAs. *PLoS One*, 6(11).
- [146] Cui H, Zhai J, Ma C (2015) miRLocator: machine learning-based prediction of mature microRNAs within plant pre-miRNA sequences. *PLoS One*, 10(11).
- [147] Kozomara A, Griffiths-Jones S (2014) MiRBase: annotating high confidence microRNAs using deep sequencing data. *Nucleic Acids Res.*, 42(D1).
- [148] Yang X, Li L (2011) miRDeep-P: a computational tool for analyzing the microRNA transcriptome in plants. *Bioinformatics*, 27(18):2614–2615.
- [149] An J, Lai J, Sajjanhar A, *et al.* (2014) miRPlant: an integrated tool for identification of plant miRNA from RNA sequencing data. *BMC Bioinformatics*, 15(1):275.
- [150] Evers M, Huttner M, Dueck A, *et al.* (2015) miRA: adaptable novel miRNA identification in plants using small RNA sequencing data. *BMC Bioinformatics*, 16(1):370.
- [151] Breakfield NW, Corcoran DL, Petricka JJ, *et al.* (2012) High-resolution experimental and computational profiling of tissue-specific known and novel miRNAs in Arabidopsis. *Genome Res.*, 22(1):163–176.
- [152] Lei J, Sun Y (2014) MiR-PREFeR: an accurate, fast and easy-to-use plant miRNA prediction tool using small RNA-Seq data. *Bioinformatics*, 30(19):2837–2839.
- [153] Paicu C, Mohorianu I, Stocks M, *et al.* (2017) miRCat2: accurate prediction of plant and animal microRNAs from next-generation sequencing datasets. *Bioinformatics*, 33(16):2446-2454.
- [154] Friedländer MR, Chen W, Adamidi C, *et al.* (2008) Discovering microRNAs from deep sequencing data using miRDeep. *Nat. Biotechnol.*, 26(4):407–415.
- [155] Jha A, Shankar R (2013) miReader: discovering novel miRNAs in species without sequenced genome. *PLoS One*, 8(6).

- [156] Dai X, Zhao PX (2008) pssRNAMiner: a plant short small RNA regulatory cascade analysis server. *Nucleic Acids Res.*, 36.
- [157] Gupta V, Markmann K, Pedersen CNS, *et al.* (2012) Shortran: a pipeline for small RNA-seq data analysis. *Bioinformatics*, 28(20):2698–2700.
- [158] Guo Q, Qu X, Jin W (2015) PhaseTank: genome-wide computational identification of phasiRNAs and their regulatory cascades. *Bioinformatics*, 31(2):284–286.
- [159] Moxon S, Schwach F, Dalmay T, *et al.* (2008) A toolkit for analysing large-scale plant small RNA datasets. *Bioinformatics*, 24(19):2252–2253.
- [160] Lavorgna G, Dahary D, Lehner B, *et al.* (2004) In search of antisense. *Trends in Biochemical Sciences*, 29(2):88–94.
- [161] Zhou X, Sunkar R, Jin H, *et al.* (2009) Genome-wide identification and analysis of small RNAs originated from natural antisense transcripts in *Oryza sativa*. *Genome Res.*, 19(1):70–78.
- [162] Jen C-H, Michalopoulos I, Westhead DR, *et al.* (2005) Natural antisense transcripts with coding capacity in *Arabidopsis* may have a regulatory role that is not linked to double-stranded RNA degradation. *Genome Biol.*, 6(6):R51.
- [163] Li S, Liberman LM, Mukherjee N, *et al.* (2013) Integrated detection of natural antisense transcripts using strand-specific RNA sequencing data. *Genome Res.*, 23(10):1730–1739.
- [164] Yu D, Meng Y, Zuo Z, *et al.* (2016) NATpipe: an integrative pipeline for systematical discovery of natural antisense transcripts (NATs) and phase-distributed nat-siRNAs from de novo assembled transcriptomes. *Sci. Rep.*, 6(1):21666.
- [165] Tafer H, Hofacker IL (2008) RNAplex: a fast tool for RNA-RNA interaction search. *Bioinformatics*, 24(22):2657–2663.
- [166] Stroud H, Greenberg MVC, Feng S, *et al.* (2013) Comprehensive analysis of silencing mutants reveals complex regulation of the *Arabidopsis* methylome. *Cell*, 152(1–2):352–364.
- [167] Lister R, O'Malley RC, Tonti-Filippini J, *et al.* (2008) Highly integrated single-base resolution maps of the epigenome in *Arabidopsis*. *Cell*, 133(3):523–536.
- [168] Wu L, Zhou H, Zhang Q, *et al.* (2010) DNA methylation mediated by a microRNA pathway. *Mol. Cell*, 38(3):465–475.
- [169] Zhang Q, Wang D, Lang Z, *et al.* (2016) Methylation interactions in *Arabidopsis* hybrids require RNA-directed DNA methylation and are influenced by genetic variation. *Proc. Natl. Acad. Sci.*, 113(29):E4248–E4256.
- [170] Li X, Wang X, He K, *et al.* (2008) High-resolution mapping of epigenetic modifications of the rice genome uncovers interplay between DNA methylation, histone methylation, and gene expression. *Plant Cell*, 20(2):259–276.

- [171] Brodersen P, Sakvarelidze-Achard L, Bruun-Rasmussen M, *et al.* (2008) Widespread translational inhibition by plant miRNAs and siRNAs. *Science*, 320(5880):1185–1190.
- [172] Iwakawa HO, Tomari Y (2013) Molecular insights into microRNA-mediated translational repression in plants. *Mol. Cell*, 52(4):591–601.
- [173] Brousse C, Liu Q, Beauclair L, *et al.* (2014) A non-canonical plant microRNA target site. *Nucleic Acids Res.*, 42(8):5270–5279, 2014.
- [174] Li F, Orban R, Baker B (2012) SoMART: A web server for plant miRNA, tasiRNA and target gene analysis. *Plant J.*, 70(5):891–901.
- [175] Zheng Y, Li YF, Sunkar R, *et al.* (2012) SeqTar: an effective method for identifying microRNA guided cleavage sites from degradome of polyadenylated transcripts in plants. *Nucleic Acids Res.*, 40(4).
- [176] Yu L, Shao C, Ye X, *et al.* (2016) miRNA Digger: a comprehensive pipeline for genome-wide novel miRNA mining. *Sci. Rep.*, 6:18901.
- [177] Dai X, Zhao PX (2011) PsRNATarget: a plant small RNA target analysis server. *Nucleic Acids Res.*, 39(2).
- [178] Bonnet E, He Y, Billiau K, *et al.* (2010) TAPIR, a web server for the prediction of plant microRNA targets, including target mimics. *Bioinformatics*, 26(12):1566–1568.
- [179] Smith TF, Waterman MS (1981) Identification of common molecular subsequences. *J. Mol. Biol.*, 147(1):195–197.
- [180] Lorenz R, Bernhart SH, Siederdissen CH, *et al.* (2011) ViennaRNA Package 2.0. *Algorithms Mol. Biol.*, 6(1):26.
- [181] Krüger J, Rehmsmeier M (2006) RNAhybrid: microRNA target prediction easy, fast and flexible. *Nucleic Acids Res.*, 34.
- [182] Fahlgren N, Carrington JC (2010) miRNA target prediction in plants. *Methods Mol. Biol.*, 592:51–57.
- [183] Xie F, Zhang B (2010) Target-align: a tool for plant microRNA target identification. *Bioinformatics*, 26(23):3002–3003.
- [184] Wu HJ, Ma YK, Chen T, *et al.* (2012) PsRobot: a web-based plant small RNA meta-analysis toolbox. *Nucleic Acids Res.*, 40(W1).
- [185] Jha A, Shankar R (2011) Employing machine learning for reliable miRNA target identification in plants. *BMC Genomics*, 12(1):636.
- [186] Meng J, Shi L, Luan Y (2014) Plant microRNA-target interaction identification model based on the integration of prediction tools and support vector machine. *PLoS One*, 9(7).
- [187] Rhee S, Chae H, Kim S (2015) PlantMirnaT: miRNA and mRNA integrated analysis fully utilizing characteristics of plant sequencing data. *Methods*, 83:80–87.

- [188] Srivastava PK, Moturu T, Pandey P, *et al.* (2014) A comparison of performance of plant miRNA target prediction tools and the characterization of features for genome-wide target prediction. *BMC Genomics*, 15(1):348.
- [189] Zhang Z, Jiang L, Wang J, *et al.* (2015) MTide: an integrated tool for the identification of miRNA-target interaction in plants. *Bioinformatics*, 31(2):290–291.
- [190] Friedländer MR, MacKowiak SD, Li N, *et al.* (2012) MiRDeep2 accurately identifies known and hundreds of novel microRNA genes in seven animal clades. *Nucleic Acids Res.*, 40(1):37–52.
- [191] Kakrana A, Hammond R, Patel P, *et al.* (2014) SPARTA: a parallelized pipeline for integrated analysis of plant miRNA and cleaved mRNA data sets, including new miRNA target-identification software. *Nucleic Acids Res.*, 42(18).
- [192] Ding J, Yu S, Ohler U, *et al.* (2011) imiRTP: an integrated method to identifying miRNA-target interactions in *Arabidopsis thaliana*. in *Proceedings - 2011 IEEE International Conference on Bioinformatics and Biomedicine, BIBM 2011*:100–104.
- [193] Morgado L, Jansen RC, Johannes F (2017) Learning sequence patterns of AGO-sRNA affinity from high-throughput sequencing libraries to improve in silico functional small RNA detection and classification in plants. *bioRxiv*.
- [194] Borges F, Martienssen RA (2015) The expanding world of small RNAs in plants. *Nat. Rev. Mol. Cell Biol.*, 16(12):727–721.
- [195] Kurihara Y, Takashi Y, Watanabe Y (2005) The interaction between DCL1 and HYL1 is important for efficient and precise processing of pri-miRNA in plant microRNA biogenesis. *RNA*, 12(2):206–212.
- [196] Shen B, Goodman HM (2004) Uridine addition after microRNA-directed cleavage. *Science*, 306(5698):997–997.
- [197] Vaucheret H (2008) Plant ARGONAUTES. *Trends in Plant Science*, 13(7):350–358.
- [198] Mirzaei K, Bahramnejad B, Shamsifard MH, *et al.* (2014) In silico identification, phylogenetic and bioinformatic analysis of argonaute genes in plants. *Int. J. Genomics*.
- [199] Rodríguez-Leal D, Castillo-Cobián A, Rodríguez-Arévalo I, *et al.* (2016) A primary sequence analysis of the ARGONAUTE protein family in plants. *Front. Plant Sci.*, 7.
- [200] Montgomery TA, Howell MD, Cuperus JT, *et al.* (2008) Specificity of ARGONAUTE7-miR390 interaction and dual functionality in TAS3 trans-acting siRNA formation. *Cell*, 133(1):128–141.
- [201] Havecker ER, Wallbridge LM, Hardcastle TJ, *et al.* (2010) The *Arabidopsis* RNA-directed DNA methylation argonautes functionally diverge based on their expression and interaction with target loci. *Plant Cell*, 22(2):321–334.
- [202] Ji L, Liu X, Yan J, *et al.* (2011) ARGONAUTE10 and ARGONAUTE1 regulate the termination of floral stem cells through two microRNAs in *Arabidopsis*. *PLoS Genet.*, 7(3).



- [203] Eamens AL, Smith NA, Curtin SJ, *et al.* (2009) The Arabidopsis thaliana double-stranded RNA binding protein DRB1 directs guide strand selection from microRNA duplexes. *RNA*, 15(12):2219–2235.
- [204] Khvorova A, Reynolds A, Jayasena SD (2003) Functional siRNAs and miRNAs exhibit strand bias. *Cell*, 115(2):209–216.
- [205] Chen X (2009) Small RNAs and their roles in plant development. *Annu. Rev. Cell Dev. Biol.*, 25(1):21–44.
- [206] Allen E, Howell MD (2010) miRNAs in the biogenesis of trans-acting siRNAs in higher plants. *Seminars in Cell and Developmental Biology*, 21(8):798–804.
- [207] Mi S, Cai T, Hu Y, *et al.* (2008) Sorting of small RNAs into Arabidopsis argonaute complexes is directed by the 5' terminal nucleotide. *Cell*, 133(1):116–127.
- [208] Ma J-B, Ye K, Patel DJ (2004) Structural basis for overhang-specific small interfering RNA recognition by the PAZ domain. *Nature*, 429(6989):318–322.
- [209] Parker JS, Roe SM, Barford D (2005) Structural insights into mRNA recognition from a PIWI domain–siRNA guide complex. *Nature*, 434(7033):663–666.
- [210] Zhu H, Hu F, Wang R, *et al.* (2011) Arabidopsis argonaute10 specifically sequesters miR166/165 to regulate shoot apical meristem development. *Cell*, 145(2):242–256.
- [211] Kim VN (2008) Sorting out small RNAs. *Cell*, 133(1):25–26.
- [212] Hsu C-W, Chang C-C (2008) A practical guide to support vector classification. *BJU Int.*, 101(1):1396–400.
- [213] Guyon I, Weston J, Barnhill S, *et al.* (2002) Gene selection for cancer classification using support vector machines. *Mach. Learn.*, 46(1–3):389–422.
- [214] Fan R-E, Chang K-W, Hsieh C-J, *et al.* (2008) LIBLINEAR: a library for large linear classification. *J. Mach. Learn. Res.*, 9:1871–1874.
- [215] Chang C, Lin C (2013) LIBSVM : a library for support vector machines. *ACM Trans. Intell. Syst. Technol.*, 2:1–39.
- [216] Bailey TL, Boden M, Buske FA, *et al.* (2009) MEME Suite: tools for motif discovery and searching. *Nucleic Acids Res.*, 37: W202-8.
- [217] O'Malley RC, Huang SC, Song L, *et al.* (2016) Cistrome and epicistrome features shape the regulatory DNA landscape. *Cell*, 165(5):1280–1292.
- [218] Yan J, Cai X, Luo J, *et al.* (2010) The REDUCED LEAFLET genes encode key components of the trans-acting small interfering RNA pathway and regulate compound leaf and flower development in Lotus japonicus. *Plant Physiol.*, 152(2):797–807.
- [219] Hsu C-W, Lin C-J (2002) A comparison of methods for multiclass support vector machines. *IEEE Trans. Neural Netw.*, 13(2):415–25.
- [220] Keerthi SS, Lin C-J (2003) Asymptotic behaviors of support vector machines with

gaussian kernel. *Neural Comput.*, 15(7):1667–1689.

- [221] Lin KM, Lin CJ (2003) A study of reduced support vector machines. *IEEE Trans. Neural Networks*, 14(6):1449–1459.
- [222] Bottou L, Lin C (2007) Support vector machine solvers. *Large scale kernel Mach.*:1–27.
- [223] Graf HP, Cosatto E, Bottou L, *et al.* (2005) Parallel support vector machines : the cascade SVM. *Adv. Neural Inf. Process. Syst.*:521–528.
- [224] Knerr S, Personnaz L, Dreyfus G (1990) Single-layer learning revisited: a stepwise procedure for building and training a neural network. *Neurocomputing*:41–50.
- [225] Machanick P, Bailey TL (2011) MEME-ChIP: motif analysis of large DNA datasets. *Bioinformatics*, 27(12):1696–1697.
- [226] Peláez P, Sanchez F (2013) Small RNAs in plant defense responses during viral and bacterial interactions: similarities and differences. *Front. Plant Sci.*, 4.
- [227] Guo H, Song X, Wang G, *et al.* (2014) Plant-generated artificial small RNAs mediated aphid resistance. *PLoS One*, 9(5).
- [228] Kamthan A, Chaudhuri A, Kamthan M, *et al.* (2015) Small RNAs in plants: recent development and application for crop improvement. *Front. Plant Sci.*, 6.
- [229] McCue AD, Nuthikattu S, Slotkin RK (2013) Genome-wide identification of genes regulated in trans by transposable element small interfering RNAs. *RNA Biol.*, 10(8):1379–95.
- [230] Garcia-Ruiz H, Carbonell A, Hoyer JS, *et al.* (2015) Roles and programming of Arabidopsis ARGONAUTE proteins during turnip mosaic virus infection. *PLoS Pathog.*, 11(3):1–27.
- [231] Sarkies P, Miska EA (2014) Small RNAs break out: the molecular cell biology of mobile small RNAs. *Nature Reviews Molecular Cell Biology*, 15(8):525–535.
- [232] Morgado L, Preite V, Oplaat C, *et al.* (2017) Small RNAs reflect grandparental environments in apomictic dandelion. *Mol. Biol. Evol.*, 34(8):2035–2040.
- [233] Morgado L, Johannes F (2017) Computational tools for plant small RNA detection and categorization. *Brief. Bioinform.*, bbx136.
- [234] Love MI, Huber W, Anders S (2014) Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2. *Genome Biol.*, 15(12):550.
- [235] Robinson MD, McCarthy DJ, Smyth GK (2010) edgeR: a Bioconductor package for differential expression analysis of digital gene expression data. *Bioinformatics*, 26(1):139–40.
- [236] Alexa A, Rahnenfuhrer J (2016) topGO: enrichment analysis for gene ontology. p. R package version 2.28.0.
- [237] Shannon P, Markiel A, Ozier O, *et al.* (2003) Cytoscape: a software environment for

- integrated models of biomolecular interaction networks. *Genome Res.*, 13(11):2498–2504.
- [238] Kliebenstein DJ, Kroymann J, Mitchell-Olds T (2005) The glucosinolate-myrosinase system in an ecological and evolutionary context. *Current Opinion in Plant Biology*, 8(3):264–271.
- [239] Kooke R, Keurentjes JJB (2012) Multi-dimensional regulation of metabolic networks shaping plant development and performance. *J. Exp. Bot.*, 63(9):3353–3365.
- [240] Brown PD, Tokuhisu JG, Reichelt M, *et al.* (2003) Variation of glucosinolate accumulation among different organs and developmental stages of *Arabidopsis thaliana*. *Phytochemistry*, 62(3):471–481.
- [241] Smallegange RC, Van Loon JJA, Blatt SE, *et al.* (2007) Flower vs. leaf feeding by *Pieris brassicae*: glucosinolate-rich flower tissues are preferred and sustain higher growth rate. *J. Chem. Ecol.*, 33(10):1831–1844.
- [242] Matsuda F, Hirai MY, Sasaki E, *et al.* (2010) AtMetExpress development: a phytochemical atlas of *Arabidopsis* development. *Plant Physiol*, 152:566–578.
- [243] Keurentjes JJB (2009) Genetical metabolomics: closing in on phenotypes. *Current Opinion in Plant Biology*, 12(2):223–230.
- [244] Keurentjes JJB, Fu J, De Vos CHR, *et al.* (2006) The genetics of plant metabolism. *Nat. Genet.*, 38(7):842–849.
- [245] Kliebenstein DJ, Kroymann J, Brown P, *et al.* (2001) Genetic control of natural variation in *Arabidopsis* glucosinolate accumulation. *Plant Physiol.*, 126(2):811–825.
- [246] Schillmiller A, Shi F, Kim J, *et al.* (2010) Mass spectrometry screening reveals widespread diversity in trichome specialized metabolites of tomato chromosomal substitution lines. *Plant J.*, 62(3):391–403.
- [247] Chan EKF, Rowe HC, Corwin JA, *et al.* (2011) Combining genome-wide association mapping and transcriptional networks to identify novel genes controlling glucosinolates in *Arabidopsis thaliana*. *PLoS Biol.*, 9(8).
- [248] Chan EKF, Rowe HC, Kliebenstein DJ (2010) Understanding the evolution of defense metabolites in *Arabidopsis thaliana* using genome-wide association mapping. *Genetics*, 185(3):991–1007.
- [249] Manning K, Tor M, Poole M, *et al.* (2006) A naturally occurring epigenetic mutation in a gene encoding an SBP-box transcription factor inhibits tomato fruit ripening. *Nat. Genet.*, 38(8):948–952.
- [250] Martin A, Troadec C, Boualem A, *et al.* (2009) A transposon-induced epigenetic change leads to sex determination in melon. *Nature*, 461(7267):1135–1138.
- [251] Cortijo S, Wardenaar R, Colomé-Tatché M, *et al.* (2014) Mapping the epigenetic basis of complex traits. *Science*, 343(6175):1145–1148.

- [252] Johannes F, Porcher E, Teixeira FK, *et al.* (2009) Assessing the impact of transgenerational epigenetic variation on complex traits. *PLoS Genet.*, 5(6).
- [253] Kooke R, Johannes F, Wardenaar R, *et al.* (2015) Epigenetic basis of morphological variation and phenotypic plasticity in *Arabidopsis thaliana*. *Plant Cell*, 27(2):337–348.
- [254] Reinders J, Wulff BB, Mirouze M, *et al.* (2009) Compromised stability of DNA methylation and transposon immobilization in mosaic *Arabidopsis* epigenomes. *Genes Dev.*, 23(8):939–950.
- [255] Rasmann S, De Vos M, Casteel CL, *et al.* (2012) Herbivory in the previous generation primes plants for enhanced insect resistance. *Plant Physiol.*, 158(2):854–863.
- [256] Kurihara Y, Matsui A, Kawashima M, *et al.* (2008) Identification of the candidate genes regulated by RNA-directed DNA methylation in *Arabidopsis*. *Biochem. Biophys. Res. Commun.*, 376(3):553–557.
- [257] Shen H, He H, Li J, *et al.* (2012) Genome-wide analysis of DNA methylation and gene expression changes in two *Arabidopsis* ecotypes and their reciprocal hybrids. *Plant Cell*, 24(3):875–92.
- [258] Zhang YY, Fischer M, Colot V, *et al.* (2013) Epigenetic variation creates potential for evolution of plant phenotypic plasticity. *New Phytol.*, 197(1):314–322.
- [259] De Vos RCH, Moco S, Lommen A, *et al.* (2007) Untargeted large-scale plant metabolomics using liquid chromatography coupled to mass spectrometry. *Nat. Protoc.*, 2(4):778–791.
- [260] van der Hoof JJJ, Vervoort J, Bino RJ, *et al.* (2012) Spectral trees as a robust annotation tool in LC-MS based metabolomics. *Metabolomics*, 8(4):691–703.
- [261] Tikunov YM, Laptinok S, Hall RD, *et al.* (2012) MScLust: a tool for unsupervised mass spectra extraction of chromatography-mass spectrometry ion-wise aligned data *Metabolomics*, 8(4):714–718.
- [262] Johannes F, Colomé-Tatché M (2011) Quantitative epigenetics through epigenomic perturbation of isogenic lines. *Genetics*, 188(1):215–227.
- [263] Colomé-Tatché M, Cortijo S, Wardenaar R, *et al.* (2012) Features of the *Arabidopsis* recombination landscape resulting from the combined loss of sequence variation and DNA methylation. *Proc. Natl. Acad. Sci.*, 109(40):16240–16245.
- [264] Heyndrickx KS, Vandepoele K (2012) Systematic identification of functional plant modules through the integration of complementary data sources. *Plant Physiol*, 159(3):884–901.
- [265] Matzke MA, Mosher RA (2014) RNA-directed DNA methylation: an epigenetic pathway of increasing complexity. *Nat. Rev. Genet.*, 15(6):394–408.
- [266] Fang X, Qi Y (2016) RNAi in Plants: an Argonaute-centered view. *Plant Cell*, 28(2):272–285.

- [267] Kinoshita T, Miura A, Choi Y, *et al.* (2004) One-way control of FWA imprinting in Arabidopsis endosperm by DNA methylation. *Science*, 303(5657):521–523.
- [268] Kawakatsu T, Huang SC, Jupe F, *et al.* (2016) Epigenomic diversity in a global collection of Arabidopsis thaliana accessions. *Cell*, 166(2):492–506.
- [269] Rowe HC, Hansen BG, Halkier BA, *et al.* (2008) Biochemical networks and epistasis shape the Arabidopsis thaliana metabolome. *Plant Cell Online*, 20(5):1199–1216.
- [270] McCall AC, Irwin RE (2006) Florivory: the intersection of pollination and herbivory. *Ecology Letters*, 9(12):1351–1365.
- [271] Göbel C, Feussner I (2009) Methods for the analysis of oxylipins in plants. *Phytochemistry*, 70(13–14):1485–1503.
- [272] Glauser G, Grata E, Rudaz S, *et al.* (2008) High-resolution profiling of oxylipin-containing galactolipids in Arabidopsis extracts by ultra-performance liquid chromatography/time-of-flight mass spectrometry. *Rapid Commun. Mass Spectrom.*, 22(20):3154–3160.
- [273] Heil M (2002) Ecological costs of induced resistance. *Current Opinion in Plant Biology*, 5(4):345–350.
- [274] Shao HB, Chu LY, Jaleel CA, *et al.* (2008) Water-deficit stress-induced anatomical changes in higher plants. *Comptes Rendus - Biologies*, 331(3):215–225.
- [275] Cramer GR, Urano K, Delrot S, *et al.* (2011) Effects of abiotic stress on plants: a systems biology perspective. *BMC Plant Biol.*, 11(1):163.
- [276] Conrath U, Pieterse CMJ, Mauch-mani B, *et al.* (2002) Priming in plant – pathogen interactions. *Trends Plant Sci.*, 7(5):210–216.
- [277] Agrawal AA (2002) Herbivory and maternal effects: mechanisms and consequences of transgenerational induced plant resistance. *Ecology*, 83(12):3408–3415.
- [278] Mandal R, Kathiria P, Psychogios N, *et al.* (2012) Progeny of tobacco mosaic virus-infected Nicotiana tabacum plants exhibit trans-generational changes in metabolic profiles. *Biocatal. Agric. Biotechnol.*, 1(2):115–123.
- [279] Slaughter A, Daniel X, Flors V, *et al.* (2012) Descendants of primed Arabidopsis plants exhibit resistance to biotic stress. *Plant Physiol.*, 158(2):835–843.
- [280] Wang X, Xin C, Cai J, *et al.* (2016) Heat priming induces trans-generational tolerance to high temperature stress in wheat. *Front. Plant Sci.*, 7.
- [281] Crisp PA, Ganguly D, Eichten SR, *et al.* (2016) Reconsidering plant memory: intersections between stress recovery, RNA turnover, and epigenetics. *Sci. Adv.*, 2(2):e1501340–e1501340.
- [282] Boyko A, Kathiria P, Zemp FJ, *et al.* (2007) Transgenerational changes in the genome stability and methylation in pathogen-infected plants (virus-induced plant genome instability). *Nucleic Acids Res.*, 35(5):1714–1725.

- [283] Verhoeven KJF, Jansen JJ, van Dijk PJ, *et al.* (2010) Stress-induced DNA methylation changes and their heritability in asexual dandelions. *New Phytol.*, 185(4):1108–1118.
- [284] Ou X, Zhang Y, Xu C, *et al.* (2012) Transgenerational inheritance of modified DNA methylation patterns and enhanced tolerance induced by heavy metal stress in rice (*Oryza sativa* L.). *PLoS One*, 7(9).
- [285] Pecinka A, Scheid OM (2012) Stress-induced chromatin changes: a critical view on their heritability. *Plant and Cell Physiology*, 53(5):801–808.
- [286] Ito H, Gaubert H, Bucher E, *et al.* (2011) An siRNA pathway prevents transgenerational retrotransposition in plants subjected to stress. *Nature*, 472(7341):115–119.
- [287] Song Y, Ci D, Tian M, *et al.* (2016) Stable methylation of a non-coding RNA gene regulates gene expression in response to abiotic stress in *Populus simonii*. *J. Exp. Bot.*, 67(5):1477–1492.
- [288] Matsui A, Ishida J, Morosawa T, *et al.* (2008) Arabidopsis transcriptome analysis under drought, cold, high-salinity and ABA treatment conditions using a tiling array. *Plant Cell Physiol.*, 49(8):1135–1149.
- [289] Tricker PJ, Gibbings JG, López CMR, *et al.* (2012) Low relative humidity triggers RNA-directed de novo DNA methylation and suppression of genes controlling stomatal development. *J. Exp. Bot.*, 63(10):3799–3814.
- [290] Ding D, Zhang L, Wang H, *et al.* (2009) Differential expression of miRNAs in response to salt stress in maize roots. *Ann. Bot.*, 103(1):29–38.
- [291] Wibowo A, Becker C, Marconi G, *et al.* (2016) Hyperosmotic stress memory in arabidopsis is mediated by distinct epigenetically labile sites in the genome and is restricted in the male germline by dna glycosylase activity. *Elife*, 5.
- [292] Bicknell RA, Koltunow AM (2004) Understanding apomixis: recent advances and remaining conundrums. *Plant Cell Online*, 16(1):S228–S245.
- [293] Ong-Abdullah M, Ordway JM, Jiang N, *et al.* (2015) Loss of Karma transposon methylation underlies the mantled somaclonal variant of oil palm. *Nature*, 525(7570):533–537.
- [294] Kawashima T, Berger F (2014) Epigenetic reprogramming in plant sexual reproduction. *Nat. Rev. Genet.*, 15(9):613–624.
- [295] Verhoeven KJF, van Gurp TP (2012) Transgenerational effects of stress exposure on offspring phenotypes in apomictic dandelion. *PLoS One*, 7(6).
- [296] Vicente M R-S, Plasencia J (2011) Salicylic acid beyond defence: its role in plant growth and development. *Journal of Experimental Botany*, 62(10):3321–3338.
- [297] Kirschner J, Oplaat C, Verhoeven KJF, *et al.* (2016) Identification of oligoclonal agamosperous microspecies: taxonomic specialists versus microsatellites. *Preslia*, 88(1):1–17.

- [298] Lunardon A, Forestan C, Farinati S, *et al.* (2016) Genome-wide characterization of maize small RNA loci and their regulation in the required to maintain repression6-1 (rnr6-1) mutant and long-term abiotic stresses. *Plant Physiol.*, 170(3):1535-48.
- [299] Tran RK, Zilberman D, Bustos C, *et al.* (2005) Chromatin and siRNA pathways cooperate to maintain DNA methylation of small transposable elements in Arabidopsis. *Genome Biol.*, 6(11):R90.
- [300] de Carvalho JF, de Jager V, van Gurp TP, *et al.* (2016) Recent and dynamic transposable elements contribute to genomic divergence under asexuality. *BMC Genomics*, 17(1):884.
- [301] Hollister JD, Gaut BS (2009) Epigenetic silencing of transposable elements: A trade-off between reduced transposition and deleterious effects on neighboring gene expression. *Genome Res.*, 19(8):1419–1428.
- [302] Wang X, Weigel D, Smith LM (2013) Transposon variants and their effects on gene expression in Arabidopsis. *PLoS Genet.*, 9(2).
- [303] Quadrana L, Silveira AB, Mayhew GF, *et al.* (2016) The *Arabidopsis thaliana* mobilome and its impact at the species level. *Elife*, 5:e15716.
- [304] de Carvalho JF, Oplaat C, Pappas N, *et al.* (2016) Heritable gene expression differences between apomictic clone members in *Taraxacum officinale*: insights into early stages of evolutionary divergence in asexual plants. *BMC Genomics*, 17(1):203.
- [305] Gent JI, Ellis NA, Harkess AE, *et al.* (2013) CHH islands: de novo DNA methylation in near-gene chromatin regulation in maize. *Genome Res.*, 23(4):628–637.
- [306] Li X, Zhu J, Hu F, *et al.* (2012) Single-base resolution maps of cultivated and wild rice methylomes and regulatory roles of DNA methylation in plant gene expression. *BMC Genomics*, 13(1):300.
- [307] Gapp K, Jawaid A, Sarkies P, *et al.* (2014) Implication of sperm RNAs in transgenerational inheritance of the effects of early trauma in mice. *Nat. Neurosci.*, 17(5):667–669.
- [308] Rechavi O, Houry-Ze'evi L, Anava S, *et al.* (2014) Starvation-induced transgenerational inheritance of small RNAs in *C. elegans*. *Cell*, 158(2):277–287.
- [309] Levy SE, Myers RM (2016) Advancements in Next-Generation Sequencing. *Annu. Rev. Genomics Hum. Genet.*, 17(1):95–115.
- [310] The ENCODE Project Consortium (2004) The ENCODE (ENCyclopedia Of DNA Elements) Project. *Science*, 306(5696):636–40.
- [311] Lukasik A, Wójcikowski M, Zielenkiewicz P (2016) Tools4miRs - one place to gather all the tools for miRNA analysis. *Bioinformatics*, 32(17):2722–2724.
- [312] Enguita JF (2017) miRNAtools: advanced training using the miRNA web of knowledge. *bioRxiv*.

- [313] “mirtoolsgallery.” [Online]. Available: <http://www.mirtoolsgallery.org>. [Accessed: 15-Dec-2017].
- [314] “mirandb.” [Online]. Available: <http://mirandb.ir>. [Accessed: 15-Dec-2017].
- [315] Morin RD, O'Connor MD, Griffith M, *et al.* (2008) Application of massively parallel sequencing to microRNA profiling and discovery in human embryonic stem cells. *Genome Res.*, 18(4):610–621.
- [316] Jeong DH, Thatcher SR, Brown RS, *et al.* (2013) Comprehensive investigation of microRNAs enhanced by analysis of sequence variants, expression patterns, ARGONAUTE loading, and target cleavage. *Plant Physiol.*, 162(3):1225–1245.
- [317] Lu Y, Leslie CS (2016) Learning to predict miRNA-mRNA interactions from AGO CLIP sequencing and CLASH data. *PLoS Comput. Biol.*, 12(7).
- [318] Morgado L, Pereira C, Veríssimo P, *et al.* (2001) A support vector machine based framework for protein membership prediction. in *Computational Intelligence for Engineering Systems*, Springer, 2001:90–103.
- [319] Ledford H (2016) CRISPR: gene editing is just the beginning. *Nature*, 531(7593):156–159.
- [320] Yi X, Zhang Z, Ling Y, *et al.* (2015) PNRD: a plant non-coding RNA database. *Nucleic Acids Res.*, 43(D1):D982–D989.
- [321] Wu J, Liu Q, Wang X, *et al.* (2013) mirTools 2.0 for non-coding RNA discovery, profiling, and functional annotation based on high-throughput sequencing. *RNA Biol.*, 10:1087–1092.
- [322] Yang K, Sablok G, Qiao G, *et al.* (2017) isomiR2Function: an integrated workflow for identifying microRNA variants in plants. *Front Plant Sci*, 8(322).



