

University of Groningen

Longmechanische onderzoeken bij patiënten met longtuberculose

Hilvering, Christoffel

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1963

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Hilvering, C. (1963). *Longmechanische onderzoeken bij patiënten met longtuberculose*. [, Rijksuniversiteit Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN

I

De grootte van de compliance is afhankelijk van de werkelijke (gemeten)-waarde van de totale capaciteit.

II

De statische volume-druk curve van de long heeft een met de leeftijd samenhangende vorm.

III

Bij de indicatiestelling tot sanatoriumbehandeling van een patiënt met longtuberculose dient het al of niet bestaan van een chronische aspecifieke respiratoire aandoening mede in aanmerking te worden genomen.

IV

Het ziektebeeld van de „Farmer's lung” is geen chronische respiratoire aandoening.

V

De pyrogeentest heeft een geringe diagnostische betekenis bij chronische pyelonephritis.

Lancet I: 690, 1963

VI

Voor de differentiële diagnose van hepatitis neonatorum en gal-gangatresie is de bengals-rood proef een belangrijke aanwinst.

A.M.A.J. Dis of Children 98: 720, 1959

VII

Elk onderzoek over lymphocytopenië dat niet rekening houdt met het bestaan van afweerreacties leidt tot onjuiste conclusies.

VIII

De antiphlogistische werking van salicylaten zou mede kunnen samenhangen met de secundaire verhoging van de cortisolspiegel in het bloed.

IX

Alvorens over te gaan tot onderbinding van de arteria carotis externa bij ernstige neusbloedingen dient een angiogram te worden gemaakt.

X

Neurologische symptomen bij een patiënt met longcarcinoom hoeven niet op metastasering te wijzen.

Lancet I: 179, 1963

XI

Bij de behandeling van een dijhalsfractuur van patiënten op hoge leeftijd geniet het inbrengen van een kop-hals prothese volgens Moore de voorkeur boven een osteosynthese volgens Smith-Petersen.

XII

De moeilijkheden in de veehouderij zouden grotendeels kunnen worden opgeheven als de consument de kostprijs voor boter en kaas zou betalen op de binnenlandse markt.