

University of Groningen

The multi-phase ISM of radio galaxies

Santoro, Francesco

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2018

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Santoro, F. (2018). *The multi-phase ISM of radio galaxies: A spectroscopic study of ionized and warm gas*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



**rijksuniversiteit
groningen**

The multi-phase ISM of radio galaxies: a spectroscopic study of ionized and warm gas

Proefschrift

ter verkrijging van de graad van doctor aan de
Rijksuniversiteit Groningen
op gezag van de
rector magnificus prof. dr. E. Sterken
en volgens besluit van het College voor Promoties.

De openbare verdediging zal plaatsvinden op
vrijdag 1 juni 2018 om 14.30 uur

door

Francesco Santoro

geboren op 22 April 1987
te Marsicovetere, Italië

Promotores

Prof. dr. R. Morganti

Prof. dr. T. A. Oosterloo

Beoordelingscommissie


Prof. dr. A. Marconi

Prof. dr. R. F. Peletier

Prof. dr. T. Storchi-Bergmann

*Alla mia famiglia e in particolar modo
a mio nonno Francesco,
che non ho mai conosciuto ma a cui devo molto.*

*To my family and especially
to my grandfather Francesco,
who I never met but to whom I owe a lot.*



The research leading to this thesis has received funding from the European Research Council under the European Union’s Seventh Framework Programme (FP/2007-2013) / ERC Advanced Grant RADIOLIFE-320745.

This research makes use of data collected at the Very Large Telescope (VLT). The VLT is part of the La Silla Paranal Observatory operated by the European Organisation for Astronomical Research in the Southern Hemisphere (ESO). In particular, the observations leading to the results shown in this thesis have been performed using the following ESO instruments: VIMOS, SINFONI, MUSE and X-Shooter. This research makes use of the SDSS Archive, funding for the creation and distribution of which was provided by the Alfred P. Sloan Foundation, the Participating Institutions, the National Aeronautics and Space Administration, the National Science Foundation, the US Department of Energy, the Japanese Monbukagakusho, and the Max Planck Society.

Cover design: ‘Flammarion Woodcut’ from *L’Atmosphere - Météorologie Populaire* (Paris, 1888) by Camille Flammarion, coloured by Heikenwaelder Hugo (Vienna, 1998)

Printed by: Gildeprint

ISBN: 978-94-034-0636-7

ISBN: 978-94-034-0635-0 (electronic version)



Contents

1	Introduction	3
1.1	AGN in galaxy evolution: a fundamental piece of the puzzle	4
1.1.1	AGN classification: radiative-mode vs. jet-mode . . .	6
1.1.2	AGN feeding and feedback: the role of gas	10
1.2	Radio galaxies	15
1.2.1	Compact and young radio galaxies	17
1.3	The complex nature of AGN-driven outflows	20
1.3.1	Outflows in different gas phases	20
1.4	This Ph.D. Thesis	25
1.4.1	Thesis outline	26
	References	29
2	The jet-ISM interaction in the outer filament of Centaurus A	39
2.1	Introduction	41
2.2	Data reduction and analysis	44
2.3	Results	45
2.4	Discussion and conclusions	51
	References	54
3	The outer filament of Centaurus A as seen by MUSE	59
3.1	Introduction	61
3.2	Data reduction and analysis	62
3.3	Results	64

3.4	Discussion and conclusions	66
	References	70
4	Embedded star formation in the extended narrow line region of Centaurus A: extreme mixing observed by MUSE	75
4.1	Introduction	77
4.2	Data Reduction and Analysis	79
4.3	The gas ionization: a unique structure	81
4.3.1	The line ratios	81
4.3.2	Dust and continuum sources	83
4.3.3	The continuum sources energetics	85
4.4	Photoionization models	87
4.5	Discussion and Conclusions	90
	References	93
5	The warm molecular hydrogen of PKS B1718-649: feeding a newly born radio AGN	97
5.1	Introduction	99
5.2	Observations and data reduction	102
5.3	Results	105
5.3.1	Distribution and kinematics of the molecular hydrogen	105
5.3.2	The H ₂ 1-0 S(1) line in the innermost 75 pc	109
5.3.3	The temperature and mass of the H ₂	110
5.4	Relating the kinematics of the gas to the radio nuclear activity	113
5.5	Conclusions	116
	References	118
6	Probing multi-phase outflows and AGN feedback in compact radio galaxies: the case of PKS B1934-63	123
6.1	Introduction	125
6.1.1	PKS B1934-63	127
6.2	Observations and Data Reduction	128
6.3	Data Analysis and Results	130
6.3.1	Redshift and stellar population modeling	130
6.3.2	The emission lines model	131
6.3.3	The density diagnostic diagram	135
6.3.4	The radius of the narrow and broad gas components	138
6.4	Gas kinematics in the inner regions	140

6.5	Warm ionized gas and parameters of the outflow	143
6.6	Gas excitation	145
6.7	The H ₂ warm molecular and the neutral gas	151
6.8	Conclusions	157
	References	160
	Appendix 6.A Stellar population and line fitting	164
7	The relation between atomic and ionized gas in a sample of 248 nearby radio galaxies	179
7.1	Introduction	181
7.1.1	The sample	183
7.2	Data Analysis and Results	185
7.2.1	Stellar population and emission lines modeling	185
7.2.2	The properties of the ionized gas	187
7.2.3	Comparing the HI and ionized gas kinematics	195
7.3	The kinematics of the ionized gas	198
7.4	Discussion and conclusions	201
	References	206
	Appendix 7.A Stellar population fitting and ionized gas properties	208
8	Conclusions and future prospects	219
8.1	Conclusions chapter by chapter	220
8.2	General conclusions	226
8.3	Future prospects	229
	Samenvatting	231
	Sommario	241
	Acknowledgments	251

*“There is a pleasure in the pathless woods,
There is a rapture on the lonely shore,
There is society, where none intrudes,
By the deep sea, and music in its roar:
I love not man the less, but Nature more,
From these our interviews, in which I steal
From all I may be, or have been before,
To mingle with the Universe, and feel
What I can never express, yet cannot all conceal.”*
George Gordon Byron

*“Vi è un piacere nei boschi inesplorati
e un'estasi nelle spiagge deserte,
vi è una compagnia che nessuno può turbare
presso il mare profondo,
e una musica nel suo ruggito;
non amo meno l'uomo ma di più la natura
dopo questi colloqui dove fuggo
da quel che sono o prima sono stato
per confondermi con l'Universo e lì sentire
ciò che mai posso esprimere
né del tutto celare.”*
George Gordon Byron

