

University of Groningen

Organic chemistry around young high-mass stars

Allen, Veronica Amber

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2018

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Allen, V. A. (2018). *Organic chemistry around young high-mass stars: Observational and theoretical*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



university of
 groningen

Organic chemistry around young high-mass stars

Observational and Theoretical

PhD thesis

to obtain the degree of PhD at the
 University of Groningen
 on the authority of the
 Rector Magnificus Prof. E. Sterken
 and in accordance with
 the decision by the College of Deans.

This thesis will be defended in public on

Friday 12 October 2018 at 9:00 hours

by

Veronica Amber Allen

born on 13 March 1986
 in Omaha, Nebraska, United States

Supervisors

Prof. F. F. S. van der Tak

Prof. P. D. Barthel

Assessment committee

Prof. E. F. van Dishoeck

Prof. I. E. E. Kamp

Prof. P. Caselli

*To Evelyn, Tristan, and Mat who
supported me even in the darkest of times.
And to all who follow their dreams even
though the road is long and winding.*

The research leading to this thesis was funded by NOVA, SRON, and NWO.

This research makes use of data collected at the Atacama Large (sub)Millimeter Array (ALMA), the IRAM Northern Extended Millimeter Array (NOEMA), and the IRAM 30m telescope. ALMA is a partnership of ESO (representing its member states), NSF (USA) and NINS (Japan), together with NRC (Canada), MOST and ASIAA (Taiwan), and KASI (Republic of Korea), in cooperation with the Republic of Chile. The Joint ALMA Observatory is operated by ESO, AUI/NRAO and NAOJ. IRAM is supported by INSU/CNRS (France), MPG (Germany) and IGN (Spain).

Cover design: Nebula by Alexi Elconin, Molecules by Nick Oberg

Printed by: Gildeprint

ISBN: 978-94-034-1004-3

ISBN: 978-94-034-1003-6 (electronic version)

Contents

1	Introduction	1
1.1	Star formation	3
1.1.1	The first stages	3
1.1.2	Low-mass star formation	4
1.1.3	High-mass star formation	6
1.1.4	Circumstellar disks	9
1.1.5	Hot Cores	9
1.2	Astrochemistry	10
1.2.1	A multidisciplinary field	10
1.2.2	Complex organic molecules	12
1.2.3	Gas and grain chemistry	12
1.2.4	Chemical modeling	16
1.3	Observational astrochemistry	18
1.3.1	Observing with sub-millimeter telescopes	18
1.3.2	Moment maps	20
1.3.3	Spectral modeling	20
1.4	Goals of this thesis	21
1.5	Outline	21
2	Chemical segregation in hot cores with disk candidates	23
2.1	Introduction	25
2.2	Observations and methods	27
2.2.1	Observations	27
2.2.2	Line identification process	29
2.2.3	Image analysis	32
2.3	Results and analysis	35
2.3.1	Line detections	35

2.3.2	Line profiles	37
2.3.3	Kinetic gas temperatures	39
2.3.4	Molecular column densities	43
2.4	Discussion	51
2.4.1	Overall chemical composition	51
2.4.2	Chemical segregation in G35.20	53
2.4.3	HNCO and Formamide co-spatial emission	57
2.4.4	Deuteration	57
2.4.5	Comparison to other hot cores	60
2.5	Conclusions	61
Appendices		63
2.A	Properties of detected lines	63
2.B	Line properties per core (organized by species)	76
2.C	XCLASS fit errors	99
2.D	XCLASS analysis details	106
2.D.1	S-bearing	106
2.D.2	O-bearing organics	106
2.D.3	N-bearing organics	108
2.D.4	H-, N-, and O-bearing organics	109
2.D.5	Vibrationally excited transitions	109
2.D.6	Isotopologues and deuteration	111
2.E	Line ID xclass fits	111
3	Complex cyanides as chemical clocks in hot cores	133
3.1	Introduction	135
3.2	Chemical model	137
3.2.1	Model setup	137
3.2.2	Initial conditions	140
3.2.3	Modeling approach	142
3.3	Results	142
3.3.1	Fiducial model	145
3.3.2	Reaction-diffusion competition excluded	147
3.3.3	Varying the initial temperature	148
3.3.4	Continuing with constant high temperature gas-phase chemistry	148
3.3.5	HCN as an initial ice species	151
3.3.6	Varying the cosmic-ray ionization rate	151

3.3.7	Dominant formation routes	153
3.4	Discussion	156
3.4.1	General test differences	156
3.4.2	Reproducing source B3	157
3.4.3	Warm-up times	158
3.5	Conclusions	158
Appendices		161
3.A	Comparison with Garrod et al. (2008)	161
3.B	Initial conditions	162
3.C	Abundance ranges with errors	163
3.D	Time ranges	163
4	Mechanical properties of the molecular outflows from the high-mass disk candidates G35.20-0.74 and G35.03+0.35173	173
4.1	Introduction	175
4.2	Observations	177
4.3	Results	179
4.3.1	HCO ⁺ maps	179
4.3.2	SiO maps	179
4.3.3	H ¹³ CO ⁺ emission	179
4.4	Outflow properties	182
4.4.1	Methodology	182
4.4.2	Results	183
4.5	Discussion	185
4.5.1	The nature of the G35.20 outflows	185
4.5.2	G35.03	186
4.5.3	Outflow Properties	187
4.6	Conclusions	188
Appendices		189
4.A	Comparing Outflow Properties with Wu et al. (2004)	189
4.B	Channel Maps	193
5	An observational experiment to determine the precursor of interstellar formamide	197
5.1	Introduction	199
5.2	Observations and Method	201

5.2.1	Source Sample	201
5.2.2	Observations	201
5.2.3	Line identification	203
5.3	Comparison of formamide emission to possible precursors	206
5.3.1	Comparison of spatial distribution	209
5.3.2	Comparison of the velocity field	213
5.3.3	Comparison of the velocity dispersion	217
5.3.4	Comparison of column densities and excitation temperatures	221
5.4	Discussion	224
5.4.1	Overall map trends	224
5.4.2	XCLASS analysis	226
5.5	Conclusions	227
Appendices		229
5.A	XCLASS results with errors	229
5.B	XCLASS fits	229
5.C	Histograms	246
6	Conclusions and Outlook	259
6.1	Summary and conclusions	259
6.2	Future Outlook	261
7	Additional sections	263
7.1	English Summary	263
7.2	Nederlandse samenvatting	272
7.3	Acknowledgements	281