

University of Groningen

Combined effects of inorganic carbon and light on *Phaeocystis globosa* Scherffel (Prymnesiophyceae)

Hoogstraten, A.; Peters, M.; Timmermans, K. R.; de Baar, H. J. W.

Published in:
Biogeosciences

DOI:
[10.5194/bg-9-1885-2012](https://doi.org/10.5194/bg-9-1885-2012)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2012

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Hoogstraten, A., Peters, M., Timmermans, K. R., & de Baar, H. J. W. (2012). Combined effects of inorganic carbon and light on *Phaeocystis globosa* Scherffel (Prymnesiophyceae). *Biogeosciences*, 9(5), 1885-1896. <https://doi.org/10.5194/bg-9-1885-2012>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Table S1: Cell abundance (in triplicates) during the experiment.

Time (d)	High Light			Low Light		
	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}
13.0	1.64·10 ⁴	1.56·10 ⁴	1.44·10 ⁴	1.50·10 ⁴	1.47·10 ⁴	1.39·10 ⁴
	1.44·10 ⁴	1.50·10 ⁴	1.44·10 ⁴	1.58·10 ⁴	1.45·10 ⁴	1.39·10 ⁴
	1.51·10 ⁴	1.49·10 ⁴	1.37·10 ⁴	1.53·10 ⁴	1.40·10 ⁴	1.42·10 ⁴
13.8	5.15·10 ⁴	4.63·10 ⁴	3.65·10 ⁴	3.60·10 ⁴	3.48·10 ⁴	3.63·10 ⁴
	5.05·10 ⁴	4.50·10 ⁴	3.60·10 ⁴	3.57·10 ⁴	3.50·10 ⁴	3.60·10 ⁴
	5.05·10 ⁴	4.55·10 ⁴	3.59·10 ⁴	3.66·10 ⁴	3.45·10 ⁴	3.66·10 ⁴
14.0	1.73·10 ⁴	1.54·10 ⁴	1.41·10 ⁴	1.49·10 ⁴	1.39·10 ⁴	1.35·10 ⁴
	1.58·10 ⁴	1.51·10 ⁴	1.49·10 ⁴	1.55·10 ⁴	1.39·10 ⁴	1.37·10 ⁴
	1.61·10 ⁴	1.48·10 ⁴	1.43·10 ⁴	1.52·10 ⁴	1.31·10 ⁴	1.42·10 ⁴
14.7	5.25·10 ⁴	4.41·10 ⁴	3.69·10 ⁴	3.77·10 ⁴	3.54·10 ⁴	3.64·10 ⁴
	5.52·10 ⁴	4.43·10 ⁴	3.78·10 ⁴	3.75·10 ⁴	3.63·10 ⁴	3.68·10 ⁴
	5.43·10 ⁴	4.31·10 ⁴	3.69·10 ⁴	3.68·10 ⁴	3.54·10 ⁴	3.55·10 ⁴
14.9	1.46·10 ⁴	1.45·10 ⁴	1.25·10 ⁴	1.56·10 ⁴	1.25·10 ⁴	1.23·10 ⁴
	1.54·10 ⁴	1.45·10 ⁴	1.23·10 ⁴	1.53·10 ⁴	1.21·10 ⁴	1.21·10 ⁴
	1.51·10 ⁴	1.43·10 ⁴	1.20·10 ⁴	1.41·10 ⁴	1.21·10 ⁴	1.23·10 ⁴
15.7	5.31·10 ⁴	4.12·10 ⁴	3.32·10 ⁴	3.58·10 ⁴	3.42·10 ⁴	3.19·10 ⁴
	5.32·10 ⁴	3.95·10 ⁴	3.19·10 ⁴	3.74·10 ⁴	3.36·10 ⁴	3.26·10 ⁴
	5.32·10 ⁴	4.02·10 ⁴	3.19·10 ⁴	3.63·10 ⁴	3.33·10 ⁴	3.22·10 ⁴
15.9	1.48·10 ⁴	1.46·10 ⁴	1.31·10 ⁴	1.47·10 ⁴	1.23·10 ⁴	
	1.50·10 ⁴	1.45·10 ⁴	1.37·10 ⁴	1.53·10 ⁴	1.25·10 ⁴	1.15·10 ⁴
	1.48·10 ⁴	1.41·10 ⁴	1.36·10 ⁴	1.50·10 ⁴	1.21·10 ⁴	1.12·10 ⁴
16.7	4.85·10 ⁴	3.78·10 ⁴	3.27·10 ⁴	3.17·10 ⁴	3.12·10 ⁴	3.26·10 ⁴
	4.73·10 ⁴	3.77·10 ⁴	3.21·10 ⁴	3.32·10 ⁴	3.11·10 ⁴	3.19·10 ⁴
	4.86·10 ⁴	3.70·10 ⁴	3.28·10 ⁴	3.26·10 ⁴	3.07·10 ⁴	3.30·10 ⁴
16.8	1.53·10 ⁴	1.51·10 ⁴	1.39·10 ⁴	1.33·10 ⁴	1.33·10 ⁴	1.43·10 ⁴

	$1.55 \cdot 10^4$	$1.51 \cdot 10^4$	$1.45 \cdot 10^4$	$1.31 \cdot 10^4$	$1.36 \cdot 10^4$	$1.31 \cdot 10^4$
	$1.44 \cdot 10^4$	$1.54 \cdot 10^4$	$1.37 \cdot 10^4$	$1.34 \cdot 10^4$	$1.46 \cdot 10^4$	$1.36 \cdot 10^4$
17.7	$5.08 \cdot 10^4$	$2.96 \cdot 10^4$	$3.39 \cdot 10^4$	$2.93 \cdot 10^4$	$3.74 \cdot 10^4$	$3.41 \cdot 10^4$
	$5.09 \cdot 10^4$	$3.05 \cdot 10^4$	$3.33 \cdot 10^4$	$2.91 \cdot 10^4$	$3.85 \cdot 10^4$	$3.52 \cdot 10^4$
	$5.07 \cdot 10^4$	$2.91 \cdot 10^4$	$3.40 \cdot 10^4$	$2.94 \cdot 10^4$	$3.71 \cdot 10^4$	$3.38 \cdot 10^4$
17.8	$1.52 \cdot 10^4$	$1.80 \cdot 10^4$	$1.52 \cdot 10^4$	$1.45 \cdot 10^4$	$1.42 \cdot 10^4$	$1.35 \cdot 10^4$
	$1.49 \cdot 10^4$	$1.71 \cdot 10^4$	$1.49 \cdot 10^4$	$1.46 \cdot 10^4$	$1.48 \cdot 10^4$	$1.41 \cdot 10^4$
	$1.45 \cdot 10^4$	$1.70 \cdot 10^4$	$1.53 \cdot 10^4$	$1.47 \cdot 10^4$	$1.43 \cdot 10^4$	$1.24 \cdot 10^4$
18.8	$4.27 \cdot 10^4$	$4.77 \cdot 10^4$	$3.64 \cdot 10^4$	$3.10 \cdot 10^4$	$3.63 \cdot 10^4$	$1.24 \cdot 10^4$
	$4.42 \cdot 10^4$	$4.69 \cdot 10^4$	$3.54 \cdot 10^4$	$3.08 \cdot 10^4$	$3.54 \cdot 10^4$	$4.92 \cdot 10^4$
	$4.60 \cdot 10^4$	$4.77 \cdot 10^4$	$3.65 \cdot 10^4$	$3.06 \cdot 10^4$	$3.48 \cdot 10^4$	$3.43 \cdot 10^4$

Table S2: Dissolved inorganic carbon concentrations ($\mu\text{mol}\cdot\text{kg}^{-1}$) during the experiment, as measured.

Time (d)	High Light			Low Light		
	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}
13.0	1901.2		2278.3	1914.00	1980.1	2299.1
13.8	1894.6	2090.4	2253.6	1921.3	1983.4	2299.9
14.0	1910.6	2107.0	2255.9	1922.6	1992.6	2310.5
14.7	1909.8	2110.4		1925.7	1981.7	2304.3
14.9	1921.7	2119.5	2267.1	1925.5	1990.4	2318.6
15.7		2159.0	2280.1		1990.1	2299.5
15.9	1928.1		2287.3	1942.0	2012.5	2323.6
16.7	1930.0	2145.2	2299.7	1950.9	2016.7	2321.8
16.8	1936.6	2153.6	2299.8	1948.6	2021.6	2321.3
17.7	1928.7	2151.9	2306.7	1973.3	2022.2	2319.9
17.8	1945.6	2160.5	2307.1	1964.1	2025.0	2323.6
18.8	1931.8	2111.5	2289.5	1950.9	2024.9	2315.9

Table S3: Total Alkalinity ($\mu\text{mol}\cdot\text{kg}^{-1}$) during the experiment, as measured.

Time (d)	High Light			Low Light		
	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}
13.0	2474.2	2476.1	2475.9	2474.4	2474.6	2479.7
13.8	2481.1	2479.2	2479.6	2478.3	2477.2	2480.7
14.0	2477.7	2478.8	2475.2	2471.0	2470.3	2474.9
14.7	2474.6	2475.2	2472.8	2472.8	2471.9	2476.2
14.9	2470.9	2475.8	2469.1	2472.0	2474.0	2476.8
15.7	2473.5	2475.3	2470.5	2471.7	2470.4	2477.9
15.9	2471.1	2469.9	2472.0	2474.3	2473.5	2478.5
16.7	2478.6	2475.9	2476.1	2477.0	2477.1	2485.6
16.8	2476.6	2474.7	2480.1	2477.5	2473.9	2478.5
17.7	2479.3	2475.4	2483.4	2476.9	2475.0	2478.8
17.8	2474.9	2477.7	2481.3	2484.3	2476.0	2477.4
18.8	2483.5	2480.4	2489.2	2479.8	2478.4	2483.3

Table S4: Nitrate concentrations during the experiment

Time (d)	High Light			Low Light		
	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}
13.0	56.5	56.3	58.3	57.3	57.0	57.1
13.8	53.3	52.6	56.1	55.5	55.5	55.0
14.0	55.9	55.6	58.4	57.2	57.4	57.9
14.7			56.5	55.7	55.5	54.9
14.9	56.4	56.3	59.1	57.4	57.5	57.5
15.7	53.1	54.1	56.9	56.2	55.8	55.4
15.9	56.7	56.4	58.9	57.6	57.8	57.7
16.7	53.7	54.3	57.2	56.4	55.6	55.4
16.8	56.6	56.2	59.3	57.9	56.9	57.3
17.7	53.3	54.1	56.8	56.6	54.7	55.1
17.8	56.7	55.4	58.7	57.7	56.5	57.1
18.8	52.4	52.0	55.8	55.9	54.0	54.3

Table S5: Phosphate concentrations during the experiment

Time (d)	High Light			Low Light		
	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}	Low CO _{2(aq)}	Intermediate CO _{2(aq)}	High CO _{2(aq)}
13.0	3.4	3.5	3.5	3.5	3.5	3.4
13.8	3.2	3.3	3.4	3.4	3.4	3.3
14.0	3.3	3.4	3.5	3.5	3.5	3.4
14.7			3.4	3.4	3.4	3.3
14.9	3.4	3.4	3.6	3.5	3.5	3.4
15.7	3.2	3.3	3.4	3.4	3.4	3.3
15.9	3.5	3.6	3.6	3.6	3.8	3.5
16.7	3.3	3.3	3.4	3.5	3.4	3.3
16.8	3.4	3.4	3.5	3.6	3.5	3.4
17.7	3.3	3.3	3.4	3.5	3.4	3.3
17.8	3.4	3.4	3.5	3.5	3.5	3.4
18.8	3.2	3.2	3.3	3.4	3.4	3.2

Figure S1A and B: The difference between the predicted and measured alkalinity ($A_{T(\text{pred-meas})}$, $\mu\text{mol}\cdot\text{kg}^{-1}$, as described in the materials and methods) plotted against the particulate organic carbon concentration (POC, μM) in a linear regression plot. A. data from all cultures ($y=-0.14x+13.24$, $r^2=0.03$). B. high light data (HL, open circles and solid regression line, $y=-0.35x+24.29$, $r^2=0.31$) and low light data (LL, closed circles and dashed regression line, $y=0.50x-11.31$, $r^2=0.10$) are plotted separate.

