

University of Groningen

## Early detection of patient deterioration in patients with infection or sepsis

Quinten, Vincent

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2019

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Quinten, V. (2019). *Early detection of patient deterioration in patients with infection or sepsis*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

---

**PUBLICATIONS**

**Quinten VM**, van Meurs M, Olgers TJ, Vonk JM, Ligtenberg JJM, ter Maaten JC. Repeated vital sign measurements in the emergency department predict patient deterioration within 72 hours: A prospective observational study. *Scand J Trauma Resusc Emerg Med* 2018; 26: 57.

**Quinten VM**, van Meurs M, Ligtenberg JJ, ter Maaten JC. Prehospital antibiotics for sepsis: beyond mortality? *Lancet Respir Med* 2018; 6: 168–70.

**Quinten VM**, van Meurs M, Renes MH, Ligtenberg JJM, Ter Maaten JC. Protocol of the sepsivit study: a prospective observational study to determine whether continuous heart rate variability measurement during the first 48 hours of hospitalisation provides an early warning for deterioration in patients presenting with infection or sepsis to the emergency department of a Dutch academic teaching hospital. *BMJ Open* 2017; 7: e018259.

**Quinten VM**, Van Meurs M, Wolffensperger AE, Ter Maaten JC, Ligtenberg JJM. Sepsis patients in the emergency department: Stratification using the Clinical Impression Score, Predisposition, Infection, Response and Organ dysfunction score or quick Sequential Organ Failure Assessment score? *Eur J Emerg Med* 2018; 25: 328–34.

**Quinten VM**, van Meurs M, Ter Maaten JC, Ligtenberg JJ. Trends in vital signs and routine biomarkers in patients with sepsis during resuscitation in the emergency department: a prospective observational pilot study. *BMJ Open* 2016; 6: 9718.

**Quinten VM**, Van Meurs M, Ter Maaten JC, Ligtenberg JJM. Biomarkers or Clinical Observations to Identify (Outcome of) Emergency Department Patients with Infection? *Shock* 2016; 46: 108.

**Quinten VM**, Meent R Van De, Pras A. Analysis of Techniques for Protection Against Spam over Internet Telephony. Dependable and Adaptable Networks and Services. EUNICE 2007. Lecture Notes in Computer Science, vol 4606. Springer, Berlin, Heidelberg, 2007.

