

## University of Groningen

### Picking up the pace

Menting, Stein

DOI:  
[10.33612/diss.773797642](https://doi.org/10.33612/diss.773797642)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2023

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*  
Menting, S. (2023). *Picking up the pace: the development of pacing behaviour during adolescence*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.  
<https://doi.org/10.33612/diss.773797642>

#### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

#### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

## Chapter 5

# Pacing behaviour development and acquisition: a systematic review



Adapted from:

Menting S.G.P., Edwards A.M., Hettinga F.J., Elferink-Gemser M.T. Pacing Behaviour Development and Acquisition: A Systematic Review. *Sports Medicine – Open*. 2022;8(1):143

## Abstract

**Background:** The goal-directed decision-making process of effort distribution (i.e. pacing) allows individuals to efficiently use energy resources as well as to manage the impact of fatigue on performance during exercise. Given the shared characteristics between pacing behaviour and other skilled behaviour, it was hypothesized that pacing behaviour would adhere to the same processes associated with skill acquisition and development.

**Methods:** The Pubmed, Web of Science and PsychINFO databases between January 1995 and 2022 were searched for articles relating to the pacing behaviour of individuals 1) younger than 18 years of age, or 2) repeatedly performing the same exercise task, or 3) with different levels of experience.

**Results:** The search resulted in 64 articles reporting on the effect of age (n=33), repeated task exposure (n=29) or differing levels of experience (n=13) on pacing behaviour. Empirical evidence identifies the development of pacing behaviour starts during childhood (~10 years old) and continues throughout adolescence. This development is characterized by an increasingly better fit to the task demands, encompassing the task characteristics (e.g. duration) and environmental factors (e.g. opponents). Gaining task experience leads to an increased capability to attain a predetermined pace and results in pacing behaviour that better fits task demands.

**Conclusions:** Similar to skilled behaviour, physical maturation and cognitive development likely drive the development of pacing behaviour. Pacing behaviour follows established processes of skill acquisition, as repeated task execution improves the match between stimuli (e.g. task demands and afferent signals) and actions (i.e. continuing, increasing or decreasing the exerted effort) with the resulting exercise task performance. Furthermore, with increased task experience attentional capacity is freed for secondary tasks (e.g. incorporating opponents), and the goal selection is changed from achieving task completion to optimizing task performance. As the development and acquisition of pacing resemble that of other skills, established concepts in the literature (e.g. intervention-induced variability and augmented feedback) could enrich pacing research and be the basis for practical applications in physical education, healthcare, and sports.

**Keywords:** pacing, skill, development, junior, acquisition, experience, sports, exercise.

## **1. Background**

Humans are unable to sustain high-intensity physical work indefinitely, and thus exercise performance has limitations, of which the causes are diverse depending on the specific activity (1). Sustained physical work over a defined performance duration has been shown to result in either an involuntary decline in motor skill execution or requires an increasing effort to maintain performance level (2). These phenomena are interlinked with changes in sensations that regulate the physiological integrity of the exerciser, such as localised pain, nausea and heat stress, which collectively represent the concept of fatigue (2). To deal with these phenomena in a sports setting, the exerciser needs to manage the balance of exertion required to successfully complete the task's goal, with an optimal distribution of energy resources adapted to the duration of the event (1, 3). This balances the power losses needed to overcome velocity-related frictional forces and power production (4), while avoiding premature deterioration of motor skill performance due to overwhelming or catastrophic fatigue (5). Achieving this balance is of particular relevance in technical sports such as speed skating (6). In order to perform this feat, exercisers engage in the process of decision-making regarding how and when to exert effort to successfully complete physical tasks (7, 8). At a fundamental level, the continuous decision to be made by the exerciser is whether to increase, decrease or continue exerting the same level the effort (9). This decision is influenced by factors such as the exercise task characteristics (e.g. exercise duration (10) and biomechanical traits (6)) and the environment (e.g. presence of opponents (11) or temperature (12)), in combination with afferent signals from the skeletomuscular system (1). This goal-directed decision-making process regulating the distribution of effort over a predetermined exercise task has been defined as pacing (7, 13). Given that humans are not entirely rational decision-makers (14), factors like motivation (15), mood (16), and self-efficacy (17) impact decision-making and subsequent task performance. It is important to state that the self-regulatory elements of the pacing process are thought to be cyclical; the experience that is gained with each iteration of the task is used to recalibrate the informed decision-making for the next task execution (18).

Pacing fits the description of a skill, as it is task-specific, goal-directed behaviour that is improved with increased training and experience (19, 20). Skills are often investigated at a behavioural level; the study of skilled behaviour is concerned with the quantification of the extent to which a given behaviour achieved the goal that was intended or instructed (19). When considering pacing in this context, the outcome of the goal-directed decision-making process regarding the distribution of effort could therefore be defined as 'pacing behaviour'. Quantifying pacing behaviour has generally been achieved by plotting an outcome measure for effort (e.g. power output) over time (21, 22). The view of pacing as a skill reflects that it goes through development and has to be acquired (23, 24). Skill development encompasses the effect of age, specifically in maturing children and adolescents, on skilled behaviour (19). Any real-world exercise task necessarily entails both cognitive and motor components, which undergo drastic development during childhood and adolescence (25).

To illustrate: on average, the adolescent growth spurt starts at approximately 9 years of age in girls and about 11 years of age in boys, with a peak height velocity at an average age of 12 and 14 years old, for girls and boys respectively (26, 27). Physical attributes which play a key role during exercise, such as total lung capacity, alveolar surface, stroke volume and cardiac output of the heart, and muscle mass, develop accordingly (28, 29). Additionally, the period between 10 and 24 years old is distinguished by a reorganisation of the neural circuitry of the higher brain centres (30, 31). The higher brain centre to develop most during this period is the prefrontal cortex, the area of the brain associated with abstract thinking, planning and decision-making (31, 32). Neurological evidence suggests that the prefrontal cortex is essential to pacing as it is said to facilitate the integration of afferent feedback into top-down control of motor unit recruitment [55]. As pacing encompasses a complex psychophysiological process (1, 33), it seems more than likely that it develops throughout childhood and adolescence (1, 18, 34). Developing the skill to adequately pace an exercise task is crucial in an individuals' development as it provides a feeling of competence, motivating children and adolescents to engage more in exercise, with all the associated health benefits in later life (1). Vice versa, inadequate development of pacing behaviour could negatively impact exercise performance while also affecting individuals' long term exercise practices, health and well-being (34, 35). A repeated inaccuracy in the distribution of effort during repeated exercise tasks over a longer period of time could lead to task overexertion, which could result in overtraining, injuries, burn-out and disincentivisation to exercise, eventually causing drop-out of exercise and physical activity (1, 35). At an acute level, a sub-optimal development of pacing behaviour could also yield problems for populations who experience difficulty self-regulating effort (36), such as people with an intellectual impairment (37). A better understanding of the pathway and underpinning mechanisms of pacing behaviour development would therefore be a valuable tool to aid children's development (18, 34).

Skill acquisition is defined as the relatively permanent change in behaviour resulting from prior experience (19, 38). It is thought that skill acquisition goes through phases (19, 25, 39). Initially, learners focus mainly on associating stimuli and actions in order to achieve the task goal. As acquisition continues, the relationship between variations in behaviour and task performance is used as a recalibration of the skill: good strategies are maintained, and inappropriate ones are discarded. The late stage of skill acquisition is often evidenced by the level of automatization; the learner performs the task using less of their conscious attention, leaving cognitive capacity for the execution of secondary tasks. When categorizing pacing as a skill, it is logical to assume that similar processes underlie the process of learning how to pace an exercise task. This allows for the application of lessons from skill acquisition literature in the field of pacing. Studying pacing in a skill acquisition framework could, therefore, not only provide valuable information to the ongoing discussion regarding the debated workings of the pacing process (15, 40) but also provide practical information to coaches and healthcare professionals who aim to correct or fine-tune an individual's

distribution of effort by means of practice, to improve physical activity performance in both sports or healthcare settings (21, 41).


The relation between pacing behaviour and various physiological (1, 13), biomechanical (42), psychological (43) and, more recently neurological (44) variables have been extensively studied to gain a deeper understanding of the symbiotic relation between pacing behaviour and exercise task performance. However, the development of pacing behaviour during childhood and adolescence and the acquisition of the skill through experience have received limited attention, despite holding the promise of a wealth of theoretical knowledge and practical applications. This review, therefore, aims to investigate the development of pacing behaviour during childhood and adolescence as well as the acquisition of the skill through experience. To achieve this aim, the existing literature will be systematically analysed for the effect of age (up until 18 years old) and gathering experience on pacing behaviour. Recognizing the similarities between pacing behaviour and skilled behaviour, it is hypothesized that pacing behaviour would adhere to the same characteristics associated with skill acquisition and development. If this is indeed the case, lessons learned for skill acquisition and development could be used to enrich the field of pacing research with future research goals and form practical guidelines to improve exercise performance.

## 2. Methods

The current systematic review will be restricted to pacing behaviour in a sports and exercise setting, including only articles investigating a healthy population (for more information on pacing behaviour in a healthcare setting we recommend the review of Abonie *et al.* (41)). The study of pacing behaviour has a valuable role in healthcare and rehabilitation settings, such as when reacquiring skills after neurological injury (36, 41). However, the majority of literature investigating pacing behaviour is set in a sports science setting where competition and maximal effort trials are common. The sports laboratory environment is well suited as a basis for experimental research, as it facilitates a standardized approach to a physical performance task in a controlled setting, measured by validated and accurate equipment (45). The PubMed, Web of Science and PsychINFO databases were searched for literature pertaining to the development and acquisition of pacing behaviour. The following search strategy was used:

- 1) Sport [Mesh]
- AND
- 2) Pacing OR Pacing behaviour OR Pacing strategy OR Race analysis
- AND
- 3) Develop OR Learn OR Experience OR Novice OR Age OR Children OR Adolescence OR Junior OR Youth OR Boy OR Girl.

Included articles had to be written in English, published between January 1995 and January 2022 and peer-reviewed. The option for human participants was selected for PubMed and PsychINFO, in Web of Science (AND Human\*) was added to line 1 of the search strategy. Following the literature on skill learning and development (19, 20), the included articles had to report on one or a combination of the following topics: the pacing behaviour of individuals younger than 18 years of age or the pacing behaviour of individuals repeatedly performing the same (or a very similar) exercise task or the effect of a period of practice on pacing behaviour (e.g. through a training program) or the comparison of pacing behaviour between groups with different levels of experience (i.e. novices vs. experts). To provide an extensive overview of the available literature, no selection was made regarding the type of exercise task (e.g. endurance, team-sport, resistance).



**Figure 1.** Flow diagram of the literature selection process with included articles (n) after each stage.

Included articles had to quantify pacing behaviour by expressing a measure of effort (e.g. energy store depletion, power output, velocity) over a subset of the full exercise task (e.g. percentage of task completed). The initial search resulted in 505 articles (248 PubMed, 189 Web of Science, 68 PsychINFO). After eliminating duplicates, 447 articles remained. Screening the titles and abstracts, followed by screening the full text, lead to an exclusion of 388 articles, leaving 59 included articles (Figure 1). To these included articles, the authors added five articles, which did not occur in the literature search, but instead were found through the reading of the introduction and discussion sections of included articles (specifically marked in Table 1). These five articles met the inclusion criteria and were deemed to yield valuable information regarding the aim of the current study.

### **3. Results**

#### ***3.1 The development of pacing behaviour in individuals under 18 years of age.***

The articles included in this evaluation comprise a broad selection of exercise tasks and research designs (Table 1). The majority of the articles investigated tasks related to endurance sports, encompassing cycling (n = 19, distance: 1500m-20 km), running (n = 16, distance: 400m - 42.2 km), rowing (n = 6, distance: 1-2 km), swimming (n = 7, distance: 50-1500 m), speed skating (n = 4, distance: 1500-m) cross-country skiing (n = 3, distance: 4.3 - 90 km) or another endurance sport (n = 4). Team sports were investigated in two articles. The other studies investigated individuals performing an exercise circuit (n = 2), a repeated jumping (n = 1), sprinting (n = 1) or resistance (n = 1) task. In total, 41 studies investigated pacing behaviour in a controlled laboratory or field setting, whereas 21 articles investigated the pacing behaviour of athletes during competition. Two studies combined both study designs.

#### ***3.2 The development of pacing behaviour in individuals under 18 years of age.***

A total of 33 included articles reported on the pacing behaviour of individuals under the age of 18 years, distributed between the age ranges of 5-10 (n=1), 10-14 (n=4) and 14-18 (n=28) years old (Table 1). Six studies compared the pacing behaviour of children and adolescents of differing ages, four of which used a cross-sectional design (46-49) and two using a longitudinal design (50, 51).

When cross-sectionally comparing the pacing behaviour of schoolchildren performing a 3-4 minute running task, the groups with an age averaging 5.6 and 8.7 years old exhibited an all-out pacing behaviour, characterized by a fast start and a gradual decline in speed until the end of the task (47). Conversely, groups of older children (averaging 11.8 and 14.0 years old) exhibited a parabolic distribution of effort, with a fast start and an end-spurt finish but a relatively slower middle section. This parabolic distribution has also been reported by two other articles studying the pacing behaviour of children between 10 and 13 years



old, performing similar exercise tasks (52, 53). Four included studies compared the pacing behaviour of adolescents and adults, performing middle-distance tasks of running (54, 55), swimming (48), and cross-country skiing (56), reporting that adolescents exhibited a parabolic distribution of effort, whereas adults exhibited a more even pace. Indeed, when long-track speed skaters competing in a 1500-m race were longitudinally measured at 15, 17 and 19 years of age, the skaters exhibited a development of pacing behaviour towards that of adult skaters, characterized by a relative slower start and faster middle section (51).

Parallel to development in the distribution of effort itself, the influence of environmental factors on pacing behaviour seems to develop with age. The presence of other exercisers was reported to have a detrimental effect on exercise performance in younger children ( $10.3 \pm 0.7$  years old) (53), no effect in adolescents ( $15.8 \pm 1.0$  years old) (57) and resulted in an improvement in performance in adults (58). An alteration of pacing behaviour was reported to be the cause of the change in exercise performance (53, 58). Further corroboration was provided by two studies investigating short-track speed skating, a head-to-head type of competition featuring a highly interactive environment (46, 50). Throughout adolescence, short-track speed skaters seemed to develop both their positioning during the race as well as their capability to preserve energy during the initial phase of the race (46, 50). These adaptations indicate an improved integration of environmental factors in the athletes' pacing behaviour and are linked to a higher velocity during the critical final laps resulting in improved race performance (59).

### ***3.3 The effect of experience on pacing behaviour.***

The effect of prior experience on pacing behaviour has been investigated in thirteen included articles (Table 1) by means of comparing the pacing behaviour of adult exercisers of differing levels of experience performing a predetermined exercise task. More experienced exercisers are not only better able to exercise at a prescribed pace (60), but also exhibit a pacing behaviour more suited to the needs of the specific exercise task. Generally, this is expressed as an all-out behaviour during short tasks (61) (<120 seconds), or a more even pacing behaviour during longer exercise tasks (62-64) (>120 seconds). Experienced individuals are also able to successfully incorporate environmental factors (e.g. terrain) into their pacing behaviour, aiding their performance (65, 66). Novice exercisers seem to prefer information regarding task completion (distance) and mainly report dissociative, outward monitoring thoughts (67, 68). Experienced exercisers, on the other hand, prefer information concerning task performance (speed) and primary report associative, task-focused thoughts (concerning power and cadence) (67, 68).

A total of seven articles reported on the acquisition of pacing behaviour through repeatedly exposing adult novices to the same exercise task. Two of these studies incorporated a training program between repeated bouts of exercise (69, 70). All seven studies involved exercise tasks with a duration longer than 120 seconds (minimum: 189.4 seconds (71), maximum: 2708.35 seconds (72)), and all reported a change in pacing behaviour with

repeated task exposure. Within three studies, this was expressed by a decrease in effort during the first section of the task and an increase in the final section (71-73). Four studies reported an increase in effort during the initial and middle sections and a decrease during the final section (67, 69, 70, 74). Two studies reported that the adaptation of power output distribution during consecutive tasks was paralleled by the anaerobic energy expenditure and blood lactate levels, indicating a change in the management of energy reserves over the bout duration (70, 71). Lastly, the manipulation of the effect of gaining experience on pacing behaviour by interventions such as withholding information on task duration (75), providing only a half familiarisation (72), or withholding duration feedback or providing false feedback during the trial (5% improvement compared to actual performance) (76), lead to a maladaptation of pacing behaviour and a decrease in exercise performance.

## **4. Discussion**

This review provides the first consolidated evidence that pacing behaviour in exercisers up to 18 years old develops with age. This demonstrates that pacing behaviour development starts in childhood and continues through adolescence. All included studies examining the effect of repeated task exposure on pacing behaviour in adults ( $n = 7$ ) support the hypothesis that pacing behaviour is acquired through the gathering of exercise task experience, similar to other skilled behaviour. Manipulation of the skill acquisition process by interfering with the gathering of task experience results in a maladaptation of pacing behaviour ( $n = 3$ ). It is, therefore, apparent that pacing is similar to other skills, in so far that it has a developmental pathway and appears not to reach maturity until adulthood, by which time there is still capacity to further improve through task experience.

### **4.1 Pacing behaviour development**

The characteristics of pacing behaviour among young children (<9 years old) tend to manifest in inconsistent approaches to the task demands, encompassing both the task characteristics (e.g. workload) and the environment (e.g. other competitors). An example is the adoption of an all-out approach of maximal effort until fatigue in an exercise task lasting over 120 seconds, in which an even distribution is known to lead to better performance (77, 78). However, with age, a development towards a parabolic distribution of effort is evident in tasks with similar demands. This parabolic pacing behaviour includes a conservation of effort at the start of the exercise, reflecting an increased involvement of goal-directed decision-making regarding effort distribution. The development of pacing behaviour continues during adolescence, with the manifestation of pacing behaviour which increasingly fits the task demands. As part of this development, exercisers are not only able to pace their efforts during an isolated time trial event, but also in complex situations in which environmental factors (e.g. opponents) need to be taken into consideration (79, 80).


Given that pacing behaviour is similar to other skilled behaviour, it is likely that the origin of the development of pacing behaviour can be traced to primary features of childhood

and adolescence: physical maturation and cognitive development. Indeed, various physical maturity milestones, such as the growth spurt and the trajectory of muscle mass development (26-29), seem to match the roadmap of pacing behaviour development, as described above. Unfortunately, only four included studies reported on the pacing behaviour of children within the age-range of the growth spurt (10-14 years old) and none of these articles reported on the relationship between a measure for physical maturation and pacing behaviour (47, 49, 52, 53). With regard to cognitive development, Micklewright *et al.* (47) reported the same development of pacing behaviour could be found based on children's ages as based on children's scores for cognition, as measured by Piaget's stages of intellectual development. It could therefore be proposed that pacing behaviour development is linked not specifically to age, but rather to the rate of cognitive development. Comparing the stages of cognitive development proposed by Piaget to the roadmap of pacing behaviour development during childhood and adolescence strengthens this hypothesis. Piaget's third stage (i.e. concrete operational stage) spans the ages 7 to 11. During this stage, children gradually gain the capability to concentrate on more than one aspect of a problem simultaneously and mentally represent actions or events based on previous experience (24). These mental capabilities could provide children with the aptitude to recall and appreciate that making decisions regarding effort distribution before and during exercise (i.e. a conservation of effort during the opening phase of the exercise), could improve their overall task performance. However, children at this stage are limited to pondering situations that are real or based on their own experiences (24). This could explain why the presence of opponents has a detrimental effect on the pacing behaviour of children (53), as the presence of opponents likely provides a stronger stimulant than the abstract notions of hypothetical future performance improvement, afforded by adopting a slower pace. Piaget's fourth stage of cognitive development (i.e. formal operational stage) ranges from 11 to 20 years old (24). During this stage, individuals gain the capability of considering ideas that are not based on reality, observable objects or experience-based thoughts (24). Additionally, individuals acquire the aptitude to systematically generate and consider multiple possible solutions to a problem (24). These mental capabilities provide a better grasp on the hypothetical future rewards from pacing one's efforts and likely underpin the continuation of the development of pacing behaviour throughout adolescence. Furthermore, these cognitive capabilities facilitate the adaptable pacing behaviour needed in complex competitive environments and therefore enable the integration of environmental factors (e.g. opponents) into the development of pacing behaviour, which occurs during adolescence.

#### **4.2 The acquisition of the skill pacing**

The current study is the first to investigate the available literature for the effect of experience on pacing behaviour. From the consolidated literature, it can be concluded that there is an evident effect of gathering experience on pacing behaviour across exercise types and durations. More experienced exercisers are not only better at adopting a prescribed pace but also exhibit a pacing behaviour that better suits the task demands and competitive environment. All included studies featuring repeated tasks revealed that with experience,

novice exercisers adapt their pacing behaviour. Although the direction of change seemed to ostensibly differ between studies, collectively, all studies reported a change towards a more even distribution of effort as experience increased (Figure 2). Within skill learning literature, the behaviour of novices is characterized by large errors and relatively large corrections for these errors (25). As the learning process proceeds, individuals learn to associate between the task stimuli, their elected actions and the resulting task performance (19, 25). Similarly, the proposed explanation for the effect of experience on pacing behaviour is a reduction of the mismatch between the exerciser's individualized performance capabilities and the task demands, encompassing both the task characteristics (e.g. workload) and the environment (e.g. terrain) (70-72, 74-76, 81). This mismatch results in the exerciser exerting too much effort (i.e. overestimation of the exerciser's performance capabilities or underestimation of the task demands) or not enough (i.e. underestimation of the exerciser's performance capabilities or overestimation of the task demands). As the pacing process is continuous, repeating mismatches between stimuli and actions can result in an undulating pace over the course of a task. Unnecessary accelerations and decelerations are detrimental to performance, as even minor fluctuations in velocity result in a greater overall energy cost (77). However, as the task is repeated, exercisers learn to associate the stimuli (e.g. task demands and afferent signals) and actions (i.e. continuing, increasing or decreasing the exerted effort) with the resulting task performance. This knowledge results in more informed decision-making, reducing the occurrence of inefficient adoptions of overly aggressive or conservative pace. Within tasks longer than 120 seconds, this results in a more even distribution of effort, which is linked to increased task performance (77, 78).



**Figure 2.** Example of repeated exercise task exposure affecting the pacing behaviour of novice adult exercisers. Grey dotted: exercisers initially exerting not enough effort, grey striped: exercisers initially exerting to much effort, black bold solid: more even pacing behaviour. Arrows: change with increased exercise task experience. The horizontal solid line represents the mean power output/velocity. This example is based on the collective results of included studies that reported on the change in pacing behaviour resulting from repeatedly exposing adult novices to the same exercise task (>120 seconds).

Furthermore, within skill acquisition literature, it is stated that as individuals gain more experience with a task, less attention is needed for the same level of task performance, allowing for secondary tasks to be performed simultaneously (19, 82). The possession of residual attention capacity could explain why more experienced exercisers are able to process and integrate environmental factors, such as the terrain and the behaviour of opponents. Additionally, skill acquisition literature states that the main goal for novices is to achieve a crude level of success in a task (19, 39). Indeed, as novices lack a reference point for the workload required for a specific exercise task, novice exercisers are thought to have the primary goal of finishing the exercise without lasting negative consequences (67, 70). To reach this goal, novice exercisers mainly acquire information regarding task completion (e.g. elapsed distance or time) (67) and concentrate on dissociating themselves from the afferent signals of fatigue (e.g. pain and discomfort) by means of outward thought (68). Although this might help novice exercisers complete the exercise task, it also hinders their capability to match their afferent signals to the task demands (83). Alternatively, experienced exercisers have the knowledge that they are able to finish the task (without lasting negative consequences), which allows them to set the goal of realising the best possible task performance. Experienced exercisers therefore direct their thoughts towards and gather information about factors relating to their task performance (e.g. power, cadence and speed) (67, 68).

A point should be made, that as each individual's performance capabilities differ and the task demands remain constant, optimal pacing behaviour will slightly differ between individuals (84). This variation between individuals is likely the cause of the variation of pacing behaviour between athletes at the elite level (85, 86). The acquisition process, as described above, results in a better match of an individuals' performance capabilities to the task demands, facilitating a more appropriate pacing behaviour and improving task performance. It is through repeating and optimizing these acquisition processes that the match between individual performance capacities and task demand is perfected, and an individual's pacing behaviour is optimized.

### **4.3 Practical applications**

It is assumed that pacing is evident in almost all non-reflex physical activity and that it is fundamental to the successful completion of physical tasks (1). Given this, adequate pacing behaviour development could provide a feeling of competency, allowing for more task enjoyment and inhibition of drop-out from physical activity, with all the associated health benefits (1, 87). Although in the current study, skill development and acquisition have been treated as separate processes, it is evident that gathering experience is a key factor in skill development (24). From this stems the notion that children and adolescents should be provided with the opportunity to practice exercise tasks to optimally facilitate skill development (24). Four out of five studies included in this review that investigated

children and adolescents during repeated tasks reported a change in pacing behaviour and/or an improvement of exercise task performance (53, 88-90). When asked to estimate the completion time of a 2-km cycling time trial before starting the trial, novice adolescent exercisers reported a significant ( $p < 0.05$ ) difference between the expected (453.00  $\pm$  249.18 seconds) and actual (240.50  $\pm$  27.37 seconds) finish time during the first trial (57). However, the gap between the expected finish time and the actual finishing time decreased by 66.2% after the first trial, indicating a better matching of performance capabilities and task demands as task experience increased. These findings emphasize the importance of providing children and adolescents with the opportunity to gather exercise experience in order to develop their pacing behaviour over time. However, it is important to acknowledge that even with ample practice, variation in physical maturity and cognitive development will constitute some children to be able to adequately distribute their efforts at a relatively young age, whereas others might not exhibit this behaviour until they are much older. Coaches and parents are therefore advised to monitor the level of pacing behaviour development and gradually incorporate increasingly challenging pacing exercises during the course of childhood and adolescence in order to support the development of pacing behaviour.

To facilitate and optimize the pacing skill acquisition, lessons from skill acquisition literature suggest that exercisers should start with establishing a stable pacing behaviour (91, 92). It is suggested that in novice adults a relatively stable pacing behaviour occurs after three or four sessions of repeated task exposure (70, 72, 93). However, this number could increase as variation in task demands increases (e.g. a highly interactive competition environment). After establishing a stable pacing behaviour, intervention-induced variability could provide exercisers with opportunities to test variants of their established pacing behaviour, enlarging their familiarity with the association between incoming stimulants, decisions made and the resulting task performance (25, 94). This could lead to the discovery of a more fitting pacing behaviour for the specific exercise task. In addition, variable practice could lead to a greater generalisation and flexibility of the exercisers' pacing behaviour, allowing them to respond better to novel situations (e.g. the behaviour of competitors) (91). Lastly, the provision of augmented feedback could also be used to adapt the difficulty of the task in order to provide an adequate challenge and optimize learning (92). When practising the same task, novice exercisers might be helped by providing frequent and immediate feedback, whereas experienced exercisers might be challenged by the decrease, delay, or removal of feedback.

#### **4.4 Future directions**

Although the match between milestones in pacing behaviour development and the changes in physical maturation and cognitive development form a logical framework, more (longitudinal) studies are needed to deepen the knowledge of the link between age, physical maturation, cognitive development and pacing behaviour development. Considering the relevant links between cognitive development and pacing behaviour development, the next

step in research could be to dive deeper into which specific sections of cognitive functioning would underlie the development of pacing behaviour. Elferink-Gemser and Hettinga (18) previously proposed a model in which the pacing process mirrors the self-regulatory process and suggested that improvement in meta-cognitive functions could be underpinning the development of pacing behaviour within childhood and adolescence (18). Indeed, meta-cognition has been shown to be under development during childhood and adolescence (95, 96), positively related to exercise performance (97, 98) and can be measured by validated instruments (96, 99). Future experimental research could therefore be done to find whether the development of meta-cognitive functioning is indeed part of the underlying mechanism of pacing behaviour development. It is evident that experience plays a key part in pacing behaviour development. Unfortunately, this relationship is often oversimplified in literature, as researchers assume a strictly causal relationship between age and experience. By uncoupling experience and age, future research could further unravel the intricate role of experience within pacing behaviour development. Furthermore, it has been proposed that acquiring the skill to pace an exercise task is facilitated by the acquisition of other skills, including accurately perceiving time (100), inhibiting distracting stimuli (101), as well as planning and evaluating (18, 102). Investigating the relationship between these other skills and pacing could provide a better understanding of what it takes to acquire this complex psychophysiological skill. Lastly, in the current review, the acquisition of pacing is most notably analysed by observing the effect of providing or manipulating experience on pacing behaviour. However, within the literature, definitions of skill acquisition commonly include the notion that learning has a relatively permanent effect on behaviour (19, 25). To test this, experimental designs to test learning include retention tests. Within the current review, no studies were found that measured the retention of the skill after a period without practice. To further explore the effect of experience on pacing behaviour, future research designs should consider including retention tests.

## **5. Conclusion**

The current review aimed to investigate the development of pacing behaviour during childhood and adolescence as well as the acquisition of the skill through experience. This was achieved by assembling and analysing the (sport) scientific literature discussing the effect of age (up to 18 years old) and gathered experience on pacing behaviour. The findings of this study demonstrated the first consolidated evidence that children display an initial development of decision-making regarding effort distribution from around 10 years old, a development that continues in adolescence. Based on shared milestones, a case can be made that pacing behaviour development is underpinned by an interconnected relation of physical maturation, cognitive development and gathered experience. The skill to adequately pace exercise tasks could provide children with an increased sense of competence and enjoyment in physical activity and exercise, emphasising the importance of monitoring and practising pacing exercise tasks during childhood and adolescence. Task repetition results in an adaptation of pacing behaviour towards the task demands, including task characteristics (e.g. workload) and the environment (e.g. terrain). These changes can be explained by knowledge from skill acquisition literature: pacing behaviour is acquired because with experience i) the match between stimuli, actions and task results improves, ii) attentional capacity is freed for secondary tasks, iii) the task goal switches from task completion to improved task performance. The resemblance between the development and acquisition of pacing to the same processes in other skills invites the practical application of established concepts in skill acquisition and development literature (e.g. intervention-induced variability and augmented feedback) to the field of pacing research. This integration provides the field with exciting future research questions as well as practical applications in physical education, healthcare, and sports.

## **6. Acknowledgements**

All data generated or analysed during this study are included in this published article. SM, AE, FH and MEG declare that they have no competing interests. The authors received no specific funding for this work. The study conception and design were done in full collaboration with all authors. SM performed the literature search and wrote the first draft of the manuscript. SM, AE, FH and MEG critically revised the work. All authors read and approved the final manuscript.



**Table 1.** Overview of the included articles (n = 64), categorized by sport and distance.

| <b>Study</b>                    | <b>Sport</b>       | <b>Distance</b>                                  | <b>No. of subjects (sex)</b>   | <b>Age* (mean ± SD)</b> |
|---------------------------------|--------------------|--|--------------------------------|-------------------------|
| Foster et al (103)              | Cycling            | 1500-m   | 9 (7 male)                     |                         |
| Corbett et al (71)              | Cycling            | 2-km   | 9 (9 male)                     |                         |
| Menting et al (57)              | Cycling            | 2-km   | 10 (7 male)                    | 15.8 ± 1.0              |
| Konings et al (58)              | Cycling            | 4-km   | 12 (?)                         |                         |
| Ansley et al (104) <sup>a</sup> | Cycling            | 4-km   | 7 (7 male)                     |                         |
| Williams et al (73)             | Cycling            | 4-km   | 22 (22 male)                   |                         |
| Mauger et al (75)               | Cycling            | 4-km   | 18 (18 male)                   |                         |
| Mauger et al (105)              | Cycling            | 4-km & 6-km                                      | 16 (16 male)                   |                         |
| Jones et al (106)               | Cycling            | 16.1-km  | 20 (20 male)                   |                         |
| Jeukendrup et al (107)          | Cycling            | 16-km  | 12 (12 male)                   |                         |
| Boya et al (67)                 | Cycling            | 16.1-km  | 20 (20 male)                   |                         |
| Whitehead et al (68)            | Cycling            | 16.1-km  | 20 (20 male)                   |                         |
| Martin et al (101) <sup>a</sup> | Cycling            | 20-min<br>(14.8 ± 0.6 km)<br><br>(11.8 ± 0.6 km) | 11 (11 male)<br><br>9 (9 male) |                         |
| Marquet et al (108)             | Cycling            | 20-km  | 21 (21 male)                   |                         |
| Micklewright et al (76)         | Cycling            | 20-km  | 29 (29 male)                   |                         |
| Hibbert et al (72)              | Cycling            | 20-km  | 30 (12 male)                   |                         |
| Schmit et al (109)              | Cycling            | 20-km  | 22 (22 male)                   |                         |
| Micklewright et al (110)        | Cycling<br>Running | 5-km<br>100-km                                   | 20 (15 male)<br>34 (32 male)   |                         |

| <b>Repeated task exposure.</b>                         | <b>Level of experience.</b>  |
|--|--|
| Three trials, a minimum of 48 hours apart              | Experienced cyclists & speed-skaters (training 10 hours/week)  |
| Three trials within two week period.                   | Novices  |
| Four trials, within six weeks.                         | Novices  |
| Four trials, 7 days apart.                             | Experienced cyclists ( $\geq 2$ years)   |
| Three consecutive trials, 17 minutes apart.            | Experienced cyclists (training 400-800 km/week)  |
| Two consecutive trials, 17 minutes apart.              | Novices  |
| Four consecutive trials, 17 minutes apart.             | Experienced cyclists (training $11.5 \pm 3.5$ hours/week, 1 competition per week)  |
| Four consecutive trials, 17 minutes apart.             | Experienced cyclists (training $12 \pm 3$ hours/week, 1 competition per week)  |
| Three trials within three weeks (two-seven days apart) | Experienced cyclists ( $>1$ year)  |
| Two trials, 7-14 days apart.                           | Experienced cyclists (training 3x/week, $>1$ competition per year)   |
| Two trials within a six to eleven-day period.          | <ul style="list-style-type: none"> <li>• Experienced cyclists (14.1<math>\pm</math>13 years, training 8.5<math>\pm</math>2.1 hour/week)</li> <li>• Novices.</li> </ul>                           |
|  | <ul style="list-style-type: none"> <li>• Experienced cyclists (<math>&gt;2</math> years)</li> <li>• Novices.</li> </ul>  |
|  | <ul style="list-style-type: none"> <li>• More experienced cyclists (<math>&gt;5</math> years)</li> <li>• Less experienced cyclists (<math>\sim 2</math> years).</li> </ul>                       |
| Two trials separated by a 1-week training program.     | Experienced cyclists ( $\geq 3$ years, training $\geq 12$ hours/week)  |
| Three trials, three-seven days apart.                  | Experienced cyclists ( $>2$ years, $6.1 \pm 5.2$ years)  |
| Seven trials, minimum of 48 hours apart.               | Novices  |
| Two trials, $11 \pm 4$ days apart.                     | Experienced triathletes ( $\geq 3$ years, training 7 sessions/week)  |
|  | <ul style="list-style-type: none"> <li>• Novice</li> <li>• Experienced runners (5.6 <math>\pm</math> 8.9 ultramarathons in past 2 years, training 61.4 <math>\pm</math> 23.0 km/week)</li> </ul> |

**Table 1.** (Continued)

| <b>Study</b>                     | <b>Sport</b>                                       | <b>Distance</b>                           | <b>No. of subjects (sex)</b>                                 | <b>Age* (mean <math>\pm</math> SD)</b>                             |
|----------------------------------|--|---|--|--|
| Foster et al (70)                | A: Cycling<br>B: Rowing<br>C: Rowing<br>D: Cycling | A: 3-km<br>B: 2-km<br>C: 2-km<br>D: 10-km | ?  |  |
| Cerasola et al (111)             | Rowing   | 1000-m                                    | 96 (48 male)   | 17-18  |
| Filipas et al (112)              | Rowing   | 1500-m                                    | 18 (11 male)   | 11 $\pm$ 1.06  |
| Kennedy & Bell (69)              | Rowing   | 2-km                                      | 38 (19 male)   |  |
| Dimakopoulou et al (113)         | Rowing   | 2-km                                      | 15 (15 male)   | 15.37 $\pm$ 1.34   |
| Schabort et al (89) <sup>a</sup> | Rowing   | 2-km                                      | 8 (8 male)   | 16.0 $\pm$ 0.7   |
| Hanon & Gajer (61)               | Running  | 400m                                      | 30<br>(15 female)  |  |
| Blasco-Lafarga et al (55)        | Running  | 600-m &<br>2x4x200-m                      | 9 (9 male)<br>10 (10 male)                                   | 17.00 $\pm$ 0.66<br>25.29 $\pm$ 4.32                               |
| Micklewright et al (47)          | Running  | 450-m<br>600-m<br>750-m<br>900-m          | 26 (15 male)<br>29 (15 male)<br>27 (14 male)<br>24 (16 male) | 5.6 $\pm$ 0.5<br>8.7 $\pm$ 0.5<br>11.8 $\pm$ 0.4<br>14.0 $\pm$ 0.0 |
| Chinnasamy et al (52)            | Running  | 750-m                                     | 36 (19 male)   | 12.6 $\pm$ 0.5   |
| Lambrick et al (53)              | Running  | 800-m                                     | 13 (8 male)  | 10.3 $\pm$ 0.7<br>(male)<br>10.6 $\pm$ 0.5<br>(female)             |
| Green et al (60)                 | Running  | 3x 800-m                                  | 12 (?)<br>16 (?)   |  |
| Watkins et al (114)              | Running  | 4-min<br>(~1100m)                         | 10 (5 male)  |  |
| Diaz et al (54)                  | Running  | 3-km                                      | 9 (9 male)<br>6 (6 male)                                     | 15.2 $\pm$ 0.7<br>24 $\pm$ 5.6                                     |
| Deaner & Lowen (115)             | Cross-country<br>running                           | 5-km                                      | 3948 (2032<br>male)  | 14-19  |
| Stevens et al (116)              | Running  | 5-km                                      | 17 (17 male)   |  |

| <b>Repeated task exposure.</b>  | <b>Level of experience.</b>   |
|---|---|
| A: six trials, two-three days apart.<br>B: three trials, two-three days apart.<br>C: Two sets of two trials, one month of training program apart.<br>D: three trials. | Novices   |
|   | Experienced rowers<br>(competing in Youth Olympic Games)  |
|   | Experienced rowers<br>( $1.5 \pm 0.85$ years of rowing experience)  |
| Two trials, a 10-week training program (4 rowing, 2 strength sessions per week) apart.  | A mixed group of experienced ( $> 1$ year) and novice ( $< 1$ year) rowers.   |
|   | Experienced rowers<br>(training seven sessions per week)  |
| Three trials, three days apart.   | Novices   |
|   | <ul style="list-style-type: none"> <li>• World-class</li> <li>• National</li> <li>• Regional</li> </ul>   |
|   | <ul style="list-style-type: none"> <li>• More experienced</li> <li>• Less experienced</li> </ul>  |
|   | Novice schoolchildren   |
| Two trials  | Novice schoolchildren   |
| Four trials,<br>on four separate days.  | Novice schoolchildren   |
|   | <ul style="list-style-type: none"> <li>• Collegiate</li> <li>• Recreational</li> </ul>  |
| Five trials, at least 3 days apart.   | Experienced<br>(recreational level, training $4 \pm 1$ run sessions/week)   |
| Two trials, one competitive season apart.   | <ul style="list-style-type: none"> <li>• More experienced (<math>8.1 \pm 2</math> years)</li> <li>• Less experienced (<math>18 \pm 8</math> months).</li> </ul> |
|   | Experienced<br>(competing in Virginia State Championships 5 km meet)  |
| Two trials, 5-10 days apart.  | Experienced   |

**Table 1.** (Continued)

| <b>Study</b>                     | <b>Sport</b>             | <b>Distance</b>            | <b>No. of subjects (sex)</b>                                   | <b>Age* (mean <math>\pm</math> SD)</b>                   |
|----------------------------------|--------------------------|----------------------------|--|--|
| Couto et al (117)                | Running                  | 10-km                      | 19 (19 male)   | 15 $\pm$ 2   |
| Knechtle et al (118)             | Running                  | 42.2-km                    | 1 (1 male)   | 15.3   |
| Santos-Lozano et al (63)         | Running                  | 42.2-km                    | 190228<br>(129912 male)  |  |
| Trubee et al (64)                | Running                  | 42.2-km                    | 32121<br>(20053 male)  |  |
| Deaner et al (62)                | Running                  | 42.2-km                    | 2929<br>(1676 male)  |  |
| Morais et al (119)               | Swimming                 | 50-m                       | 86 (86 male)   | 15-18  |
| Dormehl & Osborough (49)         | Swimming                 | 100-m & 200-m              | 112 (56 male)  | 14.44 $\pm$ 0.69<br>16.98 $\pm$ 0.84                     |
| Skorski et al (90)               | Swimming                 | 200-m & 400-m & 800-m      | 16 (9 male)  | 16.9 $\pm$ 2.1   |
| Skorski et al (120)              | Swimming                 | 400-m                      | 15 (10 male)   | 18 $\pm$ 2<br>(14-23)                                    |
| Turner et al (121)               | Swimming                 | 7 x 200-m incremental test | 8 (8 male)   | 15 $\pm$ 1   |
| Scruton et al (122) <sup>a</sup> | Swimming                 | 7 x 200-m incremental test | 15 (?)   | 15 $\pm$ 1.5   |
| McGibbon et al (48)              | Swimming                 | 1500m                      | 89 (89 male)<br>102 (102 male)<br>70 (70 male)<br>67 (67 male) | < 17<br>18-19<br>20-21<br>22 <                           |
| Barbosa et al (123)              | Triathlon                | Sprint<br>Olympic          | 5902 (3196 male) 3314<br>(2225 male)                           | 17 $\pm$ 2<br>21 $\pm$ 2                                 |
| Wiersma et al (51)               | Long-track speed skating | 1500-m                     | 104 (104 male)   | 15.25 $\pm$ 0.55<br>17.25 $\pm$ 0.55<br>19.25 $\pm$ 0.55 |

| Repeated task exposure.                                 | Level of experience.  |
|---|---|
|   | Experienced<br>(36 months (12–48 months))   |
|   | Experienced <ul style="list-style-type: none"> <li>● More experienced (professionals)</li> <li>● Less experienced (amateurs)</li> </ul>   |
|   | <ul style="list-style-type: none"> <li>● Experienced (elite)</li> <li>● Less experienced (non-elite)</li> <li>● More experienced runners</li> <li>● Less experienced runners (total number of races, total number of marathons, personal bests for the 5K and marathon, and earliest year with a recorded race).</li> </ul> |
|   | Experienced<br>(European Junior Championships)  |
|   | Experienced<br>(competing at international schools swimming championships, 49.6- 96.8% of the junior world record).   |
| Two trials, 7 days apart.                               | Regional to national level<br>(training 34.7 ± 5.6 km/week)   |
|   | Competing at national level or higher<br>(≥4 years of training)   |
| Four trials, one week, nine weeks and 20 weeks apart.   | Competing at national level<br>(> 6 years of training)  |
| Two trials, within three-four days.                     | Regional level<br>(26-33 km/week)   |
|   | Experienced<br>(top 100 of FINA world rankings)   |
|   | Experienced<br>(World Triathlon Series)   |
| Five competitive seasons.<br>(three measurement points) | Experienced<br>(8-20 races at the start of the study) <ul style="list-style-type: none"> <li>● More experienced</li> <li>● Less experienced (1500-m races completed).</li> </ul>  |

**Table 1.** (Continued)

| <b>Study</b>         | <b>Sport</b>                  | <b>Distance</b>                               | <b>No. of subjects (sex)</b>   | <b>Age* (mean <math>\pm</math> SD)</b>   |
|----------------------|-------------------------------|---|--|--|
| Stoter et al (124)   | Long-track speed skating      | 1500-m  | 120 (56 male)  | 17.6 $\pm$ 1.1   |
| Menting et al (46)   | Short-track speed skating     | 1500-m  | 224 (72 male)<br>1256 (665 male)<br>1687 (1132 male)<br>6556 (2691 male) | < 17<br>< 19<br>< 21<br>senior (> 21)  |
| Menting et al (50)   | Short-track speed skating     | 1500-m  | 140 (140 male)   | 15.19 $\pm$ 0.26<br>16.11 $\pm$ 0.29<br>17.05 $\pm$ 0.29<br>18.03 $\pm$ 0.31<br>18.97 $\pm$ 0.31<br>19.56 $\pm$ 0.03 |
| Sollie et al (56)    | Cross-country skiing          | 4.3-km<br>13.1-km                             | 11 (11 male)<br>8 (8 male)   | 14.4 $\pm$ 0.5<br>22.6 $\pm$ 4.3   |
| Formenti et al (125) | Cross-country skiing          | 10-km   | 11 (11 male)   | 16.45 $\pm$ 1.67   |
| Carlsson et al (66)  | Cross-country skiing          | 90-km   | 9691 (8788 male)   |  |
| Alves et al (126)    | Race walking                  | 10-km & 20-km                                 | 29 (14 males)  |  |
| Sealey et al (127)   | Outrigger canoeing            | 1-km  | 11 (0 male)  |  |
| Moss et al (65)      | Cross-country Mountain biking | 86-km   | 8182 (7178 male)   | 16.5-65+   |
| Sampson et al (128)  | Rugby league                  | 24-min small sided games                      | 16 (16 male)   | 14.9 $\pm$ 0.5   |
| Johnston et al (129) | Rugby league                  | Tournament                                    | 28 (28 male)   | 16.6 $\pm$ 0.5   |
| Christi et al (81)   | Cricket                       | 14 shuttle sprints                            | 24 (24 male)   |  |
| Moss & Twist (130)   | Handball                      | Repeated Shuttle-Sprint and Jump Ability test | 8 (8 male)   | 16.1 $\pm$ 1.0   |

| Repeated task exposure.   | Level of experience.  |
|---|---|
| To trials, at least one year apart (subgroup of 12 [7 male] skaters were included in longitudinal analyses) | Experienced (national and international level)  |
|   | Experienced (competing in junior and senior international competitions)   |
| Six competitive seasons. (six measurement points)   | Experienced (competing in the Junior World Championships)   |
|   | Experienced (national level)  |
|   | Regional and national (training 12-15 hours/week)   |
|   | <ul style="list-style-type: none"> <li>• More experienced (&gt;3 years)</li> <li>• Less experienced (&lt; 4 years).</li> </ul>                        |
|   | <ul style="list-style-type: none"> <li>• More experienced (49-240 months)</li> <li>• Less experienced (5-48 months).</li> </ul>                       |
| Four trials within two weeks.   | Experienced rowers (>2 years) (training 4-11 sessions/week)   |
|   | <ul style="list-style-type: none"> <li>• More experienced</li> <li>• Less experienced cyclists (previous races completed).</li> </ul>                 |
|   | Amateur level   |
|   | Amateur level   |
|   | <ul style="list-style-type: none"> <li>• More experienced (early in batting line-up)</li> <li>• Less experienced (late in batting line-up)</li> </ul> |
|   | National level  |



**Table 1.** (Continued)

| <b>Study</b>                  | <b>Sport</b>                                 | <b>Distance</b>                               | <b>No. of subjects (sex)</b> | <b>Age* (mean ± SD)</b>  |
|-------------------------------|--|---|------------------------------|--------------------------|
| Burdon et al (74)             | Exercise circuit                             | Tasks 1-4:<br><15-min<br>Tasks 5-6:<br>< 2min | 35 (17 male)                 |                          |
| Gross et al (131)             | Alpine skiing                                | 90-second box jump test                       | 9 (9 male)                   | 16.8 ± 1.3 (range 16–18) |
| Reid et al (132) <sup>a</sup> | Elbow flexion maximal voluntary contractions | 12x 5 seconds                                 | 14 (0 male)                  | 15.2 ± 2.1               |

a = included additional to the literature search. ● = comparison between groups of a different experience levels. \* = Age only reported for studies investigating individuals younger than 18 years of age.

| <b>Repeated task exposure.</b>                                    | <b>Level of experience.</b>                 |
|---|---|
| Three trials, within 10 days with 24 hours separating each trial. | Novice                                      |
| Two trials, a 8-day HIT block comprising of 10 sessions, apart.   | Experienced<br>(for an elite sports school) |
|   | Novice                                      |

---

## 7. References

1. Edwards A, Polman R. Pacing in sport and exercise: a psychophysiological perspective: Nova Science Publishers; 2012.
2. Enoka RM, Duchateau J. Translating fatigue to human performance. *Medicine & Science in Sports & Exercise*. 2016;48(11):2228.
3. Noakes TD, Gibson ASC, Lambert EV. From catastrophe to complexity: a novel model of integrative central neural regulation of effort and fatigue during exercise in humans: summary and conclusions. *British Journal of Sports Medicine*. 2005;39(2):120-4.
4. Hettinga FJ, de Koning JJ, Schmidt LJ, Wind NA, MacIntosh BR, Foster C. Optimal pacing strategy: from theoretical modelling to reality in 1500-m speed skating. *British Journal of Sports Medicine*. 2011;45(1):30-5.
5. Hettinga FJ, de Koning JJ, Hulleman M, Foster C. Relative importance of pacing strategy and mean power output in 1500-m self-paced cycling. *British Journal of Sports Medicine*. 2012;46(1):30-5.
6. Stoter IK, MacIntosh BR, Fletcher JR, Pootz S, Zijdwind I, Hettinga FJ. Pacing Strategy, Muscle Fatigue, and Technique in 1500-m Speed-Skating and Cycling Time Trials. *International Journal of Sports Physiology and Performance*. 2016;11:337-43.
7. Smits BLM, Pepping G-J, Hettinga FJ. Pacing and decision making in sport and exercise: the roles of perception and action in the regulation of exercise intensity. *Sports Medicine*. 2014;44:763-75.
8. Renfree A, Martin L, Micklewright D, Gibson ASC. Application of decision-making theory to the regulation of muscular work rate during self-paced competitive endurance activity. *Sports Medicine*. 2014;44(2):147-58.
9. Hettinga FJ, Konings MJ, Pepping G-J. The science of racing against opponents: affordance competition and the regulation of exercise intensity in head-to-head competition. *Frontiers in Physiology*. 2017;8:118.
10. Foster C, Hettinga F, Lampen J, Dodge C, Bobbert M, Porcari JP. Effect of competitive distance on energy expenditure during simulated competition. *International Journal of Sports Medicine*. 2004;25:198-204.
11. Konings MJ, Hettinga FJ. Pacing decision making in sport and the effects of interpersonal competition: A critical review. *Sports Medicine*. 2018;48(8):1829-43.
12. Tucker R, Rauch L, Harley YX, Noakes TD. Impaired exercise performance in the heat is associated with an anticipatory reduction in skeletal muscle recruitment. *Pflügers Archiv*. 2004;448(4):422-30.
13. Edwards AM, Polman RCJ. Pacing and awareness: brain regulation of physical activity. *Sports Medicine*. 2013;43:1057-64.
14. Tversky A, Kahneman D. Judgment under uncertainty: Heuristics and biases. *science*. 1974;185(4157):1124-31.
15. Marcora SM. Do we really need a central governor to explain brain regulation of exercise performance? *European Journal of Applied Physiology*. 2008;104(5):929.
16. Beedie CJ, Terry PC, Lane AM. The profile of mood states and athletic performance: Two meta-analyses. *Journal of Applied Sport Psychology*. 2000;12(1):49-68.
17. Moritz SE, Feltz DL, Fahrback KR, Mack DE. The relation of self-efficacy measures to sport performance: A meta-analytic review. *Research Quarterly for Exercise and Sport*. 2000;71(3):280-94.
18. Elferink-Gemser MT, Hettinga FJ. Pacing and Self-Regulation: Important Skills for Talent Development in Endurance Sports. *International Journal of Sports Physiology and Performance*. 2017;12(6):831-5.
19. Schmidt RA, Lee TD, Winstein C, Wulf G, Zelaznik HN. Motor control and learning: A behavioral emphasis: *Human Kinetics*; 2018.
20. McMorris T. Acquisition and performance of sports skills: John Wiley & Sons; 2014.
21. Ulmer HV. Concept of an extracellular regulation of muscular metabolic rate during heavy exercise in humans by psychophysiological feedback. *Experientia*. 1996;52(5):416-20.

22. Foster C, Schrager M, Snyder AC, Thompson NN. Pacing strategy and athletic performance. *Sports medicine*. 1994;17(2):77-85.
23. Hodges NJ, Williams AM. *Skill acquisition in sport: Research, theory and practice*. 2012.
24. Payne VG, Isaacs LD. *Human motor development: A lifespan approach*: Routledge; 2017.
25. Krakauer JW, Hadjiosif AM, Xu J, Wong AL, Haith AM. Motor learning. *Comprehensive Physiology*. 2019;9(2):613-63.
26. Buckler JM, Wild J. Longitudinal study of height and weight at adolescence. *Archives of Disease in Childhood*. 1987;62(12):1224.
27. Roche AF, Sun SS. *Human growth: assessment and interpretation*: Cambridge University Press; 2005.
28. Armstrong N, Van Mechelen W. *Paediatric exercise physiology and medicine*. Oxford University Press; 2008.
29. Malina RM, Bouchard C, Bar-Or O. *Growth, maturation, and physical activity*: Human Kinetics; 2004.
30. Spreen O, Risser AH, Edgell D. *Developmental neuropsychology*: Oxford University Press, USA; 1995.
31. Arain M, Haque M, Johal L, Mathur P, Nel W, Rais A, et al. Maturation of the adolescent brain. *Neuropsychiatric Disease Treatment*. 2013;9:449.
32. Casey B, Jones RM, Hare TA. The adolescent brain. *Annals of the New York Academy of Sciences*. 2008;1124(1):111-26.
33. Renfree A, Casado A. Athletic races represent complex systems, and pacing behavior should be viewed as an emergent phenomenon. *Frontiers in Physiology*. 2018;9:1432.
34. Menting SGP, Hendry DT, Schiphof-Godart L, Elferink-Gemser MT, Hettinga FJ. Optimal Development of Youth Athletes Toward Elite Athletic Performance: How to Coach Their Motivation, Plan Exercise Training, and Pace the Race. *Frontiers in Sports and Active Living*. 2019;1(14).
35. Schiphof-Godart L, Hettinga FJ. Passion and Pacing in Endurance Performance. *Frontiers in Physiology* 2017;8:83.
36. Thiel C, Pfeifer K, Sudeck G. Pacing and perceived exertion in endurance performance in exercise therapy and health sports. *German Journal of Exercise Sport Research*. 2018;48(1):136-44.
37. Van Biesen D, Hettinga FJ, McCulloch K, Vanlandewijck YC. Pacing ability in elite runners with intellectual impairment. *Medicine & Science in Sports & Exercise*. 2017;49(3):588-94.
38. Kerr R. *Psychomotor learning*. Saunders College Pub; 1982.
39. Fitts PM. Perceptual-motor skill learning. *Categories of human learning*: Elsevier; 1964. p. 243-85.
40. Micklewright D, Kegerreis S, Raglin J, Hettinga F. Will the conscious-subconscious pacing Quagmire help elucidate the mechanisms of self-paced exercise? new opportunities in dual process theory and process tracing methods. *Sports Medicine*. 2017;47(7):1231-9.
41. Abonie US, Sandercock GRH, Heesterbeek M, Hettinga FJ. Effects of activity pacing in patients with chronic conditions associated with fatigue complaints: a meta-analysis. *Disability and Rehabilitation*. 2020;42(5):613-22.
42. de Koning JJ, Foster C, Lucia A, Bobbert MF, Hettinga FJ, Porcari JP. Using modeling to understand how athletes in different disciplines solve the same problem: swimming versus running versus speed skating. *International Journal of Sports Physiology and Performance*. 2011;6:276-80.
43. Hyland-Monks R, Cronin L, McNaughton L, Marchant D. The role of executive function in the self-regulation of endurance performance: a critical review. *Progress in Brain Research*. 2018;240:353-70.
44. Wingfield G, Marino F, Skein M. The influence of knowledge of performance endpoint on pacing strategies, perception of effort, and neural activity during 30-km cycling time trials. *Physiological reports*. 2018;6(21):e13892.
45. The Race Has Begun! But How to Learn How to Race and Pace? *International Journal of Sports Physiology and Performance*. 2018;13(4):401.

46. Menting SGP, Konings MJ, Elferink-Gemser MT, Hettinga FJ. Pacing Behavior of Elite Youth Athletes: Analyzing 1500-m Short-Track Speed Skating. *International Journal of Sports Physiology and Performance*. 2019;14:222-31.
47. Micklewright D, Angus C, Suddaby J, St ACG, Sandercock G, Chinnasamy C. Pacing strategy in schoolchildren differs with age and cognitive development. *Medicine & Science in Sports & Exercise*. 2012;44(2):362-9.
48. McGibbon KE, Pyne DB, Heidenreich LE, Pla R. A Novel Method to Characterize the Pacing Profile of Elite Male 1500-m Freestyle Swimmers. *International Journal of Sports Physiology and Performance*. 2020;16(6):818-24.
49. Dormehl S, Osborough C. Effect of age, sex, and race distance on front crawl stroke parameters in subelite adolescent swimmers during competition. *Pediatric Exercise Science*. 2015;27(3):334-44. doi: 10.1123/pes.2014-0114. PubMed PMID: 2015-56768-004.
50. Menting SGP, Huijgen BC, Konings MJ, Hettinga FJ, Elferink-Gemser MT. Pacing Behavior Development of Youth Short-Track Speed Skaters: A Longitudinal Study. *Medicine & Science in Sports & Exercise*. 2020;52(5):1099-108.
51. Wiersma R, Stoter IK, Visscher C, Hettinga FJ, Elferink-Gemser MT. Development of 1500-m pacing behavior in junior speed skaters: a longitudinal study. *International Journal of Sports Physiology and Performance*. 2017;12(9):1224-31.
52. Chinnasamy C, Gibson ASC, Micklewright D. Effect of spatial and temporal cues on athletic pacing in schoolchildren. *Medicine & Science in Sports & Exercise*. 2013;45(2):395-402.
53. Lambrick D, Rowlands A, Rowland T, Eston R. Pacing strategies of inexperienced children during repeated 800 m individual time-trials and simulated competition. *Pediatric Exercise Science*. 2013;25:198-211.
54. Diaz V, Peinado AB, Vleck VE, Alvarez-Sanchez M, Benito PJ, Alves FB, et al. Longitudinal changes in response to a cycle-run field test of young male national "Talent identification" and senior elite triathlon squads. *Journal of Strength and Conditioning Research*. 2012;26(8):2209-19.
55. Blasco-Lafarga C, Montoya-Vieco A, Martínez-Navarro I, Mateo-March M, Gallach JE. Six Hundred Meter-Run and Broken 800's Contribution to Pacing Improvement in Eight Hundred Meter-Athletics: Role Of Expertise and Training Implications. *Journal of Strength and Conditioning Research*. 2013;27(9):2405-13.
56. Sollie O, Gløersen Ø, Gilgien M, Losnegard T. Differences in pacing pattern and sub-technique selection between young and adult competitive cross-country skiers. *Scandinavian Journal of Medicine & Science in Sports*. 2021;31(3):553-63.
57. Menting SGP, Elferink-Gemser MT, Edwards AM, Hettinga FJ. Effects of experience and opponents on the pacing behaviour and 2-km cycling performance of novice youths. *Research Quarterly for Exercise and Sport*. 2019;90(4):609-18.
58. Konings MJ, Schoenmakers PPJM, Walker AJ, Hettinga FJ. The behavior of an opponent alters pacing decisions in 4-km cycling time trials. *Physiology & Behavior*. 2016;158:1-5.
59. Konings MJ, Noorbergen OS, Parry D, Hettinga FJ. Pacing behavior and tactical positioning in 1500-m short-track speed skating. *International Journal of Sports Physiology and Performance*. 2016;11(1):122-9.
60. Green JM, Sapp AL, Pritchett RC, Bishop PA. Pacing accuracy in collegiate and recreational runners. *European Journal of Applied Physiology*. 2010;108(3):567-72.
61. Hanon C, Gajer B. Velocity and stride parameters of world-class 400-meter athletes compared with less experienced runners. *Journal of Strength Conditioning Research*. 2009;23(2):524-31.
62. Deaner RO, Carter RE, Joyner MJ, Hunter SK. Men are more likely than women to slow in the marathon. *Medicine & Science in Sports & Exercise*. 2015;47(3):607.
63. Santos-Lozano A, Collado P, Foster C, Lucia A, Garatachea N. Influence of sex and level on marathon pacing strategy. Insights from the New York City race. *International Journal of Sports Medicine*. 2014;35(11):933-8.
64. Trubee NW, Vanderburgh PM, Diestelkamp WS, Jackson KJ. Effects of heat stress and sex on pacing in marathon runners. *The Journal of Strength Conditioning Research*. 2014;28(6):1673-8.

65. Moss SL, Francis B, Calogiuri G, Highton J. Pacing during a cross-country mountain bike mass-participation event according to race performance, experience, age and sex. *European Journal of Sport Science*. 2019;19(6):793-801.
66. Carlsson M, Assarsson H, Carlsson T. The influence of sex, age, and race experience on pacing profiles during the 90 km Vasaloppet ski race. *Open Access Journal of Sports Medicine* 2016;7:11.
67. Boya M, Foulsham T, Hettinga F, Parry D, Williams EL, Massey H, et al. Information acquisition differences between experienced and novice time trial cyclists. *Medicine & Science in Sports & Exercise*. 2017;49(9):1884-98.
68. Whitehead AE, Jones HS, Williams EL, Rowley C, Quayle L, Marchant D, et al. Investigating the relationship between cognitions, pacing strategies and performance in 16.1 km cycling time trials using a think aloud protocol. *Psychology of Sport and Exercise*. 2018;34:95-109.
69. Kennedy MD, Bell G. Development of race profiles for the performance of a simulated 2000-m rowing race. *Canadian journal of applied physiology*. 2003;28(4):536-46.
70. Foster C, Hendrickson KJ, Peyer K, Reiner B, Lucia A, Battista RA, et al. Pattern of developing the performance template. *British Journal of Sports Medicine*. 2009;43:765-9.
71. Corbett J, Barwood MJ, Parkhouse K. Effect of task familiarisation on distribution of energy during a 2000 m cycling time trial. *British Journal of Sports Medicine*. 2009;43(10):770-4.
72. Hibbert AW, Billaut F, Varley MC, Polman RC. Familiarization protocol influences reproducibility of 20-km cycling time-trial performance in novice participants. *Frontiers in Physiology*. 2017;8:488.
73. Williams CA, Bailey S, Mauger AR. External exercise information provides no immediate additional performance benefit to untrained individuals in time trial cycling. *British Journal of Sports Medicine*. 2012;46(1):49-53.
74. Burdon CA, Park J, Tagami K, Groeller H, Sampson JA. Effect of practice on performance and pacing strategies during an exercise circuit involving load carriage. *Journal of Strength Conditioning Research*. 2018;32(3):700-7.
75. Mauger AR, Jones AM, Williams CA. Influence of feedback and prior experience on pacing during a 4-km cycle time trial. *Medicine & Science in Sports & Exercise*. 2009;41(2):451-8.
76. Micklewright D, Papadopoulou E, Swart J, Noakes T. Previous experience influences pacing during 20 km time trial cycling. *British Journal of Sports Medicine*. 2010;44(13):952-60.
77. Abbiss CR, Laursen PB. Describing and understanding pacing strategies during athletic competition. *Sports Medicine*. 2008;38:239-52.
78. Foster C, Snyder A, Thompson NN, Green MA, Foley M, Schragger M. Effect of pacing strategy on cycle time trial performance. *Medicine & Science in Sports & Exercise*. 1993;25(3):383-8.
79. Menting SGP, Huijgen BC, Konings MJ, Hettinga FJ, Elferink-Gemser MT. Pacing Behavior Development of Youth Short-Track Speed Skaters: A Longitudinal Study. *Medicine & Science in Sports & Exercise*. 2020;52(5):1099-108.
80. Menting SGP, Konings MJ, Elferink-Gemser MT, Hettinga FJ. Pacing Behavior of Elite Youth Athletes: Analyzing 1500-m Short-Track Speed Skating. *International Journal of Sports Physiology and Performance*. 2019;14(2):222-31.
81. Christie CJ, Elliot A, Pote L, Steenekamp T, Billaut F, Noakes TD. Effect of expertise on pacing strategies and sprint performance in batsmen. *Journal of Science Medicine in Sport*. 2018;21(5):513-7.
82. Singer RN. Preperformance state, routines, and automaticity: What does it take to realize expertise in self-paced events? *Journal of Sport & Exercise Psychology*. 2002;24(4):359-75.
83. Robinson DT, Cloak R, Lahart IM, Lane AM. Do I focus on the process of cycling or try to put my mind elsewhere? A comparison of concentration strategies for use in pacing by novice riders. *Progress in Brain Research*. 2018;240:127-40.
84. Azevedo RdA, Silva-Cavalcante MD, Cruz R, Couto P, Lima-Silva AE, Bertuzzi R. Distinct pacing profiles result in similar perceptual responses and neuromuscular fatigue development: why different "roads" finish at the same line? *European Journal of Sport Science*. 2022;22(7):1046-1056.

85. Hettinga FJ, Edwards AM, Hanley B. The science behind competition and winning in athletics: using world-level competition data to explore pacing and tactics. *Frontiers in Sports and Active Living*. 2019;1:11.
86. Mytton GJ, Archer DT, Turner L, Skorski S, Renfree A, Thompson KG, et al. Increased variability of lap speeds: differentiating medalists and nonmedalists in middle-distance running and swimming events. *International Journal of Sports Physiology and Performance*. 2015;10(3):369-73.
87. Eime R, Harvey J, Charity M. Sport drop-out during adolescence: is it real, or an artefact of sampling behaviour? *International Journal of Sport Policy and Politics*. 2019;11(4):715-26.
88. Menting SGP, Elferink-Gemser MT, Edwards AM, Hettinga FJ. Effects of experience and opponents on the pacing behaviour and 2-km cycling performance of novice youths. *Research Quarterly for Exercise and Sport*. 2019;90(4):609-18.
89. Schabert E, Hawley J, Hopkins W, Blum H. High reliability of performance of well-trained rowers on a rowing ergometer. *Journal of Sports Sciences*. 1999;17(8):627-32.
90. Skorski S, Faude O, Rausch K, Meyer T. Reproducibility of Pacing Profiles in Competitive Swimmers. *International Journal of Sports Medicine*. 2013;34:152-7.
91. Ranganathan R, Newell KM. Changing up the routine: intervention-induced variability in motor learning. *Exercise and Sport Sciences Reviews*. 2013;41(1):64-70.
92. Guadagnoli MA, Lee TD. Challenge point: a framework for conceptualizing the effects of various practice conditions in motor learning. *Journal of Motor Behavior*. 2004;36(2):212-24.
93. Boyd L, Rogers T, Docherty D, Petersen S. Variability in performance on a work simulation test of physical fitness for firefighters. *Applied Physiology, Nutrition, and Metabolism*. 2015;40(4):364-70.
94. Shea CH, Kohl RM. Specificity and Variability of Practice. *Research Quarterly for Exercise and Sport*. 1990;61(2):169-77.
95. Veenman MV, Spaans MA. Relation between intellectual and metacognitive skills: Age and task differences. *Learning and Individual Differences*. 2005;15(2):159-76.
96. Diamond A. Executive functions. *Annual Review of Psychology*. 2013;64:135-68.
97. Toering TT, Elferink-Gemser MT, Jordet G, Visscher C. Self-regulation and performance level of elite and non-elite youth soccer players. *Journal of Sports Sciences*. 2009;27(14):1509-17.
98. Huijgen BCH, Leemhuis S, Kok NM, Verburgh L, Oosterlaan J, Elferink-Gemser MT, et al. Cognitive Functions in Elite and Sub-Elite Youth Soccer Players Aged 13 to 17 Years. *PLoS one*. 2015;10(12):e0144580.
99. Toering T, Elferink-Gemser MT, Jonker L, van Heuvelen MJ, Visscher C. Measuring self-regulation in a learning context: Reliability and validity of the Self-Regulation of Learning Self-Report Scale (SRL-SRS). *International Journal of Sport and Exercise Psychology*. 2012;10(1):24-38.
100. Edwards AM, McCormick A. Time perception, pacing and exercise intensity: maximal exercise distorts the perception of time. *Physiology & Behavior*. 2017;180:98-102.
101. Martin K, Staiano W, Menaspà P, Hennessey T, Marcora S, Keegan R, et al. Superior inhibitory control and resistance to mental fatigue in professional road cyclists. *PLoS one*. 2016;11(7).
102. Alves DL, Cruz R, Bara C, Osiecki R, Lima JRP, De-Oliveira FR. Pre-planned Vs. Executed Real-Time Pacing Strategies during 3-km Race: Role of Rating Perceived Exertion. *Research Quarterly for Exercise and Sport*. 2020;91(3):469-77.
103. Foster C, De Koning JJ, Hettinga F, Lampen J, La Clair KL, Dodge C, et al. Pattern of energy expenditure during simulated competition. *Medicine & Science in Sports & Exercise*. 2003;35(5):826-31.
104. Ansley L, Schabert E, Gibson ASC, Lambert MI, Noakes TD. Regulation of pacing strategies during successive 4-km time trials. *Medicine & Science in Sports & Exercise*. 2004;36(10):1819-25.
105. Mauger AR, Jones AM, Williams CA. Influence of exercise variation on the retention of a pacing strategy. *European Journal of Applied Physiology*. 2010;108(5):1015-23.
106. Jones HS, Williams EL, Marchant DC, Sparks SA, Bridge CA, Midgley AW, et al. Deception has no acute or residual effect on cycling time trial performance but negatively effects perceptual responses. *Journal of Science Medicine in Sport*. 2016;19(9):771-6.

107. Jeukendrup AE, Hopkins S, Aragón-Vargas LF, Hulston C. No effect of carbohydrate feeding on 16 km cycling time trial performance. *European Journal of Applied Physiology*. 2008;104(5):831-7.
108. Marquet L-A, Hausswirth C, Molle O, Hawley JA, Burke LM, Tiollier E, et al. Periodization of carbohydrate intake: Short-term effect on performance. *Nutrients*. 2016;8(12):755.
109. Schmit C, Duffield R, Hausswirth C, Coutts AJ, Le Meur Y. Pacing adjustments associated with familiarization: heat versus temperate environments. *International Journal of Sports Physiology and Performance*. 2016;11(7):855-60.
110. Micklewright D, Parry D, Robinson T, Deacon G, Renfree A, St Clair Gibson A, et al. Risk perception influences athletic pacing strategy. *Medicine & Science in Sports & Exercise*. 2015;47(5):1026-37.
111. Cerasola D, Cataldo A, Bellafiore M, Traina M, Palma A, Bianco A, et al. Race profiles of rowers during the 2014 Youth Olympic Games. *Journal of Strength Conditioning Research*. 2018;32(7):2055-60.
112. Filipas L, Mottola F, Tagliabue G, La Torre A. The effect of mentally demanding cognitive tasks on rowing performance in young athletes. *Psychology of Sport and Exercise*. 2018;39:52-62.
113. Dimakopoulou E, Zacharogiannis E, Chairopoulou C, Kaloupsis S, Platanou T. The effect of pacing strategy on physiological, kinetic and performance variables during simulated rowing ergometer. *The Journal of Sports Medicine and Physical Fitness*. 2018;58(7-8):1006-13.
114. Watkins J, Platt S, Andersson E, McGawley K. Pacing strategies and metabolic responses during 4-minute running time trials. *International Journal of Sports Physiology and Performance*. 2017;12(9):1143-50.
115. Deaner RO, Lowen A. Males and females pace differently in high school cross-country races. *Journal of Strength and Conditioning Research*. 2016;30(11):2991-7.
116. Stevens C, Hacene J, Sculley D, Taylor L, Callister R, Dascombe B. The reliability of running performance in a 5 km time trial on a non-motorized treadmill. *International Journal of Sports Medicine*. 2015;36(09):705-9.
117. Couto PG, Bertuzzi R, de Souza CC, Lima HM, Kiss MAPDM, de-Oliveira FR, et al. High carbohydrate diet induces faster final sprint and overall 10,000-m times of young runners. *Pediatric Exercise Science*. 2015;27(3):355-63.
118. Knechtle B, Bamert J, Rosemann T, Nikolaidis PT. Exercise-associated hyponatremia during a self-paced marathon attempt in a 15-year-old male teenager. *Medicina*. 2019;55(3):63.
119. Morais JE, Barbosa TM, Silva AJ, Veiga S, Marinho DA. Profiling of elite male junior 50 m freestyle sprinters: Understanding the speed-time relationship. *Scandinavian Journal of Medicine & Science in Sports*. 2022;32(1):60-8.
120. Skorski S, Faude O, Abbiss CR, Caviezel S, Wengert N, Meyer T. Influence of pacing manipulation on performance of juniors in simulated 400-m swim competition. *International Journal of Sports Physiology and Performance*. 2014;9(5):817-24.
121. Turner AP, Smith T, Coleman SG. Use of an audio-paced incremental swimming test in young national-level swimmers. *International Journal of Sports Physiology and Performance*. 2008;3(1):68-79.
122. Scruton A, Baker J, Roberts J, Basevitch I, Merzbach V, Gordon D. Pacing accuracy during an incremental step test in adolescent swimmers. *Open Access Journal of Sports Medicine* 2015;6:249.
123. Barbosa LP, Sousa CV, Aguiar SD, Gadelha AB, Nikolaidis PT, Villiger E, et al. The beginning of success: Performance trends and cut-off values for junior and the U23 triathlon categories. *The Journal of Exercise Science and Fitness*. 2022;20(1):16-22.
124. Stoter IK, Hettinga FJ, Otten E, Visscher C, Elferink-Gemser MT. Changes in technique throughout a 1500-m speed skating time-trial in junior elite athletes: Differences between sexes, performance levels and competitive seasons. *PloS one*. 2020;15(8):e0237331.
125. Formenti D, Rossi A, Calogiuri G, Thomassen TO, Scurati R, Weydahl A. Exercise intensity and pacing strategy of cross-country skiers during a 10 km skating simulated race. *Research in Sports Medicine*. 2015;23(2):126-39.
126. Alves D, Cruz R, Lima-Silva A, Domingos P, Bertuzzi R, Osiecki R, et al. Are experienced and high-level race walking athletes able to match pre-programmed with executed pacing? *Brazilian Journal of Medical Biological Research*. 2019;52(6).



127. Sealey RM, Spinks WL, Leicht AS, Sinclair WH. Identification and reliability of pacing strategies in outrigger canoeing ergometry. *Journal of Science Medicine in Sport*. 2010;13(2):241-6.
128. Sampson JA, Fullagar HHK, Gabbett T. Knowledge of bout duration influences pacing strategies during small-sided games. *Journal of Sport Sciences*. 2015;33(1):85-98.
129. Johnston RD, Gabbett TJ, Jenkins DG. The influence of physical fitness and playing standard on pacing strategies during a team-sport tournament. *International Journal of Sports Physiology and Performance*. 2015;10(8):1001-8.
130. Moss SL, Twist C. Influence of different work and rest distributions on performance and fatigue during simulated team handball match play. *Journal of Strength Conditioning Research*. 2015;29(10):2697-707.
131. Gross M, Hemund K, Vogt M. High intensity training and energy production during 90-second box jump in junior alpine skiers. *Journal of Strength & Conditioning Research*. 2014;28(6):1581-7.
132. Reid JC, Greene RM, Herat N, Hodgson DD, Halperin I, Behm DG. Knowledge of repetition range does not affect maximal force production strategies of adolescent females. *Pediatric Exercise Science*. 2017;29(1):109-15.



