

University of Groningen

## Unconventional magnetic states and defects

Barts, Evgenii

DOI:  
[10.33612/diss.784926551](https://doi.org/10.33612/diss.784926551)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2023

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Barts, E. (2023). *Unconventional magnetic states and defects*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.784926551>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

---

## Bibliography

- [1] Bogdanov, A. N. & Yablonskii, D. Thermodynamically stable “vortices” in magnetically ordered crystals. The mixed state of magnets. *Sov. Phys. JETP* **68**, 101-103 (1989).
- [2] Nagaosa, N. & Tokura, Y. Topological properties and dynamics of magnetic Skyrmions. *Nat. Nanotechnol.* **8**, 899–911 (2013).
- [3] Back, C. *et al.* The 2020 Skyrmionics roadmap. *J. Phys. D: Appl. Phys.* **53**, 363001 (2020).
- [4] Mermin, N. D. The topological theory of defects in ordered media. *Rev. Mod. Phys.* **51**, 591–648 (1979).
- [5] Fert, A., Cros, V. & Sampaio, J. Skyrmions on the track. *Nat. Nanotechnol.* **8**, 152–156 (2013).
- [6] Duine, R. A., Lee, K.-J., Parkin, S. S. P. & Stiles, M. D. Synthetic antiferromagnetic spintronics. *Nat. Phys.* **14**, 217–219 (2018).
- [7] Kim, S. K. *et al.* Ferrimagnetic spintronics. *Nat. Mater.* **21**, 24–34 (2021).
- [8] Göbel, B., Mertig, I. & Tretiakov, O. A. Beyond Skyrmions: review and perspectives of alternative magnetic quasiparticles. *Physics Reports* **895**, 1–28 (2021).
- [9] Beekman, A. J, Rademaker, L. & van Wezel, J. An introduction to spontaneous symmetry breaking, *SciPost Phys. Lect. Notes* **11**, (2019) 1–56.
- [10] Skyrme, T. A unified field theory of mesons and baryons. *Nucl. Phys.* **31**, 556–569 (1962).

- 
- [11] Volovik, G. & Mineev, V. Particle-like solitons in superfluid  $^3\text{He}$  phases. *Zh. Eksp. Teor. Fiz* **73**, 767–773 (1977).
- [12] Shankar, R. Applications of topology to the study of ordered systems. *J. Phys.* **38**, 1405–1412 (1977).
- [13] Rybakov, F. N., Kiselev, N. S., Borisov, A. B., Döring, L., Melcher, C., & Blügel, S. Magnetic hopfions in solids. *APL Materials*, 10 (2022).
- [14] Bouligand, Y. *J. Phys. France* **35**, 959 (1974).
- [15] Chen, B.G.-G., Ackerman, P.J., Alexander, G.P., Kamien, R.D. & Smalyukh, I.I. *Phys. Rev. Lett.* **110**, 237801 (2013).
- [16] Ackerman, P.J. & Smalyukh, I.I. *Nat. Mater.* **16**, 426 (2017).
- [17] Tai, J.-S.B., Ackerman, P.J. & Smalyukh, I.I. *Proc. Natl. Acad. Sci. U.S.A.* **115**, 921 (2018).
- [18] Tai, J.-S.B. & Smalyukh, I.I. *Science* **365**, 1449 (2019).
- [19] Tai, J.-S.B., Wu, J.-S. & Smalyukh, I.I. *Nat. Commun.* **13**, 2986 (2022).
- [20] Hall, D. S., Ray, M. W., Tiurev, K., Ruokokoski, E., Gheorghe, A. H. & Möttönen, M. Quantized rotation of atoms from photons with orbital angular momentum. *Nat. Phys.* **12**, 478–483 (2016).
- [21] Kent, N., Reynolds, N., Raftrey, D. *et al.* Coherent control of a single nitrogen-vacancy spin with electric fields. *Nat. Commun.* **12**, 1562 (2021).
- [22] Liu, Y., Lake, R. K. & Zang, J. Binding a hopfion in a chiral magnet nanodisk. *Phys. Rev. B* **98**, 174437 (2018).
- [23] Tai, J.-S. B. & Smalyukh, I. I. Static Hopf solitons and knotted emergent fields in solid-state noncentrosymmetric magnetic nanostructures. *Phys. Rev. Lett.* **121**, 187201 (2018).
- [24] Sutcliffe, P. Skyrmions, instantons, and holography. *J. Phys. A: Math. Theor.* **51**, 375401 (2018).
- [25] Wang, X. S., Qaiumzadeh, A. & Brataas, A. Magnetic switching of a topological insulator in proximity to a ferromagnet. *Phys. Rev. Lett.* **123**, 147203 (2019).
- [26] Voinescu, R., Tai, J.-S. B. & Smalyukh, I. I. Dynamically reconfigurable topological textures in chiral nematics. *Phys. Rev. Lett.* **125**, 057201 (2020).

- [27] Raftrey, D. & Fischer, P. Field-Driven Dynamics of Magnetic Hopfions *Phys. Rev. Lett.* **127**, 257201 (2021).
- [28] Luk'yanchuk, I., Tikhonov, Y., Razumnaya, A. & Vinokur, V. M. Plasmonics and superconductivity: strong electromagnetic fields in superconductors. *Nat. Commun.* **11**, 2433 (2020).
- [29] Kosevich, A., Ivanov, B. & Kovalev, A. Magnetic solitons. *Phys. Rep.* **194**, 117–238 (1990).
- [30] Han, J. H. *Skyrmions in Condensed Matter*. (Springer International Publishing, 2017)
- [31] Whitehead, J. H. C. An expression of Hopf's invariant as an integral. *Proc. Natl. Acad. Sci. USA* **33**, 117–123 (1947).
- [32] Malozemoff, A. P. & Slonczewski, J. C. *Magnetic Domain Walls in Bubble Materials* (Academic, New York, 1979).
- [33] Hubert, A. & Schäfer, R. *Magnetic Domains* (Springer, Berlin, 1998).
- [34] Yu, X. *et al.* Magnetic stripes and Skyrmions with helicity reversals. *Proc. Natl. Acad. Sci. USA* **109**, 8856 (2012).
- [35] Garel, T. & Doniach, S. Phase transitions with spontaneous modulation—the dipolar Ising ferromagnet. *Phys. Rev. B* **26**, 325 (1982).
- [36] Mühlbauer, S. *et al.* Skyrmion lattice in a chiral magnet. *Science* **323**, 915–919 (2009).
- [37] Yu, X. Z. *et al.* Real-space observation of a two-dimensional skyrmion crystal. *Nature* **465**, 901–904 (2010).
- [38] Moriya, T. Anisotropic superexchange interaction and weak ferromagnetism. *Phys. Rev.* **120**, 91–98 (1960).
- [39] Dzyaloshinskii, I. Theory of helicoidal structures in antiferromagnets I: Non-metals. *Sov. Phys. JETP* **19**, 960–971 (1964).
- [40] Okubo, T., Chung, S. & Kawamura, H. Multiple- $q$  states and the Skyrmion lattice of the triangular-lattice Heisenberg antiferromagnet under magnetic fields. *Phys. Rev. Lett.* **108**, 017206 (2012).
- [41] Leonov, A. O. & Mostovoy, M. Multiply periodic states and isolated Skyrmions in an anisotropic frustrated magnet. *Nat. Commun.* **6**, 8275 (2015).

- [42] Kharkov, Y. A., Sushkov, O. P. & Mostovoy, M. Bound States of Skyrmions and Merons near the Lifshitz Point. *Phys. Rev. Lett.* **119**, 207201 (2017).
- [43] Kurumaji, T. *et al.* Skyrmion lattice with a giant topological Hall effect in a frustrated triangular-lattice magnet. *Science* **365** 914-918 (2019).
- [44] Hirschberger, M. *et al.* Skyrmion phase and competing magnetic orders on a breathing kagomé lattice. *Nat. Commun.* **10**, 5831 (2019).
- [45] Khanh, N. D. *et al.* Nanometric square Skyrmion lattice in a centrosymmetric tetragonal magnet. *Nat. Nanotechnol.* **15**, 444-449 (2020).
- [46] Ishiwata, S. *et al.* Versatile helimagnetic phases under magnetic fields in cubic perovskite SrFeO<sub>3</sub>. *Phys. Rev. B* **84**, 054427 (2011).
- [47] Ishiwata, S. *et al.* Emergent topological spin structures in the centrosymmetric cubic perovskite SrFeO<sub>3</sub>. *Phys. Rev. B* **101**, 134406 (2020).
- [48] Martin, I. & Batista, C. D. Itinerant Electron-Driven Chiral Magnetic Ordering and Spontaneous Quantum Hall Effect in Triangular Lattice Models. *Phys. Rev. Lett.* **101**, 156402 (2008).
- [49] Azhar, M & Mostovoy, M. Incommensurate Spiral Order from Double-Exchange Interactions. *Phys. Rev. Lett.* **118**, 027203 (2017).
- [50] Hayami, S. & Motome, Y. Topological spin crystals by itinerant frustration. *J. Phys.: Condens. Matter* **33**, 443001 (2021).
- [51] Derrick, G. H. Comments on Nonlinear Wave Equations as Models for Elementary Particles. *J. Math. Phys.* **5**, 1252 (1964).
- [52] Khomskii, D. *Transition Metal Compounds* (Cambridge: Cambridge University Press, 2014).
- [53] Anderson, P. W. *Phys. Rev.* **79**, 350 (1950).
- [54] Goodenough, J. B. *Phys. Rev.* **100**, 564 (1955).
- [55] Kanamori, J. *Prog. Theoret. Phys.* **17**, 177-196, 197-222 (1957).
- [56] Kanamori, J. Electron correlation and ferromagnetism of transition metals. *Prog. Theor. Phys.* **30**, 275-289 (1963).
- [57] Anderson, P. W. New approach to the theory of superexchange interactions. *Phys. Rev.* **115**, 2 (1959).

- [58] Back, C. *et al.* The 2020 skyrmionics roadmap. *J. Phys. D: Appl. Phys.* **53** 363001 (2020).
- [59] Neubauer, A. *et al.* Topological Hall Effect in the A phase of MnSi. *Phys. Rev. Lett.* **102**, 186602 (2009).
- [60] Pappas, C. *et al.* Chiral Paramagnetic Skyrmion-like Phase in MnSi. *Phys. Rev. Lett.* **102**, 197202 (2009).
- [61] Lee, M., Kang, W., Onose, Y., Tokura, Y. & Ong, N. P. Unusual Hall Effect Anomaly in MnSi under Pressure. *Phys. Rev. Lett.* **102**, 186601 (2009).
- [62] Soumyanarayanan, A. *et al.* Tunable room-temperature magnetic skyrmions in Ir/Fe/Co/Pt multilayers. *Nat. Mater.* **16**, 898-904 (2017).
- [63] Zhang, P. *et al.* Robust skyrmion-bubble textures in SrRuO<sub>3</sub> thin films stabilized by magnetic anisotropy. *Phys. Rev. Res.* **2**, 032026(R) (2020).
- [64] Koster, G. *et al.* Structure, physical properties, and applications of SrRuO<sub>3</sub> thin films. *Rev. Mod. Phys.* **84**, 253 (2012).
- [65] Kats, Y., Genish, I., Klein, L., Reiner, J. W. & Beasley, M. R. Testing the Berry phase model for extraordinary Hall effect in SrRuO<sub>3</sub>. *Phys. Rev. B* **70**, 180407(R) (2004).
- [66] Roy, D., Haham, N., Reiner, J. W., Shimshoni, E. & Klein, L. Intermixing of ordinary and anomalous Hall effect in SrRuO<sub>3</sub>. *Phys. Rev. B* **92**, 235101 (2015).
- [67] Roy, S., Autieri, C., Sanyal, B. & Banerjee, T. Interface control of electronic transport across the magnetic phase transition in SrRuO<sub>3</sub>/SrTiO<sub>3</sub> heterointerface. *Sci. Rep.* **5**, 15747 (2015).
- [68] Matsuno, J. *et al.* Interface-driven topological Hall effect in SrRuO<sub>3</sub>-SrIrO<sub>3</sub> bilayer. *Sci. Adv.* **2**, e1600304 (2016).
- [69] Ohuchi, Y. *et al.* Electric-field control of anomalous and topological Hall effects in oxide bilayer thin films. *Nat. Commun.* **9**, 213 (2018).
- [70] Meng, K.-Y. *et al.* Observation of nanoscale skyrmions in SrIrO<sub>3</sub>/SrRuO<sub>3</sub> bilayers. *Nano Lett.* **19**, 3169-3175 (2019).
- [71] Kooy, C. Experimental and theoretical study of the domain configuration in thin layers of BaFe<sub>12</sub>O<sub>19</sub>. *Philips Res. Rep.* **15**, 7 (1960).
- [72] Vousden, M. *et al.* Skyrmions in thin films with easy-plane magnetocrystalline anisotropy. *Appl. Phys. Lett.* **108**, 132406 (2016).

- [73] Kanbayasi, A. Magnetocrystalline anisotropy of SrRuO<sub>3</sub>. *J. Phys. Soc. Jpn.* **41**, 1879-1883 (1976).
- [74] Klein, L. *et al.* Transport and magnetization in the badly metallic itinerant ferromagnet. *J. Phys.: Condens. Matter* **8**, 10111 (1996).
- [75] Montoya, S. A. *et al.* Tailoring magnetic energies to form dipole skyrmions and skyrmion lattices. *Phys. Rev. B* **95**, 024415 (2017).
- [76] Itoh, S. *et al.* Weyl fermions and spin dynamics of metallic ferromagnet SrRuO<sub>3</sub>. *Nat. Commun.* **7**, 11788 (2016).
- [77] Kan, D., Moriyama, T., Kobayashi, K. & Shimakawa, Y. Alternative to the topological interpretation of the transverse resistivity anomalies in SrRuO<sub>3</sub>. *Phys. Rev. B* **98**, 180408(R) (2018).
- [78] Kimbell, G. *et al.* Two-channel anomalous Hall effect in SrRuO<sub>3</sub>. *Phys. Rev. Mater.* **4**, 054414 (2020).
- [79] Kim, G. *et al.* Inhomogeneous ferromagnetism mimics signatures of the topological Hall effect in SrRuO<sub>3</sub> films. *Phys. Rev. Mater.* **4** 104410 (2020).
- [80] Groenendijk, D. J. *et al.* Berry phase engineering at oxide interfaces. *Phys. Rev. Research* **2**, 023404 (2020).
- [81] Sohn, B. *et al.* Hump-like structure in Hall signal from ultra-thin SrRuO<sub>3</sub> films without inhomogeneous anomalous Hall effect. *Curr. Appl. Phys.*, **20**, 1, 186-190, (2020).
- [82] Sohn, B. *et al.* Stable humplike Hall effect and noncoplanar spin textures in SrRuO<sub>3</sub> ultrathin films. *Phys. Rev. Research* **3**, 023232 (2021).
- [83] Kimbell, G., Kim, C., Wu, W., Cuoco, M. & Robinson, J. W. A. Challenges in identifying chiral spin textures via the topological Hall effect. *Commun. Mater.* **3**, 19 (2022).
- [84] Tai, L. *et al.* Distinguishing the Two-Component Anomalous Hall Effect from the Topological Hall Effect. *ACS Nano* (2022).
- [85] Yamanouchi, M. *et al.* Observation of topological Hall torque exerted on a domain wall in the ferromagnetic oxide SrRuO<sub>3</sub>. *Sci. Adv.* **8**, eabl6192 (2022).
- [86] Gradshteyn, I.S & Ryzhik, I.M. *Tables of Integrals, Series and Products*, 6 Ed, Academic Press, USA (2000).

- 
- [87] Vollhardt, D. & Woelfle, P. *The Superfluid Phases Of Helium 3* (CRC Press, 2003).
- [88] Volovik, G. Symmetry in superfluid  $^3\text{He}$ . *Helium Three* (Elsevier, 1990), pp. 27–134.
- [89] Gao, S. *et al.* Spiral spin-liquid and the emergence of a vortex-like state in  $\text{MnSc}_2\text{S}_4$ . *Nat. Phys.* **13**, 157–161 (2016).
- [90] Hayami, S., Ozawa, R. & Motome, Y. Effective bilinear-biquadratic model for noncoplanar ordering in itinerant magnets. *Phys. Rev. B* **95**, 224424 (2017).
- [91] Gao, S. *et al.* Fractional antiferromagnetic skyrmion lattice induced by anisotropic couplings. *Nature* **586**, 37–41 (2020).
- [92] Lee, W. *et al.* Synthetic electromagnetic knot in a three-dimensional skyrmion. *Sci. Adv.* **4**, eaao3820 (2018).
- [93] Kawamura, H. & Miyashita, S. Phase transition of the two-dimensional heisenberg antiferromagnet on the triangular lattice. *J. Phys. Soc. Jpn.* **53**, 4138–4154 (1984).
- [94] Dombre, T. & Read, N. Nonlinear  $\sigma$  models for triangular quantum antiferromagnets. *Phys. Rev. B* **39**, 6797–6801 (1989).
- [95] Chen, H., Niu, Q. & MacDonald, A. Anomalous Hall effect arising from non-collinear antiferromagnetism. *Phys. Rev. Lett.* **112**, 017205 (2014).
- [96] Kübler, J. & Felser, C. Non-collinear antiferromagnets and the anomalous Hall effect. *EPL (Europhysics Letters)* **108**, 67001 (2014).
- [97] Yang, H. *et al.* Topological Weyl semimetals in the chiral antiferromagnetic materials  $\text{Mn}_3\text{Ge}$  and  $\text{Mn}_3\text{Sn}$ . *New J. Phys.* **19**, 015008 (2017).
- [98] Kuroda, K. *et al.* Evidence for magnetic Weyl fermions in a correlated metal. *Nat. Mater.* **16**, 1090–1095 (2017).
- [99] Li, B., Sandhoefner, S. & Kovalev, A. A. Intrinsic spin Nernst effect of magnons in a noncollinear antiferromagnet. *Phys. Rev. Research* **2**, 013079 (2020).
- [100] Nakatsuji, S., Kiyohara, N. & Higo, T. Large anomalous Hall effect in a non-collinear antiferromagnet at room temperature. *Nature* **527**, 212–215 (2015).
- [101] Ikhlas, M. *et al.* Large anomalous Nernst effect at room temperature in a chiral antiferromagnet. *Nat. Phys.* **13**, 1085–1090 (2017).



- 
- [102] Tsai, H. *et al.* Electrical manipulation of a topological antiferromagnetic state. *Nature* **580**, 608–613 (2020).
- [103] Marty, K. *et al.* Single domain magnetic helicity and triangular chirality in structurally enantiopure  $\text{Ba}_3\text{NbFe}_3\text{Si}_2\text{O}_{14}$ . *Phys. Rev. Lett.* **101**, 247201 (2008).
- [104] Stock, C. *et al.* Helical spin waves, magnetic order, and fluctuations in the langasite compound  $\text{Ba}_3\text{NbFe}_3\text{Si}_2\text{O}_{14}$ . *Phys. Rev. B* **83**, 104426 (2011).
- [105] Loire, M. *et al.* Parity-broken chiral spin dynamics in  $\text{Ba}_3\text{NbFe}_3\text{Si}_2\text{O}_{14}$ . *Phys. Rev. Lett.* **106**, 207201 (2011).
- [106] Zorko, A. *et al.* Role of antisymmetric exchange in selecting magnetic chirality in  $\text{Ba}_3\text{NbFe}_3\text{Si}_2\text{O}_{14}$ . *Phys. Rev. Lett.* **107**, 257203 (2011).
- [107] Ramakrishnan, M. *et al.* Field-induced double spin spiral in a frustrated chiral magnet. *npj Quantum Mater.* **4**, 60 (2019).
- [108] Reim, J. D. *et al.* Neutron diffraction study and theoretical analysis of the antiferromagnetic order and the diffuse scattering in the layered kagome system  $\text{CaBaCo}_2\text{Fe}_2\text{O}_7$ . *Phys. Rev. B* **97**, 144402 (2018).
- [109] Edmonds, A. R. *Angular Momentum in Quantum Mechanics* (Princeton University Press, 1960).
- [110] Chaix, L. *et al.* Helical bunching and symmetry lowering inducing multiferroicity in Fe langasites. *Phys. Rev. B* **93**, 214419 (2016).
- [111] Bogdanov, A. N. & Yablonskii, D. Contribution to the theory of inhomogeneous states of magnets in the region of magnetic-field-induced phase transitions. Mixed state of antiferromagnets. *JETP* **69**, 142–146 (1989).
- [112] Mermin, N. D. & Ho, T.-L. Circulation and angular momentum in the A phase of superfluid Helium-3. *Phys. Rev. Lett.* **36**, 594–597 (1976).
- [113] Du, H., Ning, W., Tian, M. & Zhang, Y. Magnetic vortex with skyrmionic core in a thin nanodisk of chiral magnets. *EPL (Europhysics Letters)* **101**, 37001 (2013).
- [114] Leonov, A. O., Rökler, U. K. & Mostovoy, M. Target-skyrmions and skyrmion clusters in nanowires of chiral magnets. *EPJ Web of Conferences* **75**, 05002 (2014).
- [115] Zheng, F. *et al.* Direct imaging of a zero-field target skyrmion and its polarity switch in a chiral magnetic nanodisk. *Phys. Rev. Lett.* **119**, 197205 (2017).

- [116] Ackerman, P. J. & Smalyukh, I. I. Static three-dimensional topological solitons in fluid chiral ferromagnets and colloids. *Nat. Mater.* **16**, 426–432 (2016).
- [117] Cooper, N. R. Propagating magnetic vortex rings in ferromagnets. *Phys. Rev. Lett.* **82**, 1554–1557 (1999).
- [118] Sutcliffe, P. Skyrmion knots in frustrated magnets. *Phys. Rev. Lett.* **118**, 247203 (2017).
- [119] Rybakov, F. N. *et al.* Magnetic hopfions in solids. Preprint at <http://arXiv.org/abs/1904.00250> (2019).
- [120] Dzyaloshinskii, I. E. & Ivanov, B. A. *Pis'ma Zh. Eksp. Teor. Fiz.* **29** 592 (1979).
- [121] Iikubo, S., Kodama, K., Takenaka, K., Takagi, H. & Shamoto, S. Magnetovolume effect in  $\text{Mn}_3\text{Cu}_{1-x}\text{Ge}_x\text{N}$  related to the magnetic structure: Neutron powder diffraction measurements. *Phys. Rev. B* **77**, 020409(R) (2008).
- [122] Kodama, K. *et al.* Gradual development of  $\Gamma^{5g}$  antiferromagnetic moment in the giant negative thermal expansion material  $\text{Mn}_3\text{Cu}_{1-x}\text{Ge}_x\text{N}$  ( $x \sim 0.5$ ). *Phys. Rev. B* **81**, 224419 (2010).
- [123] Mochizuki, M., Kobayashi, M., Okabe, R. & Yamamoto, D. Spin model for nontrivial types of magnetic order in inverse-perovskite antiferromagnets. *Phys. Rev. B* **97**, 060401(R) (2018).
- [124] Kimber, S. A. J. & Attfield, J. P. Magnetic order in acentric  $\text{Pb}_2\text{MnO}_4$ . *J. Mater. Chem.* **17**, 4885–4888 (2007).
- [125] Lottermoser, T. *et al.* Magnetic phase control by an electric field. *Nature* **430**, 541–544 (2004).
- [126] Choi, T. *et al.* Insulating interlocked ferroelectric and structural antiphase domain walls in multiferroic  $\text{YMnO}_3$ . *Nat. Mater.* **9**, 253–258 (2010).
- [127] Artyukhin, S., Delaney, K. T., Spaldin, N. A. & Mostovoy, M. Landau theory of topological defects in multiferroic hexagonal manganites. *Nat. Mater.* **13**, 42–49 (2013).
- [128] Kocsis, V. *et al.* Magnetoelectric effect and magnetic phase diagram of a polar ferrimagnet  $\text{CaBaFe}_4\text{O}_7$ . *Phys. Rev. B* **93**, 014444 (2016).
- [129] Liu, J. & Balents, L. Anomalous Hall effect and topological defects in anti-ferromagnetic Weyl semimetals:  $\text{Mn}_3\text{Sn}/\text{Ge}$ . *Phys. Rev. Lett.* **119**, 087202 (2017).

- [130] Batista, C. D., Shifman, M., Wang, Z. & Zhang, S.S. Principal Chiral Model in Correlated Electron Systems. *Phys. Rev. Lett.* **121**, 227201 (2018).
- [131] Azhar, M., Kravchuk, V. P. & Garst, M. Screw Dislocations in Chiral Magnets. *Phys. Rev. Lett.* **128**, 157204 (2022).
- [132] Geim, A. K. & Grigorieva, I. V. Van der Waals heterostructures. *Nature* **499**, 419–425 (2013).
- [133] Gong, C. *et al.* Discovery of intrinsic ferromagnetism in two-dimensional van der Waals crystals. *Nature* **546**, 265–269 (2017).
- [134] Burch, K. S., Mandrus, D. & Park, J. G. Magnetism in two-dimensional van der Waals materials. *Nature* **563**, 47–52 (2018).
- [135] Gibertini, M., Koperski, M., Morpurgo, A. F. & Novoselov, K. S. Magnetic 2D materials and heterostructures. *Nat. Nanotechnol.* **14**, 408–419 (2019).
- [136] Soriano, D., Katsnelson, M. I. & Fernández-Rossier, J. Magnetic two-dimensional chromium trihalides: A theoretical perspective. *Nano Lett.* **20**, 6225–6234 (2020).
- [137] McGuire, M. Crystal and magnetic structures in layered, transition metal dihalides and trihalides. *Crystals* **7**, 121 (2017).
- [138] Kitaev, A. Anyons in an exactly solved model and beyond. *Ann. Phys.* **321**, 2–111 (2006).
- [139] Jackeli, G. & Khaliullin, G. Mott insulators in the strong spin-orbit coupling limit: From Heisenberg to a quantum compass and Kitaev models. *Phys. Rev. Lett.* **102** (2009).
- [140] Plumb, K. W. *et al.*  $\alpha$ - $\text{RuCl}_3$ : A spin-orbit assisted Mott insulator on a honeycomb lattice. *Phys. Rev. B* **90** (2014).
- [141] Kim, H.-S., V., V. S., Catuneanu, A. & Kee, H.-Y. Kitaev magnetism in honeycomb  $\text{RuCl}_3$  with intermediate spin-orbit coupling. *Phys. Rev. B* **91** (2015).
- [142] Huang, B. *et al.* Layer-dependent ferromagnetism in a van der Waals crystal down to the monolayer limit. *Nature* **546**, 270–273 (2017).
- [143] Tong, Q., Liu, F., Xiao, J. & Yao, W. Skyrmions in the moiré of van der Waals 2D magnets. *Nano Lett.* **18**, 7194–7199 (2018).
- [144] Hejazi, K., Luo, Z.-X. & Balents, L. Noncollinear phases in moiré magnets. *Proc. Natl. Acad. Sci. U.S.A* **117**, 10721–10726 (2020).

- [145] Xu, Y. *et al.* Coexisting ferromagnetic–antiferromagnetic state in twisted bilayer CrI<sub>3</sub>. *Nat. Nanotechnol.* **17**, 143–147 (2021).
- [146] Jiang, S., Li, L., Wang, Z. *et al.* Controlling magnetism in 2D CrI<sub>3</sub> by electrostatic doping. *Nature Nanotech* **13**, 549–553 (2018).
- [147] Liu, J., Shi, M., Lu, J. & Anantram, M. P. Analysis of electrical-field-dependent Dzyaloshinskii-Moriya interaction and magnetocrystalline anisotropy in a two-dimensional ferromagnetic monolayer. *Phys. Rev. B* **97** (2018).
- [148] Huang, B. *et al.* Electrical control of 2D magnetism in bilayer CrI<sub>3</sub>. *Nat. Nanotechnol.* **13**, 544–548 (2018).
- [149] Vishkayi, S. I., Torbatian, Z., Qaiumzadeh, A. & Asgari, R. Strain and electric-field control of spin-spin interactions in monolayer CrI<sub>3</sub>. *Phys. Rev. Mater.* **4** (2020).
- [150] Lei, C. *et al.* Magnetoelectric response of antiferromagnetic CrI<sub>3</sub> bilayers. *Nano Lett.* **21**, 1948–1954 (2021).
- [151] Sierra, J.F., Fabian, J., Kawakami, R.K. *et al.* Van der Waals heterostructures for spintronics and opto-spintronics. *Nat. Nanotechnol.* **16**, 856–868 (2021).
- [152] Kurebayashi, H., Garcia, J.H., Khan, S. *et al.* Magnetism, symmetry and spin transport in van der Waals layered systems. *Nat. Rev. Phys.* **4**, 150–166 (2022).
- [153] Lado, J. L. & Fernández-Rossier, J. On the origin of magnetic anisotropy in two dimensional CrI<sub>3</sub>. *2D Mater.* **4**, 035002 (2017).
- [154] Xu, C., Feng, J., Xiang, H. & Bellaiche, L. Interplay between Kitaev interaction and single ion anisotropy in ferromagnetic CrI<sub>3</sub> and CrGeTe<sub>3</sub> monolayers. *npj Comput. Mater.* **4** (2018).
- [155] Jaeschke-Ubiergo, R., Morell, E. S. & Nunez, A. S. Theory of magnetism in the van der Waals magnet CrI<sub>3</sub>. *Phys. Rev. B* **103** (2021).
- [156] Chen, L. *et al.* Topological spin excitations in honeycomb ferromagnet CrI<sub>3</sub>. *Phys. Rev. X* **8**, 041028 (2018).
- [157] Mook, A., Plekhanov, K., Klinovaja, J. & Loss, L. Interaction-stabilized topological magnon insulator in ferromagnets. *Phys. Rev. X* **11**, 021061 (2021).
- [158] Wang, X. S. & Wang, X. R. Topological magnonics. *J. Appl. Phys.* **129**, 151101 (2021).

- [159] Lee, I. *et al.* Fundamental spin interactions underlying the magnetic anisotropy in the Kitaev ferromagnet CrI<sub>3</sub>. *Phys. Rev. Lett.* **124** (2020).
- [160] Chen, L. *et al.* Magnetic field effect on topological spin excitations in CrI<sub>3</sub>. *Phys. Rev. X* **11** (2021).
- [161] Stavropoulos, P. P., Liu, X. & Kee, H.-Y. Magnetic anisotropy in spin-3/2 with heavy ligand in honeycomb Mott insulators: Application to CrI<sub>3</sub>. *Phys. Rev. Res.* **3** (2021).
- [162] Cenker, J. *et al.* Direct observation of two-dimensional magnons in atomically thin CrI<sub>3</sub>. *Nat. Phys.* **17**, 20–25 (2021).
- [163] Shannon, R. D. Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides. *Acta Crystallogr. Section A* **32**, 751–767 (1976).
- [164] Feldkemper, S. & Weber, W. Generalized calculation of magnetic coupling constants for Mott-Hubbard insulators: Application to ferromagnetic Cr compounds. *Phys. Rev. B* **57**, 7755–7766 (1998).
- [165] Barts, E., Barone, P. & Mostovoy, M. Anisotropic exchange interactions in CrI<sub>3</sub>, to be published.
- [166] Harrison, W. A., *Electronic Structure and the Properties of Solids*, Dover Publications, New York (1989).
- [167] Kvashnin, Y. O., Bergman, A., Lichtenstein, A. I. & Katsnelson, M. I. Relativistic exchange interactions in CrX<sub>3</sub> (X=Cl, Br, I) monolayers. *Phys. Rev. B* **102**, 115162 (2020).
- [168] Jang, S. W., Jeong, M. Y., Yoon, H., Ryee, S. & Han, M. J. Microscopic understanding of magnetic interactions in bilayer CrI<sub>3</sub>. *Phys. Rev. Materials* **3**, 031001 (2019).
- [169] Soriano, D., Rudenko, A.N., Katsnelson, M.I. *et al.* Environmental screening and ligand-field effects to magnetism in CrI<sub>3</sub> monolayer. *npj Comput Mater* **7**, 162 (2021).
- [170] Yadav, R. *et al.* Electronic excitations and spin interactions in chromium trihalides from embedded many-body wavefunctions. Preprint, arXiv:2208.02195 (2022).
- [171] Rau, J. G., Lee, E. K.-H. & Kee, H.-Y. Generic Spin Model for the Honeycomb Iridates beyond the Kitaev Limit. *Phys. Rev. Lett.* **112**, 077204 (2014).

- [172] Slater, J. C. & Koster, G. F. Simplified LCAO method for the periodic potential problem. *Phys. Rev.* **94**, 1498–1524 (1954).
- [173] Seyler, K. L. *et al.* Ligand-field helical luminescence in a 2D ferromagnetic insulator. *Nat. Phys.* **14**, 277–281 (2018).
- [174] Jin, W., Kim, H.H., Ye, Z. *et al.* Observation of the polaronic character of excitons in a two-dimensional semiconducting magnet CrI<sub>3</sub>. *Nat Commun* **11**, 4780 (2020).
- [175] Nakhaee, M., Ketabi, S. A. & Peeters, F. M. Tight-binding studio: a technical software package to find the parameters of tight-binding hamiltonian. *Computer Phys. Commun.* **254**, 107379 (2020).
- [176] Ke, L., Katsnelson, M.I. Electron correlation effects on exchange interactions and spin excitations in 2D van der Waals materials. *npj Comput Mater* **7**, 4 (2021).
- [177] Kartsev, A., Augustin, M., Evans, R. F. L., Novoselov, K. S. & Santos, E. J. G. Biquadratic exchange interactions in two-dimensional magnets. *npj Comput. Mater.* **6**, 150 (2020).
- [178] Wahab, D. A. *et al.* Quantum rescaling, domain metastability, and hybrid domain-walls in 2D CrI<sub>3</sub> magnets. *Adv. Mater.* **33**, 2004138 (2021).
- [179] Raghu, S., Qi, S.-L., C. Honerkamp, C., & Zhang, S.-C. Topological Mott Insulators. *Phys. Rev. Lett.* **100**, 156401 (2008).
- [180] Pesin, D. & Balents, L. Mott physics and band topology in materials with strong spin-orbit interaction. *Nature Phys* **6**, 376–381 (2010).
- [181] Chen, BB., Liao, Y.D., Chen, Z. *et al.* Realization of topological Mott insulator in a twisted bilayer graphene lattice model. *Nat Commun* **12**, 5480 (2021).
- [182] Zhu, F. F. Topological magnon insulators in two-dimensional van der Waals ferromagnets CrSiTe<sub>3</sub> and CrGeTe<sub>3</sub>: towards intrinsic gap-tunability. *Sci. Adv.* **7**, eabi7532 (2021).
- [183] Chen, L., Mao, C., Chung, JH. *et al.* Anisotropic magnon damping by zero-temperature quantum fluctuations in ferromagnetic CrGeTe<sub>3</sub>. *Nat Commun* **13**, 4037 (2022).
- [184] Suzuki, M. *et al.* Magnetic anisotropy of the van der Waals ferromagnet Cr<sub>2</sub>Ge<sub>2</sub>Te<sub>6</sub> studied by angular-dependent x-ray magnetic circular dichroism. *Phys. Rev. Res.* **3**, 013139 (2022).

- [185] Behera, A. K., Chowdhury, S. & Das, S. R. Magnetic skyrmions in atomic thin CrI<sub>3</sub> monolayer. *Appl. Phys. Lett.* **114**, 232402 (2019).
- [186] Park, T.-E. *et al.* Néel-type skyrmions and their current-induced motion in van der Waals ferromagnet-based heterostructures. *Phys. Rev. B* **103**, 104410 (2019).
- [187] Gong, C., Kim, E., Wang, Y. *et al.* Multiferroicity in atomic van der Waals heterostructures. *Nat Commun* **10**, 2657 (2019).
- [188] Huang, K, Shao, D.-F. & Tsymbal E., Y. Ferroelectric control of magnetic Skyrmions in two-dimensional van der Waals heterostructures. *Nano Lett.* **22**, 3349–3355 (2022).
- [189] Toth, S. & Lake, B. Linear spin wave theory for single-Q incommensurate magnetic structures. *J. Phys. Condens. Matter* **27**, 166002 (2014).
- [190] Spaldin, N.A. & Ramesh, R. Advances in magnetoelectric multiferroics. *Nat. Mater.* **18**, 203–212 (2019).
- [191] Cheong, S-W. & Mostovoy, M. Multiferroics: a magnetic twist for ferroelectricity. *Nat. Mater.* **6**(1) 13-20 (2007).
- [192] Ideue, T., Kurumaji, T., Ishiwata, S. & Tokura, Y. Giant thermal hall effect in multiferroics. *Nat. Mater.* **16**, 797-802 (2017).
- [193] Park, S., Nagaosa, N. & Yang, B.-J. Thermal hall effect, spin nernst effect, and spin density induced by a thermal gradient in collinear ferrimagnets from magnon-phonon interaction. *Nano Lett.* **20**, 2741-2746 (2020).
- [194] Yu, S. *et al.* High-temperature terahertz optical diode effect without magnetic order in polar FeZnMo<sub>3</sub>O<sub>8</sub>. *Phys. Rev. Lett.* **120**, 037601 (2018).
- [195] Wang, Y. *et al.* Unveiling hidden ferrimagnetism and giant magnetoelectricity in polar magnet Fe<sub>2</sub>Mo<sub>3</sub>O<sub>8</sub>. *Sci. Rep.* **5**, 12268 (2015).
- [196] Kurumaji, T., Ishiwata, S. & Tokura, Y. Doping-Tunable Ferrimagnetic Phase with Large Linear Magnetoelectric Effect in a Polar Magnet Fe<sub>2</sub>Mo<sub>3</sub>O<sub>8</sub>. *Phys. Rev. X* **5**, 031034 (2015).
- [197] Ghara, S., Barts, E., Vasin, K. *et al.* Magnetization reversal through an antiferromagnetic state. *Nat. Commun.* **14**, 5174 (2023).
- [198] Csizi, B. *et al.* Magnetic and vibronic terahertz excitations in Zn-doped Fe<sub>2</sub>Mo<sub>3</sub>O<sub>8</sub>. *Phys. Rev. B* **102**, 174407 (2020).

- [199] Varret, F., Kerner-Czeskleba, H., Hartmann-Boutron, F. & Imbert, P. Étude par effet Mössbauer de l'ion  $\text{Fe}^{2+}$  en symétrie trigonale dans les composés du type  $(\text{Fe}, \text{M})_2\text{Mo}_3\text{O}_8$  ( $\text{M} = \text{Mg}, \text{Zn}, \text{Mn}, \text{Co}, \text{Ni}$ ) et propriétés magnétiques de  $(\text{Fe}, \text{Zn})_2\text{Mo}_3\text{O}_8$ . *J. Phys.* **3**, 549 (1972).
- [200] Bertrand, D. & Kerner-Czeskleba, H. Étude structurale et magnétique de molybdates d'éléments de transition. *Journal de Physique*, **36** (5), pp.379-390 (1975)
- [201] Ji, Y. *et al.* Direct observation of preferential occupation of zinc ions in  $(\text{Fe}_{1-x}\text{Zn}_x)_2\text{Mo}_3\text{O}_8$ . *Solid State Commun.*, **344**, 114666. (2022).
- [202] Solovyev, I. V. & Streltsov, S. V. Microscopic toy model for magnetoelectric effect in polar  $\text{Fe}_2\text{Mo}_3\text{O}_8$ . *Phys. Rev. Mater.* **3**, 114402 (2019).
- [203] Glauber, R. J. Time-Dependent Statistics of the Ising Model. *J. Math. Phys.* **4**, 294 (1963)
- [204] Newman, M. & Barkema, G. *Monte Carlo Methods in Statistical Physics* (Clarendon Press, Oxford, 1999)
- [205] Tokura Y., Seki S. & Nagaosa N. Rep. Prog. Phys. **77** 076501 (2014)
- [206] Cano, A., Meier, D. & Trassin, M. *Multiferroics: Fundamentals and Applications* (Berlin, Boston: De Gruyter, 2021).
- [207] Abragam, A. & Bleaney, B. *Electron Paramagnetic Resonance of Transition Ions* (Clarendon Press, Oxford, 1970).
- [208] Wannier, G. H. The Statistical Problem in Cooperative Phenomena. *Rev. Mod. Phys.* **17**, 50-60 (1945).
- [209] Abe, H., Sato, A., Tsujii, N., Furubayashi, T. & Shimoda, M. Structural refinement of  $\text{T}_2\text{Mo}_3\text{O}_8$  ( $\text{T} = \text{Mg}, \text{Co}, \text{Zn}$  and  $\text{Mn}$ ) and anomalous valence of trinuclear molybdenum clusters in  $\text{Mn}_2\text{Mo}_3\text{O}_8$ . *J. Solid State Chem.* **183**, 379-384 (2010).
- [210] Kurumaji, T., Ishiwata, S. & Tokura, Y. Diagonal magnetoelectric susceptibility and effect of Fe doping in the polar ferrimagnet  $\text{Mn}_2\text{Mo}_3\text{O}_8$ . *Phys. Rev. B* **95**, 045142 (2017).
- [211] Reschke S. *et al.* Confirming the trilinear form of the optical magnetoelectric effect in the polar honeycomb antiferromagnet  $\text{Co}_2\text{Mo}_3\text{O}_8$ . *npj Quantum Mater.* **7**, 1 (2022).
- [212] Szaller, D. *et al.* Coexistence of antiferromagnetism and ferrimagnetism in adjacent honeycomb layers. preprint arXiv.2202.04700 (2022).



- 
- [213] Mo, S. *et al.* Epitaxial-Strain-Induced Spontaneous Magnetization in Polar  $\text{Mn}_2\text{Mo}_3\text{O}_8$ . *Chem. Mater.* **33**, 7713–7718 (2021)
- [214] Sheu, Y. M. *et al.* Picosecond Creation of Switchable Optomagnets from a Polar Antiferromagnet with Giant Photoinduced Kerr Rotations. *Phys. Rev. X* **9**, 031038 (2019).
- [215] Ostler, T. *et al.* Ultrafast heating as a sufficient stimulus for magnetization reversal in a ferrimagnet. *Nat. Commun.* **3**, 666 (2012).