

University of Groningen

Poor old pores

Rempel, Irina Lucia

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:
2019

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Rempel, I. L. (2019). *Poor old pores: The cell's challenge to make and maintain nuclear pore complexes in aging*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

Bibliography

- Adell, M.A.Y., Vogel, G.F., Pakdel, M., Müller, M., Lindner, H., Hess, M.W., and Teis, D. (2014). Coordinated binding of Vps4 to ESCRT-III drives membrane neck constriction during MVB vesicle formation. *J. Cell Biol.* *205*, 33–49.
- Ader, C., Frey, S., Maas, W., Schmidt, H.B., Gorlich, D., and Baldus, M. (2010). Amyloid-like interactions within nucleoporin FG hydrogels. *Proc. Natl. Acad. Sci.* *107*, 6281–6285.
- Aerts, A.M., Zabrocki, P., Govaert, G., Mathys, J., Carmona-Gutierrez, D., Madeo, F., Winderickx, J., Cammue, B.P.A., and Thevissen, K. (2009). Mitochondrial dysfunction leads to reduced chronological lifespan and increased apoptosis in yeast. *FEBS Lett.* *583*, 113–117.
- Aguilaniu, H., Gustafsson, L., Rigoulet, M., and Nyström, T. (2003). Asymmetric Inheritance of Oxidatively Damaged Proteins During Cytokinesis. *Science* (80-). *299*, 1751–1753.
- Aitchison, J.D., and Rout, M.P. (2012). The yeast nuclear pore complex and transport through it. *Genetics*.
- Alamdari, D.H., Kostidou, E., Paletas, K., Sarigianni, M., Konstas, A.G.P., Karapiperidou, A., and Koliakos, G. (2005). High sensitivity enzyme-linked immunosorbent assay (ELISA) method for measuring protein carbonyl in samples with low amounts of protein. *Free Radic. Biol. Med.* *39*, 1362–1367.
- Alber, F., Dokudovskaya, S., Veenhoff, L.M., Zhang, W., Kipper, J., Devos, D., Suprpto, A., Karni-Schmidt, O., Williams, R., Chait, B.T., et al. (2007). The molecular architecture of the nuclear pore complex. *Nature* *450*, 695–701.
- Albert, S., Schaffer, M., Beck, F., Mosalaganti, S., Asano, S., Thomas, H.F., Plitzko, J.M., Beck, M., Baumeister, W., and Engel, B.D. (2017a). Proteasomes tether to two distinct sites at the nuclear pore complex. *Proc. Natl. Acad. Sci. U. S. A.* *114*, 13726–13731.
- Albert, S., Schaffer, M., Beck, F., Mosalaganti, S., Asano, S., Thomas, H.F., Plitzko, J.M., Beck, M., Baumeister, W., and Engel, B.D. (2017b). Proteasomes tether to two distinct sites at the nuclear pore complex. *Proc. Natl. Acad. Sci.* *114*, 13726–13731.
- Allen, N.P.C., Patel, S.S., Huang, L., Chalkley, R.J., Burlingame, A., Lutzmann, M., Hurt, E.C., and Rexach, M. (2002). Deciphering networks of protein interactions at the nuclear pore complex. *Mol. Cell. Proteomics* *1*, 930–946.
- Alonso Y Adell, M., Migliano, S.M., and Teis, D. (2016). ESCRT-III and Vps4: a dynamic multipurpose tool for membrane budding and scission. *FEBS J.* *283*, 3288–3302.
- Antonin, W., Franz, C., Haselmann, U., Antony, C., and Mattaj, I.W. (2005). The Integral Membrane Nucleoporin pom121 Functionally Links Nuclear Pore Complex Assembly and Nuclear Envelope Formation. *Mol. Cell* *17*, 83–92.
- Antonin, W., Ungricht, R., and Kutay, U. (2011). Traversing the NPC along the pore membrane. *Nucleus* *2*, 87–91.
- Arai, R., Ueda, H., Kitayama, A., Kamiya, N., and Nagamune, T. (2001). Design of the linkers which effectively separate domains of a bifunctional fusion protein. *Protein Eng.* *14*, 529–532.
- Aramburu, I.V., and Lemke, E.A. (2017). Floppy but not sloppy: Interaction mechanism of FG-nucleoporins and nuclear transport receptors. *Semin. Cell Dev. Biol.* *68*, 34–41.
- Azmi, I., Davies, B., Dimaano, C., Payne, J., Eckert, D., Babst, M., and Katzmann, D.J. (2006).

- Recycling of ESCRTs by the AAA-ATPase Vps4 is regulated by a conserved VSL region in Vta1. *J. Cell Biol.* 172, 705–717.
- Bakker, E., Swain, P.S., and Crane, M.M. (2018). Morphologically constrained and data informed cell segmentation of budding yeast. *Bioinformatics* 34, 88–96.
- Balchin, D., Hayer-Hartl, M., and Hartl, F.U. (2016). In vivo aspects of protein folding and quality control. *Science* (80-.). 353, aac4354–aac4354.
- Barlowe, C., Orci, L., Yeung, T., Hosobuchi, M., Hamamoto, S., Salama, N., Rexach, M.F., Ravazzola, M., Amherdt, M., and Schekman, R. (1994). COPII: a membrane coat formed by Sec proteins that drive vesicle budding from the endoplasmic reticulum. *Cell* 77, 895–907.
- Barral, Y., Mermall, V., Mooseker, M.S., and Snyder, M. (2000). Compartmentalization of the cell cortex by septins is required for maintenance of cell polarity in yeast. *Mol. Cell* 5, 841–851.
- Bayliss, R., Ribbeck, K., Akin, D., Kent, H.M., Feldherr, C.M., Görlich, D., and Stewart, M. (1999). Interaction between NTF2 and xFxFG-containing nucleoporins is required to mediate nuclear import of RanGDP 1 Edited by I. B. Holland. *J. Mol. Biol.* 293, 579–593.
- Bayliss, R., Kent, H.M., Corbett, A.H., and Stewart, M. (2000). Crystallization and Initial X-Ray Diffraction Characterization of Complexes of FxFG Nucleoporin Repeats with Nuclear Transport Factors. *J. Struct. Biol.* 131, 240–247.
- Bayliss, R., Leung, S.W., Baker, R.P., Quimby, B.B., Corbett, A.H., and Stewart, M. (2002). Structural basis for the interaction between NTF2 and nucleoporin FxFG repeats. *EMBO J.* 21, 2843–2853.
- Becker, J., Melchior, F., Gerke, V., Bischoff, F.R., Ponstingl, H., and Wittinghofer, A. (1995). RNA1 encodes a GTPase-activating protein specific for Gsp1p, the Ran/TC4 homologue of *Saccharomyces cerevisiae*. *J. Biol. Chem.* 270, 11860–11865.
- Ben-Zvi, A., Miller, E.A., and Morimoto, R.I. (2009). Collapse of proteostasis represents an early molecular event in *Caenorhabditis elegans* aging. *Proc. Natl. Acad. Sci.* 106, 14914–14919.
- Berlett, B.S., and Stadtman, E.R. (1997). Protein oxidation in aging, disease, and oxidative stress. *J. Biol. Chem.* 272, 20313–20316.
- Binai, N.A., Bisschops, M.M.M., Van Breukelen, B., Mohammed, S., Loeff, L., Pronk, J.T., Heck, A.J.R., Daran-Lapujade, P., and Slijper, M. (2014). Proteome adaptation of *saccharomyces cerevisiae* to severe calorie restriction in retentostat cultures. *J. Proteome Res.*
- Blenski, M., Kehlenbach, R., Blenski, M., and Kehlenbach, R.H. (2019). Targeting of LRRC59 to the Endoplasmic Reticulum and the Inner Nuclear Membrane. *Int. J. Mol. Sci.* 20, 334.
- Bley, C.J., Hoelz, A., Collins, L.N., Kossiakoff, A.A., Perriches, T., Koide, A., Hurt, E., Mayo, D.J., Schilbach, S., Jeon, Y.E., et al. (2015). Architecture of the fungal nuclear pore inner ring complex. *Science* (80-.). 350, 56–64.
- Bodoor, K., Shaikh, S., Salina, D., Raharjo, W.H., Bastos, R., Lohka, M., and Burke, B. (1999). Sequential recruitment of NPC proteins to the nuclear periphery at the end of mitosis. *J. Cell Sci.* 112 (Pt 13), 2253–2264.
- Boender, L.G.M., de Hulster, E.A.F., van Maris, A.J.A., Daran-Lapujade, P.A.S., and Pronk, J.T. (2009). Quantitative physiology of *Saccharomyces cerevisiae* at near-zero specific growth rates.

Appl. Environ. Microbiol. *75*, 5607–5614.

Boender, L.G.M., Almering, M.J.H., Dijk, M., van Maris, A.J.A., de Winde, J.H., Pronk, J.T., and Daran-Lapujade, P. (2011). Extreme calorie restriction and energy source starvation in *Saccharomyces cerevisiae* represent distinct physiological states. *Biochim. Biophys. Acta - Mol. Cell Res.*

Boeynaems, S., Bogaert, E., Michiels, E., Gijselinck, I., Sieben, A., Jovičić, A., De Baets, G., Scheveneels, W., Steyaert, J., Cuijt, I., et al. (2016). *Drosophila* screen connects nuclear transport genes to DPR pathology in c9ALS/FTD. *Sci. Rep.* *6*, 20877.

Bogerd, A.M., Hoffman, J.A., Amberg, D.C., Fink, G.R., and Davis, L.I. (1994). *nup1* mutants exhibit pleiotropic defects in nuclear pore complex function. *J. Cell Biol.* *127*, 319–332.

Boni, A., Politi, A.Z., Strnad, P., Xiang, W., Hossain, M.J., and Ellenberg, J. (2015). Live imaging and modeling of inner nuclear membrane targeting reveals its molecular requirements in mammalian cells. *J. Cell Biol.*

Bonifacino, J.S., and Glick, B.S. (2004). The Mechanisms of Vesicle Budding and Fusion. *Cell* *116*, 153–166.

Buchkovich, N.J., Henne, W.M., Tang, S., and Emr, S.D. (2013). Essential N-Terminal Insertion Motif Anchors the ESCRT-III Filament during MVB Vesicle Formation. *Dev. Cell* *27*, 201–214.

Bufalino, M.R., DeVeale, B., and van der Kooy, D. (2013). The asymmetric segregation of damaged proteins is stem cell-type dependent. *J. Cell Biol.*

Burns, L.T., and Wentz, S.R. (2012). Trafficking to uncharted territory of the nuclear envelope. *Curr. Opin. Cell Biol.* *24*, 341–349.

Burtner, C.R., Murakami, C.J., Olsen, B., Kennedy, B.K., and Kaerberlein, M. (2011). A genomic analysis of chronological longevity factors in budding yeast. *Cell Cycle* *10*, 1385–1396.

Cai, L., Dalal, C.K., and Elowitz, M.B. (2008). Frequency-modulated nuclear localization bursts coordinate gene regulation. *Nature* *455*, 485–490.

Carrasco, B., and García de la Torre, J. (1999). Hydrodynamic properties of rigid particles: comparison of different modeling and computational procedures. *Biophys. J.* *76*, 3044–3057.

Case, L.C., and Tessier-Lavigne, M. (2005). Regeneration of the adult central nervous system. *Curr. Biol.* *15*, R749–53.

Casey, A.K., Chen, S., Novick, P., Ferro-Novick, S., and Wentz, S.R. (2015). Nuclear pore complex integrity requires Lnp1, a regulator of cortical endoplasmic reticulum. *Mol. Biol. Cell* *26*, 2833–2844.

Casolari, J.M., Brown, C.R., Komili, S., West, J., Hieronymus, H., and Silver, P.A. (2004). Genome-wide localization of the nuclear transport machinery couples transcriptional status and nuclear organization. *Cell* *117*, 427–439.

Chadrin, A., Hess, B., San Roman, M., Gatti, X., Lombard, B., Loew, D., Barral, Y., Palancade, B., and Doye, V. (2010). Pom33, a novel transmembrane nucleoporin required for proper nuclear pore complex distribution. *J. Cell Biol.* *189*, 795–811.

Chatterjee, M., and Paschal, B.M. (2015). Disruption of the Ran System by Cysteine Oxidation of

- the Nucleotide Exchange Factor RCC1. *Mol. Cell. Biol.* 35, 566–581.
- Cheng, J., Türkel, N., Hemati, N., Fuller, M.T., Hunt, A.J., and Yamashita, Y.M. (2008). Centrosome misorientation reduces stem cell division during ageing. *Nature* 456, 599–604.
- Chiaruttini, N., Redondo-Morata, L., Colom, A., Humbert, F., Lenz, M., Scheuring, S., and Roux, A. (2015). Relaxation of Loaded ESCRT-III Spiral Springs Drives Membrane Deformation. *Cell* 163, 866–879.
- Chiu, S.-L., Steinwald, P., Vidensky, S., Miller, S.J., Haeusler, A.R., Daley, E.L., Rothstein, J.D., Grima, J.C., Haganir, R.L., Lloyd, T.E., et al. (2015). The C9orf72 repeat expansion disrupts nucleocytoplasmic transport. *Nature* 525, 56–61.
- Choi, N.-H., Kim, J.-G., Yang, D.-J., Kim, Y.-S., and Yoo, M.-A. (2008). Age-related changes in *Drosophila* midgut are associated with PVF2, a PDGF/VEGF-like growth factor. *Aging Cell* 7, 318–334.
- Christ, L., Wenzel, E.M., Liestøl, K., Raiborg, C., Campsteijn, C., and Stenmark, H. (2016). ALIX and ESCRT-I/II function as parallel ESCRT-III recruiters in cytokinetic abscission. *J. Cell Biol.* 212, 499–513.
- Clay, L., Caudron, F., Denoth-Lippuner, A., Boettcher, B., Buvelot Frei, S., Snapp, E.L., and Barral, Y. (2014). A sphingolipid-dependent diffusion barrier confines ER stress to the yeast mother cell. *Elife* 3, e01883.
- Cohen, A., Weindling, E., Rabinovich, E., Nachman, I., Fuchs, S., Chuartzman, S., Gal, L., Schuldiner, M., and Bar-Nun, S. (2016). Water-transfer slows aging in *Saccharomyces cerevisiae*. *PLoS One* 11.
- Colombi, P., Webster, B.M., Fröhlich, F., and Patrick Lusk, C. (2013). The transmission of nuclear pore complexes to daughter cells requires a cytoplasmic pool of Nsp1. *J. Cell Biol.*
- Crane, M.M., Clark, I.B.N., Bakker, E., Smith, S., and Swain, P.S. (2014). A microfluidic system for studying ageing and dynamic single-cell responses in budding yeast. *PLoS One* 9.
- Crimmins, E.M. (2015). Lifespan and Healthspan: Past, Present, and Promise. *Gerontologist* 55, 901–911.
- Cutler, A.A., Dammer, E.B., Doung, D.M., Seyfried, N.T., Corbett, A.H., and Pavlath, G.K. (2017). Biochemical isolation of myonuclei employed to define changes to the myonuclear proteome that occur with aging. *Aging Cell* 16, 738–749.
- D’Angelo, M.A., and Hetzer, M.W. (2008). Structure, dynamics and function of nuclear pore complexes. *Trends Cell Biol.*
- D’Angelo, M.A., Raices, M., Panowski, S.H., and Hetzer, M.W. (2009). Age-Dependent Deterioration of Nuclear Pore Complexes Causes a Loss of Nuclear Integrity in Postmitotic Cells. *Cell* 136, 284–295.
- D’Mello, N.P., and Jazwinski, S.M. (1991). Telomere length constancy during aging of *Saccharomyces cerevisiae*. *J. Bacteriol.* 173, 6709–6713.
- Dang, W., Steffen, K.K., Perry, R., Dorsey, J.A., Johnson, F.B., Shilatifard, A., Kaeberlein, M., Kennedy, B.K., and Berger, S.L. (2009). Histone H4 lysine 16 acetylation regulates cellular lifespan. *Nature* 459, 802–807.

Bibliography

- David, D.C., Ollikainen, N., Trinidad, J.C., Cary, M.P., Burlingame, A.L., and Kenyon, C. (2010). Widespread Protein Aggregation as an Inherent Part of Aging in *C. elegans*. *PLoS Biol.* 8, e1000450.
- Dawson, T.R., Lazarus, M.D., Hetzer, M.W., and Wentte, S.R. (2009). ER membrane-bending proteins are necessary for de novo nuclear pore formation. *J. Cell Biol.* 184, 659–675.
- Denais, C.M., Gilbert, R.M., Isermann, P., McGregor, A.L., te Lindert, M., Weigelin, B., Davidson, P.M., Friedl, P., Wolf, K., and Lammerding, J. (2016). Nuclear envelope rupture and repair during cancer cell migration. *Science* 352, 353–358.
- Denning, D., Mykytka, B., Allen, N.P.C., Huang, L., Al Burlingame, and Rexach, M. (2001). The nucleoporin Nup60p functions as a Gsp1p–GTP-sensitive tether for Nup2p at the nuclear pore complex. *J. Cell Biol.* 154, 937–950.
- Denoth-Lippuner, A., Krzyzanowski, M.K., Stober, C., and Barral, Y. (2014). Role of SAGA in the asymmetric segregation of DNA circles during yeast ageing. *Elife* 3.
- Denoth Lippuner, A., Julou, T., and Barral, Y. (2014). Budding yeast as a model organism to study the effects of age. *FEMS Microbiol. Rev.* 38, 300–325.
- Diepouis, G., Iglesias, N., and Stutz, F. (2006). Cotranscriptional Recruitment to the mRNA Export Receptor Mex67p Contributes to Nuclear Pore Anchoring of Activated Genes. *Mol. Cell Biol.* 26, 7858–7870.
- Dilworth, D.J., Suprpto, A., Padovan, J.C., Chait, B.T., Wozniak, R.W., Rout, M.P., and Aitchison, J.D. (2001). Nup2p dynamically associates with the distal regions of the yeast nuclear pore complex. *J. Cell Biol.* 153, 1465–1478.
- Dingwall, C., and Laskey, R.A. (1991). Nuclear targeting sequences — a consensus? *Trends Biochem. Sci.* 16, 478–481.
- Dixon, C.R., and Schirmer, E.C. (2018). Navigating the Nuclear Envelope: One or Multiple Transport Mechanisms for Integral Membrane Proteins? (Springer, Cham), pp. 151–177.
- Dokudovskaya, S., Waharte, F., Schlessinger, A., Pieper, U., Devos, D.P., Cristea, I.M., Williams, R., Salamero, J., Chait, B.T., Sali, A., et al. (2011). A conserved coatmer-related complex containing Sec13 and Seh1 dynamically associates with the vacuole in *Saccharomyces cerevisiae*. *Mol. Cell. Proteomics* 10, M110.006478.
- Dölker, N., Zachariae, U., and Grubmüller, H. (2010). Hydrophilic Linkers and Polar Contacts Affect Aggregation of FG Repeat Peptides. *Biophys. J.* 98, 2653–2661.
- Dultz, E., and Ellenberg, J. (2010). Live imaging of single nuclear pores reveals unique assembly kinetics and mechanism in interphase. *J. Cell Biol.* 191, 15–22.
- Dultz, E., Zanin, E., Wurzenberger, C., Braun, M., Rabut, G., Sironi, L., and Ellenberg, J. (2008). Systematic kinetic analysis of mitotic dis- and reassembly of the nuclear pore in living cells. *J. Cell Biol.* 180, 857–865.
- Eftekharzadeh, B., Daigle, J.G., Kapinos, L.E., Coyne, A., Schiantarelli, J., Carlomagno, Y., Cook, C., Miller, S.J., Dujardin, S., Amaral, A.S., et al. (2018). Tau Protein Disrupts Nucleocytoplasmic Transport in Alzheimer’s Disease. *Neuron* 99, 925-940.e7.
- Eisenhardt, N., Redolfi, J., and Antonin, W. (2014). Interaction of Nup53 with Ndc1 and Nup155

- is required for nuclear pore complex assembly. *J. Cell Sci.* *127*, 908–921.
- Ellenberg, J., Siggia, E.D., Moreira, J.E., Smith, C.L., Presley, J.F., Worman, H.J., and Lippincott-Schwartz, J. (1997). Nuclear membrane dynamics and reassembly in living cells: targeting of an inner nuclear membrane protein in interphase and mitosis. *J. Cell Biol.* *138*, 1193–1206.
- Fabrizio, P., Pozza, F., Pletcher, S.D., Gendron, C.M., and Longo, V.D. (2001). Regulation of Longevity and Stress Resistance by Sch9 in Yeast. *Science* (80-.). *292*, 288–290.
- Fehrmann, S., Paoletti, C., Goulev, Y., Ungureanu, A., Aguilaniu, H., and Charvin, G. (2013). Aging yeast cells undergo a sharp entry into senescence unrelated to the loss of mitochondrial membrane potential. *Cell Rep.*
- Fernandez-Martinez, J., Kim, S.J., Shi, Y., Upla, P., Pellarin, R., Gagnon, M., Chemmama, I.E., Wang, J., Nudelman, I., Zhang, W., et al. (2016). Structure and Function of the Nuclear Pore Complex Cytoplasmic mRNA Export Platform. *Cell* *167*, 1215–1228.e25.
- Feser, J., Truong, D., Das, C., Carson, J.J., Kieft, J., Harkness, T., and Tyler, J.K. (2010). Elevated Histone Expression Promotes Life Span Extension. *Mol. Cell* *39*, 724–735.
- Fichtman, B., and Harel, A. (2014). Stress and aging at the nuclear gateway. *Mech. Ageing Dev.* *135*, 24–32.
- Fischer, J., Teimer, R., Amlacher, S., Kunze, R., and Hurt, E. (2015). Linker Nups connect the nuclear pore complex inner ring with the outer ring and transport channel. *Nat. Struct. & Mol. Biol.*
- Fiserova, J., and Goldberg, M.W. (2010). Nucleocytoplasmic transport in yeast: a few roles for many actors. *Biochem. Soc. Trans.* *38*, 273–277.
- Fontana, L., Partridge, L., and Longo, V.D. (2010). Extending Healthy Life Span--From Yeast to Humans. *Science* (80-.). *328*, 321–326.
- Freibaum, B.D., Lu, Y., Lopez-Gonzalez, R., Kim, N.C., Almeida, S., Lee, K.-H., Badders, N., Valentine, M., Miller, B.L., Wong, P.C., et al. (2015). GGGGCC repeat expansion in C9orf72 compromises nucleocytoplasmic transport. *Nature* *525*, 129–133.
- Frey, S., and Görlich, D. (2007). A saturated FG-repeat hydrogel can reproduce the permeability properties of nuclear pore complexes. *Cell* *130*, 512–523.
- Frey, S., Richter, R.P., and Görlich, D. (2006). FG-rich repeats of nuclear pore proteins form a three-dimensional meshwork with hydrogel-like properties. *Science* *314*, 815–817.
- Frey, S., Rees, R., Schünemann, J., Ng, S.C., Fünfgeld, K., Huyton, T., and Görlich, D. (2018). Surface Properties Determining Passage Rates of Proteins through Nuclear Pores. *Cell* *174*, 202–217.e9.
- Frontera, W.R., Hughes, V.A., Fielding, R.A., Fiatarone, M.A., Evans, W.J., and Roubenoff, R. (2000). Aging of skeletal muscle: a 12-yr longitudinal study. *J. Appl. Physiol.* *88*, 1321–1326.
- Fujita, T., Iwasa, J., and Hansch, C. (1964). A New Substituent Constant, π , Derived from Partition Coefficients. *J. Am. Chem. Soc.* *86*, 5175–5180.
- Fuxreiter, M. (2019). Fold or not to fold upon binding — does it really matter? *Curr. Opin. Struct.*

Bibliography

Biol. 54, 19–25.

Gaik, M., Flemming, D., von Appen, A., Kastritis, P., Mücke, N., Fischer, J., Stelter, P., Ori, A., Bui, K.H., Baßler, J., et al. (2015). Structural basis for assembly and function of the Nup82 complex in the nuclear pore scaffold. *J. Cell Biol.* 208, 283–297.

Galea, C.A., Wang, Y., Sivakolundu, S.G., and Kriwacki, R.W. (2008). Regulation of Cell Division by Intrinsically Unstructured Proteins: Intrinsic Flexibility, Modularity, and Signaling Conduits †. *Biochemistry* 47, 7598–7609.

Geertsma, E.R., Groeneveld, M., Slotboom, D.-J., and Poolman, B. (2008). Quality control of overexpressed membrane proteins. *Proc. Natl. Acad. Sci. U. S. A.* 105, 5722–5727.

Gehlen, L.R., Nagai, S., Shimada, K., Meister, P., Taddei, A., and Gasser, S.M. (2011). Nuclear Geometry and Rapid Mitosis Ensure Asymmetric Episome Segregation in Yeast. *Curr. Biol.* 21, 25–33.

Ghavami, A., van der Giessen, E., and Onck, P.R. (2013a). Coarse-Grained Potentials for Local Interactions in Unfolded Proteins. *J. Chem. Theory Comput.* 9, 432–440.

Ghavami, A., van der Giessen, E., and Onck, P.R. (2013b). Coarse-Grained Potentials for Local Interactions in Unfolded Proteins. *J. Chem. Theory Comput.* 9, 432–440.

Ghavami, A., Veenhoff, L.M., Van Der Giessen, E., and Onck, P.R. (2014). Probing the disordered domain of the nuclear pore complex through coarse-grained molecular dynamics simulations. *Biophys. J.*

Ghazi-Tabatabai, S., Saksena, S., Short, J.M., Pobbati, A. V., Veprintsev, D.B., Crowther, R.A., Emr, S.D., Egelman, E.H., and Williams, R.L. (2008). Structure and Disassembly of Filaments Formed by the ESCRT-III Subunit Vps24. *Structure* 16, 1345–1356.

Gibson, M.C., and Schultz, E. (1983). Age-related differences in absolute numbers of skeletal muscle satellite cells. *Muscle Nerve* 6, 574–580.

Goldberg, M.W. (2017). Nuclear pore complex tethers to the cytoskeleton. *Semin. Cell Dev. Biol.* 68, 52–58.

Goldberg, A.A., Bourque, S.D., Kyryakov, P., Gregg, C., Boukh-Viner, T., Beach, A., Burstein, M.T., Machkalyan, G., Richard, V., Rampersad, S., et al. (2009). Effect of calorie restriction on the metabolic history of chronologically aging yeast. *Exp. Gerontol.* 44, 555–571.

Goldberg, M.W., Wiese, C., Allen, T.D., and Wilson, K.L. (1997). Dimples, pores, star-rings, and thin rings on growing nuclear envelopes: evidence for structural intermediates in nuclear pore complex assembly. *J. Cell Sci.* 110 (Pt 4), 409–420.

Goldfarb, D.S., Gariépy, J., Schoolnik, G., and Kornberg, R.D. (1986). Synthetic peptides as nuclear localization signals. *Nature* 322, 641–644.

Gomez-Navarro, N., and Miller, E.A. (2016). COP-coated vesicles. *Curr. Biol.* 26, R54–R57.

Goodchild, R.E., Buchwalter, A.L., Naismith, T. V, Holbrook, K., Billion, K., Dauer, W.T., Liang, C.-C., Dear, M.L., and Hanson, P.I. (2015). Access of torsinA to the inner nuclear membrane is activity dependent and regulated in the endoplasmic reticulum. *J. Cell Sci.* 128, 2854–2865.

- Granados, A.A., Crane, M.M., Montano-Gutierrez, L.F., Tanaka, R.J., Voliotis, M., and Swain, P.S. (2017). Distributing tasks via multiple input pathways increases cellular survival in stress. *Elife* 6.
- Grima, J.C., Daigle, J.G., Arbez, N., Cunningham, K.C., Zhang, K., Ochaba, J., Geater, C., Morozko, E., Stocksdales, J., Glatzer, J.C., et al. (2017). Mutant Huntingtin Disrupts the Nuclear Pore Complex. *Neuron* 94, 93–107.e6.
- Grund, S.E., Fischer, T., Cabal, G.G., Antúnez, O., Pérez-Ortín, J.E., and Hurt, E. (2008). The inner nuclear membrane protein Src1 associates with subtelomeric genes and alters their regulated gene expression. *J. Cell Biol.* 182, 897–910.
- Gu, M., LaJoie, D., Chen, O.S., von Appen, A., Ladinsky, M.S., Redd, M.J., Nikolova, L., Bjorkman, P.J., Sundquist, W.I., Ullman, K.S., et al. (2017). LEM2 recruits CHMP7 for ESCRT-mediated nuclear envelope closure in fission yeast and human cells. *Proc. Natl. Acad. Sci. U. S. A.* 114, E2166–E2175.
- de Haan, G., Nijhof, W., and Van Zant, G. (1997). Mouse strain-dependent changes in frequency and proliferation of hematopoietic stem cells during aging: correlation between lifespan and cycling activity. *Blood* 89, 1543–1550.
- Halfmann, R., Wright, J.R., Alberti, S., Lindquist, S., and Rexach, M. (2012). Prion formation by a yeast GLFG nucleoporin. *Prion* 6, 391–399.
- Hanson, J.A., Brokaw, J., Hayden, C.C., Chu, J.-W., and Yang, H. (2012). Structural distributions from single-molecule measurements as a tool for molecular mechanics. *Chem. Phys.* 396, 61–71.
- Hanzén, S., Vielfort, K., Yang, J., Roger, F., Andersson, V., Zamarride-Forés, S., Andersson, R., Malm, L., Palais, G., Biteau, B., et al. (2016). Lifespan Control by Redox-Dependent Recruitment of Chaperones to Misfolded Proteins. *Cell* 166, 140–151.
- Hao, N., and O’Shea, E.K. (2011). Signal-dependent dynamics of transcription factor translocation controls gene expression. *Nat. Struct. Mol. Biol.* 19, 31–39.
- Hao, N., Budnik, B.A., Gunawardena, J., and O’Shea, E.K. (2013). Tunable signal processing through modular control of transcription factor translocation. *Science* 339, 460–464.
- Haraguchi, T., Koujin, T., Hayakawa, T., Kaneda, T., Tsutsumi, C., Imamoto, N., Akazawa, C., Sukegawa, J., Yoneda, Y., and Hiraoka, Y. (2000). Live fluorescence imaging reveals early recruitment of emerin, LBR, RanBP2, and Nup153 to reforming functional nuclear envelopes. *J. Cell Sci.* 113 (Pt 5), 779–794.
- Harris, N., MacLean, M., Hatzianthis, K., Panaretou, B., and Piper, P.W. (2001). Increasing *Saccharomyces cerevisiae* stress resistance, through the overactivation of the heat shock response resulting from defects in the Hsp90 chaperone, does not extend replicative life span but can be associated with slower chronological ageing of nondividing cells. *Mol. Genet. Genomics* 265, 258–263.
- Haruki, H., Nishikawa, J., and Laemmli, U.K. (2008). The Anchor-Away Technique: Rapid, Conditional Establishment of Yeast Mutant Phenotypes. *Mol. Cell.*
- Hayama, R., Sparks, S., Hecht, L.M., Dutta, K., Karp, J.M., Cabana, C.M., Rout, M.P., and Cowburn, D. (2018). Thermodynamic characterization of the multivalent interactions underlying rapid and selective translocation through the nuclear pore complex. *J. Biol. Chem.* 293, 4555–4563.

Bibliography

- Hayflick, L. (2007). Biological Aging Is No Longer an Unsolved Problem. *Ann. N. Y. Acad. Sci.* *1100*, 1–13.
- Henderson, K.A., and Gottschling, D.E. (2008). A mother's sacrifice: what is she keeping for herself? *Curr. Opin. Cell Biol.* *20*, 723–728.
- Henderson, K.A., Hughes, A.L., and Gottschling, D.E. (2014). Mother-daughter asymmetry of pH underlies aging and rejuvenation in yeast. *Elife* *3*.
- Henne, W.M., Buchkovich, N.J., Zhao, Y., and Emr, S.D. (2012). The Endosomal Sorting Complex ESCRT-II Mediates the Assembly and Architecture of ESCRT-III Helices. *Cell* *151*, 356–371.
- Higuchi-Sanabria, R., Pernice, W.M.A., Vevea, J.D., Alessi Wolken, D.M., Boldogh, I.R., and Pon, L.A. (2014). Role of asymmetric cell division in lifespan control in *Saccharomyces cerevisiae*. *FEMS Yeast Res.* *14*, 1133–1146.
- Hill, S.M., Hao, X., Grö, J., Kaganovich, D., Liu, B., Nyström, T., Grö Nvall, J., Spikings-Nordby, S., Widlund, P.O., Amen, T., et al. (2016). Asymmetric Inheritance of Aggregated Proteins and Age Reset in Yeast Are Regulated by Vac17-Dependent Vacuolar Functions. *CellReports* *16*, 826–838.
- Hinshaw, J.E., and Milligan, R.A. (2003). Nuclear pore complexes exceeding eightfold rotational symmetry. *J. Struct. Biol.* *141*, 259–268.
- Hodel, A.E., Harreman, M.T., Pulliam, K.F., Harben, M.E., Holmes, J.S., Hodel, M.R., Berland, K.M., and Corbett, A.H. (2006). Nuclear Localization Signal Receptor Affinity Correlates with *in Vivo* Localization in *Saccharomyces cerevisiae*. *J. Biol. Chem.* *281*, 23545–23556.
- Hodge, C.A., Choudhary, V., Wolyniak, M.J., Scarcelli, J.J., Schneider, R., and Cole, C.N. (2010). Integral membrane proteins Brr6 and Apq12 link assembly of the nuclear pore complex to lipid homeostasis in the endoplasmic reticulum. *J. Cell Sci.* *123*, 141–151.
- Holmer, L., and Worman, H.J. (2001). Inner nuclear membrane proteins: functions and targeting. *Cell. Mol. Life Sci.* *58*, 1741–1747.
- Hu, J., Wei, M., Mirisola, M.G., and Longo, V.D. (2013). Assessing chronological aging in *Saccharomyces cerevisiae*. *Methods Mol. Biol.*
- Huberts, D.H.E.W., Sik Lee, S., González, J., Janssens, G.E., Vizcarra, I.A., and Heinemann, M. (2013). Construction and use of a microfluidic dissection platform for long-term imaging of cellular processes in budding yeast. *Nat. Protoc.* *8*, 1019–1027.
- Huberts, D.H.E.W., González, J., Lee, S.S., Litsios, A., Hubmann, G., Wit, E.C., and Heinemann, M. (2014). Calorie restriction does not elicit a robust extension of replicative lifespan in *Saccharomyces cerevisiae*. *Proc. Natl. Acad. Sci.* *111*, 11727–11731.
- Huh, W.-K., Falvo, J. V., Gerke, L.C., Carroll, A.S., Howson, R.W., Weissman, J.S., and O'Shea, E.K. (2003). Global analysis of protein localization in budding yeast. *Nature* *425*, 686–691.
- Hurley, J.H. (2010). The ESCRT complexes. *Crit. Rev. Biochem. Mol. Biol.* *45*, 463–487.
- Hurt, E., and Beck, M. (2015). Towards understanding nuclear pore complex architecture and dynamics in the age of integrative structural analysis. *Curr. Opin. Cell Biol.*

- Ibarra, A., and Hetzer, M.W. (2015). Nuclear pore proteins and the control of genome functions. *Genes Dev.* *29*, 337–349.
- Iovine, M.K., Watkins, J.L., and Wentz, S.R. (1995). The GLFG repetitive region of the nucleoporin Nup116p interacts with Kap95p, an essential yeast nuclear import factor. *J. Cell Biol.* *131*, 1699–1713.
- Jakubowski, W., Biliński, T., and Bartosz, G. (2000). Oxidative stress during aging of stationary cultures of the yeast *Saccharomyces cerevisiae*. *Free Radic. Biol. Med.* *28*, 659–664.
- Jani, D., Valkov, E., and Stewart, M. (2014). Structural basis for binding the TREX2 complex to nuclear pores, GAL1 localisation and mRNA export. *Nucleic Acids Res.* *42*, 6686–6697.
- Janke, C., Magiera, M.M., Rathfelder, N., Taxis, C., Reber, S., Maekawa, H., Moreno-Borchart, A., Doenges, G., Schwob, E., Schiebel, E., et al. (2004). A versatile toolbox for PCR-based tagging of yeast genes: New fluorescent proteins, more markers and promoter substitution cassettes. *Yeast*.
- Janssens, G., and Veenhoff, L. (2016a). Evidence for the hallmarks of human aging in replicatively aging yeast. *Microb. Cell* *3*, 263–274.
- Janssens, G.E., and Veenhoff, L.M. (2016b). The Natural Variation in Lifespans of Single Yeast Cells Is Related to Variation in Cell Size, Ribosomal Protein, and Division Time. *PLoS One* *11*, e0167394.
- Janssens, G.E., Meinema, A.C., Gonzalez, J., Wolters, J.C., Schmidt, A., Guryev, V., Bischoff, R., Wit, E.C., Veenhoff, L.M., and Heinemann, M. (2015). Protein biogenesis machinery is a driver of replicative aging in yeast. *Elife* *4*.
- Jo, M.C., Liu, W., Gu, L., Dang, W., and Qin, L. (2015). High-throughput analysis of yeast replicative aging using a microfluidic system. *Proc. Natl. Acad. Sci.* *112*, 9364–9369.
- Johnston, J.R. (1966). Reproductive capacity and mode of death of yeast cells. *Antonie Van Leeuwenhoek* *32*, 94–98.
- Jovanovic-Taliman, T., Tetenbaum-Novatt, J., McKenney, A.S., Zilman, A., Peters, R., Rout, M.P., and Chait, B.T. (2009). Artificial nanopores that mimic the transport selectivity of the nuclear pore complex. *Nature* *457*, 1023–1027.
- Jovičić, A., Mertens, J., Boeynaems, S., Bogaert, E., Chai, N., Yamada, S.B., Paul, J.W., Sun, S., Herdy, J.R., Bieri, G., et al. (2015). Modifiers of C9orf72 dipeptide repeat toxicity connect nucleocytoplasmic transport defects to FTD/ALS. *Nat. Neurosci.* *18*, 1226–1229.
- Juszkiewicz, S., and Hegde, R.S. (2018). Quality Control of Orphaned Proteins. *Mol. Cell* *71*, 443–457.
- Kaffman, A., Rank, N.M., and O’Shea, E.K. (1998). Phosphorylation regulates association of the transcription factor Pho4 with its import receptor Pse1/Kap121. *Genes Dev.* *12*, 2673–2683.
- Kampinga, H.H., and Bergink, S. (2016). Heat shock proteins as potential targets for protective strategies in neurodegeneration. *Lancet. Neurol.* *15*, 748–759.
- Kapinos, L.E., Huang, B., Rencurel, C., and Lim, R.Y.H. (2017). Karyopherins regulate nuclear pore complex barrier and transport function. *J. Cell Biol.* *216*, 3609–3624.

Bibliography

- Katta, S.S., Smoyer, C.J., and Jaspersen, S.L. (2014). Destination: inner nuclear membrane. *Trends Cell Biol.* *24*, 221–229.
- Katzmann, D.J., Odorizzi, G., and Emr, S.D. (2002). Receptor downregulation and multivesicular-body sorting. *Nat. Rev. Mol. Cell Biol.* *3*, 893–905.
- Kaya, A., Lobanov, A. V., and Gladyshev, V.N. (2015). Evidence that mutation accumulation does not cause aging in *Saccharomyces cerevisiae*. *Aging Cell* *14*, 366–371.
- Kennedy, B.K., Austriaco, N.R., and Guarente, L. (1994). Daughter Cells of *Saccharomyces cerevisiae* from Old Mothers Display a Reduced Life Span. *J. Cell Biol.* *127*, 1985–1993.
- Khadaroo, B., Teixeira, M.T., Luciano, P., Eckert-Boulet, N., Germann, S.M., Simon, M.N., Gallina, I., Abdallah, P., Gilson, E., Géli, V., et al. (2009). The DNA damage response at eroded telomeres and tethering to the nuclear pore complex. *Nat. Cell Biol.* *11*, 980–987.
- Khmelniskii, A., Keller, P.J., Bartosik, A., Meurer, M., Barry, J.D., Mardin, B.R., Kaufmann, A., Trautmann, S., Wachsmuth, M., Pereira, G., et al. (2012). Tandem fluorescent protein timers for in vivo analysis of protein dynamics.
- Kieffer, C., Skalicky, J.J., Morita, E., De Domenico, I., Ward, D.M., Kaplan, J., and Sundquist, W.I. (2008). Two Distinct Modes of ESCRT-III Recognition Are Required for VPS4 Functions in Lysosomal Protein Targeting and HIV-1 Budding. *Dev. Cell* *15*, 62–73.
- Killian, D.J., and Hubbard, E.J.A. (2005). *Caenorhabditis elegans* germline patterning requires coordinated development of the somatic gonadal sheath and the germ line. *Dev. Biol.* *279*, 322–335.
- Kim, H.J., and Taylor, J.P. (2017). Lost in Transportation: Nucleocytoplasmic Transport Defects in ALS and Other Neurodegenerative Diseases. *Neuron* *96*, 285–297.
- Kim, S.J., Fernandez-Martinez, J., Nudelman, I., Shi, Y., Zhang, W., Raveh, B., Herricks, T., Slaughter, B.D., Hogan, J.A., Upla, P., et al. (2018). Integrative structure and functional anatomy of a nuclear pore complex. *Nature* *555*, 475–482.
- Kim, S.Y., Ryu, S.J., Ahn, H.J., Choi, H.R., Kang, H.T., Park, S.C., Kim, S.Y., Choi, H.R., and Ryu, S.J. (2010). Senescence-related functional nuclear barrier by down-regulation of nucleocytoplasmic trafficking gene expression. *Biochem. Biophys. Res. Commun.* *391*, 28–32.
- King, M.C., Lusk, C., and Blobel, G. (2006). Karyopherin-mediated import of integral inner nuclear membrane proteins. *Nature* *442*, 1003–1007.
- Kirchman, P.A., Kim, S., Lai, C.Y., and Jazwinski, S.M. (1999). Interorganelle signaling is a determinant of longevity in *Saccharomyces cerevisiae*. *Genetics* *152*, 179–190.
- Kirkwood, T.B.L. (2008). Understanding ageing from an evolutionary perspective. *J. Intern. Med.* *263*, 117–127.
- Kirkwood, T.B.L., Feder, M., Finch, C.E., Franceschi, C., Globerson, A., Klingenberg, C.P., LaMarco, K., Omholt, S., and Westendorp, R.G.. (2005). What accounts for the wide variation in life span of genetically identical organisms reared in a constant environment? *Mech. Ageing Dev.* *126*, 439–443.
- Kohler, A., Schmithorst, V., Filippi, M.-D., Ryan, M.A., Daria, D., Gunzer, M., and Geiger, H. (2009). Altered cellular dynamics and endosteal location of aged early hematopoietic progenitor

cells revealed by time-lapse intravital imaging in long bones. *Blood* *114*, 290–298.

Kosinski, J., Mosalaganti, S., von Appen, A., Teimer, R., DiGiulio, A.L., Wan, W., Bui, K.H., Hagen, W.J.H., Briggs, J.A.G., Glavy, J.S., et al. (2016). Molecular architecture of the inner ring scaffold of the human nuclear pore complex. *Science* (80-.). *352*, 363–365.

Kowalczyk, S.W., Kapinos, L., Blosser, T.R., Magalhães, T., van Nies, P., Lim, R.Y.H., and Dekker, C. (2011). Single-molecule transport across an individual biomimetic nuclear pore complex. *Nat. Nanotechnol.* *6*, 433–438.

Kralt, A., Jagalur, N.B., van den Boom, V., Lokareddy, R.K., Steen, A., Cingolani, G., Fornerod, M., and Veenhoff, L.M. (2015a). Conservation of inner nuclear membrane targeting sequences in mammalian Pom121 and yeast Heh2 membrane proteins. *Mol. Biol. Cell*.

Kralt, A., Jagalur, N.B., van den Boom, V., Lokareddy, R.K., Steen, A., Cingolani, G., Fornerod, M., and Veenhoff, L.M. (2015b). Conservation of inner nuclear membrane targeting sequences in mammalian Pom121 and yeast Heh2 membrane proteins. *Mol. Biol. Cell* *26*, 3301–3312.

Kuipers, O.P., de Ruyter, P.G.G., Kleerebezem, M., and de Vos, W.M. (1998). Quorum sensing-controlled gene expression in lactic acid bacteria. *J. Biotechnol.* *64*, 15–21.

Laan, L., Roth, S., and Dogterom, M. (2012). End-on microtubule-dynein interactions and pulling-based positioning of microtubule organizing centers. *Cell Cycle* *11*, 3750–3757.

Laba, J., Steen, A., Popken, P., Chernova, A., Poolman, B., and Veenhoff, L. (2015). Active Nuclear Import of Membrane Proteins Revisited. *Cells* *4*, 653–673.

Laba, J.K., Steen, A., and Veenhoff, L.M. (2014). Traffic to the inner membrane of the nuclear envelope. *Curr. Opin. Cell Biol.*

Labokha, A.A., Gradmann, S., Frey, S., Hülsmann, B.B., Urlaub, H., Baldus, M., and Görlich, D. (2012). Systematic analysis of barrier-forming FG hydrogels from *Xenopus* nuclear pore complexes. *EMBO J.* *32*, 204–218.

Lam, Y.T., Aung-Htut, M.T., Lim, Y.L., Yang, H., and Dawes, I.W. (2011). Changes in reactive oxygen species begin early during replicative aging of *Saccharomyces cerevisiae* cells. *Free Radic. Biol. Med.* *50*, 963–970.

Landry, W.D., and Cotter, T.G. (2014). ROS signalling, NADPH oxidases and cancer. *Biochem. Soc. Trans.* *42*, 934–938.

Lange, A., Mills, R.E., Lange, C.J., Stewart, M., Devine, S.E., and Corbett, A.H. (2007). Classical nuclear localization signals: definition, function, and interaction with importin alpha. *J. Biol. Chem.* *282*, 5101–5105.

Lata, S., Schoehn, G., Jain, A., Pires, R., Piehler, J., Gottlinger, H.G., and Weissenhorn, W. (2008). Helical Structures of ESCRT-III Are Disassembled by VPS4. *Science* (80-.). *321*, 1354–1357.

Laudermilch, E., Tsai, P.-L., Graham, M., Turner, E., Zhao, C., and Schlieker, C. (2016). Dissecting Torsin/cofactor function at the nuclear envelope: a genetic study. *Mol. Biol. Cell* *27*, 3964–3971.

Laun, P., Pichova, A., Madeo, F., Fuchs, J., Ellinger, A., Kohlwein, S., Dawes, I., Fröhlich, K.-U., and Breitenbach, M. (2004). Aged mother cells of *Saccharomyces cerevisiae* show markers of

- oxidative stress and apoptosis. *Mol. Microbiol.* *39*, 1166–1173.
- Lee, K.-H., Zhang, P., Kim, H.J., Mitrea, D.M., Sarkar, M., Freibaum, B.D., Cika, J., Coughlin, M., Messing, J., Molliex, A., et al. (2016). C9orf72 Dipeptide Repeats Impair the Assembly, Dynamics, and Function of Membrane-Less Organelles. *Cell* *167*, 774–788.e17.
- Lee, S.S., Avalos Vizcarra, I., Huberts, D.H.E.W., Lee, L.P., Heinemann, M., Vizcarra, I.A., Huberts, D.H.E.W., Lee, L.P., and Heinemann, M. (2012). Whole lifespan microscopic observation of budding yeast aging through a microfluidic dissection platform. *109*.
- van der Lee, R., Buljan, M., Lang, B., Weatheritt, R.J., Daughdrill, G.W., Dunker, A.K., Fuxreiter, M., Gough, J., Gsponer, J., Jones, D.T., et al. (2014). Classification of Intrinsically Disordered Regions and Proteins. *Chem. Rev.* *114*, 6589–6631.
- Lemaitre, C., Fischer, B., Kalousi, A., Hoffbeck, A.-S., Guirouilh-Barbat, J., Shahar, O.D., Genet, D., Goldberg, M., Bertrand, P., Lopez, B., et al. (2012). The nucleoporin 153, a novel factor in double-strand break repair and DNA damage response. *Oncogene* *31*, 4803–4809.
- Lemke, E.A. (2016). The Multiple Faces of Disordered Nucleoporins. *J. Mol. Biol.* *428*, 2011–2024.
- Leo, A.J. (1993). Calculating log Poct from structures. *Chem. Rev.* *93*, 1281–1306.
- Levine, R.L. (2002). Carbonyl modified proteins in cellular regulation, aging, and disease. *Free Radic. Biol. Med.* *32*, 790–796.
- Lewin, J.M., Lwaleed, B.A., Cooper, A.J., and Birch, B.R. (2007). The Direct Effect of Nuclear Pores on Nuclear Chemotherapeutic Concentration in Multidrug Resistant Bladder Cancer: The Nuclear Sparing Phenomenon. *J. Urol.* *177*, 1526–1530.
- Li, C., Goryaynov, A., and Yang, W. (2016). The selective permeability barrier in the nuclear pore complex. *Nucleus* *7*, 430–446.
- Li, H.Y., Wirtz, D., and Zheng, Y. (2003). A mechanism of coupling RCC1 mobility to RanGTP production on the chromatin in vivo. *J. Cell Biol.* *160*, 635–644.
- Lim, R.Y.H., Fahrenkrog, B., Koser, J., Schwarz-Herion, K., Deng, J., and Aebi, U. (2007). Nanomechanical Basis of Selective Gating by the Nuclear Pore Complex. *Science* (80-). *318*, 640–643.
- Lim, R.Y.H., Huang, B., and Kapinos, L.E. (2015). How to operate a nuclear pore complex by Kap-centric control. *Nucleus* *6*, 366–372.
- Lin, D.H., Stuwe, T., Schilbach, S., Rundlet, E.J., Perriches, T., Mobbs, G., Fan, Y., Thierbach, K., Huber, F.M., Collins, L.N., et al. (2016). Architecture of the symmetric core of the nuclear pore. *Science* (80-). *352*, aaf1015–aaf1015.
- Lin, S.-J., Kaeberlein, M., Andalis, A.A., Sturtz, L.A., Defossez, P.-A., Culotta, V.C., Fink, G.R., and Guarente, L. (2002). Calorie restriction extends *Saccharomyces cerevisiae* lifespan by increasing respiration. *Nature* *418*, 344–348.
- Lindner, A.B., Madden, R., Demarez, A., Stewart, E.J., and Taddei, F. (2008). Asymmetric segregation of protein aggregates is associated with cellular aging and rejuvenation. *Proc. Natl. Acad. Sci. U. S. A.* *105*, 3076–3081.

- Lindstrom, D.L., and Gottschling, D.E. (2009). The mother enrichment program: A genetic system for facile replicative life span analysis in *Saccharomyces cerevisiae*. *Genetics*.
- Liu, B., Larsson, L., Caballero, A., Hao, X., Öling, D., Grantham, J., and Nyström, T. (2010). The Polarisome Is Required for Segregation and Retrograde Transport of Protein Aggregates. *Cell* *140*, 257–267.
- Liu, B., Larsson, L., Franssens, V., Hao, X., Hill, S.M., Andersson, V., Höglund, D., Song, J., Yang, X., Öling, D., et al. (2011). Segregation of Protein Aggregates Involves Actin and the Polarity Machinery. *Cell* *147*, 959–961.
- Lokareddy, R.K., Hapsari, R.A., Van rheen, M., Pumroy, R.A., Bhardwaj, A., Steen, A., Veenhoff, L.M., and Cingolani, G. (2015). Distinctive Properties of the Nuclear Localization Signals of Inner Nuclear Membrane Proteins Heh1 and Heh2. *Structure*.
- Lone, M.A., Atkinson, A.E., Hodge, C.A., Cottier, S., Martínez-Montañés, F., Maithel, S., Mène-Saffrané, L., Cole, C.N., and Schneiter, R. (2015). Yeast integral membrane proteins Apq12, Brl1, and Brr6 form a complex important for regulation of membrane homeostasis and nuclear pore complex biogenesis. *Eukaryot. Cell* *14*, 1217–1227.
- Longo, V.D., and Fabrizio, P. (2011). Chronological Aging in *Saccharomyces cerevisiae*. In *Subcell Biochem.*, pp. 101–121.
- Longo, V.D., Liou, L.-L., Valentine, J.S., and Gralla, E.B. (1999). Mitochondrial Superoxide Decreases Yeast Survival in Stationary Phase. *Arch. Biochem. Biophys.* *365*, 131–142.
- Longo, V.D., Shadel, G.S., Kaeberlein, M., and Kennedy, B. (2012). Replicative and chronological aging in *saccharomyces cerevisiae*. *Cell Metab.* *16*, 18–31.
- López-Otín, C., Blasco, M.A., Partridge, L., Serrano, M., and Kroemer, G. (2013). The Hallmarks of Aging. *Cell* *153*, 1194–1217.
- Lord, C.L., Timney, B.L., Rout, M.P., and Went, S.R. (2015). Altering nuclear pore complex function impacts longevity and mitochondrial function in *S. cerevisiae*. *J. Cell Biol.* *208*, 729–744.
- Loureiro, J.R., Oliveira, C.L., and Silveira, I. (2016). Unstable repeat expansions in neurodegenerative diseases: nucleocytoplasmic transport emerges on the scene. *Neurobiol. Aging* *39*, 174–183.
- Lowe, A.R., Tang, J.H., Yassif, J., Graf, M., Huang, W.Y.C., Groves, J.T., Weis, K., and Liphardt, J.T. (2015). Importin- β modulates the permeability of the nuclear pore complex in a Ran-dependent manner. *Elife* *4*.
- Lu, L., Ladinsky, M.S., and Kirchhausen, T. (2011). Formation of the postmitotic nuclear envelope from extended ER cisternae precedes nuclear pore assembly. *J. Cell Biol.* *194*, 425–440.
- Luedeke, C., Frei, S.B., Sbalzarini, I., Schwarz, H., Spang, A., and Barral, Y. (2005). Septin-dependent compartmentalization of the endoplasmic reticulum during yeast polarized growth. *J. Cell Biol.* *169*, 897–908.
- Lund, M.K., and Guthrie, C. (2005). The DEAD-Box Protein Dbp5p Is Required to Dissociate Mex67p from Exported mRNPs at the Nuclear Rim. *Mol. Cell* *20*, 645–651.
- Lusk, C.P., Blobel, G., and King, M.C. (2007). Highway to the inner nuclear membrane: rules for

Bibliography

the road. *Nat. Rev. Mol. Cell Biol.* 8, 414–420.

Mackmull, M.-T., Klaus, B., Heinze, I., Chokkalingam, M., Beyer, A., Russell, R.B., Ori, A., and Beck, M. (2017). Landscape of nuclear transport receptor cargo specificity. *Mol. Syst. Biol.* 13, 962.

Madrid, A.S., Mancuso, J., Cande, W.Z., and Weis, K. (2006). The role of the integral membrane nucleoporins Ndc1p and Pom152p in nuclear pore complex assembly and function. *J. Cell Biol.* 173, 361.

Magami, Y., Azuma, T., Inokuchi, H., Kokuno, S., Moriyasu, F., Kawai, K., and Hattori, T. (2002). Cell proliferation and renewal of normal hepatocytes and bile duct cells in adult mouse liver. *Liver* 22, 419–425.

Maisonneuve, E., Ducret, A., Khoueiry, P., Lignon, S., Longhi, S., Talla, E., and Dukan, S. (2009). Rules governing selective protein carbonylation. *PLoS One* 4, e7269.

Makhnevych, T., Lusk, C.P., Anderson, A.M., Aitchison, J.D., and Wozniak, R.W. (2003). Cell Cycle Regulated Transport Controlled by Alterations in the Nuclear Pore Complex. *Cell* 115, 813–823.

Makio, T., Stanton, L.H., Lin, C.-C., Goldfarb, D.S., Weis, K., and Wozniak, R.W. (2009). The nucleoporins Nup170p and Nup157p are essential for nuclear pore complex assembly. *J. Cell Biol.* 185, 459–473.

Makio, T., Lapetina, D.L., and Wozniak, R.W. (2013). Inheritance of yeast nuclear pore complexes requires the Nsp1p subcomplex. *J. Cell Biol.* 203, 187–196.

Malato, Y., Naqvi, S., Schürmann, N., Ng, R., Wang, B., Zape, J., Kay, M.A., Grimm, D., and Willenbring, H. (2011). Fate tracing of mature hepatocytes in mouse liver homeostasis and regeneration. *J. Clin. Invest.* 121, 4850–4860.

Mansfeld, J., Güttinger, S., Hawryluk-Gara, L.A., Panté, N., Mall, M., Galy, V., Haselmann, U., Mühlhäusser, P., Wozniak, R.W., Mattaj, I.W., et al. (2006). The Conserved Transmembrane Nucleoporin NDC1 Is Required for Nuclear Pore Complex Assembly in Vertebrate Cells. *Mol. Cell* 22, 93–103.

Marqusee, S., and Baldwin, R.L. (1987). Helix stabilization by Glu...Lys⁺ salt bridges in short peptides of de novo design. *Proc. Natl. Acad. Sci. U. S. A.* 84, 8898–8902.

Mattheyses, A.L., Kampmann, M., Atkinson, C.E., and Simon, S.M. (2010). Fluorescence anisotropy reveals order and disorder of protein domains in the nuclear pore complex. *Biophys. J.* 99, 1706–1717.

McCloskey, A., Ibarra, A., and Hetzer, M.W. (2018). Tpr regulates the total number of nuclear pore complexes per cell nucleus. *Genes Dev.* 32, 1321–1331.

McCullough, J., Clippinger, A.K., Talledge, N., Skowrya, M.L., Saunders, M.G., Naismith, T. V., Colf, L.A., Afonine, P., Arthur, C., Sundquist, W.I., et al. (2015). Structure and membrane remodeling activity of ESCRT-III helical polymers. *Science* (80-.). 350, 1548–1551.

McFaline-Figueroa, J.R., Vevea, J., Swayne, T.C., Zhou, C., Liu, C., Leung, G., Boldogh, I.R., and Pon, L.A. (2011). Mitochondrial quality control during inheritance is associated with lifespan and mother-daughter age asymmetry in budding yeast. *Aging Cell* 10, 885–895.

- Meinema, A.C., Laba, J.K., Hapsari, R.A., Otten, R., Mulder, F.A.A., Kralt, A., van den Bogaart, G., Lusk, C.P., Poolman, B., and Veenhoff, L.M. (2011). Long Unfolded Linkers Facilitate Membrane Protein Import Through the Nuclear Pore Complex. *Science* (80-). 333, 90–93.
- Meinema, A.C., Poolman, B., and Veenhoff, L.M. (2012). The transport of integral membrane proteins across the nuclear pore complex. *Nucleus* 3, 322–329.
- Meinema, A.C., Poolman, B., and Veenhoff, L.M. (2013). Quantitative Analysis of Membrane Protein Transport Across the Nuclear Pore Complex. *Traffic* 14, 487–501.
- Mészáros, N., Cibulka, J., Mendiburo, M.J., Romanuska, A., Schneider, M., and Köhler, A. (2015). Nuclear Pore Basket Proteins Are Tethered to the Nuclear Envelope and Can Regulate Membrane Curvature. *Dev. Cell* 33, 285–298.
- Meylan, W.M., and Howard, P.H. (1995). Atom/fragment contribution method for estimating octanol-water partition coefficients. *J. Pharm. Sci.* 84, 83–92.
- Mi, L., Goryaynov, A., Lindquist, A., Rexach, M., and Yang, W. (2015). Quantifying nucleoporin stoichiometry inside single nuclear pore complexes in vivo. *Sci. Rep.* 5, 9372.
- Milles, S., Bui, K.H., Koehler, C., Eltsov, M., Beck, M., and Lemke ++, E.A. (2013). Facilitated aggregation of FG nucleoporins under molecular crowding conditions. *EMBO Rep.* 14.
- Milles, S., Mercadante, D., Aramburu, I.V., Jensen, M.R., Banterle, N., Koehler, C., Tyagi, S., Clarke, J., Shammas, S.L., Blackledge, M., et al. (2015). Plasticity of an Ultrafast Interaction between Nucleoporins and Nuclear Transport Receptors. *Cell* 163, 734–745.
- Møller, I.M., and Sweetlove, L.J. (2010). ROS signalling – specificity is required. *Trends Plant Sci.* 15, 370–374.
- Montpetit, B., Thomsen, N.D., Helmke, K.J., Seeliger, M.A., Berger, J.M., and Weis, K. (2011). A conserved mechanism of DEAD-box ATPase activation by nucleoporins and InsP6 in mRNA export. *Nature* 472, 238–242.
- Moore, D.L., and Jessberger, S. (2017). Creating Age Asymmetry: Consequences of Inheriting Damaged Goods in Mammalian Cells. *Trends Cell Biol.* 27, 82–92.
- Moradi, M., Babin, V., Roland, C., Darden, T.A., and Sagui, C. (2009). Conformations and free energy landscapes of polyproline peptides. *Proc. Natl. Acad. Sci.* 106, 20746–20751.
- Morgan, M.J., and Liu, Z. (2011). Crosstalk of reactive oxygen species and NF-κB signaling. *Cell Res.* 21, 103–115.
- Moroianu, J., Blobel, G., and Radu, A. (1996). The binding site of karyopherin alpha for karyopherin beta overlaps with a nuclear localization sequence. *Proc. Natl. Acad. Sci. U. S. A.* 93, 6572–6576.
- Morrison, J., Yang, J.-C., Stewart, M., and Neuhaus, D. (2003). Solution NMR study of the interaction between NTF2 and nucleoporin FxFG repeats. *J. Mol. Biol.* 333, 587–603.
- Mortimer, R.K., and Johnston, J.R. (1959). Life Span of Individual Yeast Cells. *Nature* 183, 1751–1752.
- Moskalev, A.A., Shaposhnikov, M. V., Plyusnina, E.N., Zhavoronkov, A., Budovsky, A., Yanai, H., and Fraifeld, V.E. (2013). The role of DNA damage and repair in aging through the prism of

Bibliography

- Koch-like criteria. *Ageing Res. Rev.* *12*, 661–684.
- Mostowy, S., and Cossart, P. (2012). Septins: the fourth component of the cytoskeleton. *Nat. Rev. Mol. Cell Biol.* *13*, 183–194.
- Mozdy, A.D., and Cech, T.R. (2006). Low abundance of telomerase in yeast: implications for telomerase haploinsufficiency. *RNA* *12*, 1721–1737.
- Müller, I. (1971). Experiments on ageing in single cells of *Saccharomyces cerevisiae*. *Arch. Mikrobiol.* *77*, 20–25.
- Nagai, S., Dubrana, K., Tsai-Pflugfelder, M., Davidson, M.B., Roberts, T.M., Brown, G.W., Varela, E., Hediger, F., Gasser, S.M., and Krogan, N.J. (2008). Functional Targeting of DNA Damage to a Nuclear Pore-Associated SUMO-Dependent Ubiquitin Ligase. *Science* (80-). *322*, 597–602.
- Necci, M., Piovesan, D., and Tosatto, S.C.E. (2016). Large-scale analysis of intrinsic disorder flavors and associated functions in the protein sequence universe. *Protein Sci.* *25*, 2164–2174.
- Nemergut, M.E., Mizzen, C.A., Stukenberg, T., Allis, C.D., and Macara, I.G. (2001). Chromatin docking and exchange activity enhancement of RCC1 by histones H2A and H2B. *Science* *292*, 1540–1543.
- Niepel, M., Molloy, K.R., Williams, R., Farr, J.C., Meinema, A.C., Vecchietti, N., Cristea, I.M., Chait, B.T., Rout, M.P., and Strambio-De-Castillia, C. (2013). The nuclear basket proteins Mlp1p and Mlp2p are part of a dynamic interactome including Esc1p and the proteasome. *Mol. Biol. Cell* *24*, 3920–3938.
- Niño, C.A., Guet, D., Gay, A., Brutus, S., Jourquin, F., Mendiratta, S., Salamero, J., Géli, V., and Dargemont, C. (2016). Posttranslational marks control architectural and functional plasticity of the nuclear pore complex basket. *J. Cell Biol.* *212*, 167–180.
- Novarina, D., Mavrova, S.N., Janssens, G.E., Rempel, I.L., Veenhoff, L.M., and Chang, M. (2017). Increased genome instability is not accompanied by sensitivity to DNA damaging agents in aged yeast cells.
- Nyström, T., and Liu, B. (2014). The mystery of aging and rejuvenation—a budding topic. *Curr. Opin. Microbiol.*
- Ocampo, A., Liu, J., Schroeder, E.A., Shadel, G.S., and Barrientos, A. (2012). Mitochondrial respiratory thresholds regulate yeast chronological life span and its extension by caloric restriction. *Cell Metab.* *16*, 55–67.
- Oki, M., and Nishimoto, T. (1998). A protein required for nuclear-protein import, Mog1p, directly interacts with GTP-Gsp1p, the *Saccharomyces cerevisiae* ran homologue. *Proc. Natl. Acad. Sci. U. S. A.* *95*, 15388–15393.
- Oki, M., and Nishimoto, T. (2000). Yrb1p Interaction with the Gsp1p C Terminus Blocks Mog1p Stimulation of GTP Release from Gsp1p. *J. Biol. Chem.* *275*, 32894–32900.
- Olmos, Y., Perdrix-Rosell, A., and Carlton, J.G. (2016). Membrane Binding by CHMP7 Coordinates ESCRT-III-Dependent Nuclear Envelope Reformation. *Curr. Biol.* *26*, 2635–2641.
- Olson, C.A., Spek, E.J., Shi, Z., Vologodskii, A., and Kallenbach, N.R. (2001). Cooperative helix stabilization by complex Arg-Glu salt bridges. *Proteins* *44*, 123–132.

- Onischenko, E., Tang, J.H., Andersen, K.R., Knockenhauer, K.E., Vallotton, P., Derrer, C.P., Kralt, A., Mugler, C.F., Chan, L.Y., Schwartz, T.U., et al. (2017). Natively Unfolded FG Repeats Stabilize the Structure of the Nuclear Pore Complex. *Cell* *171*, 904-917.e19.
- van Oosten-Hawle, P., and Morimoto, R.I. (2014). Organismal proteostasis: role of cell-nonautonomous regulation and transcellular chaperone signaling. *Genes Dev.* *28*, 1533–1543.
- Ori, A., Banterle, N., Iskar, M., Andres-Pons, A., Escher, C., Khanh Bui, H., Sparks, L., Solis-Mezarino, V., Rinner, O., Bork, P., et al. (2014). Cell type-specific nuclear pores: a case in point for context-dependent stoichiometry of molecular machines. *Mol. Syst. Biol.* *9*, 648–648.
- Ori, A., Toyama, B.H., Harris, M.S., Bock, T., Iskar, M., Bork, P., Ingolia, N.T., Hetzer, M.W., and Beck, M. (2015). Integrated Transcriptome and Proteome Analyses Reveal Organ-Specific Proteome Deterioration in Old Rats. *Cell Syst.* *1*, 224–237.
- Otsuka, S., and Ellenberg, J. (2018). Mechanisms of nuclear pore complex assembly - two different ways of building one molecular machine. *FEBS Lett.* *592*, 475–488.
- Otsuka, S., Iwasaka, S., Yoneda, Y., Takeyasu, K., and Yoshimura, S.H. (2008). Individual binding pockets of importin- for FG-nucleoporins have different binding properties and different sensitivities to RanGTP. *Proc. Natl. Acad. Sci.* *105*, 16101–16106.
- Otsuka, S., Bui, K.H., Schorb, M., Hossain, M.J., Politi, A.Z., Koch, B., Eltsov, M., Beck, M., and Ellenberg, J. (2016). Nuclear pore assembly proceeds by an inside-out extrusion of the nuclear envelope. *Elife*.
- Otsuka, S., Steyer, A.M., Schorb, M., Hériché, J.K., Hossain, M.J., Sethi, S., Kueblbeck, M., Schwab, Y., Beck, M., and Ellenberg, J. (2018). Postmitotic nuclear pore assembly proceeds by radial dilation of small membrane openings. *Nat. Struct. Mol. Biol.* *25*, 21–28.
- Pan, Y., Schroeder, E.A., Ocampo, A., Barrientos, A., and Shadel, G.S. (2011). Regulation of Yeast Chronological Life Span by TORC1 via Adaptive Mitochondrial ROS Signaling. *Cell Metab.* *13*, 668–678.
- Parsell, D.A., Kowal, A.S., Singer, M.A., and Lindquist, S. (1994). Protein disaggregation mediated by heat-shock protein Hsp104. *Nature* *372*, 475–478.
- Passarino, G., De Rango, F., and Montesanto, A. (2016). Human longevity: Genetics or Lifestyle? It takes two to tango. *Immun. Ageing* *13*, 12.
- Pawar, S., Ungricht, R., Tiefenboeck, P., Leroux, J.-C., and Kutay, U. (2017). Efficient protein targeting to the inner nuclear membrane requires Atlastin-dependent maintenance of ER topology. *Elife* *6*.
- Peskett, T.R., Rau, F., O’Driscoll, J., Patani, R., Lowe, A.R., and Saibil, H.R. (2018). A Liquid to Solid Phase Transition Underlying Pathological Huntingtin Exon1 Aggregation. *Mol. Cell* *70*, 588-601.e6.
- Petralia, R.S., Mattson, M.P., and Yao, P.J. (2014). Aging and longevity in the simplest animals and the quest for immortality. *Ageing Res. Rev.* *16*, 66–82.
- Petrov, D., and Zagrovic, B. (2011). Microscopic analysis of protein oxidative damage: effect of carbonylation on structure, dynamics, and aggregability of villin headpiece. *J. Am. Chem. Soc.* *133*, 7016–7024.

Bibliography

- Pitt, J.N., and Kaerberlein, M. (2015). Why is aging conserved and what can we do about it? *PLoS Biol.* *13*, e1002131.
- Popken, Ghavami, A., Onck, P.R., Poolman, B., and Veenhoff, L.M. (2015). Size-Dependent Leak of Soluble and Membrane Proteins Through the Yeast Nuclear Pore Complex. *Mol. Biol. Cell* *26*, 1386–1394.
- Port, S.A., Monecke, T., Dickmanns, A., Spillner, C., Hofele, R., Urlaub, H., Ficner, R., and Kehlenbach, R.H. (2015). Structural and Functional Characterization of CRM1-Nup214 Interactions Reveals Multiple FG-Binding Sites Involved in Nuclear Export. *Cell Rep.* *13*, 690–702.
- Pyhtila, B., and Rexach, M. (2003). A Gradient of Affinity for the Karyopherin Kap95p along the Yeast Nuclear Pore Complex. *J. Biol. Chem.* *278*, 42699–42709.
- Raab, M., Gentili, M., de Belly, H., Thiam, H.R., Vargas, P., Jimenez, A.J., Lautenschlaeger, F., Voituriez, R., Lennon-Duménil, A.M., Manel, N., et al. (2016). ESCRT III repairs nuclear envelope ruptures during cell migration to limit DNA damage and cell death. *Science* *352*, 359–362.
- Rabut, G., Doye, V., and Ellenberg, J. (2004). Mapping the dynamic organization of the nuclear pore complex inside single living cells. *Nat. Cell Biol.* *6*, 1114–1121.
- Raices, M., and D'Angelo, M.A. (2017). Nuclear pore complexes and regulation of gene expression. *Curr. Opin. Cell Biol.* *46*, 26–32.
- Rao, L., Romes, E.M., Nicholas, M.P., Brenner, S., Tripathy, A., Gennerich, A., and Slep, K.C. (2013). The yeast dynein Dyn2-Pac11 complex is a dynein dimerization/processivity factor: structural and single-molecule characterization. *Mol. Biol. Cell* *24*, 2362–2377.
- Rasala, B.A., Ramos, C., Harel, A., and Forbes, D.J. (2008). Capture of AT-rich Chromatin by ELYS Recruits POM121 and NDC1 to Initiate Nuclear Pore Assembly. *Mol. Biol. Cell* *19*, 3982–3996.
- Rattan, S.I.S. (2006). Theories of biological aging: Genes, proteins, and free radicals. *Free Radic. Res.* *40*, 1230–1238.
- Reichard, M. (2017). Evolutionary perspectives on ageing. *Semin. Cell Dev. Biol.* *70*, 99–107.
- Rempel, I.L., Crane, M.M., Mishra, A., Jansen, D.P., Janssens, G., Popken, P., Kaerberlein, M., Giessen, E. van der, Onck, P., Steen, A., et al. (2018). Age-dependent deterioration of nuclear pore assembly in mitotic cells decreases transport dynamics. *BioRxiv* 477802.
- Rexach, M., and Blobel, G. (1995). Protein import into nuclei: association and dissociation reactions involving transport substrate, transport factors, and nucleoporins. *Cell* *83*, 683–692.
- Ribbeck, K., Görlich, D., Kutay, U., Aebi, U., and Bischoff, F.R. (2001). Kinetic analysis of translocation through nuclear pore complexes. *EMBO J.* *20*, 1320–1330.
- Riddick, G., and Macara, I.G. (2005). A systems analysis of importin- α - β mediated nuclear protein import. *J. Cell Biol.* *168*, 1027–1038.
- van Rijnsoever, C., Oorschot, V., and Klumperman, J. (2008). Correlative light-electron microscopy (CLEM) combining live-cell imaging and immunolabeling of ultrathin cryosections. *Nat. Methods* *5*, 973–980.

- Rinnerthaler, M., Buttner, S., Laun, P., Heeren, G., Felder, T.K., Klinger, H., Weinberger, M., Stolze, K., Grousl, T., Hasek, J., et al. (2012). Yno1p/Aim14p, a NADPH-oxidase ortholog, controls extramitochondrial reactive oxygen species generation, apoptosis, and actin cable formation in yeast. *Proc. Natl. Acad. Sci.* *109*, 8658–8663.
- Rossi, D.J., Jamieson, C.H.M., and Weissman, I.L. (2008). Stems Cells and the Pathways to Aging and Cancer. *Cell* *132*, 681–696.
- Rousseau, A., and Bertolotti, A. (2018). Regulation of proteasome assembly and activity in health and disease. *Nat. Rev. Mol. Cell Biol.* *19*, 697–712.
- Rowlatt, C., Chesterman, F.C., and Sheriff, M.U. (1976). Lifespan, age changes and tumour incidence in an ageing C57BL mouse colony. *Lab. Anim.* *10*, 419–442.
- Ruby, J.G., Wright, K.M., Rand, K.A., Kermany, A., Noto, K., Curtis, D., Varner, N., Garrigan, D., Slinkov, D., Dorfman, I., et al. (2018). Estimates of the Heritability of Human Longevity Are Substantially Inflated due to Assortative Mating. *Genetics* *210*, 1109–1124.
- Sachdev, R., Sieverding, C., Flötenmeyer, M., and Antonin, W. (2012). The C-terminal domain of Nup93 is essential for assembly of the structural backbone of nuclear pore complexes. *Mol. Biol. Cell* *23*, 740–749.
- Sakuma, S., and D'Angelo, M.A. (2017). The roles of the nuclear pore complex in cellular dysfunction, aging and disease. *Semin. Cell Dev. Biol.* *68*, 72–84.
- Savas, J.N., Toyama, B.H., Xu, T., Yates, J.R., and Hetzer, M.W. (2012). Extremely long-lived nuclear pore proteins in the rat brain. *Science* (80-). *335*, 942.
- Scarcelli, J.J., Hodge, C.A., and Cole, C.N. (2007). The yeast integral membrane protein Apq12 potentially links membrane dynamics to assembly of nuclear pore complexes. *J. Cell Biol.* *178*, 799–812.
- Schindelin, J., Arganda-Carreras, I., Frise, E., Kaynig, V., Longair, M., Pietzsch, T., Preibisch, S., Rueden, C., Saalfeld, S., Schmid, B., et al. (2012). Fiji: an open-source platform for biological-image analysis. *Nat. Methods* *9*, 676–682.
- Schmidt, H.B., and Görlich, D. (2015). Nup98 FG domains from diverse species spontaneously phase-separate into particles with nuclear pore-like permselectivity. *Elife* *4*.
- Schmidt, O., and Teis, D. (2012). The ESCRT machinery. *Curr. Biol.* *22*, R116-20.
- Schmucker, D.L. (2005). Age-related changes in liver structure and function: Implications for disease? *Exp. Gerontol.* *40*, 650–659.
- Schuler, B., Lipman, E.A., Steinbach, P.J., Kumke, M., and Eaton, W.A. (2005). Polyproline and the "spectroscopic ruler" revisited with single-molecule fluorescence. *Proc. Natl. Acad. Sci.* *102*, 2754–2759.
- Schultz, M.B., and Sinclair, D.A. (2016). When stem cells grow old: phenotypes and mechanisms of stem cell aging. *Development* *143*, 3–14.
- Schwoebel, E.D., Ho, T.H., and Moore, M.S. (2002). The mechanism of inhibition of Ran-dependent nuclear transport by cellular ATP depletion. *J. Cell Biol.*
- Shav-Tal, Y., and Tripathi, T. (2018). Yeast and Human Nuclear Pore Complexes: Not So Similar

Bibliography

After All. *Trends Cell Biol.* 28, 589–591.

Shcheprova, Z., Baldi, S., Frei, S.B., Gonnet, G., and Barral, Y. (2008). A mechanism for asymmetric segregation of age during yeast budding. *Nature* 454, 728–734.

Shulga, N., Roberts, P., Gu, Z., Spitz, L., Tabb, M.M., Nomura, M., and Goldfarb, D.S. (1996). In vivo nuclear transport kinetics in *Saccharomyces cerevisiae*: a role for heat shock protein 70 during targeting and translocation. *J. Cell Biol.* 135, 329–339.

Shulga, N., James, P., Craig, E.A., and Goldfarb, D.S. (1999). A nuclear export signal prevents *Saccharomyces cerevisiae* Hsp70 Ssb1p from stimulating nuclear localization signal-directed nuclear transport. *J. Biol. Chem.* 274, 16501–16507.

Sinclair, D.A., and Guarente, L. (1997). Extrachromosomal rDNA Circles— A Cause of Aging in Yeast. *Cell* 91, 1033–1042.

Skalicky, J.J., Arii, J., Wenzel, D.M., Stubblefield, W.-M.B., Katsuyama, A., Uter, N.T., Bajorek, M., Myszkka, D.G., and Sundquist, W.I. (2012). Interactions of the Human LIP5 Regulatory Protein with Endosomal Sorting Complexes Required for Transport. *J. Biol. Chem.* 287, 43910–43926.

Smith, A.E., Slepchenko, B.M., Schaff, J.C., Loew, L.M., and Macara, I.G. (2002). Systems Analysis of Ran Transport. *Science* (80-.). 295, 488–491.

Smith, D.L., Elam, C.F., Mattison, J.A., Lane, M.A., Roth, G.S., Ingram, D.K., Allison, D.B., Ingram, D.K., and Allison, D.B. (2010). Metformin supplementation and life span in Fischer-344 rats. *J. Gerontol. A. Biol. Sci. Med. Sci.* 65, 468–474.

Sokol, E., Kramer, D., Diercks, G.F.H., Kuipers, J., Jonkman, M.F., Pas, H.H., and Giepmans, B.N.G. (2015). Large-Scale Electron Microscopy Maps of Patient Skin and Mucosa Provide Insight into Pathogenesis of Blistering Diseases. *J. Invest. Dermatol.* 135, 1763–1770.

Sontag, E.M., Samant, R.S., and Frydman, J. (2017). Mechanisms and Functions of Spatial Protein Quality Control. *Annu. Rev. Biochem.* 86, 97–122.

Sood, V., and Brickner, J.H. (2014). Nuclear pore interactions with the genome. *Curr. Opin. Genet. Dev.*

Speldewinde, S., and Grant, C. (2017). The frequency of yeast [PSI⁺] prion formation is increased during chronological ageing. *Microb. Cell* 4, 127–132.

Spokoini, R., Moldavski, O., Nahmias, Y., England, J.L., Schuldiner, M., and Kaganovich, D. (2012). Confinement to Organelle-Associated Inclusion Structures Mediates Asymmetric Inheritance of Aggregated Protein in Budding Yeast. *Cell Rep.* 2, 738–747.

Stade, K., Ford, C.S., Guthrie, C., and Weis, K. (1997). Exportin 1 (Crm1p) is an essential nuclear export factor. *Cell* 90, 1041–1050.

Stadtman, E.R., and Levine, R.L. (2003). Free radical-mediated oxidation of free amino acids and amino acid residues in proteins. *Amino Acids* 25, 207–218.

Strawn, L.A., Shen, T., Shulga, N., Goldfarb, D.S., and Wenthe, S.R. (2004). Minimal nuclear pore complexes define FG repeat domains essential for transport. *Nat. Cell Biol.* 6, 197–206.

Strecker, J., Stinus, S., Caballero, M.P., Szilard, R.K., Chang, M., and Durocher, D. (2017). A

- sharp Pif1-dependent threshold separates DNA double-strand breaks from critically short telomeres. *Elife* 6.
- Süveges, D., Gáspári, Z., Tóth, G., and Nyitray, L. (2009). Charged single α -helix: A versatile protein structural motif. *Proteins Struct. Funct. Bioinforma.* 74, 905–916.
- Szilard, L. (1959). ON THE NATURE OF THE AGING PROCESS. *Proc. Natl. Acad. Sci. U. S. A.* 45, 30–45.
- Taddei, A., and Gasser, S.M. (2012). Structure and function in the budding yeast nucleus. *Genetics* 192, 107–129.
- Taddei, A., Van Houwe, G., Hediger, F., Kalck, V., Cubizolles, F., Schober, H., and Gasser, S.M. (2006). Nuclear pore association confers optimal expression levels for an inducible yeast gene. *Nature* 441, 774–778.
- Takizawa, P.A., DeRisi, J.L., Wilhelm, J.E., and Vale, R.D. (2000). Plasma membrane compartmentalization in yeast by messenger RNA transport and a septin diffusion barrier. *Science* 290, 341–344.
- Talamas, J.A., and Hetzer, M.W. (2011). POM121 and Sun1 play a role in early steps of interphase NPC assembly. *J. Cell Biol.* 194, 27–37.
- Tang, S., Henne, W.M., Borbat, P.P., Buchkovich, N.J., Freed, J.H., Mao, Y., Fromme, J.C., and Emr, S.D. (2015). Structural basis for activation, assembly and membrane binding of ESCRT-III Snf7 filaments. *Elife* 4.
- Tedesco, F.S., Dellavalle, A., Diaz-Manera, J., Messina, G., and Cossu, G. (2010). Repairing skeletal muscle: regenerative potential of skeletal muscle stem cells. *J. Clin. Invest.* 120, 11–19.
- Teimer, R., Kosinski, J., von Appen, A., Beck, M., and Hurt, E. (2017). A short linear motif in scaffold Nup145C connects Y-complex with pre-assembled outer ring Nup82 complex. *Nat. Commun.* 8, 1107.
- Tetenbaum-Novatt, J., Hough, L.E., Mironska, R., McKenney, A.S., and Rout, M.P. (2012). Nucleocytoplasmic Transport: A Role for Nonspecific Competition in Karyopherin-Nucleoporin Interactions. *Mol. Cell. Proteomics* 11, 31–46.
- Tetko, I. V., Gasteiger, J., Todeschini, R., Mauri, A., Livingstone, D., Ertl, P., Palyulin, V.A., Radchenko, E. V., Zefirov, N.S., Makarenko, A.S., et al. (2005). Virtual Computational Chemistry Laboratory – Design and Description. *J. Comput. Aided. Mol. Des.* 19, 453–463.
- Thaller, D.J., and Patrick Lusk, C. (2018). Fantastic nuclear envelope herniations and where to find them. *Biochem. Soc. Trans.* BST20170442.
- Thaller, D., Allegretti, M., Borah, S., Ronchi, P., Beck, M., and Lusk, C.P. (2019a). An ESCRT-LEM domain inner nuclear membrane protein surveillance system is poised to directly monitor the integrity of the nuclear envelope barrier and nuclear transport system. *BioRxiv* 523670.
- Thaller, D.J., Allegretti, M., Borah, S., Ronchi, P., Beck, M., and Lusk, C.P. (2019b). An ESCRT-LEM protein surveillance system is poised to directly monitor the nuclear envelope and nuclear transport system. *Elife* 8.
- Thayer, N.H., Leverich, C.K., Fitzgibbon, M.P., Nelson, Z.W., Henderson, K.A., Gafken, P.R., Hsu, J.J., Gottschling, D.E., Marcotte, E.M., and Denic, V. Identification of long-lived proteins

retained in cells undergoing repeated asymmetric divisions.

Thayer, N.H., Leverich, C.K., Fitzgibbon, M.P., Nelson, Z.W., Henderson, K.A., Gafken, P.R., Hsu, J.J., and Gottschling, D.E. (2014). Identification of long-lived proteins retained in cells undergoing repeated asymmetric divisions. *Proc. Natl. Acad. Sci. U. S. A.* *111*, 14019–14026.

Timney, B.L., Tetenbaum-Novatt, J., Agate, D.S., Williams, R., Zhang, W., Chait, B.T., and Rout, M.P. (2006). Simple kinetic relationships and nonspecific competition govern nuclear import rates in vivo. *J. Cell Biol.* *175*, 579–593.

Timney, B.L., Raveh, B., Mironska, R., Trivedi, J.M., Kim, S.J., Russel, D., Wentz, S.R., Sali, A., and Rout, M.P. (2016). Simple rules for passive diffusion through the nuclear pore complex. *J. Cell Biol.* *215*, 57–76.

Tkach, J.M., Yimit, A., Lee, A.Y., Riffle, M., Costanzo, M., Jaschob, D., Hendry, J.A., Ou, J., Moffat, J., Boone, C., et al. (2012). Dissecting DNA damage response pathways by analysing protein localization and abundance changes during DNA replication stress. *Nat. Cell Biol.* *14*, 966–976.

Tosato, M., Zamboni, V., Ferrini, A., and Cesari, M. (2007). The aging process and potential interventions to extend life expectancy. *Clin. Interv. Aging* *2*, 401–412.

Towbin, B.D., Meister, P., and Gasser, S.M. (2009). The nuclear envelope — a scaffold for silencing? *Curr. Opin. Genet. Dev.* *19*, 180–186.

Toyama, B.H., Savas, J.N., Park, S.K., Harris, M.S., Ingolia, N.T., Yates, J.R., and Hetzer, M.W. (2013). Identification of long-lived proteins reveals exceptional stability of essential cellular structures. *Cell*.

Toyama, B.H., Arrojo E Drigo, R., Lev-Ram, V., Ramachandra, R., Deerinck, T.J., Lechene, C., Ellisman, M.H., and Hetzer, M.W. (2019). Visualization of long-lived proteins reveals age mosaicism within nuclei of postmitotic cells. *J. Cell Biol.* *218*, 433–444.

Truant, R., Fridell, R.A., Benson, R.E., Bogerd, H., and Cullen, B.R. (1998). Identification and functional characterization of a novel nuclear localization signal present in the yeast Nab2 poly(A)⁺ RNA binding protein. *Mol. Cell. Biol.* *18*, 1449–1458.

Tyo, K.E.J., Liu, Z., Petranovic, D., and Nielsen, J. (2012). Imbalance of heterologous protein folding and disulfide bond formation rates yields runaway oxidative stress. *BMC Biol.* *10*, 16.

Unal, E., Kinde, B., and Amon, A. (2011). Gametogenesis Eliminates Age-Induced Cellular Damage and Resets Life Span in Yeast. *Science* (80-.). *332*, 1554–1557.

Unwin, P.N., and Milligan, R.A. (1982). A large particle associated with the perimeter of the nuclear pore complex. *J. Cell Biol.* *93*, 63–75.

Uversky, V.N. (2017). Intrinsically disordered proteins in overcrowded milieu: Membrane-less organelles, phase separation, and intrinsic disorder. *Curr. Opin. Struct. Biol.* *44*, 18–30.

Viswanadhan, V.N., Ghose, A.K., Revankar, G.R., and Robins, R.K. (1989). Atomic physicochemical parameters for three dimensional structure directed quantitative structure-activity relationships. 4. Additional parameters for hydrophobic and dispersive interactions and their application for an automated superposition of certain naturally occurring nucleoside antibiotics. *J. Chem. Inf. Model.* *29*, 163–172.

- Vomastek, T., Iwanicki, M.P., Burack, W.R., Tiwari, D., Kumar, D., Parsons, J.T., Weber, M.J., and Nandicoori, V.K. (2008). Extracellular signal-regulated kinase 2 (ERK2) phosphorylation sites and docking domain on the nuclear pore complex protein Tpr cooperatively regulate ERK2-Tpr interaction. *Mol. Cell. Biol.* *28*, 6954–6966.
- Walther, T.C., Askjaer, P., Gentzel, M., Habermann, A., Griffiths, G., Wilm, M., Mattaj, I.W., and Hetzer, M. (2003). RanGTP mediates nuclear pore complex assembly. *Nature* *424*, 689–694.
- Wasko, B.M., and Kaerberlein, M. (2014). Yeast replicative aging: a paradigm for defining conserved longevity interventions. *FEMS Yeast Res.* *14*, 148–159.
- Webster, B.M., Colombi, P., Jäger, J., and Patrick Lusk, C. (2014). Surveillance of nuclear pore complex assembly by ESCRT-III/Vps4. *Cell*.
- Webster, B.M., Thaller, D.J., Jäger, J., Ochmann, S.E., Borah, S., and Lusk, C.P. (2016). Chm7 and Heh1 collaborate to link nuclear pore complex quality control with nuclear envelope sealing. *EMBO J.* *205*, 695–701.
- Wemmer, M., Azmi, I., West, M., Davies, B., Katzmann, D., and Odorizzi, G. (2011). Bro1 binding to Snf7 regulates ESCRT-III membrane scission activity in yeast. *J. Cell Biol.* *192*, 295–306.
- Wen, W., Meinkoth, J.L., Tsien, R.Y., and Taylor, S.S. (1995). Identification of a signal for rapid export of proteins from the nucleus. *Cell* *82*, 463–473.
- Wente, S.R., and Blobel, G. (1993). A Temperature-sensitive NUP116 Null Mutant Forms a Nuclear Envelope Seal over the Yeast Nuclear Pore Complex Thereby Blocking Nucleocytoplasmic Traffic. *J. Cell Biol.* *123*, 275–284.
- Wente, S.R., and Rout, M.P. (2010). The nuclear pore complex and nuclear transport. *Cold Spring Harb. Perspect. Biol.*
- Winkler, J., Tyedmers, J., Bukau, B., and Mogk, A. (2012). Chaperone networks in protein disaggregation and prion propagation. *J. Struct. Biol.* *179*, 152–160.
- Woerner, A.C., Frottin, F., Hornburg, D., Feng, L.R., Meissner, F., Patra, M., Tatzelt, J., Mann, M., Winklhofer, K.F., Hartl, F.U., et al. (2016). Cytoplasmic protein aggregates interfere with nucleocytoplasmic transport of protein and RNA. *Science* (80-.). *351*, 173–176.
- Wychofski, C., van der Werf, S., and Girard, M. (1985). Nuclear localization of poliovirus capsid polypeptide VP1 expressed as a fusion protein with SV40-VP1. *Gene* *37*, 63–71.
- Yamada, J., Phillips, J.L., Patel, S., Goldfien, G., Calestagne-Morelli, A., Huang, H., Reza, R., Acheson, J., Krishnan, V. V., Newsam, S., et al. (2010). A bimodal distribution of two distinct categories of intrinsically disordered structures with separate functions in FG nucleoporins. *Mol. Cell. Proteomics* *9*, 2205–2224.
- Yang, B., Stjepanovic, G., Shen, Q., Martin, A., and Hurley, J.H. (2015). Vps4 disassembles an ESCRT-III filament by global unfolding and processive translocation. *Nat. Struct. Mol. Biol.* *22*, 492–498.
- Yang, W., Gelles, J., and Musser, S.M. (2004). Imaging of single-molecule translocation through nuclear pore complexes. *Proc. Natl. Acad. Sci. U. S. A.* *101*, 12887–12892.
- Yankner, B.A., Lu, T., and Loerch, P. (2008). The Aging Brain. *Annu. Rev. Pathol. Mech. Dis.* *3*,

41–66.

Yewdell, W.T., Colombi, P., Makhnevych, T., and Lusk, C.P. (2011). Luminal interactions in nuclear pore complex assembly and stability. *22*.

Yorikawa, C., Shibata, H., Waguri, S., Hatta, K., Horii, M., Katoh, K., Kobayashi, T., Uchiyama, Y., and Maki, M. (2005). Human CHMP6, a myristoylated ESCRT-III protein, interacts directly with an ESCRT-II component EAP20 and regulates endosomal cargo sorting. *Biochem. J.* *387*, 17–26.

Zhang, H., Elbaum-Garfinkle, S., Langdon, E.M., Taylor, N., Occhipinti, P., Bridges, A.A., Brangwynne, C.P., and Gladfelter, A.S. (2015). RNA Controls PolyQ Protein Phase Transitions. *Mol. Cell* *60*, 220–230.

Zhang, W., Neuner, A., Rüttnick, D., Sachsenheimer, T., Lüchtenborg, C., Brügger, B., and Schiebel, E. (2018). Brr6 and Brl1 locate to nuclear pore complex assembly sites to promote their biogenesis. *J. Cell Biol.* [jcb.201706024](https://doi.org/10.1083/jcb.201706024).

Zhang, Y.-J., Gendron, T.F., Grima, J.C., Sasaguri, H., Jansen-West, K., Xu, Y.-F., Katzman, R.B., Gass, J., Murray, M.E., Shinohara, M., et al. (2016). C9ORF72 poly(GA) aggregates sequester and impair HR23 and nucleocytoplasmic transport proteins. *Nat. Neurosci.* *19*, 668–677.

Zhang, Y., Luo, C., Zou, K., Xie, Z., Brandman, O., Ouyang, Q., and Li, H. (2012). Single Cell Analysis of Yeast Replicative Aging Using a New Generation of Microfluidic Device. *PLoS One*.

Zhao, R., Xuan, Y., Li, X., and Xi, R. (2008). Age-related changes of germline stem cell activity, niche signaling activity and egg production in *Drosophila*. *Aging Cell* *7*, 344–354.

Zhou, C., Slaughter, B.D., Unruh, J.R., Eldakak, A., Rubinstein, B., and Li, R. (2011). Motility and Segregation of Hsp104-Associated Protein Aggregates in Budding Yeast. *Cell* *147*, 1186–1196.

Zuleger, N., Kerr, A.R.W., and Schirmer, E.C. (2012). Many mechanisms, one entrance: membrane protein translocation into the nucleus. *Cell. Mol. Life Sci.* *69*, 2205–2216.