

University of Groningen

## Controlled magnon spin transport in insulating magnets

Liu, Jing

DOI:  
[10.33612/diss.97448775](https://doi.org/10.33612/diss.97448775)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2019

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Liu, J. (2019). *Controlled magnon spin transport in insulating magnets: from linear to nonlinear regimes*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.97448775>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

# Controlled magnon spin transport in insulating magnets

From linear to nonlinear regimes

Jing Liu



**university of  
 groningen**

faculty of science  
 and engineering

zernike institute for  
 advanced materials

Zernike Institute PhD thesis series 2019-21

ISSN: 1570-1530

ISBN: 978-94-034-1991-6

ISBN: 978-94-034-1990-9 (electronic version)

The work described in this thesis was performed in the research group Physics of Nanodevices of the Zernike Institute for Advanced Materials at the University of Groningen, the Netherlands. This work was supported by NanoLab NL and the Zernike Institute for Advanced Materials. This thesis is part of research program Magnon Spintronics financed by the Netherlands Organization for Scientific Research (NWO).

Printed by: Gildeprint, Enschede



university of  
 groningen

# Controlled magnon spin transport in insulating magnets

From linear to nonlinear regimes

PhD thesis

to obtain the degree of PhD at the  
 University of Groningen  
 on the authority of the  
 Rector Magnificus Prof. E. Sterken  
 and in accordance with  
 the decision by the College of Deans.

This thesis will be defended in public on

Monday 30 September 2019 at 9:00 hours

by

**Jing Liu**

born on 16 May 1991  
 in Hunan, China

**Supervisor**

Prof. B. J. van Wees

**Co-supervisor**

Prof. G. E. W. Bauer

**Assessment committee**

Prof. P. J. Kelly

Prof. T. Banerjee

Prof. W. Han

*to Lihua & Baoju, my parents*



---

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Magnetism . . . . .	1
1.2	Magnetic excitation: Magnons or spin waves . . . . .	2
1.3	Magnon spintronics . . . . .	3
1.4	A gem: Yttrium iron garnet (YIG) . . . . .	3
1.5	Motivation and thesis outline . . . . .	4
	Bibliography . . . . .	5
<b>2</b>	<b>Theoretical background</b>	<b>7</b>
2.1	Magnons and spin waves . . . . .	7
2.2	Ferrimagnetic insulator: YIG . . . . .	9
2.3	Magnon spectra . . . . .	11
2.4	Magnon injection and detection . . . . .	21
2.4.1	Spin injection and detection . . . . .	21
2.4.2	(Inverse) spin Hall effect . . . . .	24
2.4.3	Electrical method . . . . .	27
2.4.4	Microwave method . . . . .	30
2.5	Magnon transport theory . . . . .	33
2.5.1	Nonlocal magnon transport set-up . . . . .	33
2.5.2	Magnon chemical potential and spin diffusion equation . . . . .	33
2.5.3	Energy-dependent magnon transport . . . . .	35
2.5.4	From the linear to nonlinear response regime . . . . .	35
2.5.5	Summary . . . . .	36
	Bibliography . . . . .	37



<b>3</b>	<b>Experimental set-up and methods</b>	<b>41</b>
3.1	Device Fabrication . . . . .	41
3.1.1	Pt-YIG nonlocal device . . . . .	42
3.1.2	Electron beam lithography (EBL) . . . . .	43
3.2	Electrical generation and detection of magnons . . . . .	46
3.2.1	Set-up . . . . .	46
3.2.2	Lockin technique for nonlocal measurement . . . . .	48
3.2.3	Typical results . . . . .	49
3.3	Microwave excitation of magnons . . . . .	51
3.3.1	Setup . . . . .	52
3.3.2	Microwave reflection measurement . . . . .	54
3.3.3	Spin pumping measurement . . . . .	56
	Bibliography . . . . .	57
<b>4</b>	<b>Magnon planar Hall effect and anisotropic magnetoresistance in a magnetic insulator</b>	<b>59</b>
4.1	Introduction . . . . .	59
4.2	Experimental details . . . . .	61
4.2.1	Devices . . . . .	61
4.2.2	Measurement techniques . . . . .	62
4.3	Results and discussion . . . . .	64
4.4	Conclusions . . . . .	67
4.5	Supplementary Material . . . . .	67
4.5.1	Origin of the angle shift in the MPHE and MAMR measurement	67
4.5.2	Derivation for the magnitude of MPHE and MAMR signals . . .	69
4.5.3	Double detector MPHE measurements . . . . .	73
4.5.4	In-plane magnetocrystalline anisotropy of YIG (111) . . . . .	73
4.5.5	Out-of-plane misalignment of the sample plane with respect to the applied magnetic field . . . . .	77
4.5.6	Sign and magnitude of the MPHE and MAMR . . . . .	82
4.5.7	Reciprocity and linearity of the MPHE and MAMR . . . . .	85
	Bibliography . . . . .	87
<b>5</b>	<b>Magnon transport in YIG with Ta and Pt spin injection and detection electrodes</b>	<b>89</b>
5.1	Introduction . . . . .	89
5.2	Experimental details . . . . .	91
5.2.1	Devices . . . . .	91
5.2.2	Measurement techniques . . . . .	92
5.3	Results and discussion . . . . .	92

5.4	Conclusions . . . . .	100
	Bibliography . . . . .	101
<b>6</b>	<b>Microwave control of thermal magnon spin transport</b>	<b>103</b>
6.1	Introduction . . . . .	103
6.2	Experimental setup . . . . .	105
6.3	Results . . . . .	106
6.3.1	Nonlocal signals under an rf field . . . . .	106
6.3.2	Rf-power dependency . . . . .	107
6.3.3	Rf-power reflection and spin pumping . . . . .	109
6.4	Discussion . . . . .	110
6.5	Conclusion . . . . .	113
6.6	Supplementary Material . . . . .	114
6.6.1	Sample preparation . . . . .	114
6.6.2	Experimental setup . . . . .	114
6.6.3	Local measurement . . . . .	114
6.6.4	Comparison between the rf-power dependent first and second harmonic signals . . . . .	117
6.6.5	Rf-power reflection measurement . . . . .	117
6.6.6	Spin-pumping measurement . . . . .	118
6.6.7	Excitation current dependency . . . . .	119
6.6.8	Onsager reciprocity . . . . .	119
6.6.9	Rf power calibration . . . . .	120
6.6.10	Temperature effect due to the rf power . . . . .	121
6.6.11	Rf field strength and precession cone angle . . . . .	122
6.6.12	Comparison of 210-nm- and 100-nm- thick YIG results . . . . .	123
6.6.13	Extracting the nonlocal resistances . . . . .	125
	Bibliography . . . . .	128
<b>7</b>	<b>A “magnon transistor” on 10 nm thick YIG film</b>	<b>131</b>
7.1	Introduction . . . . .	131
7.2	Experimental details . . . . .	132
7.3	Results . . . . .	134
7.4	Discussion . . . . .	134
7.4.1	Angle dependent analysis . . . . .	134
7.4.2	Polynomial analysis of nonlocal signals at specific angles . . . . .	138
7.4.3	Magnitude of the nonlocal signals . . . . .	141
7.5	Summary and outlook . . . . .	142
	Bibliography . . . . .	144

<b>Summary</b>	<b>145</b>
<b>Samenvatting</b>	<b>150</b>
<b>Acknowledgements</b>	<b>156</b>
<b>Publications</b>	<b>169</b>
<b>Curriculum Vitae</b>	<b>171</b>