

University of Groningen

## Modeling of excitonic properties in tubular molecular aggregates

Bondarenko, Anna

DOI:  
[10.33612/diss.98528598](https://doi.org/10.33612/diss.98528598)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2019

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*  
Bondarenko, A. (2019). *Modeling of excitonic properties in tubular molecular aggregates*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.98528598>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

---

---

# **Modeling of Excitonic Properties in Tubular Molecular Aggregates**

---

---



university of  
 groningen

faculty of science  
 and engineering

zernike institute for  
 advanced materials

Zernike Institute PhD thesis series 2019-26

ISSN: 1570-1530

ISBN: 978-94-034-1939-8 (printed version)

ISBN: 978-94-034-1938-1 (electronic version)

The work described in this thesis was performed in the research group Theory of Condensed Matter of the Zernike Institute for Advanced Materials at the University of Groningen, the Netherlands.

Cover image: Artistic representation (triangulated image) of an exciton wavefunction of the tubular aggregate studied in this thesis.

Printed by ProefschriftMaken.

Copyright © 2019 Anna Bondarenko



university of  
 groningen

# **Modeling of Excitonic Properties in Tubular Molecular Aggregates**

**PhD thesis**

to obtain the degree of PhD at the  
University of Groningen  
on the authority of the  
Rector Magnificus Prof. C. Wijmenga  
and in accordance with  
the decision by the College of Deans.

This thesis will be defended in public on

Friday 11 October 2019 at 11.00 hours

by

**Anna Bondarenko**

born on 28 December 1987  
in Kharkiv, Ukraine

**Supervisor**

Prof. J. Knoester

**Co-supervisor**

Dr. T.L.C. Jansen

**Assessment Committee**

Prof. J. Cao

Prof. R.M. Hildner

Prof. P.H.M. van Loosdrecht

# Contents

<b>1</b>	<b>General introduction</b>	<b>1</b>
1.1	Supramolecular systems . . . . .	1
1.2	Collective excited states in molecular aggregates . . . . .	2
1.3	Disorder and localization . . . . .	6
1.4	Excitation energy transfer . . . . .	8
1.5	Multiscale modeling . . . . .	10
1.6	Tubular cyanine dye aggregates . . . . .	11
1.7	Aim and outline of this thesis . . . . .	12
<b>2</b>	<b>Unraveling optical signatures of tubular aggregates altered with halogen exchange</b>	<b>15</b>
2.1	Introduction . . . . .	16
2.2	Experimental details . . . . .	17
2.3	Theoretical modeling . . . . .	19
2.4	The influence of the tube radius on the absorption spectrum . . . . .	22
2.5	Conclusions. . . . .	24
2.6	Appendix: Theoretical calculations and modeling . . . . .	25
2.6.1	Electronic structure calculations . . . . .	25
2.6.2	Extended Herringbone (EHB) model . . . . .	25
2.6.3	Model Hamiltonian. . . . .	27
2.6.4	Linear absorption spectrum . . . . .	28
2.6.5	Linear dichroism spectrum . . . . .	29
2.6.6	Parametrization and fitting procedure. . . . .	29
2.6.7	Couplings in C8S3-Cl and C8S3-Br aggregates . . . . .	30
<b>3</b>	<b>Nano-confinement of excitons in tubular molecular aggregates</b>	<b>33</b>
3.1	Introduction . . . . .	34
3.2	Model and Approach. . . . .	36

---

3.3	Results and Discussion . . . . .	40
3.3.1	Absorption spectra . . . . .	40
3.3.2	Degree of localization: participation number . . . . .	44
3.3.3	Extent of the wave function from its autocorrelation function . . . . .	47
3.3.4	Fractal character of the wave function . . . . .	50
3.4	Conclusions . . . . .	50
3.5	Appendix: Additional Information . . . . .	53
3.5.1	Modeled structures . . . . .	53
<b>4</b>	<b>Multiscale modeling of complex molecular aggregates</b>	<b>55</b>
4.1	Introduction . . . . .	56
4.2	Results and discussions . . . . .	58
4.3	Methods . . . . .	66
4.4	Appendix: Additional information . . . . .	68
4.4.1	Obtaining the preassembled structures . . . . .	68
4.4.2	MD Simulations on the preassembled structures . . . . .	70
4.4.3	Probing the energetic disorder . . . . .	72
4.4.4	Absorption spectra calculation . . . . .	75
<b>5</b>	<b>Comparison of methods to study exciton dynamics</b>	<b>79</b>
5.1	Introduction . . . . .	80
5.2	Model system . . . . .	83
5.3	Methods for calculating the EET rate . . . . .	84
5.3.1	General considerations . . . . .	84
5.3.2	Treatment of the thermal bath . . . . .	86
5.3.3	MC-FRET . . . . .	88
5.3.4	NISE . . . . .	90
5.3.5	HSR . . . . .	91
5.3.6	HEOM . . . . .	92
5.4	Results and discussion . . . . .	92
5.4.1	High-temperature and fast-modulation limit . . . . .	93
5.4.2	High-temperature and slow-modulation limit . . . . .	96
5.4.3	Intermediate regime . . . . .	100
5.5	Conclusions . . . . .	105
5.6	Appendix . . . . .	107

<b>Bibliography</b>	<b>109</b>
<b>Summary</b>	<b>129</b>
<b>Samenvatting</b>	<b>133</b>
<b>List of publications</b>	<b>137</b>
<b>Acknowledgments</b>	<b>139</b>



