

Joop de Vries Education and Research Support Dep. of Biomedical Engineering:
Bioadhesion E-mail: joop.de.vries@umcg.nl Direct phone: +31 50 363 3073 Fax:
+31 50 363 3159



Research output

Inheritance of physico-chemical properties and ROS generation by carbon quantum dots derived from pyrolytically carbonized bacterial sources

Wu, Y., Wei, H., van der Mei, H. C., de Vries, J., Busscher, H. J. & Ren, Y., Sept-2021, In: Materials Today Bio. 12, 11 p., 100151.

Influence of diamond crystal orientation on the interaction with biological matter

Damle, V., Wu, K., De Luca, O., Orti-Casan, N., Norouzi, N., Morita, A., de Vries, J., Kaper, H., Zuhorn, I. S., Eisel, U., Vanpoucke, D. E. P., Rudolf, P. & Schirhagl, R., Jun-2020, In: Carbon. 162, p. 1-12 12 p.

Influence of biofilm lubricity on shear-induced transmission of staphylococcal biofilms from stainless steel to silicone rubber

Gusnaniar, N., Sjollema, J., Jong, E. D., Woudstra, W., de Vries, J., Nuryastuti, T., van der Mei, H. C. & Busscher, H. J., Nov-2017, In: Microbial Biotechnology. 10, 6, p. 1744-1752 9 p.

Detachment and successive re-attachment of multiple, reversibly-binding tethers result in irreversible bacterial adhesion to surfaces

Sjollema, J., van der Mei, H. C., Hall, C. L., Peterson, B. W., de Vries, J., Song, L., de Jong, E. D., Busscher, H. J. & Swartjes, J. J. T. M., 29-Jun-2017, In: Scientific Reports. 7, 13 p., 4369.

A Trifunctional, Modular Biomaterial Coating: Nonadhesive to Bacteria, Chlorhexidine-Releasing and Tissue-Integrating

Sjollema, J., Keul, H., van der Mei, H., Dijkstra, R., Rustema-Abbing, M., de Vries, J., Loontjens, T., Dirks, T. & Busscher, H., Apr-2017, In: Macromolecular Bioscience. 17, 4, 10 p., 1600336.

Structured free-water clusters near lubricating surfaces are essential in water-based lubrication

Hou, J., Veerdegowda, D. H., de Vries, J., Van der Mei, H. C. & Busscher, H. J., 1-Oct-2016, In: Journal of the Royal Society Interface. 13, 123, 8 p., 20160554.

Mechanical Properties of Aligned Nanotopologies for Directing Cellular Behavior

Zhou, Q., Wünnemann, P., Kuhn, P. T., de Vries, J., Helmin, M., Böker, A., van Kooten, T. G. & van Rijn, P., 20-Sept-2016 , In: Advanced Materials Interfaces. 3, 18, 10 p., 1600275.

Soft tissue integration versus early biofilm formation on different dental implant materials

Zhao, B., van der Mei, H., Subbiahdoss, G., de Vries, J., Rustema-Abbing, M., Kuijer, R., Busscher, H. J. & Qu-Ren, Y., Jul-2014, In: DENTAL MATERIALS. 30, 7, p. 716-727 12 p.

Characterization of novel silane coatings on titanium implant surfaces

Matinlinna, J. P., Tsoi, J. KH., de Vries, J. & Busscher, H., Jun-2013, In: CLINICAL ORAL IMPLANTS RESEARCH. 24, 6, p. 688-697 10 p.

Boundary lubrication by brushed salivary conditioning films and their degree of glycosylation

Veerdegowda, D. H., van der Mei, H., de Vries, J., Rutland, M. W., Valle-Delgado, J. J., Sharma, P. K. & Busscher, H., Oct-2012, In: Clinical Oral Investigations. 16, 5, p. 1499-1506 8 p.

Effect of adsorbed fibronectin on the differential adhesion of osteoblast-like cells and *Staphylococcus aureus* with and without fibronectin-binding proteins

Wang, Y., Subbiahdoss, G., Libera, M., van der Mei, HC., Busscher, H.J. & de Vries, J., 2012, In: Biofouling. 28, 9, p. 1011-1021 11 p.

The Effect of Adsorbed Fibronectin on the Length-Scale-Mediated Differential Adhesion of Bacteria and Mammalian Cells
Wang, Y., Subbiahdoss, G., Libera, M., van der Mei, H., Busscher, H. & de Vries, J., 2012, In: Biofouling. 28, 9, p. 63 1 p.

Survival of adhering staphylococci during exposure to a quaternary ammonium compound evaluated by using atomic force microscopy imaging

Crismaru, M., Asri, L. ATW., Loontjens, J., Krom, B. P., de Vries, J., van der Mei, H. & Busscher, H., Nov-2011, In: Antimicrobial Agents and Chemotherapy. 55, 11, p. 5010-5017 8 p.

Force analysis of bacterial transmission from contact lens cases to corneas, with the contact lens as the intermediary

Qu, W., Hooymans, J. MM., de Vries, J., van der Mei, H. C. & Busscher, H. J., Apr-2011, In: Investigative ophthalmology & visual science. 52, 5, p. 2565-2570 6 p.

Weibull analyses of bacterial interaction forces measured using AFM

van der Mei, H., de Vries, J. & Busscher, H., 1-Jul-2010, In: Colloids and Surfaces B: Biointerfaces. 78, 2, p. 372-375 4 p.

Staphylococcus aureus-fibronectin interactions with and without fibronectin-binding proteins and their role in adhesion and desorption

Xu, C., Boks, N. P., de Vries, J., Kaper, H., Norde, W., Busscher, H. & van der Mei, H., Dec-2008, In: Applied and environmental microbiology. 74, 24, p. 7522-7528 7 p.

Bond strengthening in oral bacterial adhesion to salivary conditioning films

van der Mei, H., Rustema-Abbing, M., de Vries, J. & Busscher, H., Sept-2008, In: Applied and environmental microbiology. 74, 17, p. 5511-5515 5 p.

Surfactive and antibacterial activity of cetylpyridinium chloride formulations in vitro and in vivo

Busscher, H., White, D. J., Atema-Smit, J., Geertsema-Doornbusch, G., de Vries, J. & van der Mei, H., Jun-2008, In: Journal of Clinical Periodontology. 35, 6, p. 547-554 8 p.

Effects of amine fluoride on biofilm growth and salivary pellicles

Van der Mei, HC., Engels, E., de Vries, J. & Busscher, HJ., 2008, In: CARIES RESEARCH. 42, 1, p. 19-27 9 p.

FIBRONECTIN INTERACTIONS WITH STAPHYLOCOCCUS

Xu, CP., Boks, NP., Kaper, HJ., Norde, W., Busscher, HJ. & de Vries, J., 2008, *Bacterial interaction forces in adhesion dynamics*. s.n., p. 95 1 p.

Fibronectin Interactions with Staphylococcus aureus with and without Fibronectin-binding Proteins and their Role in Adhesion and Desorption

Xu, C-P., Boks, N. P., Kaper, H. J., Norde, W., Busscher, H. J., van der Mei, H. C. & de Vries, J., 2008, In: Applied and environmental microbiology.

Chitosan adsorption to salivary pellicles

van der Mei, H., Engels, E., de Vries, J., Dijkstra, R. JB. & Busscher, H., Aug-2007, In: European Journal of Oral Sciences. 115, 4, p. 303-307 5 p.

Biofilm formation on surface characterized micro-implants for skeletal anchorage in orthodontics

Chin, Y., Sandham, J., de Vries, J., van der Mei, H. & Busscher, H., Apr-2007, In: Biomaterials. 28, 11, p. 2032-2040 9 p.

Multivariate analysis of surface physico-chemical properties controlling biofilm formation on orthodontic adhesives prior to and after fluoride and chlorhexidine treatment

Chin, Y., Sandham, J., Pratten, J., de Vries, J., van der Mei, H. C. & Busscher, H. J., Aug-2006, In: Journal of Biomedical Materials Research. Part B: Applied Biomaterials. 78B, 2, p. 401-408 8 p.

Influence of day and night wear on surface properties of silicone hydrogel contact lenses and bacterial adhesion
Vermeltfoort, P. B. J., Rustema-Abbing, M., de Vries, J., Bruinsma, G. M., Busscher, H. J., van der Linden, M. L., Hooymans, J. MM. & van der Mei, H. C., Jun-2006, In: CORNEA. 25, 5, p. 516-523 8 p.

Interactive forces between co-aggregating and non-co-aggregating oral bacterial pairs
Postollec, F., Norde, W., de Vries, J., De Vries, J., Busscher, H.J. & Van der Mei, HC., Mar-2006, In: Journal of Dental Research. 85, 3, p. 231-234 4 p.

Clinical and pathological aspects of fluorine toxicosis in cattle

Chin, Y., Sandham, J., Pratten, J., van der Mei, H. & de Vries, J., 2006, In: Annals of the New York Academy of Science. 111, 2, p. 618-637 20 p.

Transversal wavelength-independent microradiography, a method for monitoring caries lesions over time, validated with transversal microradiography

Thomas, RZ., Ruben, JL., de Vries, J., ten Bosch, JJ. & Huysmans, MCDNMJ., 2006, In: CARIES RESEARCH. 40, 4, p. 281-291 11 p.

Atomic force microscopy study on specificity and non-specificity of interaction forces between Enterococcus faecalis cells with and without aggregation substance

Waar, K., van der Mei, H., Harmsen, H. JM., de Vries, J., Atema-Smit, J., Degener, J. E. & Busscher, H., Jul-2005, In: BMC Microbiology. 151, 7, p. 2459-2464 6 p.

Influence of Day and Night Wear on Surface Properties of Silicone Hydrogel Contact Lenses and Bacterial Adhesion

Vermeltfoort, P., Rustema-Abbing, M., de Vries, J., Bruinsma, G. M., Busscher, H. J., Van der Linden, M. L., Hooymans, J. M. M. & Van der Mei, H. C., May-2005, In: Investigative ophthalmology & visual science. 46, 5, p. 516-523 8 p.

Stability and effectiveness against bacterial adhesion of poly(ethylene oxide) coatings in biological fluids

Roosjen, A., de Vries, J., van der Mei, HC., Norde, W. & Busscher, HJ., May-2005, In: Journal of Biomedical Materials Research. Part B: Applied Biomaterials. 73B, 2, p. 347-354 8 p.

Role of lactobacillus cell surface hydrophobicity as probed by AFM in adhesion to surfaces at low and high ionic strength

Vadillo Rodriguez, V., Busscher, H., van der Mei, H., Norde, W. & de Vries, J., 10-Mar-2005, In: Colloids and Surfaces B: Biointerfaces. 41, 1, p. 33-41 9 p.

Atomic force microscopic corroboration of bond aging for adhesion of Streptococcus thermophilus to solid substrata

Vadillo-Rodríguez, V., Busscher, H., Norde, W., de Vries, J. & van der Mei, H. C., 1-Oct-2004, In: Journal of Colloid and Interface Science. 278, 1, p. 251-254 4 p.

Dynamic cell surface hydrophobicity of Lactobacillus strains with and without surface layer proteins

Vadillo Rodriguez, V., Busscher, H., Norde, W., de Vries, J. & van der Mei, H., Oct-2004, In: Journal of Bacteriology. 186, 19, p. 6647-6650 4 p.

Comparision of atomic force microscopy interaction forces between bacteria and silicon nitride substrata for three commonly used immobilization methods

Vadillo-Rodríguez, V., Busscher, H. J., Norde, W., de Vries, J., Dijkstra, R. JB., Stokroos, I. & van der Mei, H., Sept-2004, In: Applied and environmental microbiology. 70, 9, p. 5441-5446 6 p.

Multiple linear regression analysis of bacterial deposition to polyurethane coating after conditioning film formation in the marine environment

Bakker, D. P., Busscher, H. J., van Zanten, J., de Vries, J., Klijnstra, J. W. & van der Mei, H. C., Jun-2004, In: BMC Microbiology. 150, 6, p. 1779-1784 6 p.

Promotion of fibroblast activity by coating with hydrophobins in the β -sheet end state

Janssen, M. I., van Leeuwen, M. B. M., van Kooten, R., de Vries, J., Dijkhuizen, L. & Wosten, H. A. B., Jun-2004, In: Biomaterials. 25, 14, p. 2731-2739 9 p.

Relations between macroscopic and microscopic adhesion of *Streptococcus mitis* strains to surfaces

Vadillo Rodriguez, V., Busscher, H., Norde, W., de Vries, J. & van der Mei, H., Apr-2004, In: *BMC Microbiology*. 150, 4, p. 1015-1022 8 p.

Bacterial deposition to fluoridated and non-fluoridated polyurethane coatings with different elastic modulus and surface tension in a parallel plate and a stagnation point flow chamber

Bakker, D. P., Huijs, F. M., de Vries, J., Klijnstra, J. W., Busscher, H. & van der Mei, H., 1-Nov-2003, In: *Colloids and Surfaces B: Biointerfaces*. 32, 3, p. 179-190 12 p.

Multiple surface properties of worn RGP lenses and adhesion of *Pseudomonas aeruginosa*

Bruinsma, G., Rustema-Abbing, M., de Vries, J., Busscher, H.J., van der Linden, M. L., Hooymans, JMM. & van der Mei, HC., Apr-2003, In: *Biomaterials*. 24, 9, p. 1663-1670 8 p., PII S0142-9612(02)00542-2.

On relations between microscopic and macroscopic physicochemical properties of bacterial cell surfaces: An AFM study on *Streptococcus mitis* strains

Vadillo Rodriguez, V., Busscher, HJ., Norde, W., de Vries, J. & van der Mei, HC., 18-Mar-2003, In: *Langmuir*. 19, 6, p. 2372-2377 6 p.

The influence of a hexametaphosphate-containing chewing gum on the wetting ability of salivary conditioning films in vitro and in vivo

Van der Mei, HC., Kamminga-Rasker, HJ., de Vries, J., Busscher, HJ., White, DJ., Day, T., White, CD. & Williams, M. K., 2003, In: *The Journal of Clinical Dentistry*. 14, 1, p. 14-18 5 p.

Influence of wear and overwear on surface properties of etafilcon A contact lenses and adhesion of *Pseudomonas aeruginosa*

Bruinsma, G. M., Rustema-Abbing, M., de Vries, J., Stegenga, B., van der Mei, H. C., van der Linden, M. L., Hooymans, J. MM. & Busscher, H. J., Dec-2002, In: *Investigative ophthalmology & visual science*. 43, 12, p. 3646-3653 8 p.

Adhesion of *Pseudomonas aeruginosa* to contact lenses after exposure to multi-purpose lens care solutions

Bruinsma, GM., Van der Mei, HC., Busscher, HJ. & de Vries, J., 2001, In: *Journal of Adhesion Science and Technology*. 15, 12, p. 1453-1461 9 p.

Measurements of softness of microbial cell surfaces.

van der Mei, H., Kiers, P., Busscher, H. & de Vries, J., 2001, In: *Methods in Enzymology*. 337, p. 270-276 7 p.

Direct probing by atomic force microscopy of the cell surface softness of a fibrillated and nonfibrillated oral streptococcal strain

van der Mei, H., Busscher, H., Bos, R., de Vries, J., Boonaert, C. JP. & Dufrêne, Y. F., May-2000, In: *Biophysical Journal*. 78, 5, p. 2668-2674 7 p.

Interaction of two oral streptococcal strains with physicochemically characterized fluorosilane diffusion gradient surfaces

Bos, R., de Jonge, J. H., van de Belt-Gritter, E., Busscher, H. & de Vries, J., 21-Mar-2000, In: *Langmuir*. 16, 6, p. 2845-2850 6 p.

ARTICLES-PHYSISORPTION, INTERFACIAL FILMS, MEMBRANES-Interaction of Two Oral Streptococcal Strains with Physicochemically Characterized Fluorosilane Diffusion Gradient Surfaces

Bos, R., Jonge, J. H. D., van de Belt-Gritter, B. V. D., Busscher, H. & de Vries, J., 2000, In: *Langmuir*. 16, 6, p. 2845-2850 6 p.

Spectroscopy, Imaging, Other Techniques-Direct Probing by Atomic Force Microscopy of the Cell Surface Softness of a Fibrillated and Nonfibrillated Oral Streptococcal Strain

van der Mei, H. C., Busscher, H., Bos, R., Boonaert, C. JP., Dufrene, Y. F. & de Vries, J., 2000, In: *Biophysical Journal*. 78 , 5, p. 2668-2674 7 p.

X-ray photoelectron spectroscopy for the study of microbial cell surfaces

van der Mei, H. C., de Vries, J. & Busscher, H. J., 2000, In: Surface Science Reports. 39, 1, p. 1-24 24 p.

Protein adsorption on gradient surfaces on polyethylene prepared in a shielded gas plasma

Spijken, H., Bos, R., van Oeveren, W., de Vries, J. & Busscher, H., 31-Aug-1999, In: Colloids and Surfaces B: Biointerfaces. 15, 1, p. 89-97 9 p.

Researching disability issues.

Wever, D. & de Vries, J., 1999, Taylor & Francis Group.

X-Ray-Induced Photoelectron Spectroscopy of Dentin as a Function of Duration of Ar+Ion Etching

Ten Bosch, JJ., Van Der Veen, MH. & de Vries, J., 1997, In: Advances in dental research. 11, 4, p. 395-402 8 p.

The role of physicochemical and structural surface properties in co-adhesion of microbial pairs in a parallel-plate flow chamber

Bos, R., van der Mei, H., de Vries, J. & Busscher, H.J., 16-Sept-1996, In: Colloids and Surfaces B: Biointerfaces. 7, 3-4, p. 101-112 12 p.

Hydrophobic recovery of repeatedly plasma-treated silicone rubber. Part 1. Storage in air

Everaert, E. P., van der Mei, H. C., de Vries, J. & Busscher, H., 1995, In: Journal of Adhesion Science and Technology. 9, 9, p. 1263-1278 16 p.

Surface changes of fluoride-releasing composites: a comparison of in vivo and in vitro results

Dijkman, GEHM., Jongebloed, WL., Arends, J. & de Vries, J., 1995, In: Advances in dental research. 9, 4, p. 348-354 7 p.

Closing of dentinal tubules by glutardialdehyde treatment, a scanning electron microscopy study

Dijkman, G., Jongebloed, W. L., de Vries, J., Ogaard, B. & Arends, J., Jun-1994, In: Scandinavian journal of dental research. 102, 3, p. 144-150 7 p.

Secondary caries in dentine around composites: A wavelength-independent microradiographical study

Dijkman, GEHM., de Vries, J. & Arends, J., 1994, In: CARIES RESEARCH. 28, 2, p. 87-93 7 p.

Hydrophobic and Electrostatic Cell Surface Properties of Thermophilic Dairy Streptococci

Van der Mei, HC., de Vries, J. & Busscher, H.J., Dec-1993, In: Applied and environmental microbiology. 59, 12, p. 4305-4312 8 p.

Inhibition of bovine dentin demineralization by a glutardialdehyde pretreatment: an in vitro caries study

Boonstra, W., de Vries, J., ten Bosch, J., Ögaard, B. & Arends, J., 1-Jan-1993, In: European Journal of Oral Sciences. 101, 2, p. 72-77 6 p.

Long-term fluoride release of visible light-activated composites in vitro: a correlation with in situ demineralisation data

Dijkman, GE. H. M., de Vries, J., Lodding, A. & Arends, J., 1993, In: CARIES RESEARCH. 27, 2, p. 117-123 7 p.

Effect of glutardialdehyde on secondary caries in situ

Dijkman, GEHM., Arends, J. & de Vries, J., 1992, In: CARIES RESEARCH. 26, 4, p. 293-298 6 p.

The effect of an experimental mouthrinse on enamel lesion remineralization in vitro.

Arends, J., Ruben, J. & de Vries, J., 1992, In: Journal de biologie buccale. 20, 1, p. 63-66 4 p.

DETERMINATION OF CHLORHEXIDINE IN SALIVA AND IN AQUEOUS-SOLUTIONS

de Vries, J., Ruben, J. & Arends, J., 1991, In: CARIES RESEARCH. 25, 6, p. 410-414 5 p.

