University of Groningen

Roles and politeness behavior in community-based free/libre open source software development

Wei, Kangning; Crowston, Kevin; Eseryel, U. Yeliz; Heckman, Robert

Published in:
Information & Management

DOI:
[10.1016/j.im.2016.11.006](https://doi.org/10.1016/j.im.2016.11.006)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2017

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Wei, K., Crowston, K., Eseryel, U. Y., & Heckman, R. (2017). Roles and politeness behavior in community-based free/libre open source software development. *Information & Management*, 54(5), 573-582.
<https://doi.org/10.1016/j.im.2016.11.006>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Roles and politeness behavior in community-based free/libre open source software development

Kangning Wei^{a,*}, Kevin Crowston^b, U.Yeliz Eseryel^c, Robert Heckman^b

^a School of Management, Shandong University, Jinan, Shandong, 250100, China

^b School of Information Studies, Syracuse University, Syracuse, NY, 13244, USA

^c Faculty of Economics and Business, Department of Innovation Management & Strategy, University of Groningen, 9747, AE, Groningen, The Netherlands

ARTICLE INFO

Article history:

Received 7 January 2016

Received in revised form 31 October 2016

Accepted 27 November 2016

Available online 30 November 2016

Keywords:

Open source software development

Core-periphery structure

Politeness behavior

ABSTRACT

Community-based Free/Libre Open Source Software (FLOSS) development relies on contributions from both core and peripheral members. Prior research on core-periphery has focused on software coding-related behaviors. We study how core-periphery roles are related to social-relational behavior in terms of politeness behavior. Data from two FLOSS projects suggest that both core and peripheral members use more positive politeness strategies than negative strategies. Further, core and peripheral members use different strategies to protect positive face in positive politeness, which we term respect and intimacy, respectively. Our results contribute to FLOSS research and politeness theory.

© 2016 Elsevier B.V. All rights reserved.

1. Introduction

In recent years, Free/Libre Open Source Software (FLOSS) projects have received much attention as successful examples of open innovation [1]. Many of these projects are developed in a community-based form, that is, developed and maintained by teams of independent volunteer developers who are organizationally and geographically distributed. In community-based FLOSS projects, FLOSS teams are largely decentralized and self-organized, without a formal hierarchy and with noncoercive leadership structures [2]. This kind of FLOSS team has attracted great interest among researchers who seek to understand this novel model of organizing, often with an interest in transferring the model to other self-organizing settings [e.g., 3,4].

Though community-based FLOSS projects usually do not have formal hierarchies that are imposed by external forces, members have different levels of participation in FLOSS development and so naturally take on different roles [5]. A widely accepted view of roles in community-based FLOSS teams is the core-periphery structure [6–8]. For example, Crowston and Howison [9] see community-based FLOSS teams as having an onion-like core-periphery structure, in which the core category includes core developers and the periphery includes co-developers, and active users and other registered users

including newcomers. Rullani and Haefliger [10] described periphery as a “cloud” of members that orbits around the core members of open source software development teams.

Generally speaking, access to core roles is based on technical skills demonstrated through the development tasks that the core developer performs [11]. Core developers usually contribute most of the code and oversee the design and evolution of the project, which requires a high level of technical skills [9]. Core developers are usually also the top contributors to the projects, and so they have been a primary focus of FLOSS research [12]. Peripheral members, on the other hand, contribute at a lower level, for example, by submitting patches such as bug fixes (e.g., co-developers), which provide an opportunity to demonstrate skills and interests, or just providing use cases and bug reports as well as testing new releases without contributing code directly (e.g., active users), which require less technical skills [9].

Despite the difference in technical contributions to the projects, both core and peripheral members are important to project success. It is evident that by making direct contributions to the software developed, core members are vital to the project development. Peripheral members, even though they contribute only sporadically, provide bug reports, suggestions, and critical expertise, which are fundamental for innovation [10]. In addition, the periphery is the source of new core members [13,14]; therefore, maintaining a strong periphery is important to the long-term success of the projects. Amrit and van Hillegersberg [7] examined the core-periphery movement in open source projects and

* Corresponding author.

E-mail addresses: kwei@sdu.edu.cn, kwei.su@gmail.com (K. Wei), crowston@syr.edu (K. Crowston), u.y.eseryel@rug.nl (U.Y. Eseryel), rheckman@syr.edu (R. Heckman).

concluded that a steady movement toward the core is beneficial to a project, while a shift away from the core is not.

Distinct from the notion of status, roles are defined by the activities performed by the members [6]. Thus far, the few discussions of differences in core/periphery contributions have mainly focused on coding-related behaviors such as innovation [15] and division of labor [10]. However, developers do more than just coding [6]. It is important for a participant to learn both social and technical aspects of a FLOSS project before making contributions [16]. FLOSS projects cannot succeed without group efforts. Therefore, both core and peripheral members need to interact and communicate virtually with each other, engaging in social-relational behaviors in addition to task-oriented behaviors such as coding. Consideration of these non-task activities is important because effective interpersonal communication plays a vital role in the development of online social interaction [17]. Members find social support, companionship, and a sense of belonging in the context of online communities [18].

For FLOSS development in particular, the health of the community is an important factor that impacts performances of FLOSS projects [9], as it is challenging to sustain a project with voluntary members over the long term [2,19]. For example, Barcellini et al. [6] identified a socio-relational role in open source software communities, which is associated with activities (e.g., praise others for their contributions, express agreements or reduce conflict) to facilitate interpersonal relationships. Social-relational issues have been seen as a key component of achieving design effectiveness [6] and enhancing online group involvement and collaboration [20]. Therefore, it is important to understand how members of community-based FLOSS teams build and maintain relationships with each other. While there is recognition of the importance of social behaviors, we still have limited knowledge about how roles—defined by task distinctions—are related to such behaviors.

In FLOSS settings, collaborative work primarily occurs through information technologies such as asynchronous (e.g., e-mail lists or discussion fora) and synchronous communication tools (e.g., Internet Relay Chat (IRC)) [5], systems for sharing and reviewing software (e.g., Concurrent Version System (CVS), Subversion or Git), bug trackers, project documentation systems, and so on [6]. Our study explicitly focuses on the first type of information technologies, namely communication tools, because they are the main communication channels that enable social-relational interaction between core and peripheral members for their development efforts, which is the focus of this paper.

Prior studies of relations in FLOSS have mostly examined the patterns of interactions among participants by using network-based analysis [21,22,23]. However, little research has explicitly examined the content of the interaction, that is, the content of the messages sent to discussion fora or e-mail lists by participants [6]. As a first attempt to study social-relational behavior in community-based FLOSS development teams, Wei et al. [24] analyzed group maintenance behaviors used by members to build and maintain reciprocal trust and cooperation in their everyday interaction messages. This research found that members use several group maintenance strategies composed of emotional expressions and politeness strategies. In this paper, we extend the work of Wei et al. [24] by investigating the link between the task-oriented structure of core–periphery and social-relational behaviors. We focus on one specific type of group maintenance strategies in this study, namely politeness strategies, which are linguistic strategies used to save or promote the speaker's self-image in a communicative act [25]. In particular, we examine the following research question:

Do core and peripheral members in community-based FLOSS development teams engage in politeness behaviors differently? If so, how?

The rest of the paper is organized as follows. In Section 2, we introduce politeness theory as our theoretical background. On the basis of a review of prior research on core and peripheral members in FLOSS development, we develop our hypotheses regarding the differences between core and peripheral members in the use of politeness behaviors. Section 3 describes the research method used to examine the hypotheses and Section 4 presents the results. Finally, we discuss the results and their implications and conclude the paper with limitations and future research in Section 5.

2. Theoretical background and hypothesis development

2.1. Politeness theory and politeness strategies²

In both face-to-face and virtual communications, the tone of communications is an important factor in how messages are received and interpreted and in how they advance both tasks and relationship building. One theoretical lens to explain this kind of behavior is politeness theory, which describes how people phrase communications in a way that considers the feeling of the others [26], thus contributing to the development of social relations. Researchers have found that politeness theory is especially useful in analyzing relational communication in computer-mediated communication (CMC) contexts, as pointed out by Morand and Ocker [25]: “The specific tactics of politeness can be reliably observed and thus quantitatively measured; as such they can be used in the assessment of relationalities within CMC, at a linguistic level of analysis” (p. 5).

Politeness theory is built on two concepts: face and face threatening acts (FTAs) [27]. Face is the central element in politeness theory and is defined as the positive value individuals claim for the public self they present [25]. As face is emotionally charged and is inherently vulnerable when engaging others in interaction, people strive to maintain face in social settings and communications [28]. Face is constructed of two wants: autonomy of action (also known as negative face) and the need for validation (also known as positive face) [27]. Negative face is exemplified by wanting to be left alone, independence from others, self-direction, and freedom from restrictions created by others, whereas positive face includes wanting respect, membership in a valued community, and a reputation for competence and fairness [29].

Face—the value that one claims for one's self—can, however, only be validated by others and so is dependent on others. It thus becomes everyone's interest to maintain the group by maintaining the face of those with whom she or he interacts [30]. Face is therefore viewed as “a social rather than a psychological construct” [31]. Moreover, it is within these social situations that people continuously interact in ways that preserve, bolster, or show consideration for the face of others [28]. Thus, politeness theory emphasizes interactional support work directed toward others' face [25], which are known as politeness strategies.

Despite the need to support both the negative and positive face of others, there are instances when one may have to “make requests, disagree, and offer advice or criticism to others” [29]. These instances are known as FTAs, and can either be directed toward the speaker or the hearer, and can threaten both types of

² This research builds on and extends our earlier work published in Information & Management (Wei et al. [24]). The previous and current paper share theoretical and empirical bases. As a result, there is duplication or near duplication of text from Wei et al. [24] for the presentation of politeness theory and politeness strategies (Section 2.1) and the data coding and data analysis process (Sections 3.3 and 3.4). This duplication is with permission from I&M editors to ensure the readability of this article..

face (positive and negative) [27]. Therefore, two forms of linguistic politeness strategies, positive strategies (to encourage positive face) and negative strategies (to encourage negative face), are taken to redress or mitigate any threats to others' face engendered by an FTA [25].

Positive politeness strategies attend to the hearer's positive face desire by treating the hearer as someone who is liked or esteemed [32]. Examples of positive politeness tactics include use of colloquialisms or slang; vocatives and inclusive pronouns; and expressions of agreement, understanding, cooperation, and sympathy [25,32]. These strategies demonstrate intimacy, proximity, and friendly attitude, and they claim common ground between the speaker and the hearer [33].

Conversely, negative politeness strategies try to maintain relationships by attending to the hearer's direct for negative face [32,33]. Negative politeness is realized through strategies such as hedges, indirect inquiries, subjunctives, honorifics, apologies, formal verbiage, passive voice, and expressed rationale for FTAs [25,28]. These strategies demonstrate the speaker's wish not to be seen as imposing upon the hearer [32].

Research has found that in CMC contexts, both positive and negative politeness strategies are used, although they might be used at different frequencies. For example, by studying a real-time, online discourse of K-12 students, Park [17] found that students seldom used negative politeness strategies. Rather, they used more positive strategies such as seeking of common ground and agreement and in-group language use. By analyzing two community-based FLOSS projects, Wei et al. [24] found that members of the studied FLOSS projects used both positive and negative politeness tactics, with an emphasis on the former.

2.2. Core vs. periphery in FLOSS development

Prior research on core–periphery structure in FLOSS development has examined how core and peripheral members behave differently in software development-related activities. The general findings suggest participation inequality between core and periphery in these activities. For example, Luthiger Stoll [34] found that core members make different time commitment than peripheral members. In their study, core participants spent an average of 12.15 h per week, with project leaders averaging 14.13 h, and bug-fixers and otherwise active users only around 5 h per week. Similarly, by using social network analysis, Toral et al. [23] found that a few core members posted the majority of messages and acted as middlemen or brokers among other peripheral members. Core members and peripheral members also have different power over the projects that lead to different team behaviors, as participants nearer to the core have greater control and discretionary decision-making authority compared to those further from the core [35,36].

Another important feature of the core–periphery structure is that the structure is not static over time [8], as a developer may change roles over time. A peripheral member may move into the core, or a core member may reduce engagement and become a peripheral member or even leave the project altogether [37]. A number of studies have examined this movement, especially how a peripheral member, specifically a newcomer, becomes a core member through socialization [16]. For example, in a study of socialization in the Freenet project, von Krogh, et al. [14] discovered that peripheral members who eventually became core members differed from those who stayed in a peripheral role in both the level and the type of activities they conducted. In a study of Apache Software Foundation projects, Gharehyazie et al. [38] found that the likelihood of peripheral members becoming committers could be predicted by the amount of two-way communication in which they participated (i.e., the number of

messages they responded to and the number of messages they received in response to their own messages). Again, most of the analysis focus on software development activities, such as the number of e-mails sent to the developer list and the type of questions asked in the list.

Considering the inequality in participation between core and peripheral members in code-related behaviors, we expect participants in different roles also engage in different politeness behaviors when communicating with each other online. Core members have a stronger attachment to their online communities, and research has found that core members are likely to take a social role in online communities and offer camaraderie to their members [18]. These behaviors correspond to the positive politeness behaviors noted above. Therefore, we hypothesize that:

H1: When communicating with other members online in community-based FLOSS development, core members are more likely to show positive politeness behaviors than peripheral members.

Peripheral members contribute to FLOSS projects in ways that may not be as obvious as the core members' contributions, for example, by reporting bugs, offering comments and suggestions, and providing small or ad hoc solutions relevant to the project. These communications are primarily directed to the core members because core members are the ones who can implement these suggestions. As the peripheral members are not on an intimate footing with core members, we suggest that these interactions are more likely to be characterized by negative politeness strategies.

Sometimes, peripheral members may just ask questions or seek help for the problems they encounter when using the software. In these cases, we also expect peripheral members to use more negative politeness strategies because improper use of politeness strategies can cause problems. For example, Chejnová [39] found that making requests using positive politeness strategies could cause pragmatic failures, that is, a failure to understand the intent of the request. Therefore, we hypothesize that:

H2: When communicating with other members online in community-based FLOSS development, peripheral members are more likely to show negative politeness behaviors than core members.

3. Research method²

To address the research question and test our two hypotheses, we compared politeness behaviors between core and peripheral members through a content analysis of e-mail archives from two community-based FLOSS teams. The following section describes our project selection strategy, data collection method, coding scheme development and coding process, and data analysis methods.

3.1. Project selection

We have selected the projects to be similar by using a replication logic, "which is analogous to doing multiple experiments . . . The replications may attempt to duplicate the exact conditions of the original experiment... Only with such replications would the original finding be considered robust and worthy of continued investigation or interpretation", as suggested by Yin [40] (p.47). To control unwanted variance caused by systematic factors such as different types of software developed and different ages of the projects, we decided to focus on projects that were developing similar software at similar levels of development. Specifically, we selected two projects that developed the same kind of software (i.e., multi-platform Instant Messaging (IM) clients)

from SourceForge.net for this study: Gaim¹ and Fire. The two projects were thus similar in terms of their project goals, nature of tasks, and potential users. Fire stopped development in early 2007, which limited us to collect messages posted to the mailing lists before early 2007 for both projects.

3.2. Data collection

The data of this study constituted publicly available e-mail messages from the public mail lists of the two FLOSS projects. It is possible that participants might use other communication channels such as IRC or personal e-mails to interact with each other, even though many projects discourage reliance on channels that are not available to all project members. However, our analysis examines differences in politeness behavior between core and peripheral members, and we expect these differences to hold true regardless of the communication media used. Our observation of IRC channels used by Gaim confirmed our assumption. We quickly evaluated IRC channels as a potential medium for investigation by recording interaction in the IRC channel for Pidgin (new name for Gaim) for several days (Fire, having ceased development, is no longer available). We found that many members stayed logged in to the IRC channel, but the activity was low compared to the activity on the mail list. Therefore, even if e-mail is not a complete record of the project communications, it provides a suitable sample of communications with which to test the hypotheses.

The messages were sampled for Fire over 43 months between June 2002 and December 2005 before the project ceased, and for Gaim more than 45 months between June 2002 and February 2006. The extended sampling frame we used enabled a thorough analysis of politeness strategies used in the daily communication. Although software development methods and tools certainly evolve over time, with this study, we investigated a fundamental aspect of social interaction, a phenomenon that we do not expect to change rapidly over time. Furthermore, many FLOSS projects still use the same communication technologies, namely e-mail lists or discussion fora. Therefore, analysis of this data should generalize to community-based FLOSS projects, which are developed and maintained by teams of independent volunteer developers where teams are decentralized, self-organized, and without formal hierarchy or coercive leadership structures.

On the one hand, availability of rich public data enables the investigation of FLOSS, but on the other hand, the availability of massive number of messages creates a methodological challenge for the researchers. Automatic analysis of thousands of e-mail messages on linguistic symbols of politeness behaviors is still at its early development [41]. Manual analysis of thousands of e-mail messages is infeasible due to the labor-intensiveness of the content analysis method. Thus, we had to balance the need for a large sample to obtain sufficient power for the statistical tests, with the need for a smaller sample size that would make the content analysis feasible. Therefore, we developed a hierarchical sampling strategy to uniformly cover the history of the projects. This strategy included dividing the messages from each e-mail list into 360 sequential message sets with equal number of messages, regardless of the duration of each message set. We completed our sampling by selecting a random message from each set, and replacing this message with another one if the sampled message did not constitute a real e-mail by a FLOSS participant rather than a spam or an automated e-mail forwarded to the e-mail list.

Using this process, 360 messages were selected from the Gaim mail list and 336 messages from the Fire mail list. The sending time of each message and the sender's name were collected for

Table 1

Descriptive statistics of the sample messages.

Projects	Number of Messages	Message Length (number of words)			
		Min	Max	Mean	Standard Deviation
Fire	336	6	1429	96	125
Gaim	360	5	1037	114	120
Fire and Gaim	696	5	1429	105	123

identifying the message senders' roles. The descriptive statistics for the sample messages are given in Table 1.

3.3. Analysis approach

Given the nature of our data, namely textual e-mail messages, we adopted a qualitative data analysis approach. To test the hypotheses, two types of data were needed.

The first type of data was the role of the sender of each message (i.e., core or peripheral members). Prior research has suggested several ways to identify core members in FLOSS teams. For example, Crowston et al. [35] introduced three methods to identify core and peripheral members in FLOSS teams: relying on project-reported formal roles, analysis of distribution of contributions based on Bradford's Law of Scatter, and core-and-periphery analysis of project social network. Their analysis showed that all three measures suggest that the core of community-based FLOSS projects is a small fraction of the total number of participants. Oliva et al. [42] characterized key developers using the number of core commits (i.e., those commits that contributed to the technical core rather than just made peripheral changes) each developer made to the codebase. Although the dichotomous distinction between core and peripheral members is based on code-related activities, the types of activities are not specified in our research. Therefore, by using data from only codebase or one type of interaction (e.g., bug tracker system, e-mail lists, discussion fora, and so on) might paint an incomplete picture of core members' activities. As most projects grant developer status based on a track record of various contributions [35], in this study, we identified core members based on their self-reported roles from the project developer lists, which include project leaders/administrators and core developers. We categorized all the other contributors, namely the co-developers, active users, and passive registered users, as the periphery. Our approach constitutes a common way to define core members.

Acknowledging that the roles of the members may change over time, we extracted the developer lists at different time points during the period of June 2002–February 2006 from archive.org, which has archived SourceForge project homepages from as early as August 2000. From this source, we could get developer lists for Fire at seven different points (Nov. 2, 2002; Jan. 15, 2003; Jun. 24, 2004; Sept. 19, 2004; Oct. 30, 2004; Mar. 04, 2005 and Apr. 05, 2005) and those for Gaim at eight different points (Nov. 06, 2002; Mar. 01, 2003; Jun. 23, 2003; Mar. 01, 2004; May 17, 2004; Jun. 03, 2004; Apr. 18, 2005 and Dec. 13, 2005). We assigned the role of core to the senders whose names were on the developer list at the time closest to the time the message was sent. We note that some members who were listed as core members by the project were not actively sending messages within the time frame of our data collection (i.e., they had essentially left the project). However, as there are no messages from these members, this kind of change (a core member leaving the project) does not result in incorrectly labeled messages.

Table 2 summarizes the numbers of core and peripheral members in Fire and Gaim separately and the numbers of messages they sent.

¹ Because of a naming dispute with AOL, Gaim was renamed Pidgin in April 2007.

Table 2

Descriptive statistics of core and peripheral members.

Projects	Core		Periphery	
	Number of core members	Number of messages sent by core	Number of peripheral members	Number of messages sent by periphery
Fire	7 (5%)	178 (53%)	129 (95%)	158 (47%)
Gaim	15 (10%)	153 (43%)	137 (90%)	207 (57%)
Fire and Gaim	22 (8%)	331 (48%)	266 (92%)	365 (52%)

The second type of data constituted the politeness strategies used in each message to test our hypotheses. Two independent analysts content analyzed the messages in both projects for “politeness strategies” using a subset of a coding scheme that was developed by Wei et al. [24]. In their study, Wei et al. [24] provided a comprehensive description of group maintenance behavior in community-based FLOSS development teams in terms of emotional expression, positive politeness, and negative politeness. As this paper focuses on politeness strategies, we adopted the codes for positive and negative politeness, with one change. Specifically, we dropped jargon/metaphor from the coding scheme. Wei et al. [24] concluded that many words that they coded as jargon were simply technical terms that team members use for normal communications, rather than some project-specific language. Their study identified the need for future research on distinguishing generally used programming terms from project-specific language. For this study, we simply excluded jargon/metaphor from further analysis. Table 3 shows the revised coding scheme adapted from Wei, et al. [24].

In coding the messages, we annotated the selected texts with codes for selected categories [43]. We used the “thematic unit” as the unit of coding. A thematic unit is “a single thought unit or idea unit that conveys a single item of information extracted from a segment of content” or the “unit of meaning” [44]. Thus, our annotated texts vary in size from a word, a phrase, a part of a sentence, a sentence, or even a few sentences that capture the meaning of the code.

The initial analysis of the textual data was performed by two research assistants, referred to as coders. Two or more coders are

needed for each piece of text to compare their separate judgments and identify possible mistakes or errors in analysis [45]. Although two coders are only the minimum requirement to determine reliability, for practical reasons, this number of coders is commonly used [46,47]. For example, to study citizen-driven information processing through Twitter services, Oh, et al. [47] investigated three social crises and used two coders for each crisis to code the studied variables. The two coders working on our project had a basic understanding of software development processes. Though the two coders had not worked as software developers, they had 2 years of experience studying FLOSS development practices, which were the focus of the analysis. As we were not focusing on programming, but on the social interaction of the people, their knowledge of FLOSS development and the projects was sufficient for them to code the collected messages for the concepts of interest, even when technical terms were used.

The reliability of the coding schema was established by having the two coders independently code a subset of the data. We determined inter-rater reliability using simple percent agreement rate [48]. Agreement is often assessed using Cohen’s Kappa, which corrects for chance agreement; however, this correction was not needed in this case, because the possibility of chance agreement was negligible for our coding, due to infrequent observation of the codes per thematic unit (i.e., only a few words or sentences in a message constitute examples of positive or negative politeness behaviors).

To improve coding reliability, the coders independently coded pilot data, then enriched the coding scheme with notes and examples from their discussion of the coded data, thus developing

Table 3

Coding scheme of politeness behaviors.

Category	Indicator	Definition	Example
Positive Politeness	Slurring/Colloquialisms	Spelling out phonological slurring, using colloquialisms or slang; beyond group specific; used to show familiarity.	“Saturdayish” “BTW”
	Vocatives	Referring to participants by name, or specifically addressing to an individual.	“As sean ^a said” “Martin, . . .”
	Inclusive Pronouns	Incorporating writer and recipient(s)	“we”, “us”, “let’s”, “our”
	Phatics	Personal greetings and closures	“Hi”, “regards”
	Complimenting	Complimenting others or message content	“You guys have done an awesome job”
	Agreement	Expressing agreement with others’ previous statements	“Agreed” “I suppose.” “Correct.” “Any comments welcome.”
	Participation Appreciation	Encouraging others to participate Expressing appreciation for other’s effort	“Well thanks a lot for you hard work!”
Negative Politeness	Disclaimers	Use of disclaimers prior to an FTA; self-depreciation as a distancing tool; may include apologies as explanations; express reluctance	“dumb fire question#1: which MSNService.nib ‘file’ is the real one?” “Sorry if I’m terribly ignorant somehow. I’m just getting into this stuff.”
	Rational for FTA	Stating an FTA as a general rule to minimize impact or as to not single out an individual; Explaining the reasons behind an action that might threat someone’s face.	“In general we want to avoid forking the MSN library with our own changes so any changes there need to be sent on to Meredydd.”
	Hedges/subjunctives	Use of words/phrases/subjunctives to diminish force of act; Use of hesitation in disagreement (i.e., “well . . .”)	“um . . .” “I’m not sure what the problem is . . .” “it would be nice to at least.”
	Formal Verbiage	Using formal wording choices	“please send the file to . . .”

^a All names quoted in this table are pseudonyms to protect subject privacy.

Table 4Descriptive statistics of indicators occurrence frequency per message for core and peripheral members and comparisons between them.^a

Indicator	Mean		Range		Percentage ^b	
	Core	Periphery	Core	Periphery	Core	Periphery
Positive Politeness	2.90	2.03	0–19	0–19	85.8%	76.4%
Slurring/colloquialisms	0.27	0.36	0–4	0–6	21.1%	27.9%
Vocatives	1.18	0.73	0–10	0–15	51.4%	20.5%
Inclusive Pronouns	1.08	0.58	0–17	0–7	44.4%	10.1%
Phatics	0.09	0.27	0–2	0–3	8.8%	39.7%
Complimenting	0.02	0.03	0–2	0–3	2.1%	11.2%
Agreement	0.05	0.05	0–2	0–2	5.1%	1.9%
Participation	0.05	0.06	0–1	0–1	5.4%	5.2%
Appreciation	0.14	0.11	0–2	0–2	12.4%	24.4%
Negative Politeness	1.81	1.76	0–40	0–20	63.7%	65.8%
Disclaimers	0.11	0.18	0–3	0–3	8.5%	13.4%
Rational for FTA	0.07	0.09	0–4	0–2	5.4%	9.9%
Hedges/subjunctives	1.55	1.77	0–37	0–18	57.1%	58.9%
Formal Verbiage	0.08	0.06	0–2	0–4	7.3%	6.6%

^a The distributions of the occurrence frequencies of each politeness strategy in messages were heavily skewed. A majority of its occurrence frequencies in messages were zero, which made the medians of all the 12 politeness strategies 0. Therefore, we did not provide medians of each politeness strategy here.

^b The percentage of messages that contain the given indicator out of the total number of messages in the sample.

an enhanced coding scheme. By using this coding scheme process, the inter-rater reliability between the two coders reached 80% in the second half of pilot-coding process and 85% in the last 1/5 of the pilot-coding process. Inter-rater reliability of higher than 80% is generally considered acceptable for research [48]. Therefore, after the coding process was deemed reliable, each coder independently coded half of the remaining messages sampled for this study.

3.4. Statistical analysis

After content analysis, we conducted quantitative analysis of the coded text, also known as quantitative content analysis. Quantitative content analysis allows researchers to determine specific frequencies of relevant categories and examine the relationships involving these categories using statistical methods [49]. For the quantitative analysis, the unit of analysis was the message. For each politeness strategy, we identified its rate of occurrence, that is, the frequency of use per message, because

multiple instances of a particular code per message (i.e., multiple examples of a particular politeness strategy) were possible. To investigate the possible effects of different length of messages, we ran the same tests using behavior density, namely the count of a particular indicator (politeness strategy in this case) in a message divided by the number of words in the message [50]. However, we did not find a meaningful difference in the results of the analysis between frequency and density measures. Therefore, for simplicity of presentation, the results are presented using frequency of indicator occurrence.

We conducted a series of Mann–Whitney *U* tests comparisons between data for messages sent by core and peripheral members to identify between-group similarities and differences in politeness behaviors. We used a non-parametric test because the counts of codes were not normally distributed. As we were making multiple comparisons (12 comparisons, 1 for each indicator), one or more comparisons could achieve significance by chance. To correct for this effect, we applied a Bonferroni correction to the usual cut-off

Table 5Mann–Whitney *U* tests results showing comparisons between core and peripheral members across Gaim and Fire and within each project.

Indicator	First Column			Second Column			Third Column		
	C vs. P across Gaim and Fire			C vs. P in Fire			C vs. P in Gaim		
	Mean Rank		p value	Mean Rank		p value	Mean Rank		p value
	C	P		F-C	F-P		G-C	G-P	
Positive Politeness	376.76	322.87	0.000*	185.56	149.28	0.001*	188.91	174.28	0.178
Slurring/colloquialisms	334.86	360.87	0.024	164.46	173.05	0.283	170.37	187.99	0.035
Vocatives	406.68	295.74	0.000*	204.01	128.50	0.000*	201.08	165.29	0.000*
Inclusive Pronouns	412.06	290.84	0.000*	204.58	127.85	0.000*	205.45	162.06	0.000*
Phatics	290.45	401.14	0.000*	140.17	200.42	0.000*	149.30	203.56	0.000*
Complimenting	331.88	363.57	0.000*	153.23	185.70	0.000*	179.05	181.57	0.425
Agreement	354.36	343.19	0.021	170.16	166.63	0.207	185.42	176.86	0.031
Participation	348.92	348.12	0.891	171.33	165.32	0.136	177.56	182.67	0.245
Appreciation	326.98	368.02	0.000*	155.30	183.37	0.001*	168.95	189.04	0.000*
Negative Politeness	344.63	352.01	0.616	166.25	171.03	0.635	181.63	179.63	0.849
Disclaimers	339.42	356.74	0.037	162.54	175.21	0.011	179.02	181.59	0.700
Rational for FTA	340.56	355.70	0.032	165.06	172.38	0.220	176.16	183.71	0.155
Hedges/subjunctives	348.13	348.84	0.961	167.14	170.03	0.770	184.79	177.33	0.485
Formal Verbiage	349.80	347.32	0.712	171.07	165.61	0.305	177.85	179.63	0.258

Note: C indicates core; P indicates periphery.

F-C indicates core members in Fire; F-P indicates peripheral members in Fire.

G-C indicates core members in Gaim; G-P indicates peripheral members in Gaim.

Scores in italics are statistically significantly different.

alpha of 0.05, which resulted in a required alpha of 0.004 to declare statistical significance. This approach is conservative and reduces the power of the statistical tests.

4. Findings

In this section, we report the comparison results between core and peripheral members in politeness behaviors. Table 4 displays the percentages of the occurrence frequencies of the politeness strategies used by core and peripheral members. The table shows that although both positive and negative politeness strategies were used frequently by core and peripheral members, they were used with different frequencies. Both core and peripheral members used more positive politeness strategies (85.8 and 76.4%) in their communication than negative politeness strategies (63.7 and 65.8%). Further, the use frequencies of individual positive politeness indicators were different for core and peripheral members. The most frequently used positive politeness indicators for core members were vocatives (51.4%), inclusive pronouns (44.4%), and slurring/colloquialisms (21.1%), while for peripheral members, phatics (39.7%), slurring/colloquialisms (27.9%), appreciation (24.4%), and vocatives (20.5%) were the most frequently used ones. Among negative politeness strategies, hedges/subjunctives were the most frequently used indicator for both core (57.1%) and peripheral members (58.9%).

A series of Mann–Whitney tests were conducted to statistically analyze differences in the use of politeness strategies between core and peripheral members. The statistical results are shown in the first column of Table 5. The results show that in general, core members used more positive politeness strategies than peripheral members did ($p=0.000$). However, the results did not show any significant difference in the use of negative politeness strategies between core and peripheral members. As the two projects have different development status (i.e., Gaim continues development while Fire has ceased development), we conducted further analysis between core and peripheral members within each project. Table 6 shows the means and ranges of occurrence frequencies of each politeness indicator for core and peripheral members within Fire and Gaim. The statistical results are shown in the second and third columns of Table 6. For negative politeness strategies, both projects showed no significant differences between core and peripheral members, which were consistent with the overall trend. But for positive politeness strategies, the core members of only Fire use more positive politeness strategies than peripheral members did. The data showed no difference in the use of positive politeness strategies between core and peripheral members in Gaim.

5. Discussion

The results suggest that both similarities and differences exist in the use of politeness strategies between core and peripheral members in their online communication. First, in general, both core and peripheral members used more positive politeness strategies than negatively politeness strategies. The results suggest that although team members were careful to respect others' autonomy, both roles seemed more likely to use positive politeness strategies to create cohesive social relations. Similar to other types of virtual teams, FLOSS development faces a variety of discontinuities that characterize virtual collaboration environment [51]; hence, it is reasonable to expect that to reduce the distances created by these discontinuities, FLOSS team members, regardless of their roles, are more likely to use positive politeness strategies.

However, although both core and peripheral members used more positive politeness strategies, they were differently used. By examining the individual indicators that showed significant differences between core and peripheral members in use of positive politeness strategies (the first column in Table 5), we found two different trends: core members used more vocatives and inclusive pronouns, but fewer phatics, complimenting and appreciation than peripheral members did. Analysis within the two projects also reveals a similar pattern, except for one indicator for Gaim (complimenting showed no difference between core and peripheral members). The results seem to generally suggest that it is not appropriate to simply group all the positive politeness strategies together and hypothesize that core members will use more of them than peripheral members do.

To explain this observation, we examined the definitions of the individual indicators in positive politeness category in detail. We suggest that indicators convey two different intents regarding relationship building. The first three indicators—slurring/colloquialisms, vocatives and inclusive pronouns—are all employed to convey in-group membership and to show familiarity and intimacy among members. The other five indicators—phatics, complimenting, agreement, participation, and appreciation—instead seem to imply that the speakers want to give something that the other party desired, such as greetings, compliments, agreements, encouragements or appreciation.

On the basis of this observation, we suggest dividing the indicators in positive politeness category into two groups, which we label intimacy and respect separately. Intimacy is used to show familiarity and in-group membership between team members, while respect is used to give something that others desire. Further, Mann–Whitney tests (Table 7) reveal consistent trends between

Table 6
Descriptive statistics of indicator occurrence frequency per message for core and peripheral members in Fire and Gaim.

Indicator	Fire				Gaim			
	Mean		Range		Mean		Range	
	Core	Periphery	Core	Periphery	Core	Periphery	Core	Periphery
Positive Politeness	3.38	1.99	0–19	0–8	2.35	2.05	0–19	0–19
Slurring/colloquialisms	0.27	0.43	0–3	0–6	0.27	0.43	0–4	0–5
Vocatives	1.42	0.18	0–10	0–4	0.90	0.59	0–7	0–15
Inclusive Pronouns	1.21	0.08	0–9	0–2	0.94	0.31	0–17	0–7
Phatics	0.13	0.61	0–2	0–3	0.05	0.43	0–1	0–2
Complimenting	0.02	0.25	0–1	0–3	0.03	0.03	0–2	0–1
Agreement	0.03	0.01	0–1	0–1	0.08	0.03	0–2	0–2
Participation	0.07	0.03	0–1	0–1	0.04	0.07	0–1	0–1
Appreciation	0.23	0.41	0–2	0–2	0.04	0.15	0–2	0–2
Negative Politeness	1.48	1.42	0–30	0–15	2.18	2.02	0–40	0–20
Disclaimers	0.06	0.15	0–2	0–2	0.16	0.18	0–3	0–3
Rational for FTA	0.07	0.10	0–4	0–2	0.07	0.10	0–2	0–1
Hedges/subjunctives	1.22	1.09	0–24	0–13	1.92	1.66	0–37	0–18
Formal Verbiage	0.13	0.08	0–2	0–1	0.03	0.08	0–1	0–4

Table 7
Mann–Whitney *U* tests results.

Indicator	First Column			Second Column			Third Column		
	C vs. P across Gaim and Fire			C vs. P in Fire			C vs. P in Gaim		
	Mean Rank		p value	Mean Rank		p value	Mean Rank		p value
	C	P		F-C	F-P		G-C	G-P	
Intimacy	423.39	280.59	0.000*	212.86	118.52	0.000*	207.90	160.25	0.000*
Respect	295.72	396.36	0.000*	140.34	200.22	0.000*	150.82	202.44	0.000*

Note: C indicates core; P indicates periphery.

F-C indicates core members in Fire; F-P indicates peripheral members in Fire.

G-C indicates core members in Gaim; G-P indicates peripheral members in Gaim.

core and peripheral members in using intimacy and respect indicators across and within groups. The results indicate that core members were more likely to use strategies that indicate intimacy such as inclusive pronouns and vocatives, whereas peripheral members were more likely to use strategies that show respect to others such as phatics and appreciation.

One possible explanation for the observed differences is that core members usually function as leaders of the team. They know the project and other developers much better than the peripheral members do. It is their responsibility (rather than the peripheral members) to keep the project running. Consequently, they are on a more intimate footing with other members.

In contrast, peripheral members post occasionally, and most of the posts only make marginal contributions to software development (such as reporting a bug, making suggestions, asking questions, and seeking help) compared to the core members who actually develop the software (such as writing code). Consequently, it is normal for them to use positive politeness strategies such as phatics, complimenting and appreciation in their messages to show their respect and acknowledgement for the work of the core developers after they get the answer (e.g., “thank you. You are great.”) or before they get any answer (e.g., “I appreciate your time. You guys did a great job, but I think I found a bug.”).

5.1. Theoretical implications

Our work has two theoretical implications. First, this research extends our understanding of social/emotional behaviors in community-based FLOSS development. Most prior research has focused on task-related behaviors such as collaboration [e.g.,52] and participation [e.g.,22]. Emotional behavior plays an important role in everyday communication in FLOSS development, but few empirical studies have explored this topic [24]. Wei et al. [24] treated politeness strategies as an important component in group maintenance behavior and found that FLOSS team members do use a variety of politeness strategies in maintaining social relations with others. This research goes a step further and investigates how people with different roles enact different usage of politeness strategies. The results suggest that both core and peripheral members are actively engaged in maintaining social interactions using politeness strategies, although they use different strategies based on their roles. To the best of our knowledge, this is the first research that focuses on the relations between core–periphery structure and social-relational behaviors. Therefore, this research enriches the growing literature on FLOSS practice by investigating subtle matters in FLOSS project activities from contextual and behavioral perspectives.

Second, this work adds to our understanding of politeness theory, especially of positive politeness strategies, which are important components in politeness theory. Positive politeness strategies have been seen as less polite than negative politeness strategies and have the function of keeping people closer. Prior

research usually treats all the positive politeness strategies as a whole and does not consider the different usage from different roles a person might assume. This research explores two important roles in FLOSS development and found that core and peripheral members do exhibit different patterns in using positive politeness strategies. Core members seemed to use more strategies that convey in-group membership (which we termed as intimacy), while peripheral members were more likely to use strategies that show respect and understanding to others (which we termed as respect). These two categories of positive politeness strategies have different degrees of politeness: intimacy seems to be less polite than respect. Therefore, this research underlies the importance of roles in studying individual’s linguistic behavior using politeness theory.

5.2. Practical implications

This research has implications for practitioners in community-based FLOSS development, which is built on relationships among members. Peripheral members might only perform a small amount of task-related activities, but they play an important role in relationship building during everyday communication in FLOSS development. To sustain a FLOSS community, it is important for project managers to be aware that members with different levels of knowledge of the project (as reflected in their roles of core/periphery) communicate differently. Specifically, the results suggest that core and peripheral members use different sets of positive politeness strategies when communicating with each other. Further, developers and project leaders should be aware of the nature of FTAs and consider how these are perceived by and the kind of impact they have on others. Differences between core and peripheral members in using politeness strategies described in this research might provide guidelines for community-based FLOSS participants for self-reflection about the effects of different kinds of intra-team communications. Much of this advice on how to approach e-mail interaction is now commonly accepted based on the research on e-mail flame wars and how to avoid them, but our findings suggest how these results can be adapted to the context of virtual teams comprising individuals who work together regularly in a distributed mode through technology.

5.3. Limitations and future research

In this research, we examined the effect of member status—core vs. peripheral member—on the individual use of politeness strategies in team communications. As with any other study, there are several limitations that suggest opportunities for further research.

The first limitation is that our study focused on only two factors and so did not include many other factors that might influence the use of politeness behaviors, such as project type, project culture, project governance structure, individual proficiency in language

use, and the communication channels used for interaction (e.g., IRC). Unfortunately, we do not have any data with which to test the impact of these factors; furthermore, our study design does not provide variance on project-related factors and communication medium. Consequently, the specific effects of these factors remain topics for future research.

However, even if these factors do turn out to have direct impacts on the use of politeness behaviors, we have no reason to believe that they moderate the relationship between member status and the use of politeness in community-based FLOSS teams, which would change the results of our study. For example, although variance in individual-related factors (e.g., language proficiency) might affect the probability for an individual to become a core member, there should not be a difference in the impact of these factors on the use of politeness behaviors, which are different for core or peripheral members. That is, it should not explain the observed differences between core and periphery in the use of politeness behavior because we expect that such differences are found among both core and peripheral members. However, some of these factors, such as individual proficiency in language use, might affect both member status (e.g., the probability of becoming a core member) and the use of different politeness behaviors; thus, the impact of these factors should be investigated further.

The second limitation of the research is the possible impact of the small number of the core members in the data. In community-based FLOSS teams, the core usually includes a small number of people. Specifically, in the data we examined in this study, there were only 7 core members in Fire and 15 in Gaim, while the numbers of peripheral members were 129 and 137, respectively. Speakers might have specific personal traits or relational histories that predispose them to a set of particular strategies when speaking to others [53]. Variation in the behaviors of the core members might affect the observed use of politeness strategies because of the small numbers of the core members. Although we averaged over all core members within each project to reduce the variance to some extent, subsequent research could examine more projects to create a large sample of core developers. Researchers could use other research methods such as interviews and surveys to further investigate the impact of personal traits on individual's use of politeness strategies.

Another limitation of this research is the difficulty of generalizing from a two-project study. This research only examined two projects from a category that develops same software: IM clients. Studying two projects from a same category controlled some unwanted variance (e.g., attractiveness of the project type to developers) and so provided a good setting in which to study the research question in detail. We argue that although we investigated a special type of FLOSS team (i.e., community-based) with a particular medium (i.e., e-mail lists), the phenomenon we identified is a result of the nature of the relationships among core members and between core and peripheral members. Our hypothesis is that the different patterns of core and periphery in using politeness strategies are related to differences among members in knowledge of other members and of the project, as well as differences in authority over the project. We, therefore, expect that the relationship we observed will hold in many different types of FLOSS teams (e.g., those where many volunteers exist with different levels of commitment to the project). Nevertheless, we cannot rule out the possibility that the research findings could differ in other community-based FLOSS projects. Furthermore, though we do not expect our results to change, we have not tested our hypotheses in more hierarchical FLOSS projects or in FLOSS projects with different cultural types (those with more rational and hierarchical cultures). Future research

should apply the framework of this study to a larger sample of projects that includes different kinds of projects. To do so, computerized analysis [e.g., 41, 54, 55] will be necessary to replace manual coding conducted in this research to reduce the cost of the necessary linguistic analysis to a manageable level [24].

A further unexplored factor is technology, which we held constant. It is possible that the specifics of different communication technologies may influence language use, which might affect the politeness strategies used. For example, politeness behaviors could be different on chats or IRC due to the immediacy brought by synchronous technologies. Tool support for FLOSS development also changes. For example, many discussions that might have happened in e-mail lists or discussion fora are now happening in systems like Github (e.g., discussions of a proposed patch). These changes in the technology support might affect communications and the use of politeness behaviors. At present, we do not have a theoretical perspective to offer specific hypotheses about such effects. Instead, the effect of communication medium on politeness behaviors is a further topic to investigate in future research. A complication is that our coding system was developed for discussion fora and might need to be revised for communications on a medium such as chat that favors terse messages.

Finally, positive and negative politeness tactics may be used for several reasons. In this paper, we have considered these as applied more-or-less automatically by developers as they respond to the communication situation, but it could be that developers use them more strategically. For example, in FLOSS projects, core developers use different gatekeeping tactics to block unwanted contributions from the periphery. These tactics might be expressed through various positive and negative politeness tactics. Future research can build on our study as a basis to investigate how politeness is used for such political or operational reasons as well as to promote group well-being.

Acknowledgments

This research is partially supported by the U.S. National Science Foundation (IIS Grant 04-14468 and HSD Grant 05-27457). The first author is partially supported by the Humanity and Social Science Youth Foundation, Ministry of Education of China (No. 11YJC630219) and National Social Science Foundation of China (No. 15BGL034).

References

- [1] E. von Hippel, *Democratizing Innovation*, The MIT Press., Cambridge, Massachusetts, 2005.
- [2] A. Bonaccorsi, C. Rossi, Why open source software can succeed, *Res. Policy* 32 (2003) 1243–1258.
- [3] N. Economides, E. Katsamakas, Two-Sided competition of proprietary vs: open source technology platforms and the implications for the software industry, *Manage. Sci.* 52 (7) (2006) 1057–1071.
- [4] W. Oh, S. Jeon, Membership herding and network stability in the open source community: the ising perspective, *Manage. Sci.* 53 (7) (2007) 1086–1101.
- [5] K. Crowston, K. Wei, J. Howison, A. Wiggins, Free/Libre Open Source Software Development: what we know and what we do not know, *ACM Comput. Surv.* 44 (2) (2012) (p. Article 7).
- [6] F. Barcellini, F. Dtienne, J.-M. Burkhardt, A situated approach of roles and participation in Open Source Software Communities, *Hum. Comput. Interact.* 29 (3) (2014) 205–255.
- [7] C. Amrit, J. van Hillegersberg, Exploring the impact of socio-technical core-periphery structures in open source software development, *J. Inf. Technol.* 25 (2) (2010) 216–229.
- [8] C. Jensen, Role migration and advancement processes in ossd projects: a comparative case study, *Proceedings of the 29th International Conference on Software Engineering (ICSE'07)*, IEEE, 2007.
- [9] K. Crowston, J. Howison, Assessing the health of open source communities, *IEEE Comput.* 39 (5) (2006) 89–91.
- [10] F. Rullani, S. Haeffliger, The periphery on stage: the intra-Organizational dynamics in online communities of creation, *Res. Policy* 42 (4) (2013) 941–953.

- [11] C. Jergensen, A. Sarma, P. Wagstrom, The onion patch: migration in open source ecosystems, *Proceedings of the 19th ACM SIGSOFT Symposium and the 13th European Conference on Foundations of Software Engineering*, ACM, 2011.
- [12] G.A. Oliva, F.W. Santana, K.C.M.d. Oliveira, C.R.B.d. Souza, M.A. Gerosa, Characterizing key developers: a case study with apache ant, *Criw* 2012, *Lncs* 7493 (2012) 97–112.
- [13] L. Dahlander, S. O'Mahony, Progressing to the center: coordinating project work, *Organiz. Sci.* 22 (4) (2011) 961–979.
- [14] G. von Krogh, S. Spaeth, K.R. Lakhani, Community, joining, and specialization in open source software innovation: a case study, *Res. Policy* 32 (7) (2003) 1217–1241.
- [15] L. Dahlander, L. Frederiksen, The core and cosmopolitans: a relational view of innovation in user communities, *Organiz. Sci.* 23 (4) (2012) 988–1007.
- [16] I. Steinmacher, M.A.G. Silva, M.A. Gerosa, D.F. Redmiles, A systematic literature review on the barriers faced by newcomers to open source software projects, *Inf. Softw. Technol.* 59 (2015) 67–85.
- [17] J.-R. Park, Linguistic politeness and face-Work in computer mediated communication, part 2: an application of the theoretical framework, *J. Am. Soc. Inf. Sci. Technol.* 59 (14) (2008) 2199–2209.
- [18] C.-C. Hsiao, J.-S. Chiou, The impact of online community position on online game continuance intention: do game knowledge and community size matter? *Inf. Manage.* 49 (6) (2012) 292–300.
- [19] Y. Fang, D. Neufeld, Understanding sustained participation in open source software projects, *J. Manage. Inf. Syst.* 25 (4) (2009) 9–50.
- [20] J.R. Park, Interpersonal and affective communication in synchronous online discourse, *Lib. Q.* 77 (2) (2007) 133–155.
- [21] J. Howison, K. Inoue, K. Crowston, Social dynamics of free and open source team communications, *Proceedings of the IFIP 2nd International Conference on Open Source Software*, Lake Como, Italy: Springer, 2006.
- [22] G. Kuk, Strategic interaction and knowledge sharing in the KDE developer mailing list, *Manage. Sci.* 52 (7) (2006) 1031–1042.
- [23] S. Toral, M. Martínez-Torres, F. Barrero, Analysis of virtual communities supporting OSS projects using social network analysis, *Inf. Softw. Technol.* 52 (3) (2010) 296–303.
- [24] K. Wei, K. Crowston, N.L. Li, R. Heckman, Understanding group maintenance behavior in Free/Libre Open-Source Software projects: the case of Fire and Gaim, *Inf. Manage.* 51 (3) (2014) 297–309.
- [25] D.A. Morand, R.J. Ocker, Politeness theory and computer-Mediated communication: a sociolinguistic approach to analyzing relational messages, *Proceedings of the 36th Hawaii International Conference on System Sciences*, Big Island, HI, U. S. A., 2003.
- [26] P. Brown, S. Levinson, *Politeness: Some Universals in Language Usage*, Cambridge University Press, Cambridge, United Kingdom, 1987.
- [27] A.J. Meier, Passages of politeness, *J. Pragmat.* 24 (4) (1995) 381–392.
- [28] D.A. Morand, Dominance, deference, and egalitarianism in organizational interaction: a sociolinguistic analysis of power and politeness, *Organiz. Sci.* 7 (5) (1996) 544–556.
- [29] K.W. Duthler, The politeness of requests made via email and voicemail: support for the hyperpersonal model, *J. Comput. Mediated Commun.* 11 (2) (2006) 500–521.
- [30] T. Holtgraves, Social psychology, cognitive psychology and linguistic politeness, *J. Politeness Res. Lang. Behav. Cult.* 1 (1) (2005) 73–93.
- [31] T. Holtgraves, The linguistic realization of face management: implications for language production and comprehension, person perception, and cross-cultural communication, *Soc. Psychol. Q.* 55 (2) (1992) 141–159.
- [32] P. Hobbs, The medium is the message: politeness strategies in men's and women's voice mail messages, *J. Pragmat.* 35 (2003) 243–262.
- [33] J.-R. Park, Linguistic politeness and face-Work in computer-mediated communication, part 1: a theoretical framework, *J. Am. Soc. Inf. Sci. Technol.* 59 (13) (2008) 2051–2059.
- [34] B. Luthiger Stoll, Fun and software development, *Proceedings of the First International Conference on Open Source Systems*, Genova, Italy, 2005.
- [35] K. Crowston, K. Wei, Q. Li, J. Howison, Core and periphery in Free/Libre and Open Source software team communications, *Hawaii International Conference on System (HICSS-39)* (2006).
- [36] W. Scacchi, Free/Open source software development: recent research results and methods, *Adv. Comput.* 69 (2007) 243–295.
- [37] G. Robles, J.M. Gonzalez-Barahona, Contributor turnover in libre software projects, *IFIP International Federation for Information Processing*, Volume 203, Open Source Systems (2006).
- [38] M. Gharehyazie, D. Posnett, B. Vasilescu, V. Filkov, Developer initiation and social interactions in OSS: a case study of the Apache Software Foundation, *Empir. Softw. Eng.* 20 (2015) 1318–1353.
- [39] P. Chejnová, Expressing politeness in the institutional e-mail communications of university students in the Czech Republic, *J. Pragmat.* 60 (2014) 175–192.
- [40] R.K. Yin, Case study research: design and methods, in: L. Bickman, D.J. Rog (Eds.), *Applied Social Research Methods Series*, Vol. 5, Sage Publications, Thousand Oaks, CA, 2003.
- [41] K. Crowston, E.E. Allen, R. Heckman, Using natural language processing technology for qualitative data analysis, *Int. J. Soc. Res. Method* 15 (6) (2012) 523–543.
- [42] G.A. Oliva, F.W. Santana, K.C. de Oliveira, C.R. de Souza, M.A. Gerosa, Characterizing key developers: a case study with apache ant, *International Conference on Collaboration and Technology*, Springer, Berlin Heidelberg, 2012, pp. 97–112.
- [43] M.B. Miles, A.M. Huberman, *Qualitative Data Analysis: An Expanded Sourcebook*, 2nd ed., Sage Publications, Thousand Oaks, 1994.
- [44] R. Budd, R.K. Thorpe, L. Donohue, *Content Analysis of Communication*, Macmillan, New York, 1967.
- [45] K. Krippendorff, *Content Analysis: An Introduction to Its Methodology*, Sage, 2012.
- [46] V.J. Duriau, R.K. Reger, M.D. Pfarrer, A content analysis of the content analysis literature in organization studies: research themes, data sources, and methodological refinements, *Organ. Res. Methods* 10 (1) (2007) 5–34.
- [47] O. Oh, M. Agrawal, H.R. Rao, Community intelligence and social media services: a rumor theoretic analysis of tweets during social crises, *MIS Q.* 37 (2) (2013) 407–426.
- [48] K.A. Neuendorf, *The Content Analysis Guidebook*, Sage Publications, Thousand Oaks, CA, 2002.
- [49] D. Riffe, S. Lacy, F.G. Fico, *Analyzing Media Messages: Using Quantitative Content Analysis in Research*, Psychology Press, 2005.
- [50] L. Rourke, T. Anderson, D.R. Garrison, W. Archer, Assessing social presence in asynchronous: text-based computer conferencing, *J. Distance Educ.* 14 (2) (1999) 50–71.
- [51] M.B. Watson-Manheim, K.M. Chudoba, K. Crowston, Perceived discontinuities and constructed continuities in virtual work, *Inf. Syst. J.* 22 (1) (2012) 29–52.
- [52] J. Howison, K. Crowston, Collaboration through open superposition: a theory of the open source way, *Mis Q.* 38 (1) (2014) 29–50.
- [53] M. Sifianou, Disagreements: face and politeness, *J. Pragmat.* 44 (12) (2012) 1554–1564.
- [54] F. Thung, D. Lo, L. Jiang, Automatic defect categorization, 2012 19th Working Conference on Reverse Engineering (WCORE), IEEE, 2012.
- [55] F. Thung, T.F. Bissyandé, D. Lo, L. Jiang, Network structure of social coding in GitHub, *Software Maintenance and Reengineering (CSMR)*, 17th European Conference on, IEEE, 2013.

Kangning Wei is an Associate Professor in the School of Management at Shandong University, China. Her research interests include social practices in Free/Libre Open Source Software development and virtual collaboration in a broad way. She received her PhD in Information Science and Technology from Syracuse University, USA.

Kevin Crowston is a Distinguished Professor of Information Science in the School of Information Studies at Syracuse University. He received his PhD in 1991 in Information Technologies from the Sloan School of Management, Massachusetts Institute of Technology (MIT). His research examines new ways of organizing made possible by the extensive use of information and communications technology. His specific research topics include the development practices of Free/Libre Open Source Software teams and work practices and technology support for citizen science research projects, both with NSF support.

Dr. U. Yeliz Eseryel is a tenured Assistant Professor of Innovation Management & Strategy at the University of Groningen (the Netherlands), Faculty of Economics and Business. She received her PhD from Syracuse University (2010). Her research informs the theory and practice of open innovation enablement through information systems. Her research has been published at JSIS, JAIS, IEEE, JASIST among others. Her industry background includes business and strategy consulting and IT project management. She teaches internationally at the corporate, executive, master's and undergraduate levels since 2004.

Robert Heckman is an Associate Professor in the School of Information Studies at Syracuse University. He has served as Graduate Program Director, Associate Dean for Academic Affairs, and Senior Associate Dean in the School. His research interests include design of work-based learning experiences, learning strategies for information professionals, self-directed learning, and collaboration in virtual communities and teams. He received his PhD in Information Systems from the University of Pittsburgh.