

University of Groningen

## Impact of COVID-19 Dentistry-Related Literature

Delli, Konstantina; Livas, Christos; Nikitakis, Nikolaos G; Vissink, Arjan

*Published in:*  
International Dental Journal

*DOI:*  
[10.1016/j.identj.2022.11.005](https://doi.org/10.1016/j.identj.2022.11.005)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2023

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*  
Delli, K., Livas, C., Nikitakis, N. G., & Vissink, A. (2023). Impact of COVID-19 Dentistry-Related Literature: An Altmetric Study. *International Dental Journal*, 73(5), 770-776.  
<https://doi.org/10.1016/j.identj.2022.11.005>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## Scientific Research Report

## Impact of COVID-19 Dentistry-Related Literature: An Altmetric Study

Konstantina Delli<sup>a\*</sup>, Christos Livas<sup>b</sup>, Nikolaos G. Nikitakis<sup>c</sup>, Arjan Vissink<sup>a</sup><sup>a</sup> Department of Oral and Maxillofacial Surgery, University of Groningen, University Medical Center Groningen, Groningen, The Netherlands<sup>b</sup> Division of Orthodontics, Dental Clinics Zwolle, Zwolle, The Netherlands<sup>c</sup> Department of Oral Medicine & Pathology and Hospital Dentistry, School of Dentistry, National and Kapodistrian University of Athens, Greece

## ARTICLE INFO

## Article history:

Received 29 September 2022

Received in revised form

9 November 2022

Accepted 9 November 2022

Available online 17 November 2022

## Key words:

COVID-19

Social media

Altmetrics

Bibliometrics

Dentistry

## ABSTRACT

**Introduction:** Scientific literature on COVID-19 has grown rapidly during the pandemic. The aim of this study was to provide a comprehensive overview of the popularity on the web of the available dental publications on COVID-19 and to examine associations amongst article characteristics, online mentions, and citations.

**Materials and methods:** An Altmetric Explorer search was conducted for COVID-19 articles published in dental journals using 3 keywords: COVID-19, SARS-CoV-2, and pandemic. The following Altmetric data were collected: Altmetric attention score (AAS), mentions by news outlets, tweets, Mendeley readers, and Web of Science citations. Additionally, article title, type, topic, origin and open access status, journal title, quartile of impact factor (IF) distribution, and time lapse between COVID-19 pandemic onset and publication date were analysed.

**Results:** In all, 253 articles published in 48 dental journals were eligible for the study. AAS was significantly influenced by article topic, type, origin, and journal IF quartile. There was a negligible correlation between AAS and Web of Science citations. Mendeley was the only Altmetric source highly correlated with citations.

**Conclusions:** There was substantial online interest in COVID-19 dentistry-related literature, as depicted by the AAS of the reviewed articles and social media metrics. Mendeley reader counts were highly correlated with citations, and they may therefore be valuable in research impact evaluation.

© 2022 The Authors. Published by Elsevier Inc. on behalf of FDI World Dental Federation.

This is an open access article under the CC BY-NC-ND license

[\(http://creativecommons.org/licenses/by-nc-nd/4.0/\)](http://creativecommons.org/licenses/by-nc-nd/4.0/)

## Introduction

On December 31, 2019, a cluster of severe pneumonia cases of unknown aetiology was reported by Chinese health officials in Wuhan City, Hubei Province, China.<sup>1</sup> Shortly after the announcement, a novel  $\beta$ -coronavirus (severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2]) was detected as the causative agent for the coronavirus disease 2019 (COVID-19). In less than 3 months, COVID-19 spread to 114 countries,

urging the World Health Organization (WHO) to declare a global pandemic.<sup>2</sup> Since then, COVID-19 has taken a heavy toll, with more than 445 million confirmed cases worldwide including nearly 6 million deaths, reported to the WHO.<sup>3</sup>

The extraordinary virulence and the scarcity of data on this new pathologic entity forced researchers around the world to produce evidence within a limited time frame to support clinical decision-making.<sup>4</sup> The dental community has been also active in producing and disseminating COVID-19 research from the beginning of the crisis, mainly dealing with the management of dental offices during the outbreak; infection control in the practice, diagnosis, and treatment of oral manifestations related to COVID-19; and the effects of the pandemic on dental education and residency programmes.<sup>5</sup>

\* Corresponding author. Department of Oral and Maxillofacial Surgery, University of Groningen, University Medical Center Groningen, Hanzelplein 1, 9700 RB, Groningen, The Netherlands.

E-mail address: [k.delli@umcg.nl](mailto:k.delli@umcg.nl) (K. Delli).

Konstantina Delli: <http://orcid.org/0000-0003-3115-3977>

Arjan Vissink: <http://orcid.org/0000-0003-2581-4361>

<https://doi.org/10.1016/j.identj.2022.11.005>

The increase in global academic productivity on COVID-19 research has been demonstrated by several bibliometric analyses in dentistry.<sup>5-7</sup> However, those authors focussed entirely on assessing the scientific impact of the published evidence by analysing article characteristics by means of traditional bibliometric indicators, for example, citation rates. Newly introduced web-based metrics known as Altmetrics<sup>8</sup> enable the measurement of the spread of a scientific article through social media platforms and therefore the appraisal of the literature from a broader perspective. Recently, Altmetrics has been recommended to complement citation counts in evaluating the dissemination and impact of COVID-19 research articles.<sup>9</sup> Seeing that a comprehensive bibliometric-Altmetric assessment of COVID-19 research in dentistry is currently lacking, the present study aimed to provide a holistic overview of the popularity on the web of the available articles published in dental journals and investigate possible correlations amongst article characteristics, online mentions, and citations.

## Methods

### Search engine

Altmetric Explorer (AE, Altmetric LLP) is a user-friendly web-based platform that enables comparative tracking and analysis of online conversations surrounding scientific publications. AE collects relevant attention around each piece of published research from a wide range of sources extending to policy documents, more than 5000 English and non-English global news outlets, and 15,000 academic and nonacademic blogs, online reference managers, postpublication peer-review forums, social media, patent citations, and online sources such as Wikipedia, YouTube, Dimensions, and Web of Science citations.<sup>10</sup> Each article is assigned score (Altmetric attention score [AAS]) that represents a weighted approximation of the quantity and reach of attention it has received. AAS, type, and amount of online engagement are graphically illustrated by the colour-coded Altmetric donut.<sup>11</sup>

### Search strategy

Using an institutional subscription, an advanced search of the full Altmetric database was carried out on Wednesday, April 16, 2022, for research outputs related to COVID-19 in the dental literature by means of 3 keywords: COVID-19, SARS-CoV-2, and pandemic. The following filters were selected: "1105 DENTISTRY" (subjects for classification), "Articles" (type of output), and "All outputs" (type of open access [OA]). No time limits were applied regarding publication date and period in which Altmetric mentions were tracked.

### Data collection

The search results generated by AE were saved and exported from the Research Outputs tab as a comma-separated values (CSV) file. All publications were screened for COVID-19 articles. We included publications which received Altmetric mentions and citations and were published in English in

dental journals included in Journal Citation Reports 2021 (JCR, Clarivate Analytics) grouped under the subject category "Dentistry, Oral Surgery & Medicine" to ensure high-quality publication standards. Original research, reviews, short communications, concept/opinion/perspectives, commentaries, ethics articles, letters to the editor, editorials, technical notes, and case reports were considered for the purposes of the study. The following Altmetric data were collected for the outputs of each search query: AAS, news outlets and Twitter mentions, Mendeley readers, and Web of Science citations. Two researchers (K.D. and C.L.) read the abstracts of the articles finally included in the analysis and retrieved by consensus: article title, type, and topic; journal title and quartile of impact factor (IF) distribution (Q1–Q4 or N/A; not assigned); time lapse between COVID-19 pandemic onset and online or print publication dates (0–12 months, 13–24 months); and origin of the affiliation of the corresponding author (country and continent). Article topics were classified as follows: impact on oral health care/attendance of oral health care settings, recommendations/practice management, diagnostic methods/infection control, oral manifestations of COVID-19/oral cancer, education, issues related to dental specialties, or other. OA status (gold, closed, bronze, hybrid, or green) was recorded as indicated by AE.

### Statistical analysis

Statistical analyses were performed using SPSS version 26.0 (IBM Corp.). Graphical interpretation of normal Q–Q plots were used to determine the distribution of the data. For descriptive statistics, mean  $\pm$  SD, median (interquartile range [IQR]) and n (%) were used for normally and nonnormally distributed/categorical data, respectively. Independent samples *t* test/1-way analysis of variance (ANOVA) or Mann–Whitney *U*/Kruskal–Wallis *H* test, where appropriate, were used to analyse differences between groups. *P* values  $<.05$  were considered statistically significant. The correlation between different parameters was analysed with the Pearson or Spearman correlation coefficient, where appropriate. The correlation coefficients values were interpreted as follows: 0.00 to 0.30 (0.00 to  $-0.30$ ), negligible correlation; 0.30 to 0.50 ( $-0.30$  to  $-0.50$ ), low (negative) correlation; 0.50 to 0.70 ( $-0.50$  to  $-0.70$ ), moderate positive (negative) correlation; 0.70 to 0.90 ( $-0.70$  to  $-0.90$ ), high positive (negative) correlation; 0.90 to 1.00 ( $-0.90$  to  $-1.00$ ), very high positive (negative) correlation.<sup>12</sup>

## Results

The combined search originally yielded 492 articles in total. The original CSV file is available upon request. After removing 101 duplicates, the following articles were excluded from the study: 85 articles published in journals not listed in JCR, 8 articles without AAS and citations, 32 (product) news and patient communication, 6 authors' replies, 2 articles not in English, 1 congress poster, and 4 articles not related to COVID-19. Consequently, 253 articles were considered eligible for the study. Original research and letters to the editor were the prevailing article types (63 and 57 articles, respectively)

**Table 1 – Distribution of articles per article topic, type, origin, OA status, time lapse between pandemic onset and publication, and dental journal IF quartile**

		N	%	
Topic	Impact on oral health/attendance of oral health care settings	31	12.3	
	Recommendations/practice management	50	19.8	
	Diagnostic methods/infection control	44	17.4	
	Oral cancer/oral manifestations of COVID-19	22	8.7	
	Education	33	13.0	
	Issues related to dental specialties	31	12.3	
	Other	42	16.6	
	Type	Letter to the editor/commentary/opinion	107	42.3
		Editorial	37	14.6
		Original research	63	24.9
Review		10	4.0	
Short communication		26	10.3	
Other		10	4.0	
Origin		North America	86	34.0
	South America/other	40	15.8	
	Europe	73	28.9	
	Asia	53	20.9	
	N/A	1	0.4	
Time lapse	0–12 months	190	75.1	
	13–24 months	63	24.9	
OA status	Gold	18	7.1	
	Closed	38	15.0	
	Bronze	185	73.1	
	Hybrid	6	2.4	
Journal IF quartile	Green	6	2.4	
	Q1	47	18.6	
	Q2	52	20.6	
	Q3	73	28.9	
	Q4/other	81	32.0	

IF, impact factor; OA, open access.

followed by editorials (37 articles) and commentaries (31 articles). The distribution of articles per type is displayed in detail in [Table 1](#).

The analysed articles were published in 48 dental journals. The *Journal of Dental Education* published the most articles ( $n = 30$ ), followed by the *British Journal of Oral and Maxillofacial Surgery* ( $n = 25$ ), the *British Dental Journal* ( $n = 19$ ), and the *Journal of Oral and Maxillofacial Surgery*, and *Oral Diseases*, with 17 contributions each. More than 60% of the articles, specifically 154 out of 253 articles, were published in Q3 and Q4 journals or journals without IF, whereas the top-ranked Q1 journals published only 47 articles (18.6% of the included articles; [Table 1](#)). Bronze OA status was recorded in more than 70% of the publications, whilst 75% of the articles were published or appeared online within the first 12 months of the pandemic announcement ([Table 1](#)). Approximately 31% of the articles originated from the US, whilst the UK and Brazil contributed the second and third most at approximately 7% each (36 and 35 articles, respectively). At the continent level, 86 out of 253 articles came from affiliations located in North America, whilst 72 articles were produced in Europe and 53 were from Asian institutions ([Table 1](#)).

**Table 2 – Descriptive statistics of AAS, online mentions per Altmetric source, and citations of the articles examined in the study.**

	Median	IQR	Mean	SD
AAS	2	4–1	8.4	51.6
News	0	0–0	0.5	4.9
Tweets	2	4–1	5.7	19.9
Mendeley readers	33	74–15	59.5	89.2
Citations	1	4–0	6.1	18.1

Although data do not follow a normal distribution, mean values and SD are also shown to allow comparison with similar studies.

AAS, Altmetric attention score; IQR, interquartile range (Q3–Q1).

The reviewed publications were assigned a mean AAS of 8.4 (SD, 51.55), were mostly discussed online by Mendeley readers (mean, 59.5 references; SD, 89.29), and received on average 6.1 Web of Science citations (SD, 18.13; [Table 2](#)). The article with the highest AAS—785—was a commentary published in the *British Dental Journal* exploring the link between high bacterial load in the oral cavity and severity of SARS-CoV-2 infections (Supplementary Figure 1).<sup>13</sup> It was reproduced by 73 news outlets, 241 tweets, and 332 Mendeley readers.

Topic, article type, article origin, and IF quartile of the published article had a significant effect on AAS ([Table 3](#)). Specifically, studies on oral manifestations of COVID-19 and diagnosis or treatment of oral cancer related to COVID-19 had significantly higher median AAS compared to the rest ( $P = .018$ ; [Figure 1A](#)). Reviews were the type of studies with significantly higher median AAS ( $P = .003$ ; [Figure 1B](#)). Studies from Europe scored a significantly higher median AAS compared to studies from other continents ( $P = .04$ ; [Figure 1C](#)). Studies published in Q1 journals had significantly higher AAS compared to studies published in journals in lower quartiles ([Figure 1C](#)). The OA status of the journal and the time lapse did not influence the AAS of the studies ( $P < .05$ ; Supplementary Figure 2). There was a negligible correlation between AAS and Web of Science citations ( $\rho = 0.25$ ;  $P < .001$ ). Additionally, citations were negligibly correlated with the number of tweets ( $\rho = 0.12$ ;  $P < .01$ ), whilst there was a high positive correlation between citations and Mendeley readers ( $\rho = 0.76$ ;  $P < .01$ ). [Table 4](#) summarises all correlations amongst AAS, citations, and online mentions.

## Discussion

COVID-19 dentistry-related literature grew within a few months from a handful of manuscripts based on early experiences and existing knowledge<sup>14,15</sup> to a wealth of articles hosted in JCR-indexed journals. In accordance with previous results,<sup>5</sup> the most popular topics were recommendations/practice management, diagnostic methods/infection control, and education. The peer-reviewed studies attracted more online attention compared to other Altmetric studies in dentistry,<sup>16–18</sup> implying the intense interest of the general public and scholars in the available evidence-based literature on COVID-19.

Letters to the editor, editorials, commentaries, and opinion articles dominated the selection of articles examined, with

**Table 3 – Distribution of AAS per article characteristic and intra-group comparisons.**

Topic	AAS (median)	IQR	AAS (mean)	SD	P value
Impact on oral health/attendance of oral health care settings	2	5–1	3.9	4.5	.018
Recommendations/practice management	2	4–1	20.1	110.6	
Diagnostic methods/infection control	2	12–1	13	35.5	
Oral manifestations of COVID-19/oral cancer	2.5	5–1	6.4	11.2	
Education	1	3–1	2.8	3.2	
Issues related to dental specialties	1	2–1	3	4.5	
Other	1	2–1	2.4	2.8	
<b>Type</b>					
Letter to the editor/commentary/opinion	1	3.5–1	12.5	76.5	.003
Editorial	2	4–1	4.6	7.1	
Original research	2	4–1	7.2	26.2	
Review	7.5	12–2	8.3	7.5	
Short communication	1	2–1	2	2.8	
Other	1.5	5–1	3.9	4.8	
<b>Origin</b>					
North America	1	4–1	5.3	13.8	.04
South America/other	1.5	3–1	2.4	2.7	
Europe	2	7–1	16.0	91.5	
Asia	1	3–1	7.3	29.0	
N/A	-	-	-	-	
<b>OA status</b>					
Gold	1.0	3–1	2.2	2.0	.109
Closed	1	2–1	3.7	8.5	
Bronze	2	4–1	10.3	60.1	
Hybrid	1.5	4–1	3.5	4.0	
Green	2.5	10–1	5.0	5.3	
<b>Time lapse</b>					
0–12 months	2	4–1	9.1	57.6	.46
13–24 months	1	3–1	6.5	26.1	
<b>Journal IF Quartile</b>					
Q1	3	10–1	8.7	18.7	.0001
Q2	1	2–1	6.6	28.8	
Q3	1	2–1	2.3	2.4	
Q4/other	2	7–1	15.0	86.9	

Although data do not follow a normal distribution, mean values and SD are also shown to allow comparison with similar studies. AAS, Altmetric attention score; IF, impact factor; IQR, interquartile range (Q3–Q1); OA, open access.


nearly 6 out of 10 articles falling under these categories, indicating the relative lack of sufficient high-quality evidence to assist the decision-making process.<sup>6</sup> Likewise, a bibliometric review of the COVID-19 literature in the top 20–ranked otorhinolaryngology journals showed that a redundancy of comments and suggestions has been produced with editorials, letters to the editor, and commentaries accounting for 75% of the published articles.<sup>4</sup> Nonetheless, commentaries and letters to the editor reflecting personal experiences or institutional anti-COVID-19 strategies may be valuable in accumulating knowledge and warning against the pandemic, especially during the early stages of such an unprecedented crisis.

Despite that letters to the editor and commentaries tend to attract fewer citations than original research contributions, 2 letters to the editors published in *Clinical Oral Investigations* and the *Journal of Dental Research* received more than 100 citations—211 and 121, respectively—and can be considered “citation classics.”<sup>19</sup> The first letter highlighted the potential value of salivary diagnostics,<sup>20</sup> whilst the second one drew attention to the assumed involvement of salivary glands in asymptomatic SARS-CoV-2 infections.<sup>21</sup>

In agreement with earlier bibliometric research,<sup>6</sup> the vast majority of publications resulted from either single countries

or extensive collaboration amongst institutions of the same country. The highest level of international collaboration was achieved in a multicentre study<sup>22</sup> aiming to evaluate the caries-control effectiveness of CariesCare International system adapted for the pandemic with non-aerosol-generating (non-AGP) procedures and reducing in-office time. This 1-year multicentre single-group interventional trial was conducted in 21 centres located in 13 countries, whilst researchers from 24 countries were involved in authorship. The widest extent of collaboration amongst domestic affiliations was observed in the US, where 11 institutions together developed an oral and maxillofacial surgery curriculum residency programme to address the challenges of the pandemic.<sup>23</sup>

Similar to the study by Soltani et al,<sup>5</sup> the US, the UK, and Brazil were the leading countries in COVID-19 research published in dental journals. The fact that the abovementioned countries—together with India—present the highest numbers of confirmed deaths worldwide<sup>24</sup> may account for their outstanding research performance. When comparing countries by original research articles, contrary to Brazil, the US and the UK remained at the top of the list. Interestingly enough, 26 out of 35 Brazilian publications were commentaries and letters to the editor. Likewise, India, number 4 in the overall



**Fig – Distribution of Altmetric attention score (AAS) in relation to topic (A), article type (B), continent of origin (C), and journal impact factor quartile (D) of the articles (black horizontal lines indicate medians).**

ranking on research productivity, contributed only 1 original research article. Because China was the epicentre of the pandemic’s start and Italy was the first European country severely hit by COVID-19, it might have been expected that those countries would have been frontrunners in dental research related to COVID-19,<sup>6</sup> but our study could not

confirm this. Differences between studies in the number of databases, language of publication, or type of journals reviewed may additionally be held accountable for the observed productivity disparities between countries.

A paradoxical finding observed was the eagerness of some authors to share identical standpoints in the form of

**Table 4 – Correlations amongst AAS, online mentions, and citations.**

Correlations			AAS	News	Tweets	Mendeley readers	Citations
Spearman rho	AAS	Correlation coefficient		0.52	0.68	0.24	0.25
		Significance (2-tailed)		.000	.000	.000	.000
	News outlets	Correlation coefficient			0.14	0.07	0.13
		Significance (2-tailed)			.029	.257	.045
	Tweeters	Correlation coefficient				0.20	0.120
		Significance (2-tailed)				.002	.002
	Mendeley readers	Correlation coefficient					0.76
		Significance (2-tailed)					.000

AAS, Altmetric attention score.

letters and commentary articles hosted by different journals.<sup>4</sup> From this perspective, some researchers affiliated with institutions in South America appeared to have coauthored up to 4 comment articles and letters in order to communicate their COVID-19 concerns and recommendations for their specialties.

Articles published in Q1 journals were significantly more popular on social media platforms than lower-profile journals, in contrast to a previous Altmetric analysis of the non-COVID-19 dental literature.<sup>25</sup> Hypothetically, the emergency nature of the outbreak prompted social media users and/or readers of the highest IF dental journals to share online published COVID-19-related articles. The significantly higher AAS assigned to studies on oral manifestations of COVID-19/diagnosis and treatment of oral cancer during the pandemic compared to other topics may be clarified by the high levels of online attention to oral cancer identified by prepandemic studies.<sup>26,27</sup> Unlike findings on the long-term effect of OA on the social impact of dental journal articles,<sup>28</sup> there was no influence of OA status of the journals on the AAS of the articles. This might be explained by the fact that more than 50 publishers are now making their coronavirus-related articles directly accessible in PubMed Central, facilitating text mining and secondary analysis.<sup>29</sup>

In line with Altmetric studies in other dental fields,<sup>17,18,25,30,31</sup> the correlation between AAS and citation was negligible. Based on these results, AAS should not be used in assessing the citability of COVID-19 research articles published in dental journals. Tweets targeting COVID-19 dental literature were also poorly correlated with Web of Science citations. Tweets are often posted by people outside the science sector who most likely, as nonexperts, fail to evaluate properly the quality of articles and therefore engage with articles less approved by scholars.<sup>32</sup> Our study also confirmed the common finding in similar articles that Mendeley readership is the Altmetric source with the highest correlation with citations.<sup>32,33</sup> Contrary to the other social networks monitored by AE, Mendeley audience refers largely to academics and researchers. Most of these users responded in a survey to have read and cited or intended to cite most of the research outputs included in their Mendeley library.<sup>34</sup>

To the authors' knowledge, this is the first integrated bibliometric analysis of COVID-19 articles published in dental journals combining Altmetrics and citations. Theoretically, the actual volume of the dental scientific literature on COVID-19 might have been underestimated due to lack of inclusion of national databases indexing journals in other languages than English. Nevertheless, because all eligible manuscripts published in journals listed in JCR were investigated, the present study seemingly provides compelling evidence on the status and trends of the bulk of COVID-19 dental articles fulfilling certain quality standards.

## Conclusions

- Dental articles on COVID-19 attracted considerable attention by social media users.
- AAS was significantly influenced by article topic, type, origin, and journal IF quartile.

- There was a negligible correlation between AAS and citations of COVID-19 articles published in dental journals.
- Mendeley reader counts may offer early evidence of the scientific impact of COVID-19 articles published in dental journals.

## Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

## Author contributions

Konstantina Dellia and Christos Livasb contributed equally to this work.

## Conflict of interest

None disclosed.

## Supplementary materials

Supplementary material associated with this article can be found in the online version at [doi:10.1016/j.identj.2022.11.005](https://doi.org/10.1016/j.identj.2022.11.005).

## R E F E R E N C E S

1. European Centre for Disease Prevention and Control. 2020. Rapid risk assessment. Cluster of pneumonia cases caused by a novel coronavirus, Wuhan, China. Available from: <https://www.ecdc.europa.eu/sites/default%20files/documents>. Accessed May 1, 2022.
2. World Health Organization. WHO Director-General's opening remarks at the media briefing on COVID-19 – 11. March 2020. Available from: <https://www.who.int/director-general/speeches/detail/who-director-general-s-openingremarks-at-the-media-briefing-on-covid-19-11-march-2020>. Accessed May 1, 2022.
3. World Health Organization. WHO coronavirus (COVID-19) dashboard. Available from: <https://covid19.who.int>. Accessed May 1, 2022.
4. Zocchi J, Pietrobon G, Moretto S, et al. Literature in the time of COVID-19: The "phase two. *Oral Oncol* 2020;109:104837.
5. Soltani P, Baghaei K, Tavakoli Tafti K, Spagnuolo G. Science mapping analysis of COVID19 articles published in dental journals. *Int J Environ Res Public Health* 2021;18:110.
6. Jacimovic J, Jakovljevic A, Nagendrababu V, Duncan HF, Dummer PMH. A bibliometric analysis of the dental scientific literature on COVID-19. *Clin Oral Investig* 2021;25:6171–83.
7. Mayta-Tovalino F, Quispe-Vicuña C, Cabanillas-Lazo M, Munive-Degregor A, Guerrero ME, Mendoza R. A scientometric analysis of scholarly output on COVID-19 and dentistry. *Int Dent J* 2022 S0020-6539(22)00077-6.
8. Priem J, Taraborelli D, Groth P, Neylon C. Altmetrics: a manifesto. Available from: <http://altmetrics.org/manifesto/>. Accessed May 1, 2022.
9. Tornberg HN, Moezina C, Wei C, et al. Assessing the dissemination of COVID-19 articles across social media with

- Altmetric and PlumX Metrics: correlational study. *J Med Internet Res* 2021;23:e21408.
10. Altmetric. Attention sources tracked by Altmetric. 2020. Available from: <https://help.altmetric.com/support/solutions/articles/6000235983-attention-sources-trackedby-altmetric>. Accessed May 1, 2022.
  11. Altmetric. The donut and Altmetric Attention Score. 2022. Available from: <https://www.altmetric.com/about-our-data/the-donut-and-score/>. Accessed May 1, 2022.
  12. Mukaka MM. Statistics corner: a guide to appropriate use of correlation coefficient in medical research. *Malawi Med J* 2012;24:69–71.
  13. Sampson V, Kamona N, Sampson A. Could there be a link between oral hygiene and the severity of SARS-CoV-2 infections? *Br Dent J* 2020;228:971–5.
  14. Meng L, Hua F, Bian Z. Coronavirus disease 2019 (COVID-19): emerging and future challenges for dental and oral medicine. *J Dent Res* 2020;99:481–7.
  15. Peng X, Xu X, Li Y, Cheng L, Zhou X, Ren B. Transmission routes of 2019-nCoV and controls in dental practice. *Int J Oral Sci* 2020;12:9.
  16. Meng Z, Xiang Q, Wu X, Hua F, Dong W, Tu YK. The level of evidence, scientific impact and social impact of clinical studies in periodontology: a methodological study. *J Clin Periodontol* 2020;47:902–11.
  17. Warren VT, Patel B, Boyd CJ. Determining the relationship between Altmetric score and literature citations in the oral and maxillofacial surgery literature. *J Oral Maxillofac Surg* 2020;78:1460.e1–e7.
  18. Warren VT, Patel B, Boyd CJ. Analyzing the relationship between Altmetric score and literature citations in the implantology literature. *Clin Implant Dent Relat Res* 2020;22:54–8.
  19. Christensen-Szalanski JJJ, Beach LR. Publishing opinions: a note on the usefulness of commentaries. *Am Psychol* 1983;38:1400–1.
  20. Sabino-Silva R, Jardim ACG, Siqueira WL. Coronavirus COVID-19 impacts to dentistry and potential salivary diagnosis. *Clin Oral Investig* 2020;24:1619–21.
  21. Xu J, Li Y, Gan F, Du Y, Yao Y. Salivary glands: potential reservoirs for COVID-19 asymptomatic infection. *J Dent Res* 2020;99:989.
  22. Martignon S, Cortes A, Douglas GVA, et al. CariesCare International adapted for the pandemic in children: Caries OUT multicentre single-group interventional study protocol. *BMC Oral Health* 2021;21:329.
  23. Moe J, Brookes C, Dyalram D, et al. Resident education in the time of a global pandemic: development of the collaborative oms virtual interinstitutional didactic (COVID) program. *J Oral Maxillofac Surg* 2020;78:1224–6.
  24. Our World in Data. Daily new confirmed COVID-19 deaths per million people. Available from: <https://ourworldindata.org/explorers/coronavirus-data-explorer>. Accessed May 1, 2022.
  25. Delli K, Livas C, Spijkervet FKL, Vissink A. Measuring the social impact of dental research: an insight into the most influential articles on the web. *Oral Dis* 2017;23:1155–61.
  26. Hassona Y, Qutachi T, Dardas L, Alrashdan MS, Sawair F. The online attention to oral cancer research: an Altmetric analysis. *Oral Dis* 2019;25:1502–10.
  27. Martelli AJ, Machado RA, Martelli DRB, Neves LTD, Martelli H Jr. The 100 mostcited papers in oral medicine and pathology. *Braz Oral Res* 2020;35:e020.
  28. Yu X, Meng Z, Qin D, Shen C, Hua F. The long-term influence of open access on the scientific and social impact of dental journal articles: an updated analysis. *J Dent* 2022;119:104067.
  29. National Library of Medicine. Public Health Emergency COVID-19 Initiative. Available from: <https://www.ncbi.nlm.nih.gov/pmc/about/covid-19/>. Accessed May 1, 2022.
  30. Livas C, Delli K. Looking beyond traditional metrics in orthodontics: an Altmetric study on the most discussed articles on the web. *Eur J Orthod* 2018;40:193–9.
  31. Adobes Martin M, Zhou Wu A, Marques Martínez L, Gonzalez Moreno AM, Aiuto R, Garcovich D. What is trending in paediatric dentistry? An Altmetric study on paediatric dentistry journals. *Eur Arch Paediatr Dent* 2021;22:291–9.
  32. Bornmann L, Haunschild R. Do Altmetrics correlate with the quality of papers? A large-scale empirical study based on F1000Prime data. *PLoS One* 2008;13:e0197133.
  33. Costas R, Zahedi Z, Woiters P. Do “Altmetrics” correlate with citations? Extensive comparison of Altmetric indicators with citations from a multidisciplinary perspective. *JASIST* 2015;66:2003–19.
  34. Chen PY, Hayes E, Larivière V, Sugimoto CR. Social reference managers and their users: a survey of demographics and ideologies. *PLoS One* 2018;13:e0198033.